(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 28 November 2002 (28.11.2002)

PCT

(10) International Publication Number WO 02/095000 A2

(51) International Patent Classification?: C12N

(21) International Application Number: PCT/US02/16173

(22) International Filing Date: 22 May 2002 (22.05.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

,		· ·	
	60/292,335	22 May 2001 (22.05.2001)	US
	60/297,523	13 June 2001 (13.06.2001)	US
	60/298,925	19 June 2001 (19.06.2001)	US
	60/303,807	10 July 2001 (10.07.2001)	US
	60/303,808	10 July 2001 (10.07.2001)	US
	60/303,810	10 July 2001 (10.07.2001)	US
	60/315,047	28 August 2001 (28.08.2001)	US
	60/324,928	27 September 2001 (27.09.2001)	US
	60/330,462	22 October 2001 (22.10.2001)	US
	60/330,867	1 November 2001 (01.11.2001)	US
	60/331,805	21 November 2001 (21.11.2001)	US
	60/336,144	6 December 2001 (06.12.2001)	US
	60/340,873	19 December 2001 (19.12.2001)	US
	60/357,843	21 February 2002 (21.02.2002)	US
	60/357,844	21 February 2002 (21.02.2002)	US
	60/357,842	21 February 2002 (21.02.2002)	US
	60/364,134	15 March 2002 (15.03.2002)	US
	60/370,144	8 April 2002 (08.04.2002)	US
	60/370,206	8 April 2002 (08.04.2002)	US
	60/370,247	8 April 2002 (08.04.2002)	US
	60/372,794	17 April 2002 (17.04.2002)	US
	60/371,679	21 April 2002 (21.04.2002)	US

(71) Applicant (for all designated States except US): GENE LOGIC, INC. [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): MENDRICK,

Donna [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US). PORTER, Mark [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US). JOHNSON, Kory [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US). HIGGS, Brandon [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US). CASTLE, Arthur [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US). ELASHOFF, Michael [US/US]; 708 Quince Orchard Road, Gaithersburg, MD 20878 (US).

- (74) Agents: TUSCAN, Michael, S. et al.; Morgan, Lewis & Bockius LLP, 1111 Pennsylvania Avenue, NW, Washington, DC 20004 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- without international search report and to be republished upon receipt of that report
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: MOLECULAR TOXICOLOGY MODELING

(57) Abstract: The present invention is based on the elucidation of the global changes in gene expression and the identification of toxicity markers in tissues or cells exposed to a known renal toxin. The genes may be used as toxicity markers in drug screening and toxicity assays. The invention includes a database of genes characterized by toxin-induced differential expression that is designed for use with microarrays and other solid-phase probes.



MOLECULAR TOXICOLOGY MODELING

INVENTORS: Donna MENDRICK, Mark PORTER, Kory JOHNSON, Brandon HIGGS, Arthur CASTLE, and Michael ELASHOFF

RELATED APPLICATIONS

5

10

15

20

25

This application claims priority to U.S. Provisional Applications 60/292,335; 60/297,523; 60/298,925; 60/303,810; 60/303,807; 60/303,808; 60/315,047; 60/324,928; 60/330,867; 60/330,462; 60/331,805; 60/336,144; 60/340,873; 60/357,843; 60/357,842; 60/357,844; 60/364,134; 60/370,206; 60/370,247; 60/370,144; 60/371,679; and 60/372,794, all of which are herein incorporated by reference in their entirety. This application is also related to U.S. Application Nos. 09/917,800 and 10/060,087, both of which are also herein incorporated by reference in their entirety.

SEQUENCE LISTING SUBMISSION ON COMPACT DISC

The Sequence Listing submitted concurrently herewith on compact disc is herein incorporated by reference in its entirety. Four copies of the Sequence Listing, one on each of four compact discs are provided. Copy 1, Copy 2 and Copy 3 are identical.

Copies 1, 2, and 3 are also identical to the CRF. Each electronic copy of the Sequence Listing was created on May 22, 2002 with a file size of 3088 KB. The file names are as follows: Copy 1-gl5089wo.txt; Copy 2-gl5089wo.txt; CRF-gl5089wo.txt.

BACKGROUND OF THE INVENTION

The need for methods of assessing the toxic impact of a compound, pharmaceutical agent or environmental pollutant on a cell or living organism has led to the development of procedures which utilize living organisms as biological monitors. The simplest and most convenient of these systems utilize unicellular microorganisms such as yeast and bacteria, since they are the most easily maintained and manipulated. In addition, unicellular screening systems often use easily detectable changes in phenotype to monitor the effect of test compounds on the cell. Unicellular organisms, however, are inadequate models for estimating the potential effects of many compounds on complex multicellular animals, as they do not have the ability to carry out biotransformations.

The biotransformation of chemical compounds by multicellular organisms is a significant factor in determining the overall toxicity of agents to which they are exposed. Accordingly, multicellular screening systems may be preferred or required to detect the

toxic effects of compounds. The use of multicellular organisms as toxicology screening tools has been significantly hampered, however, by the lack of convenient screening mechanisms or endpoints, such as those available in yeast or bacterial systems. Additionally, previous attempts to produce toxicology prediction systems have failed to provide the necessary modeling data and statistical information to accurately predict toxic responses (e.g., WO 00/12760, WO 00/47761, WO 00/63435, WO 01/32928, and WO 01/38579).

SUMMARY OF THE INVENTION

5

10

15

20

25

30

The present invention is based on the elucidation of the global changes in gene expression in tissues or cells exposed to known toxins, in particular renal toxins, as compared to unexposed tissues or cells as well as the identification of individual genes that are differentially expressed upon toxin exposure.

In various aspects, the invention includes methods of predicting at least one toxic effect of a compound, predicting the progression of a toxic effect of a compound, and predicting the renal toxicity of a compound. The invention also includes methods of identifying agents that modulate the onset or progression of a toxic response. Also provided are methods of predicting the cellular pathways that a compound modulates in a cell. The invention also includes methods of identifying agents that modulate protein activities.

In a further aspect, the invention includes probes comprising sequences that specifically hybridize to genes in Tables 1-5. Also included are solid supports comprising at least two of the previously mentioned probes. The invention also includes a computer system that has a database containing information identifying the expression level in a tissue or cell sample exposed to a renal toxin of a set of genes comprising at least two genes in Tables 1-5.

DETAILED DESCRIPTION

Many biological functions are accomplished by altering the expression of various genes through transcriptional (e.g. through control of initiation, provision of RNA precursors, RNA processing, etc.) and/or translational control. For example, fundamental biological processes such as cell cycle, cell differentiation and cell death, are often characterized by the variations in the expression levels of groups of genes.

Changes in gene expression are also associated with the effects of various chemicals, drugs, toxins, pharmaceutical agents and pollutants on an organism or cell. For example, the lack of sufficient expression of functional tumor suppressor genes and/or the over expression of oncogene/protooncogenes after exposure to an agent could lead to tumorgenesis or hyperplastic growth of cells (Marshall (1991), *Cell* 64: 313-326; Weinberg (1991), *Science* 254: 1138-1146). Thus, changes in the expression levels of particular genes (*e.g.* oncogenes or tumor suppressors) may serve as signposts for the presence and progression of toxicity or other cellular responses to exposure to a particular compound.

Monitoring changes in gene expression may also provide certain advantages during drug screening and development. Often drugs are screened for the ability to interact with a major target without regard to other effects the drugs have on cells. These cellular effects may cause toxicity in the whole animal, which prevents the development and clinical use of the potential drug.

The present inventors have examined tissue from animals exposed to known renal toxins which induce detrimental kidney effects, to identify global changes in gene expression induced by these compounds. These global changes in gene expression, which can be detected by the production of expression profiles (an expression level of one or more genes), provide useful toxicity markers that can be used to monitor toxicity and/or toxicity progression by a test compound. Some of these markers may also be used to monitor or detect various disease or physiological states, disease progression, drug efficacy, and drug metabolism.

Identification of Toxicity Markers

10

15

20

25

30

To evaluate and identify gene expression changes that are predictive of toxicity, studies using selected compounds with well characterized toxicity have been conducted by the present inventors to catalogue altered gene expression during exposure *in vivo* and *in vitro*. In the present study, cephaloridine, cisplatin, puromycin aminonucleoside (PAN), bromoethylamine hydrobromide (BEA), gentamicin, ifosfamide, cyclophosphamide, carboplatin, AY-25329, indomethacin, acyclovir, citrinin, mercuric chloride, diflunisal, cidofovir, pamidronate, lithium, hydralazine, colchicine, sulfadiazine, and adriamycin were selected as known renal toxins.

-4-

Cephaloridine is an amphoteric, semi-synthetic, broad-spectrum cephalosporin derived from cephalosporin C. Cephalosporins are β-lactam-containing antibiotics which prevent bacterial growth by inhibiting polymerization of the peptidoglycan bacterial cell wall. The linear glycan chains (composed of N-acetylglucosime and N-acetylmuramic acid) are cross-linked to each other by the coupling of short chains of several amino acids, the coupling resulting from the action of a transpeptidase. It is believed that cephalosporins act by blocking the activity of the transpeptidase (Goodman & Gilman's The Pharmalogical Basis of Therapeutics 9th ed., J.G. Hardman *et al.* Eds., McGraw Hill, New York, 1996, pp. 1074-1075, 1089-1095).

5

10

15

20

25

30

Cephaloridine is administered intramuscularly and is used to treat infections of the respiratory tract, gastrointestinal tract and urinary tract, as well as infections of soft tissue, bones and joints. Noted adverse effects include hypersensitivity reactions (such as anaphylactic shock, urticaria and bronchospasm), gastrointestinal disturbances, candidiasis, and cardiovascular and blood toxicity, in particular, toxicity to the hematopoietic system (cells responsible for the formation of red and white blood cells and platelets).

Although cephaloridine may be nephrotoxic at high dosages, it is not as harmful to the kidneys as are the aminoglycosides and polymixins. High dosages of cephaloridine may cause acute renal tubular necrosis (Cecil Textbook of Medicine, 20th ed., part XII, p. 586, J. C. Bennett and F. Plum Eds., W. B. Saunders Co., Philadelphia, 1996) or drug-induced interstitial nephritis, which is accompanied by elevated IgE levels, fever, arthralgia and maculopapular rash. Renal biopsopy demonstrates edema and interstitial inflammatory lesions, mainly with lymphocytes, monocytes, eosinophils and plasma cells. Vasculitis of small vessels may develop, leading to necrotising glomerulonephritis (G. Koren, "The nephrotoxic potential of drugs and chemicals. Pharmacological basis and clinical relevance.," Med Toxicol Adverse Drug Exp 4(1):59-72, 1989).

Cephaloridine has also been shown to reduce mitochondrial respiration and uptake of anionic succinate and carrier-mediated anionic substrate transport (Tune et al. (1990), J Pharmacol Exp Ther 252: 65-69). In a study of oxidative stress and damage to kidney tissue, cephaloridine depleted reduced glutathione (GSH) and produced oxidized glutathione (GSSG) in the renal cortex. This drug also inhibited glutathione reductase

15

20

25 '

30

and produced malondialdehyde and conjugated dienes (Tune et al. (1989), Biochem Pharmacol 38: 795-802). Because cephaloridine is actively transported into the proximal renal tubule, but slowly transported across the lumenal membrane into the tubular fluid, high concentrations can accumulate and cause necrosis. Necrosis can be prevented by administering inhibitors of organic anion transport, although such treatment may be counterproductive, as cephaloridine is passed in and out of the kidney by the renal organic anion transport system (Tune et al. (1980), J Pharmacol Exp Ther 215: 186-190).

Cisplatin (Pt (NH₃)₂(Cl)₂), a broad-spectrum anti-tumor agent, is commonly used to treat tumors of the testicles, ovaries, bladder, skin, head and neck, and lungs (<u>PDR 47th ed.</u>, pp. 754-757, Medical Economics Co., Inc., Montvale, NJ, 1993; <u>Goodman & Gilman's The Pharmalogical Basis of Therapeutics 9th ed.</u>, pp. 1269-1271, J.G. Hardman et al. Eds., McGraw Hill, New York, 1996). Cisplatin diffuses into cells and functions mainly by alkylating the N⁷ of guanine, a highly reactive site, causing interstrand and intrastrand crosslinks in the DNA that are lethal to cells. The drug is not sensitive to the cell cycle, although its effects are most pronounced in S phase.

Because the drug is cleared from the body mainly by the kidneys, the most frequent adverse effect of cisplatin usage is nephrotoxicity, the severity of which increases with increasing dosage and treatment terms. Other adverse effects include renal tubule damage, myelosuppression (reduced numbers of circulating platelets, leukocytes and erythrocytes), nausea and vomiting, ototoxicity, serum electrolyte disturbances (decreased concentrations of magnesium, calcium, sodium, potassium and phosphate, probably resulting from renal tubule damage), increased serum concentrations of urea and creatinine, and peripheral neuropathies.

In one study on rats (Nonclercq et al. (1989), Exp Mol Pathol 51: 123-140) administration of cisplatin or carboplatin induced renal injury, carboplatin causing less damage than cisplatin. The most prominent injury was to the straight portion of proximal renal tubule.

In another rat study (Goldstein et al. (1981), Toxicol Appl Pharmacol 60: 163-175) animals injected with cisplatin displayed decreased food intake as drug dosage increased. On day 2, the high-dose groups (10-15 mg/kg) exhibited a six or seven-fold elevation in BUN. On day 4, BUN elevation was noted in the 5mg/kg group. An

10

15

20

25

30

increase in urine volume was observed beginning on days 3-4, along with decreased urine osmolality in the low-dose groups (2.5 or 5 mg/kg). Another experiment on rats (Agarwal et al. (1995), Kidney Int 48: 1298-1307) showed that cisplatin treatment produced elevations in serum creatinine levels, which began on day 3 and progressed for the duration of the study.

PAN (C₂₂H₂₉N₇O₅), an antibiotic produced by *Streptomyces alboniger*, inhibits protein synthesis and is commonly used experimentally on rats to mimic human minimal change disease. One study showed that PAN-injected rats demonstrated an increase in levels of serum non-esterified fatty acids, while the serum albumin concentration was negatively affected (Sasaki *et al.* (1999), *Adv Exp Med Biol* 467: 341-346).

In another rat study, an adenosine deaminase inhibitor prevented PAN nephrotoxicity, indicating that PAN toxicity is linked to adenosine metabolism (Nosaka et al. (1997), Free Radic Biol Med 22: 597-605). Another group showed that PAN, when administered to rats, led to proteinuria, a condition associated with abnormal amounts of protein in the urine, and renal damage, e.g. blebbing of glomerular epithelial cells, focal separation of cells from the glomerular basement membrane, and fusion of podocytes (Olson et al. (1981), Lab Invest 44: 271-279). In another study on rats, administration of PAN induced glomerular epithelial cell apoptosis in a dose- and time-dependent manner (Sanwal et al. (2001), Exp Mol Pathol 70: 54-64).

One study with PAN-injected rats (Koukouritaki et al. (1998), J Investig Med 46: 284-289) examined the changes in the expression of the proteins paxillin, focal adhesion kinase, and Rho, all of which regulate cell adhesion to the extracellular matrix. Paxillin levels increased steadily, peaked at day 9 after PAN injection, and then remained elevated even after proteinuria resolved. There was no observed change in expression of either focal adhesion kinase or Rho.

BEA, (C₂H₆BrN.HBr), is commonly used experimentally on rats to induce papillary necrosis and renal cortex damage, which is similar to human analgesic nephropathy. BEA-induced papillary necrosis in rats eventually leads to the onset of focal glomerular sclerosis and nephrotic proteinuria (Garber *et al.* (1999), *Am J Kidney Dis* 33: 1033-1039). Even at low doses (50 mg/kg), BEA can induce an apex limited renal papillary necrosis (Bach *et al.* (1983), *Toxicol Appl Pharmacol* 69: 333-344). In male Wistar rats, BEA administered at 100 mg/kg was shown to cause renal papillary

WO 02/095000

5

10

15

20

25

30

necrosis within 24 hours (Bach et al. (1991), Food Chem Toxicol 29: 211-219). Additionally, Bach et al. showed that there was an increase in urinary triglycerides, and lipid deposits were seen by Oil Red O lipid staining in the cells of the collecting ducts and hyperplastic urothelia adjacent to the necrosed region.

It has also been shown that succinate and citrate concentrations are significantly lower in the urine of BEA-treated rats (Holmes *et al.* (1995), *Arch Toxicol* 70: 89-95). Moreover, BEA treatment induced glutaric and adipic aciduria, which is symptomatic of an enzyme deficiency in the acyl CoA dehydrogenases. The same study examined urinary taurine levels in desert mice, and in BEA-treated desert mice there was an increase in the urinary taurine level which is indicative of liver toxicity.

Another study on BEA-treated rats showed that there was an increase in the concentrations of creatine in the renal papilla and glutaric acid in the liver, renal cortex, and renal medulla as soon as 6 hours post-treatment (Garrod et al. (2001), Magn Reson Med 45: 781-790).

Discovered and purified in the early 1960's, gentamicin is a broad-spectrum aminoglycoside antibiotic that is cidal to aerobic gram-negative bacteria and commonly used to treat infections, e.g., those of the urinary tract, lungs and meninges. As is typical for an aminoglycoside, the compound is made of two amino sugar rings linked to a central aminocyclitol ring by glycosidic bonds. Aminoglycosides are absorbed poorly with oral administration, but are excreted rapidly by the kidneys. As a result, kidney toxicity is the main adverse effect, although ototoxicity and neuromuscular blockade can also occur. Gentamicin acts by interfering with bacterial protein synthesis. This compound is more potent than most other antibacterial inhibitors of protein synthesis, which are merely bacteriostatic, and its effects on the body are, likewise, more severe (Goodman & Gilman's The Pharmalogical Basis of Therapeutics 9th ed., pp. 1103-1115, J.G. Hardman et al. Eds., McGraw Hill, New York, 1996).

Aminoglycosides work rapidly, and the rate of bacterial killing is concentration-dependent. Residual bactericidal activity remains after serum concentration has fallen below the minimum inhibitory concentration (MIC), with a duration that is also dosage/concentration-dependent. The residual activity allows for once-a-day administration in some patients. These drugs diffuse into bacterial cells through porin channels in the outer membrane and are then transported across the cytoplasmic

membrane via a membrane potential that is negative on the inside (Goodman & Gilman, supra).

Kidney damage, which can develop into renal failure, is due to the attack of gentamicin on the proximal convoluted tubule, particularly in the S1 and S2 segments. The necrosis, however, is often patchy and focal (Shanley et al. (1990), Ren Fail 12: 83-87). A rat study by Shanley et al. showed that superficial nephrons are more susceptible to necrosis than juxtamedullary nephrons, although the initial segment of the superficial nephrons is remarkably resistant to necrosis.

5

10

15

20

25

30

Reported enzymatic changes upon gentamicin treatment are increased activities of N-acetyl-beta-D-glucosaminidase and alkaline phosphatase and decreased activities of sphingomyelinase, cathepsin B, Na⁺/K⁺-ATPase, lactate dehydrogenase and NADPH cytochrome C reductase, along with decreased protein synthesis and alpha-methylglucose transport (Monteil et al. (1993), Ren Fail 15: 475-483). An increase in gamma-glutamyl transpeptidase activity in urine has also been reported (Kocaoglu et al. (1994), Arch Immunol Ther Exp (Warsz) 42: 125-127), and the quantification of this enzyme in urine is a useful marker for monitoring gentamicin toxicity.

One source of renal pathology resulting from gentamicin treatment is the generation of reactive oxygen metabolites. Gentamicin has been shown, both *in vitro* and *in vivo*, to be capable of enhancing the production of reactive oxygen species. Iron, a necessary co-factor that catalyzes free-radical formation, is supplied by cytochrome P450 (Baliga *et al.* (1999), *Drug Metab Rev* 31: 971-997).

A gene delivery experiment in rats, in which the human kallikrein gene was cloned into an adenovirus vector and the construct then co-administered with a gentamicin preparation, showed that kallikrein can protect against gentamicin-induced nephrotoxicity. Significantly increased renal blood flow, glomerular filtration rates and urine flow were observed, along with decreased renal tubular damage, cellular necrosis and lumenal protein casts. Kallikrein gene delivery also caused a decrease in blood urea nitrogen levels and increases in urinary kinin and nitrite/nitrate levels. This study provides evidence that the tissue kallikrein-kinin system may be a key pathway that is perturbed during the induction of nephrotoxicity by gentamicin (Murakami *et al.* (1998), *Kidney Int* 53: 1305-1313).

Ifosfamide, an alkylating agent, is commonly used in chemotherapy to treat testicular, cervical, and lung cancer. Ifosfamide is slowly activated in the liver by hydroxylation, forming the triazene derivative 5-(3,3-dimethyl-1-triazeno)-imidazole-4-carboxamide (DTIC) (Goodman & Gilman's The Pharmacological Basis of Therapeutics 9th ed., p.1235, J.G. Hardman et al., Eds., McGraw Hill, New York, 1996). Cytochrome P450 activates DTIC via an N-demethylation reaction yielding an alkylating moiety, diazomethane. The active metabolites are then able to cross-link DNA causing growth arrest and cell death. Though ifosfamide is therapeutically useful, it is also associated with nephrotoxicity, urotoxicity, and central neurotoxicity.

5

10

15

20

25

30

Mesna, another therapeutic, is often administered concomitantly to prevent kidney and bladder problems from arising (Brock and Pohl (1986), *IARC Sci Publ* 78: 269-279). However, there are documented cases in which tubular toxicity occurred and elevated urinary levels of alanine aminopeptidase and N-acetyl-beta-D-glucosaminidase were found in patients even though mesna was administered alongside ifosfamide (Goren et al. (1987), Cancer Treat Rep 71: 127-130).

One study examined 42 patients that had been administered ifosfamide to treat advanced soft-tissue sarcoma (Stuart-Harris et al. (1983), Cancer Chemother Pharmacol 11: 69-72). The ifosfamide dosage varied from 5.0 g/m² to 8.0 g/m², and all of the patients were given mesna to counteract the negative effects of ifosfamide. Even so, nausea and vomiting were common to all of the patients. Out of the 42 patients, seven developed nephrotoxicity, and two of the cases progressed to fatal renal failure.

In another clinical study, renal tubular function was monitored in 18 neuroblastoma patients (Caron *et al.* (1992), *Med Pediatr Oncol* 20: 42-47). Tubular toxicity occurred in at least 12 of the patients, and seven of those patients eventually developed Debre-de Toni-Fanconi syndrome, although in 3 cases the syndrome was reversible.

Fanconi syndrome is a disorder marked by dysfunction of the proximal tubules of the kidney. It is associated with aminoaciduria, renal glycosuria, and hyperphosphaturia. Ifosfamide is often used experimentally on rats to induce Fanconi syndrome. In one study, rats that were administered 80 mg/kg of ifosfamide had significantly lower body weight and hematocrit than control rats (Springate and Van Liew (1995), *J Appl Toxicol* 15: 399-402). Additionally, the rats had low-grade glucosuria, proteinuria, and

25

30

phosphaturia. In a mouse study, ifosfamide induced elevated serum creatinine and urea levels and decreased the clearance rate of creatinine (Badary (1999), *J Ethnopharmacol* 67: 135-142).

Cyclophosphamide, a nitrogen mustard and alkylating agent, is highly toxic to 5 dividing cells and is commonly used in chemotherapy to treat malignant lymphomas, such as non-Hodgkin's lymphomas and Burkitt's lymphoma, multiple myeloma, leukemias, neuroblastomas, ovarian adenocarcinomas and retinoblastomas, as well as breast and lung cancer (Goodman & Gilman's The Pharmacological Basis of Therapeutics 9th ed., pp.1234, 1237-1239, J.G. Hardman et al., eds., McGraw Hill, New 10 York, 1996; Physicians Desk Reference, 47th ed., pp. 744-745, Medical Economics Co., Inc., Montvale, NJ, 1993). Additionally, cyclophosphamide is used as an immunosuppressive agent in bone marrow transplantation and following organ transplantation. Although cyclophosphamide is therapeutically useful against certain types of cancer, it is also associated with cardiotoxicity, nephrotoxicity (including renal 15 tubular necrosis), hemorrhagic cystitis, myelosuppression, hepatotoxicity, impairment of male and female reproductive systems, interstitial pneumonitis and central nervous system toxicity.

Once in the liver, cyclophosphamide is hydroxylated by the cytochrome P450 mixed function oxidase system, producing the active metabolites phosphoramide mustard and acrolein, which cross-link DNA and cause growth arrest and cell death. These metabolites, however, are highly toxic and cause adverse effects in the other organs into which they are transported, such as the kidneys. Acrolein is removed from the kidneys by secretion into the urine, resulting in cystitis (inflammation of the bladder), often hemorrhagic cystitis.

In the kidney, cyclophosphamide induces necrosis of the renal distal tubule. Cyclophosphamide, which is structurally similar to the anti-cancer drug ifosfamide, does not induce damage to the renal proximal tubule nor does it induce Debre-de Toni-Fanconi syndrome (Rossi et al. (1997), Nephrol Dial Transplant 12: 1091-1092).

One clinical trial of patients being treated with cyclophosphamide showed that renal damage from the drug leads to a reduced biotransformation rate and low renal clearance of the drug, resulting in a build-up of toxic alkylating metabolic products (Wagner et al. (1980), Arzneimittelforschung 30: 1588-1592).

10

15

20

25

30

In a study of patients suffering from malignant lymphomas and mammary carcinomas, a direct relationship was found between the dose of cyclophosphamide used in treatment and the concentration of alkylating metabolites in the patients' urine. The upper limit of the dose was determined by the nature and degree of the toxic side effects, rather than by the rate at which the drug could be metabolized (Saul et al. (1979), J Cancer Res Clin Oncol 94: 277-286). It is the acrolein itself that is toxic, not the alkylating activity of cyclophosphamide (Brock et al. (1979), Arzneimittelforschung 29: 659-661). A study on rats also showed that acrolein from the kidneys can produce hemorrhagic cystitis and that the acrolein concentration is directly related to the frequency and severity of the cystitis (Chijiwa et al. (1983), Cancer Res 43: 5205-5209).

Carboplatin, a platinum coordination complex, is commonly used in chemotherapy as an anti-tumor agent. As a chemotherapeutic agent, carboplatin acts similarly to cisplatin. Carboplatin enters the cell by diffusion where it is activated by hydrolysis (Goodman & Gilman's The Pharmacological Basis of Therapeutics 9th ed., p. 1270-1271, J.G. Hardman et al. Eds., McGraw Hill, New York 1996). Once activated, the platinum complexes are able to react with DNA causing cross-linking to occur. One of the differences between carboplatin and cisplatin is that carboplatin is better tolerated clinically. Some of the side-effects associated with cisplatin, such as nausea, neurotoxicity, and nephrotoxicity, are seen at a lesser degree in patients administered carboplatin. Some other side-effects are hypomagnesaemia and hypokalaemia (Kintzel (2001), Drug Saf 24: 19-38).

In one study on male Wistar rats, carboplatin was administered at a dosage of 65mg/kg (Wolfgang *et al.* (1994), *Fundam Appl Toxicol* 22: 73-79). After treatment with carboplatin, CGT excretion was increased approximately two-fold.

Another study compared cisplatin and carboplatin when given in combination with vindesine and mitomycin C (Jelic et al. (2001) Lung Cancer 34: 1-13). The study showed that carboplatin administered with vindesine and mitomycin C was advantageous in terms of overall survival, although the regimen was more hematologically toxic than when cisplatin was given.

AY-25329, is a phenothiazine that has been shown to be mildly hepatotoxic and to induce nephrosis. Its structure is shown below.

Phenothiazines are a class of psychoactive drugs. They have been used to treat schizophrenia, paranoia, mania, hyperactivity in children, some forms of senility, and anxiety (http://www.encyclopedia.com/articlesnew/ 36591.html). Some side effects associated with prolonged use of the drugs are reduced blood pressure, Parkinsonism, reduction of motor activity, and visual impairment.

5

10

15

20

25

Chlorpromazine (Thorazine or Largactil) is an aliphatic phenothiazine and is widely used for treating schizophrenia and manic depression. Prolactin secretion is increased while taking chlorpromazine, and galactorrhea and gynecomastia have both been associated with the drug (http://www.mentalhealth.com/drug/p30-c01.html). Trifluoperazine is another prescribed phenothiazine. It is used to treat anxiety, to prevent nausea and vomiting, and to manage psychotic disorders (http://www.mentalhealth.com/drug/p30-s04.html). Negative side-effects that have been associated with the drug are liver damage, bone marrow depression, and Parkinsonism.

Acyclovir (9-[(2-hydroxyethyl) methyl] guanine, Zovirax®), an anti-viral guanosine analogue, is used to treat herpes simplex virus (HSV), varicella zoster virus (VZV) and Epstein-Barr virus (EBV) infections. It is transported into cells by the nucleoside transporter that imports guanine, and acyclovir is phosphorylated by virally encoded thymidine kinase (TK). Other kinases convert acyclovir to its activated di- and triphosphate forms, which prevent the polymerization of viral DNA. Acyclovir triphosphate competes with dGTP for the viral polymerase, and acyclovir is preferentially incorporated, but as a monophosphate. As a result, chain elongation ceases (Fields Virology 3^d ed., Fields et al., eds., pp. 436-440, Lippincott-Raven Publishers, Philadelphia, 1996; Cecil Textbook of Medicine, 20th ed., part XII, p. 1742, J. C. Bennett and F. Plum Eds., W. B. Saunders Co., Philadelphia, 1996).

The pharmacokinetics of acyclovir show that it has a useful half-life of about three hours and that most of it is excreted in the urine largely unchanged (Brigden et al. (1985), Scand J Infect Dis Suppl 47: 33-39). Not surprisingly, the most frequent adverse

-13-

effect of acyclovir treatment is damage to various parts of the kidney, particularly the renal tubules. Crystalluria, or the precipitation of crystals (in this case, crystals of acyclovir), in the lumina of the renal tubules can occur (Fogazzi (1996), Nephrol Dial Transplant 11: 379-387). If the drug crystallizes in the renal collecting tubules, obstructive nephropathy and tubular necrosis can result (Richardson (2000), Vet Hum Toxicol 42: 370-371). Tissues from biopsies of affected patients showed dilation of the proximal and distal renal tubules, with loss of the brush border, flattening of the lining cells and focal nuclear loss (Becker et al. (1993), Am J Kidney Dis 22: 611-615).

5

10

15

20

25

30

Citrinin, a mycotoxin produced by the fungus *Penicillium citrinum*, is a natural contaminant of foods and feeds (Bondy and Armstrong (1998) *Cell Biol. Toxicol.* 14: 323-332). It is known that mycotoxins can have negative effects on the immune system, however citrinin-treated animals have been shown to stimulate responses against antigens (Sharma (1993) *J. Dairy Sci.* 76: 892-897). Citrinin is a known nephrotoxin, and in birds such as chickens, ducklings, and turkeys, it causes diarrhea, increased food consumption and reduced weight gain due to kidney degeneration (Mehdi *et al.* (1981) *Food Cosmet. Toxicol.* 19: 723-733; Mehdi *et al.* (1984) *Vet. Pathol.* 21: 216-223). In the turkey and duckling study, both species exhibited nephrosis with the occurrence of hepatic and lymphoid lesions (Mehdi *et al.*, 1984).

In one study, citrinin was administered to rabbits as a single oral dose of either 120 or 67 mg/kg (Hanika et al. (1986) Vet. Pathol. 23: 245-253). Rabbits treated with citrinin exhibited renal alterations such as condensed and distorted mitochondria, distended intercellular spaces of the medullary and straight cortical distal tubules, and disorganization of interdigitating processes. In another rabbit study, citrininadministered rabbits displayed azotaemia and metabolic acidosis (Hanika et al. (1984) Food Chem. Toxicol. 22: 999-1008). Renal failure was indicated by decreased creatinine clearance and increased blood urea nitrogen and serum-creatinine levels.

In the past, mercury was an important component of pharmaceuticals, particularly of antiseptics, antibacterials, skin ointments, diuretics and laxatives. Although, mercury has been largely replaced by more effective, more specific and safer compounds, making drug-induced mercury poisoning rare, it is still widely used in industry. Poisoning from occupational exposure and environmental pollution, such as mercury release into public water supplies, remains a concern as wildlife, domestic animals and humans are affected.

Because of their lipid solubility and ability to cross the blood-brain barrier, the most dangerous form of mercury is the organomercurials, the most common of which is methylmercury, a fungicide used for disinfecting crop seeds. In a number of countries, incidents involving large-scale illness and death from mercury poisoning have been reported when mercury-contaminated seeds were planted and the crops harvested and consumed. A second source of organic mercury poisoning results from industrial chemicals containing inorganic mercury, such as mercury catalysts, which form methylmercury as a reaction product. If this waste product is released into reservoirs, lakes, rivers or bays, the surrounding population can become sick or die, particularly those who eat local fish.

5

10

15

20

25

30

The inorganic salt mercuric chloride, HgCl₂, as well as other mercuric salts, are more irritating and more toxic than the mercurous forms. Mercuric chloride is used today in industry, for the manufacture of bleach, electronics, plastics, fungicides and dental amalgams. The main source of human exposure is industrial dumping into rivers (Goodman & Gilman's: The Pharmacological Basis of Therapeutics (9th ed.), pp. 1654-1659, McGraw-Hill, New York, 1996).

When inorganic mercury salts are ingested, about 10% of the mercuric ions are absorbed by the gastrointenstinal tract, and a considerable portion of the Hg²⁺ can remain bound to the mucosal surfaces. The highest concentration of Hg²⁺ is found in the kidneys, as it is retained there longer than in other tissues. Consequently, the kidneys are the organ most adversely affected by inorganic mercury poisoning. The proximal tubules are the major site of damage, where tubular necrosis results. The mercury affects primarily the S2 and S3 portions of the proximal tubules, but, at high levels of mercury exposure, the S1 and distal portions of the tubules are also damaged. These regions of the nephrons are affected because they contain enzymes (such as gammaglutamyltranspeptidase) and transport proteins (such as the basolateral organic anion transport system) involved in mercury uptake (Diamond *et al.* (1998), *Toxicol Pathol* 26: 92-103).

Urinary markers of mercury toxicity which can be detected in NMR spectra include elevated levels of lactate, acetate and taurine and decreased levels of hippurate (Holmes *et al.* (2000), *Chem Res Toxicol* 13: 471-478). Known changes in gene expression in kidneys exposed to Hg²⁺ include up-regulation of the heat-shock protein

20

25

30

hsp72 and of the glucose-regulated protein grp94. The degree of tissue necrosis and level of expression of these proteins is proportional to both the dose of mercury (Hg²⁺) and the length of the exposure time to mercury (Hg²⁺), with hsp72 accumulating in the renal cortex and grp94 accumulating in the renal medulla (Goering *et al.* (2000), *Toxicol Sci* 53: 447-457).

Diflunisal, a non-steroidal anti-inflammatory drug (NSAID), is a difluorophenyl derivative of salicylic acid (Goodman & Gilman's The Pharmacological Basis of Therapeutics 9th ed., p. 631, J.G. Hardman et al., Eds., McGraw Hill, New York, 1996). It is most frequently used in the treatment of osteoarthritis and musculoskeletal strains.

NSAIDs have analgesic, antipyretic and anti-inflammatory actions, however hepatotoxicity is known to be an adverse side effect of NSAID treatment (Masubuchi et al. (1998) J. Pharmacol. Exp. Ther. 287: 208-213). Diflunisal has been shown to be less toxic than other NSAIDs, nevertheless over long periods of dosage it can lead to deleterious effects on platelet or kidney function (Bergamo et al. (1989) Am. J. Nephrol.

9: 460-463). Other side effects that have been associated with diflunisal treatment are diarrhea, dizziness, drowsiness, gas or heartburn, headache, nausea, vomiting, and insomnia (http://arthritisinsight.com/medical/ meds/dolobid.html).

Masubuchi *et al.* compared the hepatotoxicity of 18 acidic NSAIDs. In the study, diflunisal (administered at a concentration of 500 μM) was shown to increase LDH leakage in rat hepatocytes, a marker for cell injury, when compared to the control sample. In addition, treatment with diflunisal led to decreased intracellular ATP concentrations.

One study compared the effects of diflunisal and ibuprofen when given to patients over a two week period (Muncie and Nasrallah (1989) Clin. Ther. 11: 539-544). In both the ibuprofen and the diflunisal group, two patients complained of abdominal cramping. The study indicated that even during short-term usage some gastrointestinal effects may occur. The toxic dose used in this study was chosen as one that did not induce significant gastric ulceration in rats. The group of rats given the high dosage of diflunisal had increased concentrations of creatinine which is consistent with renal injury, although dehydration may also cause increases in creatinine concentration.

Cidofovir (Vistide®) is an antiviral cytosine analog used in the treatment of viral infections such as herpesvirus, adenovirus, papillomavirus, poxvirus and hepadnavirus

10

15

20

25

30

(Goodman & Gilman's The Pharmacological Basis of Therapeutics 9th ed., p. 1216, J.G. Hardman *et al.*, Eds., McGraw Hill, New York, 1996). It is also useful for the treatment of cytomegalovirus (CMV) infection, which is a type of herpesvirus.

Some mild side effects seen in patients receiving cidofovir are nausea, vomiting, and fever. The most serious reported side effect of the drug is kidney toxicity (http://tthivclinic.com/cido.html). In response to the threat of nephrotoxicity, it is necessary for patients receiving cidofovir to have their kidneys checked before treatment, and the patients must be monitored during treatment for early symptoms of kidney problems. In addition, cidofovir is given with fluids to help reduce the risk of kidney toxicity (http://www.aidsinfonyc.org/ network/simple/cido.html). Probenecid, a drug that helps protect the kidneys, is normally administered concomitantly (Lalezari and Kuppermann (1997) J. Acquir. Immune Defic. Syndr. Hum. Retrovirol. 14: S27-31).

One study compared the safety and efficacy of cidofovir in the treatment of CMV (Lalezari et al. (1998) J. Acquir. Immune Defic. Syndr. Hum. Retrovirol. 17: 339-344). Approximately 40% of the patients exhibited dose-dependent asymptomatic proteinuria and 25% of the patients had elevated serum creatinine levels.

Pamidronate (Aredia®) is a bisphosphonate drug that is clinically used to inhibit bone resorption and make bones more stable. It is used to treat hypercalcemia (too much calcium in the blood) that occurs with some types of cancer. Typically administered by intravenous injection, pamidronate is frequently used in patients with breast cancer or multiple myeloma whose disease has spread to the bones. Some side effects related to pamidronate treatment are abdominal cramps, chills, confusion, fever, muscle spasms, nausea, muscle stiffness, and swelling at the injection site (http://www.nursing.uiowa.edu/sites/PedsPain/Adjuvants/PAMIDRnt.html). Patients with kidney problems may be prohibited from using pamidronate as it is excreted through the kidneys.

In one study, rats and mice were given varying doses of labeled parnidronate (Cal and Daley-Yates (1990) *Toxicology* 65: 179-197). Parnidronate treatment led to significant weight loss and a decrease in creatinine clearance. Morphological studies showed a loss of brush border membranes and the presence of focal proximal tubular necrosis.

Another study compared the tolerability of different treatments for hypercalcemia of malignancy by reviewing articles published between 1979 and 1998 (Zojer et al.

WO 02/095000

5

10

15

20

25

30

(1999) *Drug Saf.* 21: 389-406). The authors found that elevated serum creatinine level, nausea, and fever were reported following treatment with bisphosphonates such as pamidronate.

Markowitz et al. (2001, J. Am. Soc. Nephrol. 12: 1164-1172) tried to determine whether there was a correlation between pamidronate treatment and collapsing focal segmental glomerulosclerosis (FSGS). The authors examined the histories of seven patients who had developed collapsing FSGS, and they found that the only drug treatment in common was the administration of pamidronate. When given at the recommended dose of 90 mg per month, renal toxicity was rare. However, when pamidronate was given at higher doses nephrotoxicity occurred.

Lithium, an alkali metal, is the main pharmacological treatment for bipolar disorders. It is typically given as a salt, such as lithium carbonate or lithium citrate. Some common side effects of lithium treatment are an increase in urination, increase in drinking, dry mouth, weight gain, fine tremor, and fatigue. Some more serious side effects related to lithium treatment are blurred vision, mental confusion, seizures, vomiting, diarrhea, muscle weakness, drowsiness, and coarse tremor (Goodman & Gilman's The Pharmacological Basis of Therapeutics 9th ed., p. 448, J.G. Hardman et al., Eds., McGraw Hill, New York, 1996).

Since lithium is often used on a maintenance basis for a lifelong period, numerous studies have been performed to try and elucidate the effects of lithium on the kidney. One group administered lithium in daily doses within the human therapeutic range to male Wistar rats (Kling et al. (1984) Lab Invest 50: 526-535). Rats that were given lithium developed marked polyuria within three weeks of the initial dosing. The rats displayed elevated free water clearance and vasopressin-resistant diabetes insipidus. The cortical collecting tubules displayed morphological changes, e.g. dilation of the tubules, bulging cells lining the tubules, enlarged nuclei, following lithium treatment.

Another study examined a human population that had been given lithium for the treatment of bipolar disorder (Markowitz et al. (2000) J. Am. Soc. Nephrol. 11: 1439-1448). The patients had a mean age of 42.5 years and had been undergoing lithium treatment from 2 to 25 years (mean of 13.6 years). Approximately one fourth of the patients had nephrotic proteinuria, almost 90% of them had nephrogenic diabetes insipidus (NDI), and renal biopsies revealed a chronic tubulointerstitial nephropathy in

all of the patients. Following cessation of lithium treatment, seven of the patients proceeded to end-stage renal disease.

Even though nephrotoxicity is a known side effect of lithium treatment, some studies have indicated that in actuality it is not all that common (Johnson (1998) Neuropsychopharmacology 19: 200-205). One study showed that the NDI-like effect in lithium treatment was easily overcome by increasing the levels of arginine vasopressin (AVP) (Carney et al. (1996) Kidney Int 50: 377-383). Other studies have suggested that patients with psychiatric disorders display certain defects in renal function without undergoing lithium treatment (Gitlin (1999) Drug Saf 20: 231-243).

Hydralazine, an antihypertensive drug, causes relaxation of arteriolar smooth muscle. Such vasodilation is linked to vigorous stimulation of the sympathetic nervous system, which in turn leads to increased heart rate and contractility, increased plasma renin activity, and fluid retention (Goodman & Gilman's The Pharmacological Basis of Therapeutics 9th ed., p. 794, J.G. Hardman et al., Eds., McGraw Hill, New York, 1996). The increased renin activity leads to an increase in angiotensin II, which in turn causes stimulation of aldosterone and sodium reabsorption.

10

15

20

25

30

Hydralazine is used for the treatment of high blood pressure (hypertension) and for the treatment of pregnant women suffering from high blood pressure (pre-eclampsia or eclampsia). Some common side effects associated with hydralazine use are diarrhea, rapid heartbeat, headache, decreased appetite, and nausea. Hydralazine is often used concomitantly with drugs that inhibit sympathetic activity to combat the mild pulmonary hypertension that can be associated with hydralazine usage.

In one hydralazine study, rats were fed hydralazine and mineral metabolism was monitored (Peters *et al.* (1988) *Toxicol Lett* 41: 193-202). Manganese and zinc concentrations were not effected by hydralazine treatment, however tissue iron concentrations were decreased and kidney copper concentrations were increased compared to control groups.

Another study compared the effects of hydrazine, phenelzine, and hydralazine treatment on rats (Runge-Morris *et al.* (1996) *Drug Metab Dispos* 24: 734-737). Hydralazine caused an increase in renal GST-alpha subunit expression, although unlike hydrazine and phenelzine it did not alter renal cytochrome P4502E1 expression.

Colchicine, an alkoloid of *Colchicum autumale*, is an antiinflammatory agent used in the treatment of gouty arthritis (<u>Goodman & Gilman's The Pharmacological</u>

<u>Basis of Therapeutics 9th ed.</u>, p. 647, J.G. Hardman *et al.*, Eds., McGraw Hill, New York, 1996).

An antimitotic agent, colchicine binds to tubulin which leads to depolymerization and disappearance of the fibrillar microtubules in granulocytes and other motile cells. In doing so, the migration of granulocytes into the inflamed area is inhibited. Through a series of events, the inflammatory response is blocked.

5

10

15

20

25

30

Some common, mild side effects associated with colchicine treatment are loss of appetite and hair loss. More severe side effects that warrant cessation of treatment are nausea, vomiting, diarrhea, and abdominal pain. Colchicine overdose can induce multiorgan failure with a high incidence of mortality. In this setting, renal failure is multifactorial and related to prolonged hypotension, hypoxemia, sepsis, and rhabdomyolysis. In rats, less dramatic doses have been shown to inhibit the secretion of many endogenous proteins such as insulin and parathyroid hormone.

One study investigated the effects of colchicine on microtubule polymerization status and post-translational modifications of tubulin in rat seminiferous tubules (Correa and Miller (2001) *Biol Reprod* 64: 1644-1652). Colchicine caused extensive microtubule depolymerization, and total tubulin levels decreased twofold after colchicine treatment. The authors also found that colchicine treatment led to a decrease in tyrosination of the microtubule pool of tubulin which was associated with depolymerization of microtubules.

Sulfadiazine, a sulfonamide, is an antimicrobial agent. It is commonly used concomitantly with pyrimethamine to treat toxoplasmosis, an infection of the brain, in patient suffering from AIDS. These drugs are able to cross the blood-brain barrier and are used at relatively high doses. In addition, sulfadiazine has been shown to be effective at preventing certain types of meningococcal diseases and in treating urinary tract infections.

Sulfonamides in general are structural analogs of para-aminobenzoic acid (PABA). Because they are competitive antagonists of PABA, sulfonamides are effective against bacteria that are required to utilize PABA for the synthesis of folic acid

(Goodman & Gilman's The Pharmacological Basis of Therapeutics 9th ed., p. 1058-1060, J.G. Hardman et al., Eds., McGraw Hill, New York, 1996).

The main side effects associated with sulfadiazine treatment are fever and skin rashes. Decreases in white blood cells, red blood cells, and platelets, nausea, vomiting, and diarrhea are some other side effects that may result from sulfadiazine treatment. The most troublesome problem with this drug for HIV/AIDS patients is kidney toxicity. These patients tend to use these drugs for extended periods of time, which puts a constant strain on the kidneys. In addition, kidney stones tend to form in the bladder and ureter thereby blocking the flow of urine. Kidney damage may result, and if left untreated kidney failure may occur. Therefore, patients being treated with sulfadiazine are instructed to increase their fluid intake in order to prevent crystal formation in the kidneys.

5

10

15

20

25

30

One case study examined four HIV-positive patients who had been given sulfadiazine to treat toxoplasmosis (Crespo *et al.* (2000) *Clin Nephrol* 54: 68-72). All four of the patients, one of whom was a previously healthy person, developed oliguria, abdominal pain, renal failure, and displayed multiple radiolucent renal calculi in echography. Following extensive hydration and alcalinization, the renal function of the patients returned to normal.

Adriamycin, known generically as doxorubicin, is an anthracycline antibiotic produced by the fungus *Streptomyces peucetius*. It is an anti-tumor drug used in the treatment of breast, ovarian, bladder, and lung cancers as well as non-Hodgkin's lymphoma, Hodgkin's disease and sarcoma (Goodman & Gilman's The Pharmacological Basis of Therapeutics 9th ed., p. 1264-1265, J.G. Hardman *et al.*, Eds., McGraw Hill, New York, 1996).

Adriamycin has tetracycline ring structures with the sugar daunosamine attached by glycosidic linkage. It is able to intercalate with DNA, it affects DNA and RNA synthesis, and it can interact with cell membranes and alter their functions. Typically the drug is cell-cycle specific for the S phase of cell division. By binding to the cancer cells' DNA and blocking topoisomerase II, cancer cells are unable to divide and grow.

Some common side effects associated with adriamycin treatment are fatigue, a drop in white blood cell, red blood cell, or platelet count, hair loss, skin discoloration, and watery eyes (www.cancerhelp.org.uk/help/default.asp?page=4025). More serious

side effects include myocardial toxicity, ulceration and necrosis of the colon, and development of a second cancer.

Because of its utility in fighting cancer, numerous studies have been performed in attempts to further understand the mechanisms and effects of adriamycin. In one study, investigators injected mice with a single dose of adriamycin (Chen et al. (1998) Nephron 78: 440-452). The mice exhibited signs of combined glomerular albuminuria and immunoglublinuria, progressively elevated levels of nitrite/nitrate in the urine, abnormal renal function, and other symptoms indicative of focal segmental glomerulosclerosis.

In another study, rats were given adriamycin and the effects on angiotensin converting enzyme (ACE) were monitored (Venkatesan et al. (1993) Toxicology 85: 137-148). The rats developed glomerular and tubular injury, and serum ACE levels were significantly elevated 20, 25, and 30 days post-treatment. A different study followed rabbits for up to one year that were treated with either adriamycin, nephrectomy, or combinations thereof (Gadeholt-Gothlin et al. (1995) Urol Res 23: 169-173). The rabbits that were treated with adriamycin exhibited signs of nephrotoxicity at relatively low doses.

Toxicity Prediction and Modeling

5

10

15

20

25

30

The genes and gene expression information, gene expression profiles, as well as the portfolios and subsets of the genes provided in Tables 1-5, may be used to predict at least one toxic effect, including the nephrotoxicity of a test or unknown compound. As used, herein, at least one toxic effect includes, but is not limited to, a detrimental change in the physiological status of a cell or organism. The response may be, but is not required to be, associated with a particular pathology, such as tissue necrosis.

Accordingly, the toxic effect includes effects at the molecular and cellular level.

Nephrotoxicity is an effect as used herein and includes but is not limited to the pathologies of nephritis, kidney necrosis, glomerular and tubular injury, and focal segmental glomerulosclerosis. As used herein, a gene expression profile comprises any quantitative representation of the expression of at least one mRNA species in a cell sample or population and includes profiles made by various methods such as differential display, PCR, hybridization analysis, etc.

In general, assays to predict the toxicity or nephrotoxicity of a test agent (or compound or multi-component composition) comprise the steps of exposing a cell

WO 02/095000

5

10

15

20

25

30

population to the test compound, assaying or measuring the level of relative or absolute gene expression of one or more of the genes in Tables 1-5 and comparing the identified expression level(s) to the expression levels disclosed in the Tables and database(s) disclosed herein. Assays may include the measurement of the expression levels of about 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 50, 75, 100 or more genes from Tables 1-5.

In the methods of the invention, the gene expression level for a gene or genes induced by the test agent, compound or compositions may be comparable to the levels found in the Tables or databases disclosed herein if the expression level varies within a factor of about 2, about 1.5 or about 1.0 fold. In some cases, the expression levels are comparable if the agent induces a change in the expression of a gene in the same direction (e.g., up or down) as a reference toxin.

The cell population that is exposed to the test agent, compound or composition may be exposed *in vitro* or *in vivo*. For instance, cultured or freshly isolated renal cells, in particular rat renal cells, may be exposed to the agent under standard laboratory and cell culture conditions. In another assay format, *in vivo* exposure may be accomplished by administration of the agent to a living animal, for instance a laboratory rat.

Procedures for designing and conducting toxicity tests in *in vitro* and *in vivo* systems are well known, and are described in many texts on the subject, such as Loomis *et al.*, Loomis's Esstentials of Toxicology, 4th Ed., Academic Press, New York, 1996; Echobichon, The Basics of Toxicity Testing, CRC Press, Boca Raton, 1992; Frazier, editor, *In Vitro* Toxicity Testing, Marcel Dekker, New York, 1992; and the like.

In *in vitro* toxicity testing, two groups of test organisms are usually employed:

One group serves as a control and the other group receives the test compound in a single dose (for acute toxicity tests) or a regimen of doses (for prolonged or chronic toxicity tests). Because, in some cases, the extraction of tissue as called for in the methods of the invention requires sacrificing the test animal, both the control group and the group receiving compound must be large enough to permit removal of animals for sampling tissues, if it is desired to observe the dynamics of gene expression through the duration of an experiment.

In setting up a toxicity study, extensive guidance is provided in the literature for selecting the appropriate test organism for the compound being tested, route of administration dose ranges, and the like. Water or physiological saline (0.9% NaCl in

water) is the solute of choice for the test compound since these solvents permit administration by a variety of routes. When this is not possible because of solubility limitations, vegetable oils such as corn oil or organic solvents such as propylene glycol may be used.

5

10

15

20

25

30

Regardless of the route of administration, the volume required to administer a given dose is limited by the size of the animal that is used. It is desirable to keep the volume of each dose uniform within and between groups of animals. When rats or mice are used, the volume administered by the oral route generally should not exceed about 0.005 ml per gram of animal. Even when aqueous or physiological saline solutions are used for parenteral injection the volumes that are tolerated are limited, although such solutions are ordinarily thought of as being innocuous. The intravenous LD₅₀ of distilled water in the mouse is approximately 0.044 ml per gram and that of isotonic saline is 0.068 ml per gram of mouse. In some instances, the route of administration to the test animal should be the same as, or as similar as possible to, the route of administration of the compound to man for therapeutic purposes.

When a compound is to be administered by inhalation, special techniques for generating test atmospheres are necessary. The methods usually involve aerosolization or nebulization of fluids containing the compound. If the agent to be tested is a fluid that has an appreciable vapor pressure, it may be administered by passing air through the solution under controlled temperature conditions. Under these conditions, dose is estimated from the volume of air inhaled per unit time, the temperature of the solution, and the vapor pressure of the agent involved. Gases are metered from reservoirs. When particles of a solution are to be administered, unless the particle size is less than about 2 µm the particles will not reach the terminal alveolar sacs in the lungs. A variety of apparatuses and chambers are available to perform studies for detecting effects of irritant or other toxic endpoints when they are administered by inhalation. The preferred method of administering an agent to animals is via the oral route, either by intubation or by incorporating the agent in the feed.

When the agent is exposed to cells *in vitro* or in cell culture, the cell population to be exposed to the agent may be divided into two or more subpopulations, for instance, by dividing the population into two or more identical aliquots. In some preferred embodiments of the methods of the invention, the cells to be exposed to the agent are

derived from kidney tissue. For instance, cultured or freshly isolated rat renal cells may be used.

The methods of the invention may be used generally to predict at least one toxic response, and, as described in the Examples, may be used to predict the likelihood that a compound or test agent will induce various specific kidney pathologies, such as nephritis, kidney necrosis, glomerular and tubular injury, focal segmental glomerulosclerosis, or other pathologies associated with at least one of the toxins herein described. The methods of the invention may also be used to determine the similarity of a toxic response to one or more individual compounds. In addition, the methods of the invention may be used to predict or elucidate the potential cellular pathways influenced, induced or modulated by the compound or test agent due to the similarity of the expression profile compared to the profile induced by a known toxin (see Tables 5-5CC).

Diagnostic Uses for the Toxicity Markers

5

10

15

20

25

30

As described above, the genes and gene expression information or portfolios of the genes with their expression information as provided in Tables 1-5 may be used as diagnostic markers for the prediction or identification of the physiological state of tissue or cell sample that has been exposed to a compound or to identify or predict the toxic effects of a compound or agent. For instance, a tissue sample such as a sample of peripheral blood cells or some other easily obtainable tissue sample may be assayed by any of the methods described above, and the expression levels from a gene or genes from Tables 1-5 may be compared to the expression levels found in tissues or cells exposed to the toxins described herein. These methods may result in the diagnosis of a physiological state in the cell or may be used to identify the potential toxicity of a compound, for instance a new or unknown compound or agent. The comparison of expression data, as well as available sequence or other information may be done by researcher or diagnostician or may be done with the aid of a computer and databases as described below.

In another format, the levels of a gene(s) of Tables 1-5, its encoded protein(s), or any metabolite produced by the encoded protein may be monitored or detected in a sample, such as a bodily tissue or fluid sample to identify or diagnose a physiological state of an organism. Such samples may include any tissue or fluid sample, including urine, blood and easily obtainable cells such as peripheral lymphocytes.

-25-

Use of the Markers for Monitoring Toxicity Progression

As described above, the genes and gene expression information provided in Tables 1-5 may also be used as markers for the monitoring of toxicity progression, such as that found after initial exposure to a drug, drug candidate, toxin, pollutant, etc. For instance, a tissue or cell sample may be assayed by any of the methods described above, and the expression levels from a gene or genes from Tables 1-5 may be compared to the expression levels found in tissue or cells exposed to the renal toxins described herein. The comparison of the expression data, as well as available sequence or other information may be done by a researcher or diagnostician or may be done with the aid of a computer and databases.

Use of the Toxicity Markers for Drug Screening

5

10

15

20

25

30

According to the present invention, the genes identified in Tables 1-5 may be used as markers or drug targets to evaluate the effects of a candidate drug, chemical compound or other agent on a cell or tissue sample. The genes may also be used as drug targets to screen for agents that modulate their expression and/or activity. In various formats, a candidate drug or agent can be screened for the ability to stimulate the transcription or expression of a given marker or markers or to down-regulate or counteract the transcription or expression of a marker or markers. According to the present invention, one can also compare the specificity of a drug's effects by looking at the number of markers which the drug induces and comparing them. More specific drugs will have less transcriptional targets. Similar sets of markers identified for two drugs may indicate a similarity of effects.

Assays to monitor the expression of a marker or markers as defined in Tables 1-5 may utilize any available means of monitoring for changes in the expression level of the nucleic acids of the invention. As used herein, an agent is said to modulate the expression of a nucleic acid of the invention if it is capable of up- or down-regulating expression of the nucleic acid in a cell.

In one assay format, gene chips containing probes to one, two or more genes from Tables 1-5 may be used to directly monitor or detect changes in gene expression in the treated or exposed cell. Cell lines, tissues or other samples are first exposed to a test agent and in some instances, a known toxin, and the detected expression levels of one or more, or preferably 2 or more of the genes of Tables 1-5 are compared to the expression

10

15

20

25

30

levels of those same genes exposed to a known toxin alone. Compounds that modulate the expression patterns of the known toxin(s) would be expected to modulate potential toxic physiological effects *in vivo*. The genes in Tables 1-5 are particularly appropriate markers in these assays as they are differentially expressed in cells upon exposure to a known renal toxin. Tables 1 and 2 disclose those genes that are differentially expressed upon exposure to the named toxins and their corresponding GenBank Accession numbers. Table 3 discloses the human homologues and the corresponding GenBank Accession numbers of the differentially expressed genes of Tables 1 and 2.

In another format, cell lines that contain reporter gene fusions between the open reading frame and/or the transcriptional regulatory regions of a gene in Tables 1-5 and any assayable fusion partner may be prepared. Numerous assayable fusion partners are known and readily available including the firefly luciferase gene and the gene encoding chloramphenical acetyltransferase (Alam et al. (1990), Anal Biochem 188: 245-254). Cell lines containing the reporter gene fusions are then exposed to the agent to be tested under appropriate conditions and time. Differential expression of the reporter gene between samples exposed to the agent and control samples identifies agents which modulate the expression of the nucleic acid.

Additional assay formats may be used to monitor the ability of the agent to modulate the expression of a gene identified in Tables 1-5. For instance, as described above, mRNA expression may be monitored directly by hybridization of probes to the nucleic acids of the invention. Cell lines are exposed to the agent to be tested under appropriate conditions and time, and total RNA or mRNA is isolated by standard procedures such those disclosed in Sambrook *et al.* (Molecular Cloning: A Laboratory Manual, 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989).

In another assay format, cells or cell lines are first identified which express the gene products of the invention physiologically. Cells and/or cell lines so identified would be expected to comprise the necessary cellular machinery such that the fidelity of modulation of the transcriptional apparatus is maintained with regard to exogenous contact of agent with appropriate surface transduction mechanisms and/or the cytosolic cascades. Further, such cells or cell lines may be transduced or transfected with an expression vehicle (e.g., a plasmid or viral vector) construct comprising an operable non-translated 5'-promoter containing end of the structural gene encoding the gene products

of Tables 1-5 fused to one or more antigenic fragments or other detectable markers, which are peculiar to the instant gene products, wherein said fragments are under the transcriptional control of said promoter and are expressed as polypeptides whose molecular weight can be distinguished from the naturally occurring polypeptides or may further comprise an immunologically distinct or other detectable tag. Such a process is well known in the art (see Sambrook et al., supra).

Cells or cell lines transduced or transfected as outlined above are then contacted with agents under appropriate conditions; for example, the agent comprises a pharmaceutically acceptable excipient and is contacted with cells comprised in an aqueous physiological buffer such as phosphate buffered saline (PBS) at physiological pH, Eagles balanced salt solution (BSS) at physiological pH, PBS or BSS comprising serum or conditioned media comprising PBS or BSS and/or serum incubated at 37°C. Said conditions may be modulated as deemed necessary by one of skill in the art. Subsequent to contacting the cells with the agent, said cells are disrupted and the polypeptides of the lysate are fractionated such that a polypeptide fraction is pooled and contacted with an antibody to be further processed by immunological assay (e.g., ELISA, immunoprecipitation or Western blot). The pool of proteins isolated from the agentcontacted sample is then compared with the control samples (no exposure and exposure to a known toxin) where only the excipient is contacted with the cells and an increase or decrease in the immunologically generated signal from the agent-contacted sample compared to the control is used to distinguish the effectiveness and/or toxic effects of the agent.

10

15

20

25

30

Another embodiment of the present invention provides methods for identifying agents that modulate at least one activity of a protein(s) encoded by the genes in Tables 1-5. Such methods or assays may utilize any means of monitoring or detecting the desired activity.

In one format, the relative amounts of a protein (Tables 1-5) between a cell population that has been exposed to the agent to be tested compared to an un-exposed control cell population and a cell population exposed to a known toxin may be assayed. In this format, probes such as specific antibodies are used to monitor the differential expression of the protein in the different cell populations. Cell lines or populations are exposed to the agent to be tested under appropriate conditions and time. Cellular lysates

10

15

20

25

30

may be prepared from the exposed cell line or population and a control, unexposed cell line or population. The cellular lysates are then analyzed with the probe, such as a specific antibody.

Agents that are assayed in the above methods can be randomly selected or rationally selected or designed. As used herein, an agent is said to be randomly selected when the agent is chosen randomly without considering the specific sequences involved in the association of a protein of the invention alone or with its associated substrates, binding partners, etc. An example of randomly selected agents is the use a chemical library or a peptide combinatorial library, or a growth broth of an organism.

As used herein, an agent is said to be rationally selected or designed when the agent is chosen on a nonrandom basis which takes into account the sequence of the target site and/or its conformation in connection with the agent's action. Agents can be rationally selected or rationally designed by utilizing the peptide sequences that make up these sites. For example, a rationally selected peptide agent can be a peptide whose amino acid sequence is identical to or a derivative of any functional consensus site.

The agents of the present invention can be, as examples, peptides, small molecules, vitamin derivatives, as well as carbohydrates. Dominant negative proteins, DNAs encoding these proteins, antibodies to these proteins, peptide fragments of these proteins or mimics of these proteins may be introduced into cells to affect function. "Mimic" used herein refers to the modification of a region or several regions of a peptide molecule to provide a structure chemically different from the parent peptide but topographically and functionally similar to the parent peptide (see G.A. Grant in: Molecular Biology and Biotechnology, Meyers, ed., pp. 659-664, VCH Publishers, New York, 1995). A skilled artisan can readily recognize that there is no limit as to the structural nature of the agents of the present invention.

Nucleic Acid Assay Formats

The genes identified as being differentially expressed upon exposure to a known renal toxin (Tables 1-5) may be used in a variety of nucleic acid detection assays to detect or quantify the expression level of a gene or multiple genes in a given sample. The genes described in Tables 1-5 may also be used in combination with one or more additional genes whose differential expression is associate with toxicity in a cell or tissue. In preferred embodiments, the genes in Tables 1-5 may be combined with one or

10

15

20

25

30

more of the genes described in prior and related applications 60/292,335; 60/297,523; 60/298,925; 60/303,810; 60/303,807; 60/303,808; 60/315,047; 60/324,928; 60/330,867; 60/330,462; 60/331,805; 60/336,144; 60/340,873; 60/357,843; 60/357,842; 60/357,844; 60/364,134; 60/370,206; 60/370,247; 60/370,144; 60/371,679; 60/372,794, 09/917,800 and 10/060,087 all of which are incorporated by reference on page 1 of this application.

Any assay format to detect gene expression may be used. For example, traditional Northern blotting, dot or slot blot, nuclease protection, primer directed amplification, RT- PCR, semi- or quantitative PCR, branched-chain DNA and differential display methods may be used for detecting gene expression levels. Those methods are useful for some embodiments of the invention. In cases where smaller numbers of genes are detected, amplification based assays may be most efficient. Methods and assays of the invention, however, may be most efficiently designed with hybridization-based methods for detecting the expression of a large number of genes.

Any hybridization assay format may be used, including solution-based and solid support-based assay formats. Solid supports containing oligonucleotide probes for differentially expressed genes of the invention can be filters, polyvinyl chloride dishes, particles, beads, microparticles or silicon or glass based chips, etc. Such chips, wafers and hybridization methods are widely available, for example, those disclosed by Beattie (WO 95/11755).

Any solid surface to which oligonucleotides can be bound, either directly or indirectly, either covalently or non-covalently, can be used. A preferred solid support is a high density array or DNA chip. These contain a particular oligonucleotide probe in a predetermined location on the array. Each predetermined location may contain more than one molecule of the probe, but each molecule within the predetermined location has an identical sequence. Such predetermined locations are termed features. There may be, for example, from 2, 10, 100, 1000 to 10,000, 100,000 or 400,000 or more of such features on a single solid support. The solid support, or the area within which the probes are attached may be on the order of about a square centimeter. Probes corresponding to the genes of Tables 1-5 or from the related applications described above may be attached to single or multiple solid support structures, e.g., the probes may be attached to a single chip or to multiple chips to comprise a chip set.

Oligonucleotide probe arrays for expression monitoring can be made and used

10

15

20

25

30

according to any techniques known in the art (see for example, Lockhart et al. (1996), Nat Biotechnol 14: 1675-1680; McGall et al. (1996), Proc Nat Acad Sci USA 93: 13555-13460). Such probe arrays may contain at least two or more oligonucleotides that are complementary to or hybridize to two or more of the genes described in Tables 1-5. For instance, such arrays may contain oligonucleotides that are complementary to or hybridize to at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 20, 30, 50, 70, 100 or more of the genes described herein. Preferred arrays contain all or nearly all of the genes listed in Tables 1-5, or individually, the gene sets of Tables 5-5CC. In a preferred embodiment, arrays are constructed that contain oligonucleotides to detect all or nearly all of the genes in any one of or all of Tables 1-5 on a single solid support substrate, such as a chip.

The sequences of the expression marker genes of Tables 1-5 are in the public databases. Table 1 provides the GenBank Accession Number or NCBI RefSeq ID for each of the sequences (see www.ncbi.nlm.nih.gov/). Table 3 provides the LocusLink and Unigene names and descriptions for the human homologues of the genes described in Tables 1 and 2. The sequences of the genes in GenBank and/or RefSeq are expressly herein incorporated by reference in their entirety as of the filing date of this application, as are related sequences, for instance, sequences from the same gene of different lengths, variant sequences, polymorphic sequences, genomic sequences of the genes and related sequences from different species, including the human counterparts, where appropriate. These sequences may be used in the methods of the invention or may be used to produce the probes and arrays of the invention. In some embodiments, the genes in Tables 1-5 that correspond to the genes or fragments previously associated with a toxic response may be excluded from the Tables.

As described above, in addition to the sequences of the GenBank Accession Numbers or NCBI RefSeq ID's disclosed in the Tables 1-5, sequences such as naturally occurring variants or polymorphic sequences may be used in the methods and compositions of the invention. For instance, expression levels of various allelic or homologous forms of a gene disclosed in Tables 1-5 may be assayed. Any and all nucleotide variations that do not alter the functional activity of a gene listed in the Tables 1-5, including all naturally occurring allelic variants of the genes herein disclosed, may be used in the methods and to make the compositions (e.g., arrays) of the invention.

Probes based on the sequences of the genes described above may be prepared by

WO 02/095000

5

10

15

20

25

30

any commonly available method. Oligonucleotide probes for screening or assaying a tissue or cell sample are preferably of sufficient length to specifically hybridize only to appropriate, complementary genes or transcripts. Typically the oligonucleotide probes will be at least about 10, 12, 14, 16, 18, 20 or 25 nucleotides in length. In some cases, longer probes of at least 30, 40, or 50 nucleotides will be desirable.

As used herein, oligonucleotide sequences that are complementary to one or more of the genes described in Tables 1-5 refer to oligonucleotides that are capable of hybridizing under stringent conditions to at least part of the nucleotide sequences of said genes. Such hybridizable oligonucleotides will typically exhibit at least about 75% sequence identity at the nucleotide level to said genes, preferably about 80% or 85% sequence identity or more preferably about 90% or 95% or more sequence identity to said genes.

"Bind(s) substantially" refers to complementary hybridization between a probe nucleic acid and a target nucleic acid and embraces minor mismatches that can be accommodated by reducing the stringency of the hybridization media to achieve the desired detection of the target polynucleotide sequence.

The terms "background" or "background signal intensity" refer to hybridization signals resulting from non-specific binding, or other interactions, between the labeled target nucleic acids and components of the oligonucleotide array (e.g., the oligonucleotide probes, control probes, the array substrate, etc.). Background signals may also be produced by intrinsic fluorescence of the array components themselves. A single background signal can be calculated for the entire array, or a different background signal may be calculated for each target nucleic acid. In a preferred embodiment, background is calculated as the average hybridization signal intensity for the lowest 5% to 10% of the probes in the array, or, where a different background signal is calculated for each target gene, for the lowest 5% to 10% of the probes for each gene. Of course, one of skill in the art will appreciate that where the probes to a particular gene hybridize well and thus appear to be specifically binding to a target sequence, they should not be used in a background signal calculation. Alternatively, background may be calculated as the average hybridization signal intensity produced by hybridization to probes that are not complementary to any sequence found in the sample (e.g. probes directed to nucleic acids of the opposite sense or to genes not found in the sample such as bacterial genes

where the sample is mammalian nucleic acids). Background can also be calculated as the average signal intensity produced by regions of the array that lack any probes at all.

The phrase "hybridizing specifically to" or "specifically hybridizes" refers to the binding, duplexing, or hybridizing of a molecule substantially to or only to a particular nucleotide sequence or sequences under stringent conditions when that sequence is present in a complex mixture (e.g., total cellular) DNA or RNA.

5

10

15

20

25

30

Assays and methods of the invention may utilize available formats to simultaneously screen at least about 100, preferably about 1000, more preferably about 10,000 and most preferably about 1,000,000 different nucleic acid hybridizations.

As used herein a "probe" is defined as a nucleic acid, capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, U, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in probes may be joined by a linkage other than a phosphodiester bond, so long as it does not interfere with hybridization. Thus, probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages.

The term "perfect match probe" refers to a probe that has a sequence that is perfectly complementary to a particular target sequence. The test probe is typically perfectly complementary to a portion (subsequence) of the target sequence. The perfect match (PM) probe can be a "test probe", a "normalization control" probe, an expression level control probe and the like. A perfect match control or perfect match probe is, however, distinguished from a "mismatch control" or "mismatch probe."

The terms "mismatch control" or "mismatch probe" refer to a probe whose sequence is deliberately selected not to be perfectly complementary to a particular target sequence. For each mismatch (MM) control in a high-density array there typically exists a corresponding perfect match (PM) probe that is perfectly complementary to the same particular target sequence. The mismatch may comprise one or more bases.

While the mismatch(es) may be located anywhere in the mismatch probe, terminal mismatches are less desirable as a terminal mismatch is less likely to prevent hybridization of the target sequence. In a particularly preferred embodiment, the mismatch is located at or near the center of the probe such that the mismatch is most

WO 02/095000

5

10

15

20

25

30

likely to destabilize the duplex with the target sequence under the test hybridization conditions.

The term "stringent conditions" refers to conditions under which a probe will hybridize to its target subsequence, but with only insubstantial hybridization to other sequences or to other sequences such that the difference may be identified. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. Generally, stringent conditions are selected to be about 5°C lower than the thermal melting point (Tm) for the specific sequence at a defined ionic strength and pH.

Typically, stringent conditions will be those in which the salt concentration is at least about 0.01 to 1.0 M Na⁺ ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g., 10 to 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide.

The "percentage of sequence identity" or "sequence identity" is determined by comparing two optimally aligned sequences or subsequences over a comparison window or span, wherein the portion of the polynucleotide sequence in the comparison window may optionally comprise additions or deletions (*i.e.*, gaps) as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical submit (*e.g.* nucleic acid base or amino acid residue) occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the window of comparison and multiplying the result by 100 to yield the percentage of sequence identity. Percentage sequence identity when calculated using the programs GAP or BESTFIT (see below) is calculated using default gap weights.

Probe design

One of skill in the art will appreciate that an enormous number of array designs are suitable for the practice of this invention. The high density array will typically include a number of test probes that specifically hybridize to the sequences of interest. Probes may be produced from any region of the genes identified in the Tables and the attached representative sequence listing. In instances where the gene reference in the

5

10

15

20

25

30

-34-

Tables is an EST, probes may be designed from that sequence or from other regions of the corresponding full-length transcript that may be available in any of the sequence databases, such as those herein described. See WO 99/32660 for methods of producing probes for a given gene or genes. In addition, any available software may be used to produce specific probe sequences, including, for instance, software available from Molecular Biology Insights, Olympus Optical Co. and Biosoft International. In a preferred embodiment, the array will also include one or more control probes.

High density array chips of the invention include "test probes." Test probes may be oligonucleotides that range from about 5 to about 500, or about 7 to about 50 nucleotides, more preferably from about 10 to about 40 nucleotides and most preferably from about 15 to about 35 nucleotides in length. In other particularly preferred embodiments, the probes are 20 or 25 nucleotides in length. In another preferred embodiment, test probes are double or single strand DNA sequences such as cDNA fragments. DNA sequences are isolated or cloned from natural sources or amplified from natural sources using native nucleic acid as templates. These probes have sequences complementary to particular subsequences of the genes whose expression they are designed to detect. Thus, the test probes are capable of specifically hybridizing to the target nucleic acid they are to detect.

In addition to test probes that bind the target nucleic acid(s) of interest, the high density array can contain a number of control probes. The control probes may fall into three categories referred to herein as 1) normalization controls; 2) expression level controls; and 3) mismatch controls.

Normalization controls are oligonucleotide or other nucleic acid probes that are complementary to labeled reference oligonucleotides or other nucleic acid sequences that are added to the nucleic acid sample to be screened. The signals obtained from the normalization controls after hybridization provide a control for variations in hybridization conditions, label intensity, "reading" efficiency and other factors that may cause the signal of a perfect hybridization to vary between arrays. In a preferred embodiment, signals (e.g., fluorescence intensity) read from all other probes in the array are divided by the signal (e.g., fluorescence intensity) from the control probes thereby normalizing the measurements.

Virtually any probe may serve as a normalization control. However, it is

recognized that hybridization efficiency varies with base composition and probe length. Preferred normalization probes are selected to reflect the average length of the other probes present in the array, however, they can be selected to cover a range of lengths. The normalization control(s) can also be selected to reflect the (average) base composition of the other probes in the array, however in a preferred embodiment, only one or a few probes are used and they are selected such that they hybridize well (*i.e.*, no secondary structure) and do not match any target-specific probes.

Expression level controls are probes that hybridize specifically with constitutively expressed genes in the biological sample. Virtually any constitutively expressed gene provides a suitable target for expression level controls. Typically expression level control probes have sequences complementary to subsequences of constitutively expressed "housekeeping genes" including, but not limited to the actin gene, the transferrin receptor gene, the GAPDH gene, and the like.

10

15

20

25

30

Mismatch controls may also be provided for the probes to the target genes, for expression level controls or for normalization controls. Mismatch controls are oligonucleotide probes or other nucleic acid probes identical to their corresponding test or control probes except for the presence of one or more mismatched bases. A mismatched base is a base selected so that it is not complementary to the corresponding base in the target sequence to which the probe would otherwise specifically hybridize. One or more mismatches are selected such that under appropriate hybridization conditions (e.g., stringent conditions) the test or control probe would be expected to hybridize with its target sequence, but the mismatch probe would not hybridize (or would hybridize to a significantly lesser extent). Preferred mismatch probes contain a central mismatch. Thus, for example, where a probe is a 20 mer, a corresponding mismatch probe will have the identical sequence except for a single base mismatch (e.g., substituting a G, a C or a T for an A) at any of positions 6 through 14 (the central mismatch).

Mismatch probes thus provide a control for non-specific binding or cross hybridization to a nucleic acid in the sample other than the target to which the probe is directed. For example, if the target is present the perfect match probes should be consistently brighter than the mismatch probes. In addition, if all central mismatches are present, the mismatch probes can be used to detect a mutation, for instance, a mutation of

a gene in the accompanying Tables 1-5. The difference in intensity between the perfect match and the mismatch probe provides a good measure of the concentration of the hybridized material.

Nucleic Acid Samples

5

10

15

20

25

30

Cell or tissue samples may be exposed to the test agent *in vitro* or *in vivo*. When cultured cells or tissues are used, appropriate mammalian cell extracts, such as liver extracts, may also be added with the test agent to evaluate agents that may require biotransformation to exhibit toxicity. In a preferred format, primary isolates of animal or human renal cells which already express the appropriate complement of drugmetabolizing enzymes may be exposed to the test agent without the addition of mammalian kidney extracts.

The genes which are assayed according to the present invention are typically in the form of mRNA or reverse transcribed mRNA. The genes may or may not be cloned. The genes may or may not be amplified. The cloning and/or amplification do not appear to bias the representation of genes within a population. In some assays, it may be preferable, however, to use polyA+ RNA as a source, as it can be used with less processing steps.

As is apparent to one of ordinary skill in the art, nucleic acid samples used in the methods and assays of the invention may be prepared by any available method or process. Methods of isolating total mRNA are well known to those of skill in the art. For example, methods of isolation and purification of nucleic acids are described in detail in Chapter 3 of Laboratory Techniques in Biochemistry and Molecular Biology, Vol. 24, Hybridization With Nucleic Acid Probes: Theory and Nucleic Acid Probes, P. Tijssen, Ed., Elsevier Press, New York, 1993. Such samples include RNA samples, but also include cDNA synthesized from a mRNA sample isolated from a cell or tissue of interest. Such samples also include DNA amplified from the cDNA, and RNA transcribed from the amplified DNA. One of skill in the art would appreciate that it is desirable to inhibit or destroy RNase present in homogenates before homogenates are used.

Biological samples may be of any biological tissue or fluid or cells from any organism as well as cells raised *in vitro*, such as cell lines and tissue culture cells. Frequently the sample will be a tissue or cell sample that has been exposed to a

compound, agent, drug, pharmaceutical composition, potential environmental pollutant or other composition. In some formats, the sample will be a "clinical sample" which is a sample derived from a patient. Typical clinical samples include, but are not limited to, sputum, blood, blood-cells (e.g., white cells), tissue or fine needle biopsy samples, urine, peritoneal fluid, and pleural fluid, or cells therefrom. Biological samples may also include sections of tissues, such as frozen sections or formalin fixed sections taken for histological purposes.

Forming High Density Arrays

10

15

20

25

30

Methods of forming high density arrays of oligonucleotides with a minimal number of synthetic steps are known. The oligonucleotide analogue array can be synthesized on a single or on multiple solid substrates by a variety of methods, including, but not limited to, light-directed chemical coupling, and mechanically directed coupling (see Pirrung, U.S. Patent No. 5,143,854).

In brief, the light-directed combinatorial synthesis of oligonucleotide arrays on a glass surface proceeds using automated phosphoramidite chemistry and chip masking techniques. In one specific implementation, a glass surface is derivatized with a silane reagent containing a functional group, *e.g.*, a hydroxyl or amine group blocked by a photolabile protecting group. Photolysis through a photolithographic mask is used selectively to expose functional groups which are then ready to react with incoming 5' photoprotected nucleoside phosphoramidites. The phosphoramidites react only with those sites which are illuminated (and thus exposed by removal of the photolabile blocking group). Thus, the phosphoramidites only add to those areas selectively exposed from the preceding step. These steps are repeated until the desired array of sequences have been synthesized on the solid surface. Combinatorial synthesis of different oligonucleotide analogues at different locations on the array is determined by the pattern of illumination during synthesis and the order of addition of coupling reagents.

In addition to the foregoing, additional methods which can be used to generate an array of oligonucleotides on a single substrate are described in PCT Publication Nos. WO 93/09668 and WO 01/23614. High density nucleic acid arrays can also be fabricated by depositing pre-made or natural nucleic acids in predetermined positions. Synthesized or natural nucleic acids are deposited on specific locations of a substrate by light directed targeting and oligonucleotide directed targeting. Another embodiment uses

-38-

a dispenser that moves from region to region to deposit nucleic acids in specific spots.

Hybridization

5

10

15

20

25

30

Nucleic acid hybridization simply involves contacting a probe and target nucleic acid under conditions where the probe and its complementary target can form stable hybrid duplexes through complementary base pairing. See WO 99/32660. The nucleic acids that do not form hybrid duplexes are then washed away leaving the hybridized nucleic acids to be detected, typically through detection of an attached detectable label. It is generally recognized that nucleic acids are denatured by increasing the temperature or decreasing the salt concentration of the buffer containing the nucleic acids. Under low stringency conditions (e.g., low temperature and/or high salt) hybrid duplexes (e.g., DNA:DNA, RNA:RNA, or RNA:DNA) will form even where the annealed sequences are not perfectly complementary. Thus, specificity of hybridization is reduced at lower stringency. Conversely, at higher stringency (e.g., higher temperature or lower salt) successful hybridization tolerates fewer mismatches. One of skill in the art will appreciate that hybridization conditions may be selected to provide any degree of stringency.

In a preferred embodiment, hybridization is performed at low stringency, in this case in 6x SSPET at 37°C (0.005% Triton X-100), to ensure hybridization and then subsequent washes are performed at higher stringency (e.g., 1x SSPET at 37°C) to eliminate mismatched hybrid duplexes. Successive washes may be performed at increasingly higher stringency (e.g., down to as low as 0.25x SSPET at 37°C to 50°C) until a desired level of hybridization specificity is obtained. Stringency can also be increased by addition of agents such as formamide. Hybridization specificity may be evaluated by comparison of hybridization to the test probes with hybridization to the various controls that can be present (e.g., expression level control, normalization control, mismatch controls, etc.).

In general, there is a tradeoff between hybridization specificity (stringency) and signal intensity. Thus, in a preferred embodiment, the wash is performed at the highest stringency that produces consistent results and that provides a signal intensity greater than approximately 10% of the background intensity. Thus, in a preferred embodiment, the hybridized array may be washed at successively higher stringency solutions and read between each wash. Analysis of the data sets thus produced will reveal a wash

stringency above which the hybridization pattern is not appreciably altered and which provides adequate signal for the particular oligonucleotide probes of interest.

Signal Detection

The hybridized nucleic acids are typically detected by detecting one or more labels attached to the sample nucleic acids. The labels may be incorporated by any of a number of means well known to those of skill in the art. See WO 99/32660.

Databases

5

10

15

20

25

30

The present invention includes relational databases containing sequence information, for instance, for the genes of Tables 1-5, as well as gene expression information from tissue or cells exposed to various standard toxins, such as those herein described (see Tables 5-5CC). Databases may also contain information associated with a given sequence or tissue sample such as descriptive information about the gene associated with the sequence information (see Tables 1 and 2), or descriptive information concerning the clinical status of the tissue sample, or the animal from which the sample was derived. The database may be designed to include different parts, for instance a sequence database and a gene expression database. Methods for the configuration and construction of such databases and computer-readable media to which such databases are saved are widely available, for instance, see U.S. Patent No. 5,953,727, which is herein incorporated by reference in its entirety.

The databases of the invention may be linked to an outside or external database such as GenBank (www.ncbi.nlm.nih.gov/entrez.index.html); KEGG (www.genome.ad.jp/kegg); SPAD (www.grt.kyushu-u.ac.jp/spad/index.html); HUGO (www.gene.ucl.ac.uk/hugo); Swiss-Prot (www.expasy.ch.sprot); Prosite (www.expasy.ch/tools/scnpsit1.html); OMIM (www.ncbi.nlm.nih.gov/omim); and GDB (www.gdb.org). In a preferred embodiment, as described in Tables 1-5, the external database is GenBank and the associated databases maintained by the National Center for Biotechnology Information (NCBI) (www.ncbi.nlm.nih.gov).

Any appropriate computer platform, user interface, etc. may be used to perform the necessary comparisons between sequence information, gene expression information and any other information in the database or information provided as an input. For example, a large number of computer workstations are available from a variety of manufacturers, such has those available from Silicon Graphics. Client/server

environments, database servers and networks are also widely available and appropriate platforms for the databases of the invention.

The databases of the invention may be used to produce, among other things, electronic Northerns that allow the user to determine the cell type or tissue in which a given gene is expressed and to allow determination of the abundance or expression level of a given gene in a particular tissue or cell.

The databases of the invention may also be used to present information identifying the expression level in a tissue or cell of a set of genes comprising one or more of the genes in Tables 1-5, comprising the step of comparing the expression level of at least one gene in Tables 1-5 in a cell or tissue exposed to a test agent to the level of expression of the gene in the database. Such methods may be used to predict the toxic potential of a given compound by comparing the level of expression of a gene or genes in Tables 1-5 from a tissue or cell sample exposed to the test agent to the expression levels found in a control tissue or cell samples exposed to a standard toxin or renal toxin such as those herein described. Such methods may also be used in the drug or agent screening assays as described herein.

Kits

5

10

15

20

25

30

The invention further includes kits combining, in different combinations, high-density oligonucleotide arrays, reagents for use with the arrays, protein reagents encoded by the genes of the Tables, signal detection and array-processing instruments, gene expression databases and analysis and database management software described above. The kits may be used, for example, to predict or model the toxic response of a test compound, to monitor the progression of renal disease states, to identify genes that show promise as new drug targets and to screen known and newly designed drugs as discussed above.

The databases packaged with the kits are a compilation of expression patterns from human or laboratory animal genes and gene fragments (corresponding to the genes of Tables 1-5). In particular, the database software and packaged information that may contain the databases saved to a computer-readable medium include the expression results of Tables 1-5 that can be used to predict toxicity of a test agent by comparing the expression levels of the genes of Tables 1-5 induced by the test agent to the expression levels presented in Tables 5-5CC. In another format, database and software information

WO 02/095000

5

10

15

20

25

may be provided in a remote electronic format, such as a website, the address of which may be packaged in the kit.

The kits may used in the pharmaceutical industry, where the need for early drug testing is strong due to the high costs associated with drug development, but where bioinformatics, in particular gene expression informatics, is still lacking. These kits will reduce the costs, time and risks associated with traditional new drug screening using cell cultures and laboratory animals. The results of large-scale drug screening of pre-grouped patient populations, pharmacogenomics testing, can also be applied to select drugs with greater efficacy and fewer side-effects. The kits may also be used by smaller biotechnology companies and research institutes who do not have the facilities for performing such large-scale testing themselves.

Databases and software designed for use with microarrays is discussed in Balaban et al., U.S. Patent Nos. 6,229,911, a computer-implemented method for managing information, stored as indexed Tables 1-5, collected from small or large numbers of microarrays, and 6,185,561, a computer-based method with data mining capability for collecting gene expression level data, adding additional attributes and reformatting the data to produce answers to various queries. Chee et al., U.S. Patent No. 5,974,164, disclose a software-based method for identifying mutations in a nucleic acid sequence based on differences in probe fluorescence intensities between wild type and mutant sequences that hybridize to reference sequences.

Without further description, it is believed that one of ordinary skill in the art can, using the preceding description and the following illustrative examples, make and utilize the compounds of the present invention and practice the claimed methods. The following working examples therefore, specifically point out the preferred embodiments of the present invention, and are not to be construed as limiting in any way the remainder of the disclosure.

EXAMPLES

Example 1: Identification of Toxicity Markers

The renal toxins cephaloridine, cisplatin, puromycin aminonucleoside (PAN), bromoethylamine hydrobromide (BEA), gentamicin, ifosfamide, cyclophosphamide, carboplatin, AY-25329, indomethacin, acyclovir, citrinin, mercuric chloride, diflunisal, cidofovir, pamidronate, lithium, hydralazine, colchicine, sulfadiazine, and adriamycin and control compositions were administered to male Sprague-Dawley rats at various timepoints using administration diluents, protocols and dosing regimes as previously described in the art and previously described in the priority applications discussed above.

10 The low and high dose level for each compound are provided in the chart below.

Renal Toxin	Low Dose (mg/kg)	High Dose (mg/kg)	Method of Administration
cephaloridine	100	800	intravenous
cisplatin	1	5	intravenous
PAN	10	150	intravenous
BEA	10	200	intraperitoneal
gentamicin	2	80	intramuscular
ifosfamide	5	100	intraperitoneal
cyclophosphamide	20	2000	intraperitoneal
carboplatin	5	50	intravenous
AY-25329	25	250	oral gavage
indomethacin	1	10	oral gavage
acyclovir	10	100	intraperitoneal
citrinin	1	35	intraperitoneal
mercuric chloride	0.1	1 1	intravenous
diflunisal	2	400	oral gavage
cidofovir	10	100	intraperitoneal
pamidronate	1	60	intraperitoneal
lithium	0.3 (nmol/kg)	3 (nmol/kg)	intraperitoneal
hydralazine	2.5	25	intraperitoneal
colchicine	0.15	1.5	intraperitoneal
sulfadiazine	100	1000	intravenous
adriamycin	1.3	12.8	intravenous

After administration, the dosed animals were observed and tissues were collected as described below:

OBSERVATION OF ANIMALS

1. Clinical Observations-

Twice daily: mortality and moribundity check.

Cage Side Observations - skin and fur, eyes and
mucous membrane, respiratory system, circulatory
system, autonomic and central nervous system,
somatomotor pattern, and behavior pattern.

15

-43-

Potential signs of toxicity, including tremors, convulsions, salivation, diarrhea, lethargy, coma or other atypical behavior or appearance, were recorded as they occurred and included a time of onset, degree, and duration.

5

2. Physical Examinations-

Prior to randomization, prior to initial treatment, and prior to sacrifice.

3. Body Weights-

Prior to randomization, prior to initial treatment, and prior to sacrifice.

10 CLINICAL PATHOLOGY

1. Frequency

Prior to necropsy.

2. Number of animals

All surviving animals.

3. Bleeding Procedure

Blood was obtained by puncture of the orbital sinus while under 70% CO₂/30% O₂ anesthesia.

15 4. Collection of **Blood Samples**

Approximately 0.5 mL of blood was collected into EDTA tubes for evaluation of hematology parameters. Approximately 1 mL of blood was collected into serum separator tubes for clinical chemistry analysis. Approximately 200 uL of plasma was obtained and frozen at ~-80°C for

20

25

test compound/metabolite estimation. An

additional ~2 mL of blood was collected into a 15 mL conical polypropylene vial to which ~3 mL of Trizol was immediately added. The contents were

immediately mixed with a vortex and by repeated inversion. The tubes were frozen in liquid nitrogen

and stored at ~-80°C.

TERMINATION PROCEDURES

Terminal Sacrifice

30

Approximately 3, 6, 24, 48, 72, 120, 144, 168, 336, and/or 360 hours after

10

15

20

the initial dose, rats were weighed, physically examined, sacrificed by decapitation, and exsanguinated. The animals were necropsied within approximately five minutes of sacrifice. Separate sterile, disposable instruments were used for each animal, with the exception of bone cutters, which were used to open the skull cap. The bone cutters were dipped in disinfectant solution between animals.

Necropsies were conducted on each animal following procedures approved by board-certified pathologists.

Animals not surviving until terminal sacrifice were discarded without necropsy (following euthanasia by carbon dioxide asphyxiation, if moribund). The approximate time of death for moribund or found dead animals was recorded.

Postmortem Procedures

Fresh and sterile disposable instruments were used to collect tissues. Gloves were worn at all times when handling tissues or vials. All tissues were collected and frozen within approximately 5 minutes of the animal's death. The liver sections and kidneys were frozen within approximately 3-5 minutes of the animal's death. The time of euthanasia, an interim time point at freezing of liver sections and kidneys, and time at completion of necropsy were recorded. Tissues were stored at approximately -80°C or preserved in 10% neutral buffered formalin.

Tissue Collection and Processing

Liver

25

- 1. Right medial lobe snap frozen in liquid nitrogen and stored at ~- 80°C.
- 2. Left medial lobe Preserved in 10% neutral-buffered formalin (NBF) and evaluated for gross and microscopic pathology.
- 3. Left lateral lobe snap frozen in liquid nitrogen and stored at ~-80°C.

Heart

A sagittal cross-section containing portions of the two atria and of the two ventricles was preserved in 10% NBF. The remaining heart was frozen in liquid nitrogen and stored at \sim -80°C.

5 Kidneys (both)

- 1. Left Hemi-dissected; half was preserved in 10% NBF and the remaining half was frozen in liquid nitrogen and stored at \sim -80°C.
- 2. Right Hemi-dissected; half was preserved in 10% NBF and the remaining half was frozen in liquid nitrogen and stored at ~ -80°C.

Testes (both)

15

A sagittal cross-section of each testis was preserved in 10% NBF. The remaining testes were frozen together in liquid nitrogen and stored at ~80°C.

Brain (whole)

A cross-section of the cerebral hemispheres and of the diencephalon was preserved in 10% NBF, and the rest of the brain was frozen in liquid nitrogen and stored at \sim -80°C.

Microarray sample preparation was conducted with minor modifications, following the protocols set forth in the Affymetrix GeneChip Expression Analysis

20 Manual. Frozen tissue was ground to a powder using a Spex Certiprep 6800 Freezer Mill. Total RNA was extracted with Trizol (GibcoBRL) utilizing the manufacturer's protocol. The total RNA yield for each sample was 200-500 μg per 300 mg tissue weight. mRNA was isolated using the Oligotex mRNA Midi kit (Qiagen) followed by ethanol precipitation. Double stranded cDNA was generated from mRNA using the

25 SuperScript Choice system (GibcoBRL). First strand cDNA synthesis was primed with a T7-(dT24) oligonucleotide. The cDNA was phenol-chloroform extracted and ethanol precipitated to a final concentration of 1 μg/ml. From 2 μg of cDNA, cRNA was synthesized using Ambion's T7 MegaScript in vitro Transcription Kit.

To biotin label the cRNA, nucleotides Bio-11-CTP and Bio-16-UTP (Enzo

20

25

30

Diagnostics) were added to the reaction. Following a 37°C incubation for six hours, impurities were removed from the labeled cRNA following the RNeasy Mini kit protocol (Qiagen). cRNA was fragmented (fragmentation buffer consisting of 200 mM Trisacetate, pH 8.1, 500 mM KOAc, 150 mM MgOAc) for thirty-five minutes at 94°C.

Following the Affymetrix protocol, 55 μg of fragmented cRNA was hybridized on the Affymetrix rat array set for twenty-four hours at 60 rpm in a 45°C hybridization oven. The chips were washed and stained with Streptavidin Phycoerythrin (SAPE) (Molecular Probes) in Affymetrix fluidics stations. To amplify staining, SAPE solution was added twice with an anti-streptavidin biotinylated antibody (Vector Laboratories) staining step in between. Hybridization to the probe arrays was detected by fluorometric scanning (Hewlett Packard Gene Array Scanner). Data was analyzed using Affymetrix GeneChip® version 2.0 and Expression Data Mining (EDMT) software (version 1.0), GeneExpress2000, and S-Plus.

Tables 1 and 2 disclose those genes that are differentially expressed upon exposure to the named toxins and their corresponding GenBank Accession and Sequence Identification numbers, the identities of the metabolic pathways in which the genes function, the gene names if known, and the unigene cluster titles. The model code represents the various toxicity state that each gene is able to discriminate as well as the individual toxin type associated with each gene. The codes are defined in Table 4. The GLGC ID is the internal Gene Logic identification number.

Table 3 discloses those genes that are the human homologues of those genes in Tables 1 and 2 that are differentially expressed upon exposure to the named toxins. The corresponding GenBank Accession and Sequence Identification numbers, the gene names if known, and the unigene cluster titles of the human homologues are listed.

Table 4 defines the comparison codes used in Tables 1, 2, 3, and 5.

Tables 5-5CC disclose the summary statistics for each of the comparisons performed. Each of these tables contains a set of predictive genes and creates a model for predicting the renal toxicity of an unknown, *i.e.*, untested compound. Each gene is identified by its Gene Logic identification number and can be cross-referenced to a gene name and representative SEQ ID NO. in Tables 1 and 2. For each comparison of gene expression levels between samples in the toxicity group (samples affected by exposure to a specific toxin) and samples in the non-toxicity group (samples not affected by exposure

10

15

to that same specific toxin), the tox mean (for toxicity group samples) is the mean signal intensity, as normalized for the various chip parameters that are being assayed. The non-tox mean represents the mean signal intensity, as normalized for the various chip parameters that are being assayed, in samples from animals other than those treated with the high dose of the specific toxin. These animals were treated with a low dose of the specific toxin, or with vehicle alone, or with a different toxin. Samples in the toxicity groups were obtained from animals sacrificed at the timepoint(s) indicated in the Table 5 headings, while samples in the non-toxicity groups were obtained from animals sacrificed at all time points in the experiments. For individual genes, an increase in the tox mean compared to the non-tox mean indicates up-regulation upon exposure to a toxin. Conversely, a decrease in the tox mean compared to the non-tox mean indicates down-regulation.

The mean values are derived from Average Difference (AveDiff) values for a particular gene, averaged across the corresponding samples. Each individual Average Difference value is calculated by integrating the intensity information from multiple probe pairs that are tiled for a particular fragment. The normalization multiplies each expression intensity for a given experiment (chip) by a global scaling factor. The intent of this normalization is to make comparisons of individual genes between chips possible. The scaling factor is calculated as follows:

20

25

30

- 1. From all the unnormalized expression values in the experiment, delete the largest 2% and smallest 2% of the values. That is, if the experiment yields 10,000 expression values, order the values and delete the smallest 200 and largest 200.
- 2. Compute the trimmed mean, which is equal to the mean of the remaining values.
- 3. Compute the scale factor SF = 100/(trimmed mean)

The value of 100 used here is the standard target valued used. Some AveDiff values may be negative due to the general noise involved in nucleic acid hybridization experiments. Although many conclusions can be made corresponding to a negative value on the GeneChip platform, it is difficult to assess the meaning behind the negative value for individual fragments. Our observations show that, although negative values are observed at times within the predictive gene set, these values reflect a real biological

phenomenon that is highly reproducible across all the samples from which the measurement was taken. For this reason, those genes that exhibit a negative value are included in the predictive set. It should be noted that other platforms of gene expression measurement may be able to resolve the negative numbers for the corresponding genes.

The predictive ability of each of those genes should extend across platforms, however. Each mean value is accompanied by the standard deviation for the mean. The linear discriminant analysis score (discriminant score), as disclosed in the tables, measures the ability of each gene to predict whether or not a sample is toxic. The discriminant score is calculated by the following steps:

10 Calculation of a discriminant score

Let X_i represent the AveDiff values for a given gene across the non-tox samples, i=1...n. Let Y_i represent the AveDiff values for a given gene across the tox samples, i=1...t.

The calculations proceed as follows:

15

25

30

- 1. Calculate mean and standard deviation for X_i 's and Y_i 's, and denote these by m_X , m_Y , s_X , s_Y .
- 2. For all X_i 's and Y_i 's, evaluate the function $f(z) = ((1/s_y) * \exp(-.5*((z-m_y)/s_y)^2)) / (((1/s_y) * \exp(-.5*((z-m_y)/s_y)^2)) + ((1/s_x) * \exp(-.5*((z-m_x)/s_x)^2))).$
- 3. The number of correct predictions, say P, is then the number of Y_i 's such that $f(Y_i) > .5$ plus the number of X_i 's such that $f(X_i) < .5$.
- 20 4. The discriminant score is then P/(n+t).

Linear discriminant analysis uses both the individual measurements of each gene and the calculated measurements of all combinations of genes to classify samples. For each gene a weight is derived from the mean and standard deviation of the toxic and nontox groups. Every gene is multiplied by a weight and the sum of these values results in a collective discriminate score. This discriminant score is then compared against collective centroids of the tox and nontox groups. These centroids are the average of all tox and nontox samples respectively. Therefore, each gene contributes to the overall prediction. This contribution is dependent on weights that are large positive or negative numbers if the relative distances between the tox and nontox samples for that gene are large and small numbers if the relative distances are small. The discriminant score for each unknown sample and centroid values can be used to calculate a probability between zero and one as to the group in which the unknown sample belongs.

10

15

20

25

Example 2: General Toxicity Modeling

Samples were selected for grouping into tox-responding and non-tox-responding groups by examining each study individually with Principal Components Analysis (PCA) to determine which treatments had an observable response. Only groups where confidence of their tox-responding and non-tox-responding status was established were included in building a general tox model (Table 5).

Linear discriminant models were generated to describe toxic and non-toxic samples. The top discriminant genes and/or EST's were used to determine toxicity by calculating each gene's contribution with homo and heteroscedastic treatment of variance and inclusion or exclusion of mutual information between genes. Prediction of samples within the database exceeded 80% true positives with a false positive rate of less than 5%. It was determined that combinations of genes and/or EST's generally provided a better predictive ability than individual genes and that the more genes and/or EST used the better predictive ability. Although the preferred embodiment includes fifty or more genes, many pairings or greater combinations of genes and/or EST can work better than individual genes. All combinations of two or more genes from the selected list (Table 5) could be used to predict toxicity. These combinations could be selected by pairing in an agglomerate, divisive, or random approach. Further, as yet undetermined genes and/or EST's could be combined with individual or combination of genes and/or EST's described here to increase predictive ability. However, the genes and/or EST's described here would contribute most of the predictive ability of any such undetermined combinations.

Other variations on the above method can provide adequate predictive ability. These include selective inclusion of components via agglomerate, divisive, or random approaches or extraction of loading and combining them in agglomerate, divisive, or random approaches. Also the use of composite variables in logistic regression to determine classification of samples can also be accomplished with linear discriminate analysis, neural or Bayesian networks, or other forms of regression and classification based on categorical or continual dependent and independent variables.

30 Example 3: Modeling Methods

The above modeling methods provide broad approaches of combining the expression of genes to predict sample toxicity. One could also provide no weight in a

simple voting method or determine weights in a supervised or unsupervised method using agglomerate, divisive, or random approaches. All or selected combinations of genes may be combined in ordered, agglomerate, or divisive, supervised or unsupervised clustering algorithms with unknown samples for classification. Any form of correlation matrix may also be used to classify unknown samples. The spread of the group distribution and discriminate score alone provide enough information to enable a skilled person to generate all of the above types of models with accuracy that can exceed discriminate ability of individual genes. Some examples of methods that could be used individually or in combination after transformation of data types include but are not limited to: Discriminant Analysis, Multiple Discriminant Analysis, logistic regression, multiple regression analysis, linear regression analysis, conjoint analysis, canonical correlation, hierarchical cluster analysis, k-means cluster analysis, self-organizing maps, multidimensional scaling, structural equation modeling, support vector machine determined boundaries, factor analysis, neural networks, bayesian classifications, and resampling methods.

5

10

15

20

25

30

Example 4: Grouping of Individual compound and Pathology Classes

Samples were grouped into individual pathology classes based on known toxicological responses and observed clinical chemical and pathology measurements or into early and late phases of observable toxicity within a compound (Tables 5A-5CC). The top 10, 25, 50, 100 genes based on individual discriminate scores were used in a model to ensure that combination of genes provided a better prediction than individual genes. As described above, all combinations of two or more genes from this list could potentially provide better prediction than individual genes when selected in any order or by ordered, agglomerate, divisive, or random approaches. In addition, combining these genes with other genes could provide better predictive ability, but most of this predictive ability would come from the genes listed herein.

Samples may be considered toxic if they score positive in any pathological or individual compound class represented here or in any modeling method mentioned under general toxicology models based on combination of individual time and dose grouping of individual toxic compounds obtainable from the data. The pathological groupings and early and late phase models are preferred examples of all obtainable combinations of sample time and dose points. Most logical groupings with one or more genes and one or

more sample dose and time points should produce better predictions of general toxicity, pathological specific toxicity, or similarity to known toxicant than individual genes.

Although the present invention has been described in detail with reference to examples above, it is understood that various modifications can be made without departing from the spirit of the invention. Accordingly, the invention is limited only by the following claims. All cited patents, patent applications and publications referred to in this application are herein incorporated by reference in their entirety.

	SUMMARY .				Ativ. Doctoi No. 44921-503900 Doc. No. 1793897
Sequence ID No. :	· ManMor	ConBank Ace Ref. Seq ID	Model Code	Gane Namo	Unipene Gluster Mile
1	6949	AA012785	q		ESTs
2	25098	AA108277	h,v		ESTs, Highly similar to includes exon
3	17312	AA108308	<u> </u>	4	3 through 12 [M.musculus] ESTs, Moderately similar to NADH-
4	16882	AA684537	0		ubiquinone oxidoreductase subunit C SGDH [H.sapiens] ESTs, Highly similar to alpha
5	6049	AA685178	v		NAC/1.9.2. protein [M.musculus]
6	4426	AA685974	I,m		ESTs
7	21815	AA686423	9		ESTs, Weakly similar to T23657 hypothetical protein M01F1.6 - Caenorhabditis elegans [C.elegans]
8	1600	AA686470	i	DNA-damage inducible transcript 3	DNA-damage inducible transcript 3
	1000	77.000470		DNA-damage inducible	DNA-damage inducible transcript 3
8	1599	AA686470	ļi	transcript 3	DNA-damage inducible transcript 3
9	21997	AA799325	u		ESTs
10	18396	AA799330	l _v]	ESTs, Highly similar to AF132951 1 CGI-17 protein [H.sapiens]
					ESTs, Weakly similar to ESR1 RAT
11	6581	A A 700440			ESTROGEN RECEPTOR
<u> </u>	10361	AA799412	f,ı		[R.norvegicus] ESTs, Weakly similar to nucleosome
12	16538	AA799449	k		assembly protein [R.norvegicus]
					ESTs, Moderately similar to CGI-116
13 14	23294	AA799472	U		protein [H.sapiens]
14	18290	AA799497	ır		ESTs ESTs, Moderately similar to hnRNP
15	18981	AA799523	le		protein [R.norvegicus]
16	20843	AA799545	h		ESTs, Weakly similar to TCPA RAT T- COMPLEX PROTEIN 1, ALPHA SUBUNIT [R.norvegicus]
17	16993	AA799560	b		ESTs ESTS
18	16576	AA799570	d		ESTs
19	18361	AA799591			ESTs, Highly similar to TBB1 RAT TUBULIN BETA CHAIN [R.norvegicus]
20	17712	AA799598	z		ESTs
22	18346	AA799718	f		ESTs
23	8768	AA799726	1	,	ESTs
24	11687	AA799732	w		ESTs, Highly similar to Dgcr6 protein [M.musculus]
25	18349	AA799744	u		ESTs
26	17494	AA799751	n i		ESTs
27	18360	AA799771	General		ESTs
28	18880	AA799801	w .		ESTs ESTs, Weakly similar to serine
29	20998	AA799803	z		protease [R.norvegicus]
					ESTs, Highly similar to IRF7 MOUSE
20	04000	4.4700004		1 3	INTERFERON REGULATORY
30	21006	AA799861	C		FACTOR 7 [M.musculus] ESTs, Highly similar to DDRT helix-
					destabilizing protein - rat
31	15011	AA799893	General		[R.norvegicus]
					ESTs, Highly similar to 60S RIBOSOMAL PROTEIN L18A
32	20811	AA799899	a J	•	[R.norvegicus]
	1		1		ESTs, Weakly similar to S52675
					probable membrane protein YDR109c
33	23202	AA799971	General		yeast (Saccharomyces cerevisiae) S.cerevisiae]
	1		32.10.01		ESTs, Highly similar to glycogen
34	4832		b		phosphorylase [R.norvegicus]
35	21656	AA800202	d 1		ESTS

1 1 1 1 1	SUMMARY:				AMy. Docket No. 44921-503900 Doc. No. 1793337
.old all	i de la constante de la consta	Consent Acel Ref. Seg ID	Model Code	Gene Name	Unigana Giustar Viila
					ESTs, Weakly similar to T15476 hypothetical protein C09F5.2 -
36	18433	AA800218	j,y,z		Caenorhabditis elegans [C.elegans]
37 38	16386 18442	AA800235 AA800258	∮u Th,k		ESTs ESTs
39	21092	AA800380	y		ESTs, Weakly similar to CORTICOSTEROID 11-BETA- DEHYDROGENASE, ISOZYME 1 [R.norvegicus]
40	17325	AA800587	General		ESTs, Weakly similar to glutathione peroxidase [R.norvegicus]
41	13930	AA800613	cc, General		Rattus norvegicus gene for TIS11, complete cds
42	21372	AA800693	v		"ESTs
42	21373	AA800693	s		੍ ESTs
43	18161	AA800701	k		ESTs
44	6595	AA800753	w		ESTs
45	13348	AA800928	General		ESTs ESTs, Highly similar to H2A1 RAT
46	23115	AA801165	о,у		HISTONE H2A.1 [R.norvegicus]
47	12399	AA801307	General	1	ESTs
48	7543	AA801395	General		ESTs
49	24237	AA817726	t,General		ESTs
					ESTs, Moderately similar to T25763 hypothetical protein F46F11.4 -
50	11215	AA817921	0		Caenorhabditis elegans [C.elegans]
51	5985	AA818005	g		ESTs
52	11338	AA818016	х		ESTs, Highly similar to rabkinesin-6 [M.musculus]
					ESTs, Weakly similar to PRSC MOUSE 26S PROTEASOME REGULATORY SUBUNIT S12
53	2845	AA818026	k,Genera	<u> </u>	[M.musculus]
54	16756	AA818089	i,k, General		ESTs, Highly similar to glycyl-tRNA synthetase [H.sapiens]
55	17771	AA818224	e,g,p, General		ESTs, Highly similar to TBB1 RAT TUBULIN BETA CHAIN [R.norvegicus]
EC	6522	AA818261	a m		ESTs, Moderately similar to
56 57	15924	AA818359	g,m	 	autoantigen p542 [H.sapiens]
58	7806	AA818421	b,aa		ESTs
59	8237	AA818512	v v		ESTs
60	17434	AA818574	h	1	ESTs
61	8728	AA818615	General		ESTs
62	6054	AA818658	b,v,cc, General	Diphtheria toxin receptor (heparin binding epidermal growth factor - like growth factor)	Diphtheria toxin receptor (heparin binding epidermal growth factor - like growth factor)
63	11590	AA818721 ;	d		ESTs, Moderately similar to S65785 mel-13a protein - mouse [M.musculus
64	4291	AA818741	q,General		ESTs
65	4330	AA818747	o.General		ESTs
66	19723	AA818761	v,General	1	ESTs
67	13684	AA818770	h,j,l,m		Rattus norvegicus serine protease gene, complete cds
68	6322	AA818801	k		ESTs
69	7690	AA818875	General	uroguanylin	uroguanylin
70	4952	AA818907	g,General		ESTs
71	6094		t.		ESTS
72	10985	AA818998	o,General		ESTs, Weakly similar to HP33 [R.norvegicus]
73		AA819008	1		ESTs

TABLE 1: 8	BUMMARY				Ally. Docket No. 44924-503900 Doc. No. 1793397
Sequence ID No.	Common	Genbank Acci Ref. Seq ID	Model Code	Gene Name	Uniter Title
ne meen 🐇	taentmer	Mar Cadin	Gana	Gava reme	
74	2586	AA819081	c		ESTs, Weakly similar to testis specifi protein [R.norvegicus]
76	6438	AA819269	0		ESTs
77	24721	AA819306	d,w		ESTs
70	coro	4 4 0 4 0 0 7 0			Rattus norvegicus mRNA for inositol hexakisphosphate kinase, complete
78	6250	AA819376	о,у		cds ESTs, Weakly similar to JC5707
80	6281	AA819517	li	1	HYA22 protein [H.sapiens]
81	10141	AA819526	j j		ESTS
82	6551	AA819558	t		ESTs
					ESTs, Moderately similar to dJ30M3.
83	6723	AA819653	r	<u> </u>	[H.sapiens]
84	14958	AA819744	aa		ESTs
85	19433	AA819776	v		ESTs, Weakly similar to HS9B RAT HEAT SHOCK PROTEIN HSP 90- BETA [R.norvegicus]
86	6204	AA819889	aa	1	ESTs ESTS
87	22820	AA848315	General	HMm:inosine 5'-phosphate dehydrogenase 2	ESTs, Weakly similar to guanosine monophosphate reductase [R.norvegicus]
					ESTs, Weakly similar to T26686 hypothetical protein Y38F1A.6 -
88 89	6614 21125	AA848389 AA848437	bb General	<u> </u>	Caenorhabditis elegans [C.elegans]
09	21125	,,^^(0+0+31	General		ESTs ESTs, Moderately similar to IF4B_HUMAN EUKARYOTIC
90	23504	AA848496	9		TRANSLATION INITIATION FACTOR 4B [H.sapiens] ESTs, Weakly similar to FMO1 RAT
91	18532	AA848675	9		DIMETHYLANILINE MONOOXYGENASE [R.norvegicus]
92	21140	AA848738	c		ESTs [K:norvegicus]
					ESTs, Moderately similar to AF13294
93 94	16128 22923	AA848807	0	}	1 CGI-12 protein [H.sapiens]
9 4 95	17339	AA848929 AA849497	g General	 	ESTs ESTs
96	11727	AA849518	General		JESTS
<u> </u>	111121	10043310	i,l,m,		[CO18
97	21275	AA849796	General	1	ESTs
98	16678	AA849827	aa		ESTs
99	8515	AA849917	e		ESTs .
100 101	18447	AA849939 AA850037	General		ESTs
101	12130	IMM00UU3/	P	cyclase-associated protein	ESTs .
102	23981	AA850040	х,аа	homologue	cyclase-associated protein homologue
103	13615	AA850364	t		MOUSE RAS-RELATED PROTEIN RAB-17 [M.musculus]
105	2637	AA850893	x		ESTs, Highly similar to hypothetical protein [H.sapiens]
106	22093	AA850909	d		ESTs
07 .	21766	AA850916	C		ESTs
08	2847	AA850919	w		ESTs, Weakly similar to dithiolethione- inducible gene-1 [R.norvegicus]
100	40400	4 4 5 5 5 5 5 5	_	·	Rattus norvegicus mRNA for ras- GTPase-activating protein SH3-
10	12162	AA850975	Conorol		domain binding protein, partial cds
10 -	9514	AA850978	General		ESTs
11	3924	AA851017	e,q		ESTs, Highly similar to molybdopterin- synthase large subunit [M.musculus]
11	3925	AA851017	o,General		ESTs, Highly similar to molybdopterin- synthase large subunit [M.musculus]
12	4490	AA851184	a,k		Rattus norvegicus mRNA for cathepsin Y, partial cds

	SUMMARY	11.45			Ally, Docket No. 44921-50890
.04.					Doc. No. 179399
Sequence ID No.	ldentifier	GenBank Acci. Ref. Seg ID	Model Gode	Cene Name	Unigeno Cluster Tille
E CONTRACTOR OF THE CONTRACTOR		D late and the book of the Tel 349 1 1 als	S 250-	, COSTO NACIONO	ESTs, Weakly similar to T28050
	•				hypothetical protein ZK856.11 -
113	19187	AA851230	General		Caenorhabditis elegans [C.elegans]
				1	ESTs, Highly similar to ubiquitin
444	40400		L		specific protease UBP43
114	19189	AA851237	C		[M.musculus]
115	15386	AA851241	.lm		ESTs, Highly similar to hypothetical protein [H.sapiens]
	1			1	ESTs, Weakly similar to A61382
			9,1,	1	phosphorylation regulatory protein H
116	21462	AA851261	General		10 [H.sapiens]
117	21471	AA851343	General	1.01-10-10-1	ESTs
] .	HHs:NADH dehydrogenase (ubiquinone) Fe-S protein 8	
				(23kD) (NADH-coenzyme Q	NUIM_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE 23 KD SUBUN
118	16902	AA851379	p	reductase)	PRECURSOR [H.sapiens]
		1	ľ		ESTs, Moderately similar to kinesin-
119	23376	AA851392	i,x		like DNA binding protein [H.sapiens]
119	22277	A 4 0 5 4 2 0 0			ESTs, Moderately similar to kinesin-
120	23377 13349	AA851392 AA851417	X General	 	like DNA binding protein [H.sapiens]
121	21527	AA851733	r,u		ESTs ESTs
			i,o,u,		Rattus norvegicus osteoactivin mRN
122	4048	AA851814	General		complete cds
					ESTs, Highly similar to SSRA HUMA
					TRANSLOCON-ASSOCIATED
123	10561	AA851871	bb		PROTEIN, ALPHA SUBUNIT
12.0	10301	AN001071	100		PRECURSOR [H.sapiens] Rattus norvegicus CaM-kinase II
124	17411	AA858621	j,y		inhibitor alpha mRNA, complete cds
					ESTs, Weakly similar to MCM6 RAT
					DNA REPLICATION LICENSING
125 126	1801	AA858636	k,s,x,bb		FACTOR MCM6 [R.norvegicus]
127	18350 19484	AA858674 AA858693	p e		ESTs ESTs
128	6360	AA858696	d		ESTs
					ESTs, Weakly similar to Reg receptor
129	17334	AA858704	р		[R.norvegicus]
100					ESTs, Weakly similar to dJ413H6.1.1
130 131	6380 13219	AA858758	q a		[H.sapiens]
31	13219		a I,m,Gener		ESTs
32	6384		al		ESTs
					ESTs, Highly similar to p40 seven-
					transmembrane-domain protein
34	13412	AA858830	p .		[M.musculus]
35 36		AA858892	!		ESTs
JU	18217	AA858930	t .		ESTS
			-	HHs:asparaginyl-tRNA	ASPARAGINYL-TRNA SYNTHETASE, CYTOPLASMIC
37	5867	AA858953	v,General	synthetase	[H.sapiens]
			1		ESTs, Moderately similar to 156526
		j			interleukin 1 receptor type I - rat
38			[]		[R.norvegicus]
39	6431	AA859085			ESTs
40	17361	AA859114	o,General		ESTs
41	21025			outer membrane protein	outer membrane protein
42			C j		ESTs
	1				ESTs, Weakly similar to CYSR RAT
13	21701	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		CYSTEINE-RICH PROTEIN 1
43	21791	AA859333 I	cc,Gener		[R.norvegicus]
44	16314		al		ESTs
45	·	AA859520 f	-		ESTs
46		AA859545 r			ESTs

TABLE 1: (ANY. Docker No. 44921-5039
Sequence		GenBank Ace	Model		<u> </u>
ID (yo.). Seelnavee	lideniii fer	Ref. Seg D	Gode	8	1
in was	sligenmen.	Verdored in	COCC	Cene Namo	
147	19894	AA859581	s		Rattus norvegicus late gestation lur protein 1 (Lgl1) mRNA, complete co
148	14353	AA859585	h		ESTs LEGIT TIKNA, COMPLETE CO
					ESTs, Weakly similar to DnaJ
149	16318	AA859648	h		homolog 2 [R.norvegicus]
150 151	17316 19067	AA859652	General		ESTs
152	22406	AA859663 AA859680	n,q n	1	ESTs ESTs
153	20599	AA859690	x	1	ESTs
	1		1		ESTs, Weakly similar to
				1	YNH2_CAEEL HYPOTHETICAL 31.
454	44004	*********			KD PROTEIN R107.2 IN
154	14261	AA859693	<u>u</u>		CHROMOSOME III [C.elegans]
				HHs:protoporphyrinogen	ESTs, Highly similar to PPOX MOUS
155	14138	AA859700	v	oxidase	[M.musculus]
	1				ESTs, Highly similar to PPOX MOUS
			1	HHs:protoporphyrinogen	PROTOPORPHYRINOGEN OXIDAS
155	14139	AA859700	V	oxidase	[M.musculus]
			1		ESTs, Weakly similar to IF4E MOUS
	İ				EUKARYOTIC TRANSLATION INITIATION FACTOR 4E
157 .	22374	AA859804	lı .		[R.norvegicus]
	1			1	ESTs, Moderately similar to LYOX
	ļ				RAT PROTEIN-LYSINE 6-OXIDASE
158	22385	AA859805	b,k		PRECURSOR [R.norvegicus]
159 160	22773	AA859885	n to a se	1	ESTs
161	22816 11891	AA859898 AA859926	k,x,z x	1	ESTs ESTs
	11091	10000020	^		ESTs, Highly similar to N-
162	23070	AA859942	k	_	myristoyitransferase 1 [M.musculus]
163	23121	AA859948	k		ESTs
			cc,Gener		
164	23166	AA859954	al		ESTs
165	18468	AA859966	aa		ESTs, Weakly similar to Edp1 protein
	10400	AA009300 .		 	[M.musculus] MYO-INOSITOL-1(OR 4)-
				HHs:inositol(myo)-1(or 4)-	MONOPHOSPHATASE
166	23336	AA859981	g ,	monophosphatase 2	[R.norvegicus]
			-		ESTs, Highly similar to
	4000				EF1G_HUMAN ELONGATION
67	4222		a,bb u,x,Gener		FACTOR 1-GAMMA [H.sapiens]
68	13974	1 1	u,x,Gerier al		Rattus norvegicus mRNA for class l beta-tubulin, complete cds
3	10074	70.00000	<u> </u>	Hyaluronan mediated motility	EST, Hyaluronan mediated motility
69	7090	AA860039	x .,	receptor (RHAMM)	receptor (RHAMM)
					ESTs, Moderately similar to T08661
					anti-silencing protein ASF1 homolog
70 71	23769 .		k,x		DKFZp547E2110.1 [H.sapiens]
71	16323	AA866240	w		EST Wall ST. BESS BAT S
					ESTs, Weakly similar to PE2R RAT 2 ALPHA-HYDROXYSTEROID
72	4462	AA866264	General		DEHYDROGENASE [R.norvegicus]
		The state of the s		4	ESTs, Weakly similar to A60543
73	15884	AA866276	ζ		protein kinase [R.norvegicus]
<u>,</u> ,	47740				4-hydroxyphenylpyruvic acid
74	17742	AA866302	5,y	dioxygenase	dioxygenase
				Solute carrier family 4, member 1, anion exchange	Solute carrier family 4, member 1,
75	16333	AA866414	a,h	protein 1 (kidney band 3)	anion exchange protein 1 (kidney band 3)
1			-,		ESTs, Moderately similar to AF141884
				ŧ	1 oligophrenin-1 like protein
76			p,q		[H.sapiens]
			,l,m,y,z		ESTs
78	18995	AA866459 {t	n,m]		ESTs

	SUMMARY				* AMY , Docket No. 44921-5089 Doc. No. 179339
Sequence ID No.	ldeniffier	GenBenk Acci Ref. Seq ID	Model Gode	Cene Name	. Unica Cluster Title
					ESTs, Highly similar to FGD1 MOU: PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTO
179	16013	AA866482	s		[M.musculus]
180	26036	AA874849	≅ r		
181	16059	AA874857	ħ		ESTs
182	16069	AA874873	r		⊰ESTs
183	24622	44674054],		ESTs, Weakly similar to RNA bindin
184	21633 16192	AA874951 AA874995	lw	 	protein [H.sapiens] ESTs
	10102	3 74074999	1		ESTs, Highly similar to RET3 BOVII RETINOIC ACID-BINDING PROTEI
185	16254	AA875025	l _i		I, CELLULAR [R.norvegicus]
			cc,Gener	:1	, occoo wyw.no.vegicusj
186	16312	AA875032	al		ESTs
187	20701	AA875097	b		Rat alpha-fibrinogen mRNA, 3' end
					ESTs, Highly similar to ARF3_HUM/ ADP-RIBOSYLATION FACTOR
188	16416	AA875098	bb		[R.norvegicus]
189	16419	AA875102	bb		ESTs, Highly similar to RUXE_HUMAN SMALL NUCLEAR RIBONUCLEOPROTEIN E [M.musculus]
			l,m,	1	
190	15313	AA875126	General		ESTs ESTs, Weakly similar to AF151834 1
191	10936	AA875146	w	Į.	CGI-76 protein [H.sapiens]
192	18084	AA875186	h	1	ESTs
193	15371	AA875205	u		ESTs, Highly similar to IF39_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 3 SUBUNIT 9 [H.sapiens]
194	15401	AA875257	x,z		ESTs
195 196	15410 15420	AA875268	p,s	HHs:NADH dehydrogenase (ubiquinone) Fe-S protein 7 (20kD) (NADH-coenzyme Q reductase)	ESTs, Highly similar to NUKM HUMAN, partial CDS [H.sapiens]
97	15420	AA875286 AA875327	s,w		ESTs
31	313440	MO13321	15,W	 	ESTs
98	7936	AA875495	b,General		ESTs
99	17314	AA875509	i,I,m		ESTs, Highly similar to includes exor 3 through 12 [M.musculus]
					ESTs, Highly similar to MLES RAT MYOSIN LIGHT CHAIN ALKALI, SMOOTH-MUSCLE ISOFORM
00		AA875523	k		[R.norvegicus]
01		AA875577	1	h	ESTs
02 02		AA875620	General		ESTs
<u> </u>	13010	AA875620	General f,cc,Gene		ESTs
03	5384	AA891041	ral	jun B proto-oncogene	jun B proto-oncogene
04	24814	AA891209	f,p		ESTs, Moderately similar to R33729 1, partial CDS [H.sapiens]
05	21930	AA891322	d	***************************************	ESTs, Weakly similar to AF151373 1 nucleolin-related protein NRP [R.norvegicus]
06	17225	AA891553	h		ESTs, Highly similar to eIF3 p66 [M.musculus] ESTs, Weakly similar to S67314
					regulatory protein RMS1 - yeast (Saccharomyces cerevisiae)
07	7522	AA891571	j,m		[S.cerevisiae]
08	·	AA891578	b		ESTs
]			melanoma antigen, family D,	
09	19321	AA891666	u	1	melanoma antigen, family D, 1

VABLE 18	SUMMARY				7111y, Docket No. 44921-5039W Doc. No. 1793397
Sequence ID/No.	ldomiliter	ConBant: Acci Ref. Seq ID	Model Gode	Ceine Name	Unigene Gluster Tille
210	17693	AA891737	j,l,m,n,y,	z	ESTs
					ESTs, Weakly similar to T22521
					hypothetical protein F52H3.5 -
211	17256	AA891739	General		Caenorhabditis elegans [C.elegans]
			1		ESTs, Moderately similar to FINC RA
				1	FIBRONECTIN PRECURSOR
213	18269	AA891769	General		[R.norvegicus]
			s,bb,		
	1	1	D239Ge	ח	
214	9905	AA891774	eral		ESTs
			1		ESTs, Highly similar to alpha-adducin
045	17004	A A 004 042	ا		hypertensive phenotype
215	17061	AA891812	d	<u> </u>	[R.norvegicus]
216	7050	AA891824	ln	1	Rattus norvegicus clone ZG52 mRNA
210	<u> 17030</u>	MA091024	- II	4	sequence ESTs, Weakly similar to PE2R RAT 20
					ALPHA-HYDROXYSTEROID
217	4463	AA891831	General		DEHYDROGENASE [R.norvegicus]
	17700	70.007.001	100	-	ESTs. Highly similar to muscle protein
218	14289	AA891838	i		684 [M.musculus]
219	20523	AA891842	r,cc	1	ESTs
			1	1	ESTs, Moderately similar to
			1		ACY1 HUMAN AMINOACYLASE-1
220	17779	AA891914	g,s,z	1	[H.sapiens]
221	17438	AA891943	General		ESTs
222	22862	AA891944	р		ESTs
223	1159	AA891949	e,z		ESTs
					ESTs, Weakly similar to T31496
				i	hypothetical protein Y116A8C.25 -
224	4473	AA891965	General		Caenorhabditis elegans [C.elegans]
	1			I	ESTs, Highly similar to chromatin
			l		structural protein homolog Supt5hp
225	6362	, AA892053	[f,j,l,m		[M.musculus]
226	9037	AA892066	ĮV		ESTS
227	19469	AA892112	General	1	ESTs, Weakly similar to proline
228	14595	AA892128	o,t,v		dehydrogenase [M.musculus] ESTs
229	16527	AA892154	CC	 	ESTs
230	4482	AA892173	bb	 	EST
231	20917	AA892238	h		ESTS
		1.4.1042200	 		ESTs, Weakly similar to PC4221
232	2357	AA892268	d		protein-tyrosine kinase [R.norvegicus]
233	18183	AA892271	h		ESTs
234	6523	AA892299	d		ESTs
	1				ESTs, Highly similar to RL3 RAT 60S
					RIBOSOMAL PROTEIN L3
236	13647	AA892367	а		[R.norvegicus]
					ESTs, Highly similar to AF151893 1
237	₄ 3473	AA892378	v	1	[CGI-135 protein [H.sapiens]
		İ			ESTs, Moderately similar to AF185570
			j,p,s,x,		1 putative N-acetyltransferase
238	17682	AA892382	General		Camello 4 [R.norvegicus]
				Aldolase B, fructose-	
(1.10D)	820	AA892395	g,s	biphosphate	Aldolase B, fructose-biphosphate
239	14754	AA892414	u		ESTs
240		AA892446	<u> </u>		ESTs
	17439			I	ESTs, Moderately similar to
240	17439		l		
240	17439				UCRY_HUMAN UBIQUINOL-
240	17439				CYTOCHROME C REDUCTASE
240 241		AA902462			CYTOCHROME C REDUCTASE COMPLEX 6.4 KD PROTEIN
240 241	16469	AA892462	р		CYTOCHROME C REDUCTASE COMPLEX 6.4 KD PROTEIN {[H.sapiens]
240 241 242	. 16469				CYTOCHROME C REDUCTASE COMPLEX 6.4 KD PROTEIN [H.sapiens] Rattus norvegicus mRNA for prostasin
240		, AA892462 AA892468	p i,General n,v,Gener		CYTOCHROME C REDUCTASE COMPLEX 6.4 KD PROTEIN {[H.sapiens]

表謝地教育	Summary				Mir. Docket No. 44921-5039W Doc. No. 1793397
Sequence ID No.	ldeniiiler	ConSant Ace Ref. Seq D	Model Gode	Gene Namo	Unigene Cluster VIIIe
244	9254	AA892470	n,u		ESTs, Highly similar to HISTONE H2A.Z [R.norvegicus]
245	11991	AA892483	s		ESTs
246	4500				ESTs, Moderately similar to LYAG MOUSE LYSOSOMAL ALPHA- GLUCOSIDASE PRECURSOR
246	1522	AA892486	f		[M.musculus] ESTs, Moderately similar to S63540
247	11994	AA892507	aa		protein DS 1, 24K [H.sapiens]
248 248	23888	AA892520 AA892520	h	·	ESTs
249	8599	AA892522	p		ESTs ESTs
250	15154	AA892532	D D	+	
251			Ï		R.norvegicus (Wistar) CaBP1 mRNA ESTs, Highly similar to multi- membrane spanning polyspecific
231	17468	AA892545	ļr		transporter [M.musculus] ESTs, Highly similar to ras-GTPase-
252	11203	AA892554	f,h a,bb,		activating protein SH3-domain binding protein [M.musculus]
253	18906	AA892561	General		ESTs, Moderately similar to PTD012 [H.sapiens] R.norvegicus mRNA for nucleolar
254	19327	AA892562	f,j,y,z		protein NAP57
255	18274	AA892572	P		ESTs
256	4512	AA892578	cc		ESTs ESTs, Highly similar to RL8_HUMAN 60S RIBOSOMAL PROTEIN L
257	15876	AA892582	w		[R.norvegicus]
258	19085	AA892598	General		ESTs
258	₃ 19086	AA892598	General		ESTs
259	20065	AA892647	<u></u>		ESTs, Highly similar to H4_HUMAN HISTONE H4 [R.norvegicus]
260	20088	AA892666	a,n	1	ESTs
261	23783	AA892773	<u> n</u>		Rat mitochondrial proton/phosphate
262	17549	AA892776	f,z	İ	symporter mRNA, complete cds
263	13542	AA892798	1b	†	ESTs
264	22537	AA892799	General	HHs:glyoxylate reductase/hydroxypyruvate reductase	ESTs, Weakly similar to SERA RAT D 3-PHOSPHOGLYCERATE DEHYDROGENASE [R.norvegicus]
264	22539	AA892799	v	HHs:glyoxylate reductase/hydroxypyruvate reductase	ESTs, Weakly similar to SERA RAT D 3-PHOSPHOGLYCERATE DEHYDROGENASE [R.norvegicus]
264	22538	AA892799	General	HHs:glyoxylate reductase/hydroxypyruvate reductase	ESTs, Weakly similar to SERA RAT D 3-PHOSPHOGLYCERATE DEHYDROGENASE [R.norvegicus]
265	6951	AA892820	h		ESTs, Weakly similar to S70642 ubiquitin ligase Nedd4 - rat [R.norvegicus]
266	23322	AA892821	j,z		Rattus norvegicus aiar mRNA for androgen-inducible aldehyde reductase, complete cds
267	17923	AA892843	ſ		ESTs, Weakly similar to T29904 hypothetical protein F59A3.3 - Caenorhabditis elegans [C.elegans]
268	22871	AA892859	m .		ESTs, Weakly similar to procollagen- lysine 5-dioxygenase [R.norvegicus]
269	9053	AA892861	p,v, General		ESTs
270	16482	AA892940	w .		ESTs, Weakly similar to EF2 RAT ELONGATION FACTOR 2
271	12020	AA893035	i,y	,	[R.norvegicus] Rattus norvegicus HP33 mRNA, complete cds
772	3863	AA893060	General		ESTs
73	13332		i,General		ESTs

TABLE 1: (YSSAMMUE				Any. Dockei No. 44921-503900 Doc. No. 1793397
Scovenico D No.	(deniller	Genfenk Aca Rol Seq (D	Model Godo	Gene Name	Unigan: Cluster Title
274	21305	AA893082	General		ESTs
275	16591	AA893191	j,z		ESTs
276	17447	AA893192	General		ESTS
277	3876	AA893205	n	4	ESTs
278	3878	AA893230	General		ESTs, Weakly similar to CALM_HUMAN CALMODULIN [R.norvegicus]
				Acyl CoA synthetase, long	
279	20986	AA893242	i,z,	chain	Acyl CoA synthetase, long chain ESTs, Moderately similar to
280	16168	AA893280	General	1	adipophilin [H.sapiens]
281	3886	AA893289	∤j,m,y		ESTs
282	15209	AA893327	У		ESTs .
283	17800	AA893436	CC		ESTs
284 285	17836 9084	AA893626 AA893717	h x		ESTs, Weakly similar to LIS1 MOUSE PLATELET-ACTIVATING FACTOR ACETYLHOROLASE IB ALPHA SUBUNIT [R.norvegicus]
286	22731	AA893743	d	J	ESTs
287	12031	AA893860	v	HHs:threonyl-tRNA synthetase	ESTs, Moderately similar to SYTC_HUMAN THREONYL-TRNA SYNTHETASE, CYTOPLASMIC [H.sapiens]
288	17897	AA893905	k		ESTs
289	3447	AA893982	d		ESTs
290	22583	AA894009	n		
291	10540	AA894027	<u>ن</u>		EST
292	4569	AA894059	x		ESTs, Highly similar to A55748 protein kinase [M.musculus]
293 294	18419 17336	AA894130 AA894297	d		ESTs, Weakly similar to APP2 RAT AMYLOID-LIKE PROTEIN 2 PRECURSOR [R.norvegicus] ESTs
295	19120	AA894318	ľ,j		ESTs
296	19762	AA899113	i		JESTs
297	18286	AA899219	u		Rat mRNA for beta-tubulin T beta15
298	22051	AA899498	w		ESTs, Weakly similar to T26581 hypothetical protein Y32B12A.3 - Caenorhabditis elegans JC.elegans
298	22052	AA899498			ESTs, Weakly similar to T26581 hypothetical protein Y32B12A.3 - Caenorhabditis elegans [C.elegans]
299	21628	AA899563	q aa		ESTs (C.elegans)
300	4262	AA899590	i		ESTs
301	4661	AA899709	t,General	receptor activity modifying protein 3	receptor activity modifying protein 3
302	21354	AA899721	q		ESTs Rattus norvegicus epidermal growth factor receptor related protein (Errp)
303	17905	AA899762 s	General		mRNA, complete cds
304	15231	AA899840	r		ESTs
305	23778	AA899854	c,k,x	topoisomerase (DNA) II alpha	topoisomerase (DNA) II alpha
306	22060	AA899898	b.	aihiia	ESTs
307	9114	AA899951	v,General		ESTs
308	8988	AA900148	f		IESTs
309	11841	AA900247	v	***************************************	Rattus norvegicus mRNA for Hsp70/Hsp90 organizing protein ESTs, Highly similar to ALPHA-2-
240	4705	******			MACROGLOBULIN PRECURSOR
310	4725	AA900290	Comment		[R.norvegicus]
311	4747	AA900465	General		ESTs
312	20988	AA900562	0		ESTs Woods similar to available SNA
313	3822	AA900863	b,g, General	,	ESTs, Weakly similar to nuclear RNA helicase [R.norvegicus]

TABLE 1:	SUMMARY				AM7. Docket No. 44921-503900 Doc. No. 1793397
Soquence ID (No.		Ginenik Aral Ral Serilo	Modal Goda		Unitario Giuster Tillo
	i i georgia (c)				ESTs, Weakly similar to T20702
		1			hypothetical protein F10C2.6 -
315 316	12420	AA901017	<u> b</u>		Caenorhabditis elegans [C.elegans]
310	4849	AA901155	s	4	Rattus norvegicus CDK105 mRNA
					ESTs, Highly similar to IF2B_HUMAN EUKARYOTIC TRANSLATION
					INITIATION FACTOR 2 BETA
317	3959	AA901338	General		SUBUNIT [H.sapiens]
	1		1	1	ESTs, Highly similar to ATP-specific
318	22846	AA923982	a,d		succinyl-CoA synthetase beta subuni
319	4895	AA923999	k k		[M.musculus] ESTs
			cc,		
320	21546	AA924188	General		ESTs
321	24192	AA924210	n,Genera		Set-
	- 1 JL	177027210	g,I,Genera	7	ESTs
322	4933	AA924301	al		EST
					ESTs, Moderately similar to
		1			NO56_HUMAN NUCLEOLAR
323 324	4944 4948	AA924405	I,General	 	PROTEIN NOP56 [H.sapiens]
J24	4540	AA924428			ESTs ESTs, Weakly similar to NPT2 RAT
					RENAL SODIUM-DEPENDENT
					PHOSPHATE TRANSPORT
325	4949	AA924432	General		PROTEIN 2 [R.norvegicus]
326	18891	AA924598	е		ESTs
				HHs:glyoxylate reductase/hydroxypyruvate	ESTs, Weakly similar to SERA RAT D
327	22540	AA924630	v.General	reductase	3-PHOSPHOGLYCERATE DEHYDROGENASE [R.norvegicus]
			1	HHs:glyoxylate	ESTs, Weakly similar to SERA RAT D
	ļ	'	1	reductase/hydroxypyruvate	3-PHOSPHOGLYCERATE
327	22541	AA924630	General	reductase	DEHYDROGENASE [R.norvegicus]
328 329	14759 23123	AA924766 AA924794	k -x		ESTs
330	4067	AA924813	g.p		ESTs ESTs
331	2888	AA924902	r,General		ESTs
					ESTs, Highly similar to sec7 domain
332	18130	AA924964	d		family member [H.sapiens]
333	23141	AA925019	<u> r </u>		ESTs
		1			ESTs, Weakly similar to MCT7 RAT MAST CELL PROTEASE 7
334	23195	AA925026	General		PRECURSOR [R.norvegicus]
			f,aa,		
335	21458	AA925049	General		ESTs
					ESTs, Moderately similar to S20710
336	5073	AA925061	m		hypothetical protein, 16K - mouse
	1 3 3 3	70.020001	1		- Alwardiasi
337	14790	AA925087	o,General		ESTs
]	·	EST, Highly similar to T50621
338	5089	AA025426			hypothetical protein DKFZp762O076.1
330	10009	AA925126	9 .		[H.sapiens] ESTs, Moderately similar to BHMT
					RAT BETAINE-HOMOCYSTEINE S-
					METHYLTRANSFERASE
339	23261	AA925145	k,General	·	[R.norvegicus]
			1		ESTs, Moderately similar to
340	17363	AA925150	a		neurodegeneration-associated protein
341	23448	AA925167	li —		1 [R.norvegicus] ESTs
342	23159	AA925318	e	I-kappa-B-beta	I-kappa-B-beta
143	21500	AA925353	k		ESTs
344	22479	AA925418	t		ESTs
45	21151	AA925539	b]		ESTs

): SUMMARY				12 ANIY, Docket No. 44221-20320 Doc. No. 1773337
Sequenc ID No.	e. denimer	Ganbank Acel Ref. Seq ID	Modal Gode	Gane Werne	Unigene Cluster Title
346	16944	AA925541	f	heterogeneous nuclear ribonucleoprotein L	heterogeneous nuclear ribonucleoprotein L
346	16945	AA925541	lt	heterogeneous nuclear ribonucleoprotein L	heterogeneous nuclear ribonucleoprotein L
347	"17514	AA925554	bb	HHs:succinate dehydrogenase complex, subunit A, flavoprotein (Fp)	ESTs, Highly similar to DHSA_HUMAN SUCCINATE DEHYDROGENASE [H.sapiens]
348	5183	AA925662	i,General]	ESTS
349	23189	AA925844	r		ESTs
350	23190	AA925863	aa		ESTs, Highly similar to IMB3_HUMA IMPORTIN BETA-3 SUBUNIT [H.sapiens]
351	5252	AA926051	General	1	EST
352	22967	AA926080	h,cc		ESTs
353	17157	AA926129	b	1	ESTs
354	13411	AA926196	u,General		ESTs
355	5295	AA926247	General	putative potassium channel TWIK	putative potassium channel TWIK
356	22928	AA926262	General		ESTs, Moderately similar to NEURONAL PROTEIN 3.1 [M.musculus]
357	8948	AA926316	r		ESTs, Moderately similar to T13963 formin related protein, lymphocyte specific - mouse [M.musculus]
358	21798	AA926365	aa		ESTs, Moderately similar to AF15182 1 CGI-69 protein [H.sapiens]
359	9942	AA942697	s		ESTs
360 361	6039 11174	AA942716 AA942745	x,General		ESTs, Highly similar to HN1 [M.musculus]
362	23005	AA942770	g,o,w		ESTs
363	21318	AA942774	g General		ESTs
364	6615				ESTs ESTs, Weakly similar to T26686 hypothetical protein Y38F1A.6 -
365	6691	AA942889 AA943028	C C		Caenorhabditis elegans [C.elegans] ESTs, Highly similar to KFMS RAT MACROPHAGE COLONY STIMULATING FACTOR I RECEPTOR PRECURSOR [R.norvegicus]
66	22142	AA943066	Р		ESTs, Weakly similar to p68 RNA helicase [R.norvegicus] ESTs, Weakly similar to T00084
67	21993	AA943149	v,General,		hypothetical protein KIAA0512 [H.sapiens] ESTs, Weakly similar to T08666
68	9061	AA943508	General		hypothetical protein DKFZp547N0510.1 [H.sapiens]
69	24390	AA943531	b,j,n,y		ESTs, Weakly similar to VIL1 MOUSE VILLIN [M.musculus]
70	13976		f,s,x		Rattus norvegicus mRNA for class I beta-tubulin, complete cds
71	22248		General		Rattus norvegicus zyxin mRNA, partial cds ESTs, Highly similar to T2DA_HUMAN
72	22257		n		TRANSCRIPTION INITIATION FACTOR TFIID 20/15 KDA SUBUNITS [H.sapiens]
73		AA943773 (ı,cc, General		ESTs
74 75		A944154 L			ESTs
	2658	AA944155 If	1	The state of the s	ESTs

					Airy. Docket No. 44921-5039W Doc. No. 1793397
Sequence ID No. : : :	ldeniiiler	GenBenk Acc Ref. Seq ID	Modal Godb	Gene Name	Unigene Cluster Tille
					ESTs, Highly similar to CKS2 MOUSI CYCLIN-DEPENDENT KINASES REGULATORY SUBUNIT 2
377	20903	AA944180	li,x		[M.musculus]
378	13507	AA944244	v		ESTs
379	15596	AA944353	General	1	ESTs
380	22681	AA944413	i,v,cc, General		ESTs
381	6711	AA944439	General		ESTs, Highly similar to hypothetical protein [M.musculus]
001	0711		1		ESTs, Weakly similar to FIBA RAT
382	14763	AA944481	i.q, General		FIBRINOGEN ALPHA/ALPHA-E CHAIN PRECURSOR [R.norvegicus]
383	22466	AA944605	h	**	IESTs
384	12204	10044707			ESTs, Weakly similar to A44437 regenerating liver inhibitory factor
304	12301	AA944727	<u> </u>	HHs:polymerase (RNA) II	RL/IF-1 - rat.[R.norvegicus] ESTs, Highly similar to RNA
				(DNA directed) polypeptide (E polymerase II 23kD subunit
385	7023	AA944792	d,m,aa	(25kD)	[H.sapiens]
386 387	22536 22501	AA944803 AA944811	bb		ESTs ESTs
388	23967	AA944831	g,l s	 	ESTs
389	26084	AA944922	 	<u> </u>	
390	11974	AA944958	General	1	ESTs
391	22547	AA944970	aa		ESTs
392	22554	AA945076	z,Genera		ESTs
393	14352	AA945181	General		*ESTs R.norvegicus alpha-1-macroglobulin
395	1798	AA945569	General		mRNA, complete cds
396	22050	AA945604	i,aa		ESTs
397	19731	AA945615	d,o		ESTs
200	22640	AA045534	a Canan		ESTs, Weakly similar to DHQU RAT NAD(P)H DEHYDROGENASE
398 399	22612 22618	AA945624 AA945656	a,Genera aa		[R.norvegicus] ESTs
400	11871	AA945679	v	1	ESTs
401	22656	AA945818	General		ESTs
402	6720	AA945828	1p		ESTs
403	22351	AA945867	m		∍ ESTs
404 405	22665	AA945877	lt .lb		ESTs
406	24243 22689	AA945950 AA945962	General		JESTs ESTs
407	22692	AA945986	d		ESTs
408	22696	AA945996	c.General		ESTs
408	22697	AA945996	c,o		ESTs
409	22658	AA945998	w		ĘESTs
				HMm:RIKEN cDNA	ESTs, Highly similar to COXG MOUSE CYTOCHROME C OXIDASE
410 411	20832 18337	AA946040 AA946046	S General	2010000G05 gene	POLYPEPTIDE VIB [M.musculus] [ESTs
	1	1, 1 1070070	Jonesas		Rattus norvegicus laminin-5 alpha 3
412	825	AA946108	General e,cc,		chain mRNA, complete cds
413	8639	AA946221	General		ESTs
414	23237	AA946224	ſ		ESTs
415	15600	AA946250	o,aa		ESTs
416	19387	AA946275	ı		ESTs, Highly similar to AR21_HUMAN ARP2/3 COMPLEX 21 KD SUBUNIT [H.sapiens]
417	6351	AA946344	d	PCTAIRE-1 protein kinase, alternatively spliced	PCTAIRE-1 protein kinase, alternatively spliced
					ESTs, Highly similar to autoantigen
418 419	22057	AA946348	le .		[H.sapiens]

	SUMMARY	13.0			AMy. Docket No. 44924-50391 Doc. No. 179339
Sequence ID No.	ldenillier	Genbank Acc. Ref. Seg ID		Gene Name	
420	13962	AA946351	General		ESTs
					ESTs, Highly similar to Ring3
421	18280	AA946361	g		[M.musculus]
422	18944	AA946391	V		ESTs
			1		ESTs, Moderately similar to p18
424	21410	AA946408	 ,		component of aminoacyl-tRNA synthetase complex [H.sapiens]
425	643	AA946439	о,у		Rat H4 gene for somatic histone H4
		1	1		ESTs, Highly similar to NPD1 MOU
	}				NEURAL PROLIFERATION
					DIFFERENTIATION AND CONTRO
					PROTEIN-1 PRECURSOR
426	20736	AA946443	х		[M.musculus]
427	21878	AA946448	<u> r</u>	1	ESTs
400	04047		l		ESTs, Highly similar to AF151863 1
428 429	21947 17499	AA946451	bb		CGI-105 protein [H.sapiens]
429	117499	AA946467	General	 	ESTS
430	1809	AA946503	x.General		Rat mRNA for alpha-2u globulin-
431	23360	AA955104	IA,Gerierai	 	related protein ESTs
132	23471	AA955162	General		ESTs
		1	- COMMON		LOIG
133	9452	AA955206	b,General]	ESTs
134	23512	AA955282	General		ESTs
135	22596	AA955298	General		ESTs
136	23283	AA955391	h .	lipoprotein-binding protein	lipoprotein-binding protein
137	23546	AA955393	General		ESTs
					ESTs, Weakly similar to SX10 RAT
438	12404	1,4055400	l.		TRANSCRIPTION FACTOR SOX-10
139	12404 23626	AA955408 AA955540	b aa		[R.norvegicus]
+39	123020	AA90004U	aa		ESTS
	1				EST, EST, Moderately similar to FBR MOUSE FIBRILLARIN
					[M.musculus],ESTs, Highly similar to
					FBRL MOUSE FIBRILLARIN
141	17540	AA955914	bb .		[M.musculus]
142	24277	AA955962	General		ESTs
					ESTs, Moderately similar to pescadil
143	19939	AA955980	General		[H.sapiens]
					ESTs, Weakly similar to AF139894 1
					RNA-binding protein alpha-CP1
44	24000	AA956005	1		[M.musculus]
					ESTs, Weakly similar to TCPA RAT
45	11050	AA956164	I		COMPLEX PROTEIN 1, ALPHA
	111030	AA930104	s,v		SUBUNIT [R.norvegicus]
46	498	AA956278	a General		ESTe
47	23409	AA956294	q.General		JESTs JESTs
49	23773		f,x		ESTS
					ESTs, Highly similar to ET putative
50	23799	AA956530	d .		translation product [M.musculus]
			1		ESTs, Weakly similar to
					RNG1_HUMAN RING1 PROTEIN
51	23800	AA956534	aa		[H.sapiens]
 0	lanas :	1	cc,		
52	23834	AA956659	General		EST
52	16425	AAGEGERR	, 1		ESTs, Moderately similar to C8
53 54			f,x		[M.musculus]
J1	23847	AA956723	s		EST
55	23852	AA956746	j,l,m,z		ESTs, Highly similar to Mi-2 protein
	 	, , , , , , , , , , , , , , , , , , , ,	Je111616		[H.sapiens] ESTs, Highly similar to p162 protein
56	5989	AA956907	g,s		[M.musculus]
			2.×		
	1	1	1		ESTs, Highly similar to p162 protein

P 201					Ally Docket No. 44921-5039V Dock No. 179399
Scoumc D No.	deniiier	GenBenk Ass Ref. Seq ID	(Code)	Gene Kamo	Unigene Cluster Title
457	23957	AA957123	u,Genera	1	ESTs, Weakly similar to AF187065 p75NTR-associated cell death executor [R.norvegicus]
458	22357	AA957264	General		ESTs, Highly similar to hypothetical protein [H.sapiens]
450			g,l,m,p,v, cc,		
459 460	23314	AA957270	General		ESTs
460	23995	AA957292	a,b		ESTs
461	2702	AA957307	General	HHs:seryl-tRNA synthetase	ESTs, Moderately similar to SYS_HUMAN SERYL-TRNA SYNTHETASE [H.sapiens] ESTs, Highly similar to HIGH
462	24040	AA057400			AFFINITY IMMUNOGLOBULIN EPSILON RECEPTOR GAMMA- SUBUNIT PRECURSOR
402	24040	AA957422	<u> C </u>		[R.norvegicus] ESTs, Highly similar to P3 MOUSE F
463	12478	AA957554	m		PROTEIN [M.musculus]
464	21306	AA957811	v		ESTs
465	24183	AA957889	t		ESTs
466	24178	AA957905	d		ESTs
467	17034	AA963071	e		ESTs, Highly similar to epsilon-COP [M.musculus]
468	24053	AA963092	General		ESTs, Weakly similar to AF187065 1 p75NTR-associated cell death executor [R.norvegicus]
469	2767	AA963201	0		EST\$
470 474	2022	AA963259	9		ESTs
471	2126	AA963488	d		ESTs
472	24246	AA963703	b		ESTs, Highly similar to cell cycle
473	2195	AA963746	General	 	protein p38-2G4 homolog [H.sapiens
474	19370	AA963797	i		ESTS
475	2282	AA964147	е		ESTs
476	2284	AA964152	x		EST
478	2350	AA964368	g,General		ESTs, Highly similar to TGT_HUMAN QUEUINE TRNA- RIBOSYLTRANSFERASE [H.sapiens
479	18830	AA964496	aa		ESTs, Highly similar to ATRTC actin beta - rat [R.norvegicus]
180	2392	AA964541	b .		EST
404	2205				ESTs, Highly similar to U3 snoRNP
181 182	2395	AA964554 AA964589	General i.aa		associated 55 kDa protein [H.sapiens
183		AA964613	1,44		ESTs ESTs
184			9	8	ESTs
185			General		ESTs
186	2457	AA964752	q,t		EST
187	6778	AA964763	b	*	ESTs, Highly similar to DRIM protein [H.sapiens]
189	2468	AA964807	l		ESTs, Weakly similar to T23337 hypothetical protein K05C4.2 - Caenorhabditis elegans [C.elegans]
90	2469	AA064844	· · ·	(gamma-glutamylcysteine	Glutamate-cysteine ligase (gamma- glutamylcysteine synthetase),
91			w General		regulatory ESTs
	1 1		Octorial		ESTS ESTs, Highly similar to PROCOLLAGEN ALPHA 1(IV) CHAIN
92	2326 4	AA964892 a	aa		PRECURSOR [M.musculus]
.93	21339	AA964962	General		ESTs, Highly similar to ABC1 MOUSE ATP-BINDING CASSETTE, SUB-
94			General		FAMILY A, MEMBER 1 [M.musculus] ESTs
95		AA965023			ESTs ESTs

TABLET: S			# (*JC)*		Ally, Decket No. 44921-50390
					Doc. No. 179:597
Sequence ID No.4	ldentitier_	GenBenk Ace/ Ref. Seq ID	(Modal Goda	Come Name	Unigene Ciuster Title
4 96	2583	AA965166	bb		ESTs, Moderately similar to inorgani pyrophosphatase [H.sapiens]
497	15885	AA965207]r		ESTs, Highly similar to KIAA0958 protein [H.sapiens]
499 :	2905	AA996727	b,l,m,u, General		ESTs
500 "	2915	AA996782	u,bb		ESTs, Moderately similar to S27267 lamin A - rat [R.norvegicus]
501	2920	AA996813	d aa,Gener	1	ESTs
502	19525	AA996856	al		EST
503	2984	AA997015	C		ESTs
504 505	2986 3145	AA997028 AA997237	General General		ESTs ESTs
506	19249	AA997342	m	1	ESTs
.,					ESTs, Weakly similar to nitrilase
507	16883	AA997345	General		homolog 1 [M.musculus] ESTs, Moderately similar to
					LONN_HUMAN MITOCHONDRIAL LON PROTEASE HOMOLOG
508	12598	AA997362	s		PRECURSOR [H.sapiens] [ESTs, Weakly similar to LIS1 MOUS]
					PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA
509	3470	AA997374	p		SUBUNIT [R.norvegicus]
510	3180	AA997425	t	 	ESTs ESTs, Weakly similar to PAI2 RAT
511	3245 a	AA997608	General		PLASMINOGEN ACTIVATOR INHIBITOR-2, TYPE A [R.norvegicus
					ESTs, Moderately similar to T09071 SH3 domains-containing protein
512	3020	AA997656	t		POSH - mouse [M.musculus] ESTs, Moderately similar to T30249
513	3269	AA997800	x,aa		cell proliferation antigen Ki-67 - mous
514	3288	AA997877	f		ESTs
515	23992	AA998164	k,x	Cyclin B1	Cyclin B1
516	17470	AA998264	b .		ESTs, Moderately similar to FLRE_HUMAN FLAVIN REDUCTASI [H.sapiens]
					ESTs, Weakly similar to BCL3_HUMAN B-CELL LYMPHOMA
		AA998356 AA998422	General General		3-ENCODED PROTEIN [H.sapiens]
			X		ESTs, Highly similar to CGA2 MOUSI CYCLIN A2 [M.musculus]
520	2782 *	AA998565	c		ESTs, Moderately similar to CYCLIN- DEPENDENT KINASE INHIBITOR 10 [M.musculus]
			i,r,w,		
			General aa		ESTs
			ə		ESTs, Moderately similar to AF13296 1 CGI-32 protein [H.sapiens]
			k,x, General		ESTs
				Signal transducer and	Signal transducer and activator of
525	3081	AA999171	e,p,r	activator of transcription 1 HHs:guanine monphosphate	transcription 1 ESTs, Highly similar to GUAA_HUMAN GMP SYNTHASE
526	3082	AA999172		synthetase	H.sapiens
527	17337		<	*	ESTs
			3	Phoshpolipase D gene 1	Phoshpolipase D gene 1
				RuvB-like protein 1	RuvB-like protein 1
30]:	20184	AB003753	i i		

UANELLE VS	SUMMARY				Ally, Docket No. 44924-5039 Doc No. 17533
					The same of the sa
Sequence		E GENDANK ACCIA	Moodel		
ID INO.	ldentlijer.	Ref. Seg 10	ිමෙම	Gene Name	Unigene Cluster Title
			ŀ		Rattus norvegicus mRNA for
531	4312	ABDAGGG			carboxylesterase precursor, comple
J3 I	4312	AB010635	c,i,j,k,y,z	"LIMM:DNIA mothydra - 4	cds eESTs, Highly similar to JE0378 DN
532	21666	AB012214	k	(cytosine-5) 1	[R.norvegicus]
			1 -	T T	Rattus norvegicus mRNA for G prot
533	15772	AB015645	g	J	coupled receptor, complete cds
					Rattus norvegicus MAP-kinase
E24	1183	1.5040444	I		phosphatase (cpg21) mRNA,
534	1103	AF013144	-{h		complete cds
535	1582	AF015911	h,z		Rattus norvegicus NAC-1 protein (NAC-1) mRNA, complete cds
	1		3	1	ESTs, Moderately similar to MY16
	1		1		MOUSE MYELOID
					DIFFERENTIATION PRIMARY
			1		RESPONSE PROTEIN MYD116
					[M.musculus],Rattus norvegicus
536	11483	AF020618	u,cc, General		progression elevated gene 3 protein mRNA, complete cds
	1,00	\$74.020010	Johnstar		Rattus norvegicus MHC class Ib M4
]				(RT1.M4) pseudogene, complete
537	20295	AF024712	aa]	sequence
	1				Rattus norvegicus chemokine CX3C
538 539	19077 23044	AF030358	y,z	4	mRNA, complete cds
540	25178	AF034218 AF035955	General	hyaluronidase 2	hyaluronidase 2
	120110	1	1 -		Rattus norvegicus kidney injury
]		x,bb,	•	molecule-1 (KIM-1) mRNA, complete
541	1564	AF035963 .	General	·	cds
-10	1,,,,,				Rattus norvegicus NonO/p54nrb
542	8426	AF036335	<u> </u>		homolog mRNA, partial cds
					Rattus norvegicus homocysteine respondent protein HCYP2 mRNA,
543	21817	AF036537	k		complete cds
			1	Solute carrier family 1 A1	Solute carrier family 1 A1 (brain
544	21145	AF038571	General	(brain glutamate transporter)	
				putative peroxisomal 2,4-	putative peroxisomal 2,4-dienoyl-Co/
545	22602	AF044574	General	dienoyl-CoA reductase	reductase
546	13464	AF047707	h	UDP-glucose:ceramide glycosyltransferase	UDP-glucose:ceramide
47	24024	AF052695	x	cell cycle protein p55CDC	glycosyltransferase cell cycle protein p55CDC
***************************************		1	<u> </u>	Jon Syste Present Peeces	Rattus norvegicus trp1 beta variant
48	12259	AF061266	<u>h</u> ,	transient receptor protein 1	mRNA, complete cds
					Rattus norvegicus kidney-specific
49	4589	AF062389	y,z		protein (KS) mRNA, complete cds
			1	a	Rattus norvegicus nucleosome
50	16007	AF062594	t	protein 1-like 1	assembly protein mRNA, complete cds
	1	711 002334	 	protein 1-like 1	Rattus norvegicus pyruvate
					dehydrogenase phosphatase
51	15761	AF062741	u		isoenzyme 2 mRNA, complete cds
					Rattus norvegicus bithoraxoid-like
52 52	17426	AF074609	p	D74 1	protein mRNA, complete cds
53	18615	AF074608	s	RT1 class ib gene	RT1 class lb gene
	1				Rattus norvegicus serine/threonine
54	15797	AF084205	f		protein kinase TAO1 mRNA, complete cds
					Rattus norvegicus 190 kDa ankyrin
55	12932	AF102552	s	ankyrin 3 (G)	isoform mRNA, complete cds
					ESTs, Highly similar to A49013 tumor
56	19602	A1007640			cell suppression protein HTS1
56 57	18603 22733	AI007649 AI007668	r r		[H.sapiens]
58		Al007672	;		ESTs ESTs
59		Al0077725	General		ESTS

	SUMMARY		Maria in		Miy. Doctol No. 44921-5039W
2.1.4		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Doc. No. 1793397
Scolnatico		ConBank Accil	Model		
	ldenillier	Role Seq ID.	@@g@	Geno Namo	Unigeno Cluster Title
terred challent all a stand is	incentine)	was exclude	T C C C C C C C C C C C C C C C C C C C		ESTs,ESTs, Highly similar to HS9B
			1		RAT HEAT SHOCK PROTEIN HSP
560	15848	AI007820	n,v	1	90-BETA [R.norvegicus]
561	10108	AI007857	Įf	Hrs	Hrs
562 563	6804 20099	AI007877 AI007893	General f,u		ESTs ESTs
000	120033	1/1007033	1,0		ESTs, Weakly similar to T18778
					hypothetical protein 80513.2b -
564	11368	AI007948	d		Caenorhabditis elegans [C.elegans]
		l			ESTS, ESTS, Highly similar to HS9B
565	15849	A1008074	h		RAT HEAT SHOCK PROTEIN HSP 90-BETA [R.norvegicus]
	10010	1 1000074	1''	 	55-DETA [K.Holvegicus]
	1				ESTs, Moderately similar to AF15184
566	3121	Al008160	General		1 CGI-83 protein [H.sapiens]
i					ESTs, Highly similar to Chain G, G
					Protein Heterotrimer Gi alpha 1 Beta Gamma 2 With Gdp Bound
567	16646	AI008190	lt		[R.norvegicus]
	1				ESTs, Weakly similar to G2/MITOTIC
568	12683	AI008203	x		SPECIFIC CYCLIN B1 [R.norvegicus]
			1		ESTs, Moderately similar to PIM1 RA
				ĺ	PROTO-ONCOGENE
569	22018	A1008309	ь		SERINE/THREONINE-PROTEIN KINASE PIM-1 [R.norvegicus]
	220.0	7 4000000	<u> </u>		ESTs, Highly similar to
				·	6PGD_HUMAN 6-
			1		PHOSPHOGLUCONATE
	1				DEHYDROGENASE,
570 571	23917	AI008441 AI008458	In General		DECARBOXYLATIN [H.sapiens] ESTs
3/1	22355	A1000430	General		[C318
572	22698	AI008578	p,General		ESTs
573	14405	AI008579	r,x		ESTs
	1				ESTs, Moderately similar to JH0446
574	4086	Al008629	i.v.		75K autoantigen [H.sapiens]
575	3808	AI008643	General	1	ESTs, Weakly similar to heat shock protein hsp40-3 [M.musculus]
<u> </u>	1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-		ESTs, Weakly similar to T29897
					hypothetical protein F38A5.1 -
576	3931	AI008697	<u> </u>		Caenorhabditis elegans [C.elegans]
577	7785	AI008758	aa (Dipeptidyl peptidase 4	Dipeptidyl peptidase 4
					ESTs, Weakly similar to LONN_HUMAN MITOCHONDRIAL
					LON PROTEASE HOMOLOG
578	16701	AI008838	q		PRECURSOR [H.sapiens]
	1				ESTs, Weakly similar to CYSR RAT
					CYSTEINE-RICH PROTEIN 1
579 580	21789	AI008930 AI008971	(k		[R.norvegicus]
300	121695	Aluuo971	General		ESTs R.norvegicus mRNA encoding 45kDa
			i,aa,	1	protein which binds to heymann
581	410	AI008974	General		nephritis antigen gp330
					ESTs, Highly similar to BAG-family
		41000407			molecular chaperone regulator-2
582		A1009167	General		[H.sapiens]
583 584		AI009168 AI009197	General General		ESTs ESTs
	-2001	,	Jeneral		ESTs, Highly similar to similar to
			cc,		human DNA-binding protein 5
585		AI009321	General		[H.sapiens]
	40000	11000011	_		
586		Al009341	General		ESTs
		Al009362	General		ESTS ESTs ESTs, Highly similar to Lmp10

TABLE 1: ;	SUMMARY				A li y, Docket No. 44 92 1-503900 Doc. No. 1793397
Sequine Sequine	ldentifer	Confant Ace Ref. Seq ID	(1000) (1000)	Gene Name	Unigene Giveter Tillo
589	19275	AI009460	L		ESTs, Highly similar to filamin
590	4154	AI009460	g		[H.sapiens] ESTs
591	3464	Al009589	CC		ESTs
			1		ESTs, Highly similar to molybdopteri
592	3926	AI009592	е		synthase large subunit [M.musculus]
593	19358	A1009675	C		EST
594	22545	AI009747	g cc.		ESTs
595	15089	AI009752	General]	ESTs
596	5458	AI009756	h	ALG-2 interacting protein 1	ALG-2 interacting protein 1
597	6844	AI009770	e,r,cc		ESTs
598	15627	AI009810	aa		ESTs, Highly similar to RS16_HUMA 40S RIBOSOMAL PROTEIN S1 [R.norvegicus]
599	22619	AI009825	d		ESTs
600 601	7857 13259	Al009898 Al009946	j,l,m,z		ESTs ESTs
602	21105	AI010067	General		ESTs
603	24627	AI010102	aa	Testis enhanced gene transcript	Testis enhanced gene transcript
-	24027	ANO 10 10 2	aa ·	uariscript	ESTS, Moderately similar to YA00_HUMAN HYPOTHETICAL PROTEIN CGI-100 PRECURSOR
604	12716	AI010178	General		[H.sapiens]
605	18757	AI010216	aa		ESTs
606	2912	A1040000	aa, General		ESTs, Weakly similar to claudin-7
607	3316	AI010220 AI010237	General		[R.norvegicus]
608	15644	AI010257	General		R.norvegicus mRNA for histone H3.3
609	657	Al010262	b		Rattus norvegicus mRNA for inetrleukin-4 receptor (membrane-bound form), complete cds
610	3271	AI010303	b		ESTs ESTs, Moderately similar to erythroblast macrophage protein EMF
611	11081	Al010407	bb c,s,t,		[H.sapiens]
612	16521	AI010470	General	Ceruloplasmin (ferroxidase)	Ceruloplasmin (ferroxidase)
613	6927	AI010542	General a,j,y,		ESTs
614	17524	AI010568		Growth hormone receptor	Growth hormone receptor
615	6946	AI010642	n		ESTs
616	23509	Al010962	aa		ESTs, Highly similar to SDP3 [M.musculus]
617	6044	Al011285	t		ESTs
618	13855	AI011361	0		ESTs
519 521	21779		CC		ESTs
	12534		cc		ESTs, Moderately similar to HYA22
522	12629	AI011492	e,f		[H.sapiens] ESTs, Weakly similar to B Chain B, Solution Structure Of The C-Terminal Negative Regulatory Domain Of P53 In A Complex With Ca2+-Bound
523 524	735 3941		f General		S100b(Bb) [R.norvegicus] ESTs, Moderately similar to LMA5 MOUSE LAMININ ALPHA-5 CHAIN [M.musculus]
25	17550		j,General		ESTs, Weakly similar to JE0360 gamma-Butyrobetaine hydroxylase [H.sapiens]
.00	40000	1044004	_ 1		ESTs, Weakly similar to I(3)S12
26	10636	AI011634	e General		protein [D.melanogaster]

TABLE	18 SUMMARY				Aliy, Docket No. 44921-50390 Doc. No. 1793997
Segrai D No.	ee Identifier	GenBenk Acci Ref. Seg ID	Model Gode	to page 5	Unigene Guster Tille
					ESTs, Weakly similar to SFR5 RAT SPLICING FACTOR, ARGININE/SERINE-RICH 5
628	16112	AI011706	h		[R.norvegicus] ESTs, Weakly similar to A35902 Fc
629	13354	AI011757	C		gamma [R.norvegicus]
630	12745	AI011799	cc		ESTs
631	18684	AI011812	lt		ESTs, Highly similar to AF151842 1 CGI-84 protein [H.sapiens]
632	4205	AI011982	b		ESTs
633	6518	AI012114	General		ESTs, Moderately similar to R29425 [H.sapiens]
634	17407	AI012145	General		ESTs
635	13093	AI012177	r		ESTs, Weakly similar to PPP5 RAT SERINE/THREONINE PROTEIN PHOSPHATASE 5 [R.norvegicus]
636	, 15395	AI012216	f	·	ESTs, Moderately similar to Y33K_HUMAN HYPOTHETICAL 33.4 KDA PROTEI [H.sapiens]
637	21796	AI012221	d,Genera		ESTs, Weakly similar to S70484 RS4 protein - rat (fragment) [R.norvegicus]
638	3981	AI012235	i,General		ESTs
639	6606	AI012308	i,r		ESTs ESTs, Highly similar to NHPX RAT NHP2/RS6 FAMILY PROTEIN
640	, 3417	AI012337	w		YEL026W HOMOLOG [R.norvegicus]
641	24200	AI012356	b,t, General		ESTs
642	7471	AI012379	СС		ESTs
643	7247	AI012438	g		ESTs
644	7127	AI012464	p,Genera		ESTs ESTs, Weakly similar to T26998
045		l			hypothetical protein Y48B6A.6 -
645 646	2311	AI012471 AI012485	b aa		Caenorhabditis elegans [C.elegans] ESTs
<u> </u>		711012400	<u> </u>	glutathione S-transferase, pi	C318
647 648	20817		g,n,q	2	glutathione S-transferase, pi 2
649	3493 8975)	v,General General		ESTs ESTs
***************************************			Concidi	·	ESTs, Highly similar to unknown
650 651	11335 21409	AI012619 AI012637	j Ossassk		[H.sapiens]
001	121409	AIU12037	General		ESTs
652	8015	AI012638	aa	<u></u>	ESTs, Moderately similar to AF151834 1 CGI-76 protein [H.sapiens]
653	8476	AI012647	w		ESTs, Highly similar to RS20_HUMAN 40S RIBOSOMAL PROTEIN S2 [R.norvegicus]
			е,р,		
554 555			General General		ESTs ESTs
556			General		amin
557	11000	A1042272			ESTs, Highly similar to GLIA DERIVED NEXIN PRECURSOR
557 558			ea l		R.norvegicus]
559)		ESTs .
660	19722	A1013509		1	Rattus norvegicus Hsp70 binding
61		AI013508 k AI013568 C	Seneral		protein HspBP mRNA, complete cds
62	23145		o,t		STs
63	15130	AI013676 v	v		STs

W. S.	BUMMARY?				AMy. Docket No. 44921-50391 Doc. No. 179339
Sequence ID No	ligannar 1	Goneank Acel. Ref. Seq (0	(1000) (1000)	Gene Mamo	elilli relevid enephyl
204	7074	41040745			ESTs, Moderately similar to BMP6 RAT BONE MORPHOGENETIC PROTEIN 6 PRECURSOR
664	7274	AI013715	aa		[R.norvegicus] ESTs, Highly similar to KIAA1102
665	7276	Al013730	е		protein [H.sapiens]
666	7278	Al013738	y,z,aa	<u>}</u>	ESTS Highly always and a line
667	22592	AI013740	s,x,bb, General		ESTs, Highly similar to proteolipid protein 2 [M.musculus]
668	16584	AI013765	w	Arrestin, beta 2	Arrestin, beta 2
					ESTs, Highly similar to T27225 ADF ribosylation factor Y57G11C.13 [similarity] - Caenorhabditis elegans
669	24143	AI013804	j,!		[C.elegans]
670	15928	AI013829	a,General		ESTs
671	21950	AI013861	ļ	3-hydroxyisobutyrate dehydrogenase	3-hydroxyisobutyrate dehydrogenas
672	3260	AI013875	t		ESTs
~~~	0700	41040000			ESTs, Moderately similar to MSSP
673 674	2708 8585	AI013882 AI013886	d,q		[M.musculus] ESTs
J/ T	10303	A1013000	p,r,t,		ESTs, Weakly similar to CIRP
675	7299	AI013911	General		[R.norvegicus]
					Rat ankyrin binding glycoprotein-1
576	15904	AI013971	General		related mRNA sequence
377	12781	AI014023	w		ESTs, Moderately similar to R32184 [H.sapiens]
311	12701	A1014025	· · · · · · · · · · · · · · · · · · ·		Rattus norvegicus mRNA for beta-
	]				carotene 15,15'-dioxygenase,
578	19372	AI014135	aa .		complete cds
					ESTs, Highly similar to hypothetical
679 890	4241	AI014140	W		protein [H.sapiens]
680	15247	AI014169	c,u		Rattus norvegicus clone N27 mRNA ESTs, Moderately similar to mitogen
					activated protein kinase kinase kinase
581	7315	AI028831	n ,		[6 [H.sapiens]
682	16631	AI028856	General		EŜTs
	]				ESTs, Highly similar to S55054 Sm
883	23297	AI028953	X		protein G [H.sapiens]
884 885	11326 2866	AI029015 AI029058	b n,y		ESTs ESTs
86	12812	Al029036	General		ESTs ESTS
87		AI029156	р		ESTs
888	7392	AI029185	aa		EST
89			d,k,x		ESTs
390	7639	AI029292	b		ESTs
					ESTs, Highly similar to CB80_HUMA
91	3874	AI029428	i,General		80 KDA NUCLEAR CAP BINDING PROTEIN [H.sapiens]
92		AI029426 AI029437	f		ESTs [H.sapiens]
93			<u>'</u>		ESTs
94			b		ESTs
96		AI029829	o,General		ESTs
97			v V		ESTs
98			×		ESTS
99	7586	AI030024	b,n		ESTs
00 "	14492	AI030091	cc .		ESTs
01	10673	AI030134	, 1		ESTs, Weakly similar to ankyrin [R.norvegicus]
02			0,г		ESTs
03			General		ESTs
04 3	7681	AI030449	n		ESTs, Moderately similar to methyltransferase related protein [M.musculus]

	وبالأوسطالة سيتنا				** (Aliy): Docket No. 4/1924-50191/ Doc. No. 17931997
D No. * Sequence	ldaniiier	GonBank Ace/ Ref. Seq (D	Model C <b>oc</b> e	Gene Name	*± Uijgaro Gusier Tiile
705	11559	AI030472	General		ESTs
				1	Rattus norvegicus nucleosome
706	7665	AI030668	t,bb		assembly protein mRNA, complete
707	24222	Al030704	k		ESTs
708	10740	AI030743	h	<del></del>	EST
709	10742	AI030773	е	1	EST
					ESTs, Moderately similar to
711	16169	A1030932	General		adipophilin [H.sapiens]
712	19527	AI030991	f		EST
740	00014				ESTs, Highly similar to SX17 MOUS TRANSCRIPTION FACTOR SOX-17
713	22614	AI031004	<u> </u>	<u> </u>	[M.musculus]
					ESTs, Highly similar to CLPP MOUS PUTATIVE ATP-DEPENDENT CLP PROTEASE PROTEOLYTIC
714	3167	AI031012	1		SUBUNIT, MITOCHONDRIAL
715	5350	AI043611	a	<del>                                     </del>	PRECURSOR [M.musculus] ESTs
716	7858	AI043654	t t		EST
717	10784	AI043678	d		EST
					ESTs, Weakly similar to T27134
718	9180	AI043694	aa		hypothetical protein Y53C12B.2 - Caenorhabditis elegans [C.elegans]
				HHs:phosphoribosyl	
*40	7007			pyrophosphate	Rattus norvegicus mRNA for
719 720	7867 7584	AI043695 AI043724	General	amidotransferase	amidophosphoribosyltransferase
720	/304	A1043724	General		ESTs ESTs, Highly similar to AF151810 1
721	7895	AI043768	e	j	CGI-52 protein [H.sapiens]
722	7903	AI043805	General		ESTs
					ESTs, Weakly similar to ELL MOUSE RNA POLYMERASE II ELONGATION
723	7913	AI043849	СС		FACTOR ELL [M.musculus]
724	3899	AI043904	1	<u> </u>	ESTs
725	6766	AI043914	T	2	ESTs
726	10818	AI043990	g,l,m, General		ESTs
727	7956	AI044018	f		EST
28	5393	AI044170	p		EST
729	5398	AI044177	q		EST
•					ESTs, Weakly similar to AF121893 1 sequence-specific single-stranded-
'30	5425	AI044237	a,d		DNA-binding protein [R.norvegicus]
					ESTs, Weakly similar to putative
					peroxisomal 2,4-dienoyl-CoA
31	8692	AI044247 AI044253	<u>r</u>		reductase [R.norvegicus]
32	5430	A1044253	-		EST
33	5461	AI044338	g,p. General		<b>ESTs</b>
'34	5464	AI044345	j	4	ESTs
35	3359	AI044347	aa		ESTs
	1				Rat (clones rLG[08,14,25]) interleukin
37	2695	AI044396	b		6 signal transducer mRNA sequence
38	5494	AI044425	General		ESTs
40	9882	AI044588	j,m		ESTs
41	5575 2348	AI044688 AI044794	g Conoral		ESTs
42	2346	A1044794	General		ESTs ESTs, Weakly similar to AF165892 1 RNA-binding protein SiahBP
43	18205	AI044836	n		R.norvegicus)
44	5626		u 1		ESTs
45	5630	AI044869	fl		ESTs
					ESTs, Moderately similar to AF151873
46	5634	AI044883	General		1 CGI-115 protein [H.sapiens]

VADUĒ 98 6				AMY, Docket No. 44921-5099W Doc. No. 1793997
Sequence ID No.	ldeniffer	Genbenk Acel. Rol Seq (D	Modal Godo Gene Name	Unigene Cluster Title
7.17	1047	1044047		ESTs, Moderately similar to
747 748	4047 5654	AI044947 AI044976	li,m lw	dJ1183I21.1 [H.sapiens]
749	5684	AI045056	r i	ESTs
<u> </u>		B		ESTs, Highly similar to BGAL MOUS BETA-GALACTOSIDASE
750	19235	AI045074	General i,aa,	PRECURSOR [M.musculus] ESTs, Moderately similar to HEM45
751	5689	AI045075	General	[H.sapiens]
752	5711	Al045151	General	ESTs, Moderately similar to AF11883 1 citrin [H.sapiens]
				ESTs, Weakly similar to TVRTK6 ribosomal protein S6 kinase
753	19237	AI045153	c	[R.norvegicus]
754	9964	Al045161	f l	EST
755	5735	AI045223	ļf	ESTs
756	5474	AI045477	a,General	ESTs
757	5811	AI045477	d.e	ESTS
758	5819	A1045502 A1045537	General	ESTs
759	5839	AI045594	l l	ESTs
				*ESTs, Highly similar to S30034 translocating chain-associating
760	6808	AI045600	s	membrane protein [H.sapiens]
761	17755	AI045608	у	ESTs
763	10020	AI045632	а	ESTs
764	5855	AI045669	General '	EST\$
765	5881	AI045789		ESTs, Weakly similar to T12540 hypothetical protein DKFZp434J214.1 [H.sapiens] ESTs, Moderately similar to S64732
766	5897	AI045862	General	scaffold attachment factor B
767	5900	AI045866	y,z	ESTs
				ESTs, Weakly similar to B48013
768	7540	AI045882	o,t, General	proline-rich proteoglycan 2 precursor, parotid - rat [R.norvegicus]
769	5329	AI045970	p	ESTs
770	15093	AI058285	d	ESTs
771	8002	AI058304		ESTs
772	8017	AI058341	С	EST ESTs, Weakly similar to T46465
773	6828	AI058359	General	hypothetical protein  DKFZp434A0530.1 [H.sapiens]
774	8177	AI058603	aa	ESTs
775	3090	AI058730	aa	ESTs
776	10093	AI058746	g	ESTs
777	8143	AI058759	General	ESTs
778	18659	AI058762		ESTs
779	8163	AI058837	aa	ESTs
780	4789	A1058889	General	ESTs
781	8221	AI059061	General	ESTs
782	10159	AI059147	<u>d</u>	EST ESTs, Weakly similar to unnamed
783	8245	AI059154	b	protein product [H.sapiens]
784	8283	AI059290 e	n	ESTs
785	8314	AI059386	g,General	ESTs
786	10200	A1059444	i	ESTs ESTs, Weakly similar to EGF RAT PRO-EPIDERMAL GROWTH FACTOR PRECURSOR
787 .	8347	AI059519	<u>s</u>	[R.norvegicus] Rattus norvegicus transitional
788	18359	A1059675	n	endoplasmic reticulum ATPase mRNA, complete cds

Tabuen: S	gr	294.k			Aiiy, Dockei No. 44921-5089W Dock No. 1793897.
Sequence ! ID No.	ldendifter	GenBank Acel Ref. Seq ID	Modal Goda	Gane Name	Unigene Cluster Title
789	10281	AI059947	b,t		JEST
790	8494	AI059968	aa		ESTs
					ESTs, Weakly similar to TNRC MOUSE LYMPHOTOXIN-BETA RECEPTOR PRECURSOR
791	8495	AI059971	General		[M.musculus] ESTs, Moderately similar to KIAA097
792	8496	AI059974	General	<u> </u>	protein [H.sapiens] [ESTs, Weakly similar to CGI-142
793	10289	AI060053	ji	<u> </u>	hypothetical protein [H.sapiens]
794	8548	AI060176	k		ESTs
795	8565	A1060236	<u>t</u>		EST
796	18322	A1060279	i,y,z		ESTs
797 ,	8745	AI069939	ır .		ESTs Minh a imiter to accomp
798	8785	A1070067	0		ESTs, Highly similar to rer [M.musculus] ESTs, Weakly similar to 2104282A
799	17506	AI070068	СС		Gadd45 gene [R.norvegicus]
	1.7000	1	<del>                                     </del>		ESTs, Weakly similar to NUCL RAT
800	9067	A1070087	General		NUCLEOLIN [R.norvegicus]
801	3551	AI070122	le		ESTs, Moderately similar to CGI-97 protein [H.sapiens]
					ESTs, Moderately similar to GLMB
802	4967	AI070179	k		RAT GLIA MATURATION FACTOR BETA [R.norvegicus]
803	18	Al070195	General		ESTs, Moderately similar to AF13295- 1 CGI-20 protein [H.sapiens]
					ESTs, Moderately similar to ARVC_HUMAN ARMADILLO REPEAT PROTEIN DELETED IN VELO-CARDIO-FACIAL SYNDROME
804	24197	AI070314	General		[H.sapiens]
805	8869	AI070330	٢		ESTs
806	8874	AI070336	b,cc		ESTs
807	10417	A1070410	m		ESTs ESTs, Moderately similar to T08664 Toll protein-like receptor
808	8901	AI070419	aa I,p,		DKFZp547I0610.1 [H.sapiens]
809	14424	AI070421	General		ESTs
810	10434	AI070497	General	<b> </b>	ESTs
811	8927	AI070523	ν		ESTs
812	8946	AI070611	q		ESTs
813	8950	AI070621	W		ESTs
814	8972	AI070673	General		ESTs
	8981	AI070715	bb		EST
	26184	A1070784	i,l	8	ESTs, Weakly similar to hypothetical
817 818	3007 8999	AI070824 AI070839	w	<b> </b>	protein.[H.sapiens]
818	10477	AI070839 AI070868	p e,f	bone morphogenetic protein 1 (procollagen C-proetinase)	ESTs bone morphogenetic protein 1 (procollagen C-proetinase)
	24301	Al070911	k	(procollagen C-proetinase)	ESTs
	8721	Al070911 Al071024	General		EST
		Al071098	X		ESTs
		Al071137	C		Rat mRNA for cdc25B, complete cds
	11005	Al071139	r		EST ESTs, Highly similar to
B25	9104	Al071173	j,m	*	HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN G [M.musculus]
		Al071185	General	1	ESTs
			С		ESTs

TABLE 10	SUMMARY!				··· (Ally, Dockel No. 44921-5039)
ها حصوص	Community of				Dog. (No. 1793897)
		GenBank Ace	E		
Sequence	, ldeniiiler	Cenbank Acci. Ref. Seq ID	(Google (Woodle)	Cana Nemo	Universe Guester Title
in make	identitieis.	(NEWS CONTRACTOR	0000	HHs:serine	
			İ	palmitoyltransferase, long	ESTs, Highly similar to JC5180 serine
828	16058	AI071490	General	chain base subunit 2	C-palmitoyltransferase [M.musculus]
829	11057	AI071509	f,o		ESTs
		-			ESTs, Weakly similar to SYBSR threonine synthase (EC 4.2.99.2) -
					yeast (Saccharomyces cerevisiae)
831	5695	AI071566	bb		[S.cerevisiae]
832	9671	AI071568	w		EST
			1		ESTs, Moderately similar to
000	22020	A1074570	General		NEURONAL PROTEIN 3.1
833 834	22929 9673	AI071578 AI071581	General	<u> </u>	ESTs
835	9699	AI071646	General		ESTs .
837	9799	AI072008	q,y,z		ESTs
838	9808	AI072050	d		ESTs
839	22796	AI072213	General		ESTs
840	9271	AI072405	V		ESTs
841	10869	A1072425	w		ESTs
					ESTs, Weakly similar to S70484 RS43
842	21797	AI072439	General		protein - rat (fragment) [R.norvegicus]
843	9306	AI072521	jr		ESTs
844	9312	AI072550	li .		ESTs
845	10893	AI072559	X		EST
0.46	1501	Al072634	cc,Gener		Rattus norvegicus cytokeratin-18 mRNA, partial cds
846 847	6548	AI072658	General		ESTs
077	10070	7.407.2000	Contrai		ESTs, Highly similar to JE0170 dnaJ
			1	,	heat shock protein MCG18 - mouse
848	9363	AI072695	d		[M.musculus]
				1	ESTs, Moderately similar to LMG2
	0.400	41070044	L		MOUSE LAMININ GAMMA-2 CHAIN PRECURSOR [M.musculus]
850 851	9409	AI072841 AI072842	n w		ESTs
852	9468	AI073021	General	6	ESTs
853	9518	AI073223	f		EST
······································					ESTs, Weakly similar to CAH2 RAT
			1.		CARBONIC ANHYDRASE II
854	9190	AI100768 AI100835	le e	HHs:carbonic anhydrase VIII	[R.norvegicus] [ESTs
855 856	2029	AI100835	p		ESTs
857	5687	AI101006	e		ESTs
					Rat metallothionein-2 and
858	15192	Al101099	g,cc		metallothionein-1 genes, complete cds
				4	ESTs, Highly similar to ATPK MOUSE
	47000		L		ATP SYNTHASE F CHAIN, MITOCHONDRIAL [M.musculus]
859	17399	AI101157	0		ESTs, Weakly similar to S46930
860	9339	AI101160	l,m,o		teg292 protein - mouse [M.musculus]
000	13000	1	1,,,,,,		ESTs, Weakly similar to AIF-C1
861	6321	Al101256	General		[R.norvegicus]
	Î				ESTs, Highly similar to GDIS MOUSE
			<u>_</u>		RHO GDP-DISSOCIATION
862	5421	AI101270	С		INHIBITOR 2 [M.musculus] ESTs, Highly similar to ERM_HUMAN
			1	*	ETS-RELATED PROTEIN ERM
863	11910	AI101323	General		[H.sapiens]
864	23140	AI101608	е		ESTs
865	4119	AI101901	General		ESTs
					ESTs, Weakly similar to TRBP
					MOUSE PROTAMINE-1 RNA
866	16324	AI102009	b		BINDING PROTEIN [M.musculus] ESTs, Moderately similar to unknown
867	18642	AI102023	o		[H.sapiens]
0U <i>1</i>	\$ 1007Z	ורוו ועבעבט	<u>.                                    </u>		II. verterend

TABUEN: SUMMARY					(AU), Docket No. 44921-509900	
Sequenteo		GenBenk Acc	Model		Dos. No. 1793397	
ID No.	Identifier	Raf. Sag ID 👙 🐰	<b>©</b> @	Cono Namo	Unigene Cluster Tille	
				·	Rattus norvegicus mRNA for beta-	
000	40272	01402044		Drosophila polarity gene	carotene 15,15'-dioxygenase,	
868	19373	AI102044	a	(frizzled) homologue	complete cds Rattus norvegicus clone ZG52 mRNA	
869	7051	AI102055	h		sequence	
			1		ESTs, Weakly similar to AF147718 1	
870	6544	AI102064	C	<u> </u>	glycine decarboxylase [R.norvegicus]	
871 872	10227 23849	AI102248 AI102318	w e,q	<u> </u>	ESTs ESTs	
072	23043	7/11/02/310	10,9		Rattus norvegicus liver cytochrome c	
				HMm:cytochrome c oxidase,	oxidase subunit VIII (COX-VIII)	
873	11954	AI102505	g,j,s	subunit VIIIa	mRNA, 3' end of cds	
874	2125	A1402640	c,k		[ESTs, Moderately similar to DAP12 [M.musculus]	
0/4	2125	Al102519	IC,N		ESTs, Moderately similar to AF16158	
					1-GABA-A receptor-associated protein	
875	5967	Al102520	у		[R.norvegicus]	
					ESTs, Moderately similar to AF16158	
875	5969	AI102520	p.w		1 GABA-A receptor-associated protein [R.norvegicus]	
876	11563	AI102560	General		ESTs	
877	15190	Al102562	b,g,n,p,v		Rat metallothionein-i (mt-1) mma	
	1				EST, Weakly similar to A60716	
			1		somatotropin intron-related protein	
878	19769	Al102570	bb		RDE.25 - rat [R.norvegicus] ESTs, Highly similar to 149523 Mouse	
				İ	primary response gene B94 mRNA,	
879	22487	AI102578	General		3'end - mouse [M.musculus]	
880	19011	Al102618	General		ESTs	
881	23837	Al102620	q,t		ESTs	
882	23538	AI102727	g,General	solute carrier family 20 (phosphate transporter), member 1	solute carrier family 20 (phosphate transporter), member 1	
				Tissue inhibitor of		
883	17234	AI102741	c	metalloproteinase 3	Tissue inhibitor of metalloproteinase 3	
884 885	5891 6796	AI102745 AI102753	k General		ESTs ESTs	
886	8837	AI102733	o,p		ESTs	
	1		1-7		ESTs, Weakly similar to	
					phosphoserine aminotransferase	
887	15861	AI102868	ļi .		[H.sapiens]	
888	3533	Al102877	9	*	ESTs ESTs, Highly similar to PCAF	
889	13222	AI102977	General		associated factor 65 beta [H.sapiens]	
890	6806	Al103018	o,u		ESTs	
			w,cc,			
891	10659	AI103059	General		ESTs	
				*	ESTs, Highly similar to ATPK MOUSE ATP SYNTHASE F CHAIN.	
892	17400	AI103097	е		MITOCHONDRIAL [M.musculus]	
893	3584	AI103106	x,aa		ESTs	
394	13298	Al103143	r		ESTs	
					ESTs, Weakly similar to	
	-				UBC2_HUMAN UBIQUITIN- CONJUGATING ENZYME E2-17 KD	
395	15981	AI103150	i,x		[R.norvegicus]	
=======================================	1	1	<b> </b>		ESTs, Highly similar to AF151893 1	
396	3475	AI103245	w		CGI-135 protein [H.sapiens]	
398	23619	AI103314 .	P .	*	ESTs	
	1		]		ESTs, Moderately similar to T26785 hypothetical protein Y40B1B.7 -	
399	24181	AI103320	e		Caenorhabditis elegans (C.elegans)	
901	4355	AI103410	General		ESTs	
02	7622	AI103472	General		ESTs	
903	20918	AI103552	n		ESTs	
04	21579	AI103572	General		ESTs	

Sc. 1. a 117 e 1 - 140	SUMMARY :				<b>/AN</b> y. Doctol No. 44921-500900	
			# 10 H	51.1	Doc. No. 1793397.	
Sequence ID No.	ldaniiier	GenBank Accel Ref. Seq.ID	Model	Cene Name	Unigene Cluster Tille	
905	2222	AI103631	o		ESTs, Highly similar to RIE2 [M.musculus]	
906	2752	AI103641	е		ESTs, Highly similar to sarcosine dehydrogenase [R.norvegicus]	
907	4856	AI103708	<u>  i                                   </u>		ESTs	
908 909	8990 15942	AI103719 AI103738	l,m,y,z		ESTs	
909	13942	M1103736	<del>'</del>		12013	
910	22885	AI103828	e,General	4	ESTs	
911	15853	Al103841	х	Complement component 4	Complement component 4	
912	15050	Ai103911	j.y	HHs:ubiquinol-cytochrome c reductase, Rieske iron-sulfur polypeptide 1	Rat Rieske iron-sulfur protein mRNA, complete cds	
913	12376	AI103939	u		ESTs	
914	22271	Al103947	o,y		ESTs, Weakly similar to AF151109 1 putative BRCA1-interacting protein [H.sapiens] ESTs, Highly similar to COXG	
915	20833	Al104035	f,q	HMm:RIKEN cDNA 2010000G05 gene	MOUSE CYTOCHROME C OXIDASE POLYPEPTIDE VIB [M.musculus]	
916	7010	Al104099	w		ESTs	
917	22101	AI104251	General		ESTs	
918	22833	AI104258	General		ESTs	
919	22211	Al104279	g,m	•	ESTs, Highly similar to translation initiation factor eIF6 [M.musculus]	
920	10720	Al104296	1		ESTs	
921	15416	Al104340	ī		ESTs	
922	10991	AI104342	а	м	ESTs	
					ESTs, Highly similar to ATRTC actin	
923	18831	Al104357	Р		beta - rat [R.norvegicus]	
924	7223	Al104373	е	Cytochrome c oxidase	ESTs Cytochrome c oxidase subunit VIa	
925	23574	Al104520	e,g,s	subunit VIa (liver)	(liver) ESTs, Weakly similar to	
					NADH:ubiquinone oxidoreductase B17	
926	18509	Al104528	q "		subunit [H.sapiens]	
927	11680	Al104605	٧		ESTs	
928	12342	AI104658	w		ESTs, Weakly similar to RENAL TRANSCRIPTION FACTOR KID-1 [R.norvegicus]	
929	<b>323689</b>	Al104685	r		Rat mitochondrial succinyl-CoA synthetase alpha subunit (cytoplasmic precursor) mRNA, complete cds	
930	15377	Al104821	0,00	1	ESTs, Moderately similar to T50611 hypothetical protein DKFZp434H2035.1 [H.sapiens]	
931	22957	AI104897	General		ESTs, Moderately similar to meningioma-expressed antigen 11 [H.sapiens]	
				HHs:ATP synthase, H+ transporting, mitochondrial	Rattus norvegicus delta subunit of	
932	18451	AI104953	0,5	F1 complex, delta subunit	F1F0 ATPase gene, complete cds ESTs, Moderately similar to nucleolar	
933	24375	Al104979 ,	n,General		protein p40 [H.sapiens] ESTs, Moderately similar to	
004	40070	A1405000			SCOT_HUMAN SUCCINYL-COA:3- KETOACID-COENZYME A TRANSFERASE PRECURSOR	
934	18278	AI105080	bb		[H.sapiens]	
935	2196	AI105243	g bb,		ESTs ESTs, Weakly similar to T21641 hypothetical protein F32B6.2 -	
936 937	5199 12901	AI105272 AI105301	General o,s		Caenorhabditis elegans [C.elegans] ESTs	

TABLE 1:	SUMMARY				Ailys Docket No. 44221-5039W Doc. No. 1793897.
Sequence ID No;	e Meniner	ConBank Aced * Ref. Scorid	Model Gode	Gene Name	Unigene Guetar Tilie
					ESTs, Weakly similar to T19707
		1	cc,		hypothetical protein C34C6.5 -
938	7700	AI105383	General		Caenorhabditis elegans [C.elegans]
939	13343	AI105398	u	1	ESTs ESTs, Moderately similar to
940	22931	AI105417	e,Genera		NEURONAL PROTEIN 3.1 [M.musculus]
					ESTs, Highly similar to GCDH MOUSE GLUTARYL-COA
			l.,	HMm:glutaryl-Coenzyme A	DEHYDROGENASE PRECURSOR
941	23596	AI105435	bb	dehydrogenase	[M.musculus]
				1	ESTs, Moderately similar to DHSD HUMAN SUCCINATE
942	15893	AI105465	0		DEHYDROGENASE [H.sapiens]
943	12660	AI111492	c	1	ESTs ESTS
944	4479	AI111599	General		ESTs
945	24211	AI111853	k		ESTs, Highly similar to H33_HUMAN HISTONE H3.3 [R.norvegicus]
946	2539	AI111960			ESTs, Weakly similar to FKB5 MOUSE 51 KDA FK506-BINDING PROTEIN [M.musculus]
				·	EGF-CONTAINING FIBULIN-LIKE EXTRACELLULAR MATRIX PROTEIN 1 PRECURSOR (FIBULIN- 3) (FIBL-3) (T16 PROTEIN)
947	5729	Al111990	k		[R.norvegicus]
	1		i,q,u,		Rattus norvegicus osteoactivin mRNA
948	4049 12908	AI112012 AI112043	General		complete cds ESTs
949 950	20041	AI112043	11 12		ESTs
951	12937	Al112462	General		₹ESTs
952	3713	Al112571	b		ESTs
953	12921	Al112636	General		ESTs, Moderately similar to UDP_HUMAN URIDINE PHOSPHORYLASE [H.sapiens]
954	12965	Al112926	General		ESTs
955	7499	Al112986	General		ESTs
					ESTs, Moderately similar to megakaryocyte stimulating factor
956	4969	AI113008	r		[H.sapiens] ESTs, Highly similar to BC-2 protein
957	11817	Al136295	f		[H.sapiens]
			1		ESTs, Weakly similar to JC4975
					plexin 2 precursor - mouse
959	11165	AI136372	C		[M.musculus] ESTs
960	12782	AI136460 AI136493	CC		ESTS
961 962	6850	A1136493 A1136665	h	ecto-apyrase	ecto-apyrase
963	20920	Al136891	p,v	butyrate response factor 1	butyrate response factor 1
			F		ESTs, Highly similar to 6.2 kd protein
964	6552	AI137062	0		[H.sapiens]
965	22722	Al137211	i		ESTs
					ESTs, Highly similar to oxysterol-
966	13111	AI137224	o,General		binding protein [M.musculus]
967	15969	Al137302	8		ESTs
968	14349	Al137303	d		ESTs
969	9166	AI137406	General		ESTs ESTs, Weakly similar to ZF37_RAT ZINC FINGER PROTEIN 37 (ZFP-37)
	į i			· · · · · · · · · · · · · · · · · · ·	4
970	9525	Al137516	г		IR norvenicus
970 971	9525 6638	Al137516 Al137579	r General		[R.norvegicus]
971	6638	Al137579	r General	-	ESTs ESTs, Highly similar to IMB3_HUMAN IMPORTIN BETA-3 SUBUNIT
			r General General z	-	ESTs ESTs, Highly similar to IMB3_HUMAN

	BUMMARY				. Ally, Docket No. 44921-598900 Doc. No. 1798397.
Sequence ID No. 💯	lienWer_	Confent Acel Ref. Seg ID	(600) (Moda)	Ceno Namo	Unigene Guster Tille
975	13158	Al138024	i		ESTs
				UDP-glucose:ceramide	UDP-glucose:ceramide
976 977	13467	AI138034 AI138105	CC V	glycosyltransferase	glycosyltransferase ESTs
977 978	6790	AI144801	d,h		ESTs
979	6506	AI144919	j.l.y		ESTs
980	8027	AI144958	i	<del> </del>	ESTS
982	14458	AI145095	General		ESTs
983	7476	Al145202	g	1	ESTs
					ESTs,ESTs, Weakly similar to GTP-
984	17545	AI145384	е		binding protein [H.sapiens]
985	17479	Al145385	r		ESTs
986	4194	Al145387	r		ESTs
987	8634	Al145722	9		ESTs, Weakly similar to T31511 hypothetical protein Y116A8C.9 - Caenorhabditis elegans [C.elegans]
					ESTs, Weakly similar to T21659 hypothetical protein F32D8.4 -
988	8339	AI145761	y,General		Caenorhabditis elegans [C.elegans] ESTs, Highly similar to pseudouridine
989	2059	Al146005	h,General		synthase 1 [M.musculus] Rattus norvegicus small zinc finger-
990	23224	AI146033	0		like protein (TIM9a) mRNA, partial cd
				branched chain keto acid dehydrogenase E1, beta	branched chain keto acid
991	5232	AI168942	bb	polypeptide	dehydrogenase E1, beta polypeptide
992	18472	AI168975	u 		ESTs
992	18473	AI168975	u		ESTs ESTs
993	13235	Al169020	0.1/		\$ E 5 1 \$
994	11618	Al169115	o,y, General		ESTs ESTs, Weakly similar to T23206
995	17386	AI169144	0		hypothetical protein K01H12.1 - Caenorhabditis elegans [C.elegans]
996	10984	Al169156	o,u		ESTs, Weakly similar to HP33 [R.norvegicus]
997	8205	Al169176	e		ESTs
					ESTs, Highly similar to RADIATION-INDUCIBLE IMMEDIATE-EARLY
998	12979	AI169177	<u>e</u>		GENE IEX-1 [M.musculus] ESTs, Highly similar to A47318 RNA- binding protein Raly - mouse
999	2607 .	Al169211	С	ATDage III Assessed	[M.musculus]
4000	00004	AMCODOS		ATPase, H+ transporting, lysosomal (vacuolar proton	ATPase, H+ transporting, lysosomal
1000 1001	22661	Al169265	S,Z	pump), subun	(vacuolar proton pump), subunit 1
1001	13239 24162	AI169278 AI169279	g,j,l,y,z m		ESTs ESTs
1002	24102	A1103273		27/2-4	ESTs, Highly similar to Y069_HUMAN HYPOTHETICAL PROTEIN KIAA0069
1003	16879	Al169284	0		[H.sapiens] [ESTs, Highly similar to H33_HUMAN
1004	24213	Al169289	ρ		HISTONE H3.3 [R.norvegicus]
1005	13240	AI169311	cc		ESTs
1006	5931	AI169324	b		ESTs ESTs, Highly similar to CGI-117
1007	20891	AI169337	đ		protein [H.sapiens]
1008		AI169365	CC		ESTs
1009		AI169372	s	arachidonic acid epoxygenase	arachidonic acid epoxygenase
1010		AI169494	o,u		ESTs
1011		AI169517	Z		ESTS
1012	18343	AI169648	0		ESTs
1013	10839	AI169655	l,m		ESTs ·
1014	24146	AI169668	j,l		ESTs, Weakly similar to hypothetical protein [H.sapiens]

					Ally. Docket No. 44921-5039W Doc. No. 1793397
60 No.	.	GanBank Ace/ Ref. Seq (10	Cods Model	Cana Nama	Unigene Guster IIIIe
1015	22575	AI169728			ESTs, Moderately similar to T47184 hypothetical protein DKFZp434F1526.1 [H.sapiens]
			<del>'</del>		ESTs, Highly similar to GENE 33
1016 1017	804 8213	AI169756	CC P	familia liabh abair a	POLYPEPTIDE [R.norvegicus]
1017	3916	AI169883 AI169947	i,bb	ferritin light chain 1	ferritin light chain 1 ESTs
		1	1		
1019 1020	3733 14179	A1170053	u,Genera		ESTs
1020	141/9	Al170224	cc		ESTs ESTs, Moderately similar to class II
1021	11406	Al170263	r		cytokine receptor 4 [M.musculus]
1022	3547	Al170279	General		ESTs, Weakly similar to ZNT1 RAT ZINC TRANSPORTER 1 [R.norvegicus]
TOLL	1	74110213	Joinera		ESTs, Weakly similar to CL36 RAT
1023	11524	Al170340	j.y.z		[R.norvegicus]
1024 1025	2729 18811	AI170363 AI170525	e,i		ESTs
1025	22524	AI170525	n In		ESTs ESTs
			1		ESTs, Highly similar to CGI-10 protei
1027	24048	AI170570	a,g		[H.sapiens] ESTs, Moderately similar to AF16158
1000	5968	A1470000	L		1 GABA-A receptor-associated prote
1028 1029	9757	AI170692 AI170693	y,aa b		[R.norvegicus] ESTs
1030	18905	Al170770	e,s		ESTs, Highly similar to NADH- ubiquinone oxidoreductase NDUFS2 subunit [H.sapiens] ESTs, Moderately similar to
1031	16170	AI170894	i		adipophilin [H.sapiens]
1032	7089	AI171185	c	Hyaluronan mediated motility receptor (RHAMM)	Hyaluronan mediated motility receptor (RHAMM)
1033	17591	Al171354	b	rocopior (raili anna)	ESTs
1024	42205	A14742C4			ESTs, Weakly similar to AIF-C1
1034	13285	Al171361 Al171362	a	HHs:NADH dehydrogenase (ubiquinone) Fe-S protein 1 (75kD) (NADH-coenzyme Q reductase)	[R.norvegicus] ESTs, Moderately similar to NUAM_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE 75 KD SUBUNI PRECURSOR [H.sapiens]
1036	18126	AI171369	w		ESTs, Highly similar to S16788 probable reverse transcriptase - rat [R.norvegicus]
1037	23253	Al171448	o		ESTs, Moderately similar to 68MP MOUSE 6.8 KD MITOCHONDRIAL PROTEOLIPID [M.musculus]
038	4584	AI171492	m, General		ESTs
					ESTs, Moderately similar to NADH:ubiquinone oxidoreductase B2
039	11158	AI171542 AI171587	r,s		subunit [H.sapiens] ESTs
041	21183		k		ESTs
042 043	8215 11437	Al171692	ì	ferritin light chain 1	Rattus norvegicus kynurenine aminotransferase/glutamine transaminase K (Kat) gene, complete cds,ferritin light chain 1 ESTs
044	2625		cc		ESTs
045	23579		v		ESTs
046	11708	AI171807	l,t	NA DIVEN - DAY	ESTs  Rattus norvegicus F1-ATPase epsilon
047	17204	AI171844		HMm:RIKEN cDNA 2410043G19 gene	subunit mRNA, nuclear gene encoding mitochondrial protein, complete cds

	Summary				AU., Docket No. 44921-503300 Doc. No. 1793337
Sequence ID No.		Genbenk Acci Roll Seq ID	Model Gode	Cono Namo	Unigane Gluster Tille
1048	4420	Al171916	m	200 an 380 3 260	IESTs
15.15	7.120		1		ESTs, Highly similar to T08675
		İ			hypothetical protein
1049	3266	AI171948	]l,m		DKFZp564F0522.1 [H.sapiens]
1050	19012	AI172056	t		ESTs
1051	11205	AI172057	a,q,bb		ESTS
			1		ESTs, Weakly similar to T33238
4052	0057	41470400			hypothetical protein T10H9.3 -
1052 1053	19128	AI172102 AI172103	lb lm	<del> </del>	Caenorhabditis elegans [C.elegans] ESTs
1000	19120	K1172103	1'''	·	Rat mRNA for 5E5 antigen, complete
1054	15673	AI172107	z		cds
1055	6630	Al172184	Jn -	<b> </b>	ESTs
			1	<del>                                     </del>	ESTs, Weakly similar to FETA RAT
					ALPHA-FETOPROTEIN
1056	11968	AI172208	bb	1	PRECURSOR [R.norvegicus]
1057	6974	AI172263	l,m		ESTs
1058	23313	Al172271	d		ESTs
					ESTs, Moderately similar to A53004
1050	2440	A1470070			transcription elongation factor S-II - ra
1059	2140	AI172272	General	<del> </del>	[R.norvegicus] ESTs, Weakly similar to S43056
			I,p,	1	hypothetical protein - mouse
1060	15382	AI172302	General		[M.musculus]
1061	18689	AI172329	1		ESTs
			1	1	Rattus norvegicus apoptosis-
1062	17887	Al172414	0		regulating basic protein mRNA, complete cds
					ESTs, Highly similar to A44437
1063	3042	Al172447	General		regenerating liver inhibitory factor RL/IF-1 - rat [R.norvegicus]
				HMm:isocitrate	ESTs, Weakly similar to IDHC RAT
	1		l	dehydrogenase 2 (NADP+),	ISOCITRATE DEHYDROGENASE
1064 1065	17291	AI172491	bb	mitochondrial	[R.norvegicus]
1066	26222 13095	AI172506 AI172595	p		  ESTs
1067	8795	AI172618	General		ESTs
	10730	7.17.2010	CONCIU		ESTs, Weakly similar to T31067 BIR
					repeat containing ubiquitin-
					conjugating enzyme BRUCE - mouse
1068	6454	Al175342	j,l,m,y		[M.musculus]
					ESTs, Highly similar to RRAS MOUSE
					RAS-RELATED PROTEIN R-RAS
1070	4445	AI175466	х		[M.musculus]
			l		ESTs, Highly similar to NHPX RAT
1071	2410	A1476476	_	,	NHP2/RS6 FAMILY PROTEIN
1071	3418	AI175475	m		YEL026W HOMOLOG [R.norvegicus]
					ESTs, Moderately similar to AF145050 1 translation elongation factor 1-delta
1072	18507	AI175551	bb		subunit [R.norvegicus]
1073		AI175628	w		ESTs
1074		Al175833	j,m,x		ESTs
1075		AI175875	r .		ESTs
1076		Al175959	I,General		ESTs
					ESTs, Highly similar to pirin
1077	7022	Al176041	h,n		[H.sapiens]
1070		11470004		g vi	ESTs, Weakly similar to tazarotene-
078		AI176061	Control		induced gene 2 [H.sapiens]
079 1080		AI176160 AI176169	General		ESTs
081			g w		ESTs ESTs
	<del>                                      </del>	74170172	**		ESTs, Highly similar to P55-C-FOS
		ĺ			PROTO-ONCOGENE PROTEIN
1082	10182	Al176185	v		[R.norvegicus]
083		AI176265	General		ESTs

	SUMMARY		Part of		7.Alty. Doctor (No. 44921-5009)
		i i			Dos. No. 1798997.
Ecquence ID No.	l Cleaniller	GonBank Accel Ref. Seq ID	Modal Code	Gene Name	Unigene Giveter Thie
					ESTs, Weakly similar to GSHH RAT PHOSPHOLIPID HYDROPEROXIDE GLUTATHIONE PEROXIDASE
1084	16905	AI176275	a		[R.norvegicus] UAP1_HUMAN UDP-N- ACETYLHEXOSAMINE
1085	12999	AI176276	сс		PYROPHOSPHORYLASE [H.sapiens ESTs, Highly similar to
					SMD2_HUMAN SMALL NUCLEAR RIBONUCLEOPROTEIN SM D2
1086	16438	AI176294	le 		[H.sapiens]
1087	3014	AI176298 AI176362	ly	<b>-</b>	ESTs ESTs
1088 1089	15015	AI176362 AI176363	e		ESTs .
1090	19006	AI176393	ľx		ESTs
1030	13000	A1170000	<u> </u>		ESTs, Moderately similar to QPS1
1091	20001	AI176396	0		[H.sapiens]
1092	12174	AI176435	j,m	1	ESTs
			ľ		Rat metallothionein-2 and
1093	15191	Al176456	b,o,t,v,cc		metallothionein-1 genes, complete cd
1094	24236	AI176473	d,Genera	1	ESTs
					ESTs, Moderately similar to HS9B RAT HEAT SHOCK PROTEIN HSP
1095	16518	AI176546	V		90-BETA [R.norvegicus]
1096	2161	AI176592	General		ESTs
1097	J12436	Al176610	General		ESTs, Weakly similar to S63220 probable membrane protein YNL247w - yeast (Saccharomyces cerevisiae) [S.cerevisiae]
			I,v,		
1098	2536	AI176616	General		ESTs
1099	18525	AI176792	u		ESTs ESTs
1100	23449	AI176828	9		ESTS
1101 1102	23299 3580	AI176839 AI176848	General e	<del> </del>	IESTs
1102	3300	A1170040	16	<del>                                     </del>	12018
1103	22103	AI176849	d.Genera	1	ESTs
1104	16036	AI176855	f	<del></del>	ESTs
1101	1,000				ESTs, Highly similar to phosphomannomutase Sec53p
1105	15588	AI176916	General		homolog [M.musculus]
1106	16917	AI176951	t		ESTs
1107	16124 ,	Al176963	cc		Rattus norvegicus transcription factor MRG1 mRNA, complete cds
1108	15146	AI176969	b,General		ESTs
1100	5706	A1477050	,		ESTs, Weakly similar to PSE-binding factor PTF delta subunit [H.sapiens]
1109 1110	5786 2852	AI177058 AI177059	C		ESTs
7.10	12002	74111008	<u> </u>		ESTs, Highly similar to AF139894 1 RNA-binding protein alpha-CP1
1112	3156	AI177092	9		[M.musculus] Rat adenine
1113	14384	Al177096	а	HMm:adenine phosphoribosyl transferase	phosphoribosyltransferase (APRT) gene, complete cds
					ESTs, Weakly similar to C1QB RAT COMPLEMENT C1Q SUBCOMPONENT, B CHAIN
1114	13310	Al177119	General		PRECURSOR [R.norvegicus]
1115	24049	Al177341 .	g,p,s,u		ESTs, Highly similar to CGI-10 protein [H.sapiens]
	1	A1477000	a Canaral	1	ESTs
1116 1117	15964 14989	AI177360 AI177366	o,General u	Integrin, beta 1	Integrin, beta 1

TABLE 18	SUMMARY				AMy, Docket No. 44921-5039W Doc. No. 1793397
Sequence ID No.		Gentenik Acc/ Ref. Sec 10	Model Gode	Cana Nama	Unitano Giveter Tido
1119	3006	Al177395	k		Rattus norvegicus substrate binding subunit of type II 5'-deiodinase D2p2: mRNA, complete cds
1120	17570	AI177683	1,		Rattus norvegicus mRNA for hnRNP protein, partial
1121	9521	AI177706	<del>1</del> 6		ESTs ESTs
1122	14425	AI177755	g,Genera	ıt	ESTs
1123	10611	AI177790	.∦j,m 	<del>-</del>	ESTs ESTs, Moderately similar to S27962
1124	5356	AI177813	сс		modulator recognition factor 1 [H.sapiens]
1125	11791	AI177843	General		ESTs, Highly similar to SAS_HUMAN SARCOMA AMPLIFIED SEQUENC [H.sapiens]
1126	14484	AI177867	General		ESTs, Weakly similar to putative eps protein [R.norvegicus]
1127	5780	AI177869	General	-	ESTs, Weakly similar to DRAL [R.norvegicus] ESTs, Highly similar to TGIF MOUSE
1128	19184	Al178025	General		5'-TG-3' INTERACTING FACTOR [M.musculus]
1129	6059	Al178245	c,Genera	1	ESTs, Moderately similar to C17orf1 protein [H.sapiens]
1130	23248	AI178267	у		ESTs, Weakly similar to hypothetical protein [H.sapiens]
1131	4073	AI178272	o		ESTs, Weakly similar to YAE6_YEAST HYPOTHETICAL 13.4 KD PROTEIN IN ACS1-GCV3 INTERGENIC REGION [S.cerevisiae]
1132 1133	7838 18996	Al178291 Al178326	le V		ESTs ESTs
			1		ESTs, Highly similar to 149523 Mouse primary response gene 894 mRNA,
1134 1135	18800	Al178392 Al178504	n,p,aa		3'end - mouse [M.musculus] ESTs
1136	22197	Al178527	g,Genera		ESTs
1137	3401	Al178684	bb	·	ESTS, Highly similar to MCM3 MOUSE DNA REPLICATION LICENSING FACTOR MCM3 [M.musculus]
1138	17713	Al178700	m		ESTs
1139	14874	Al178735	6		ESTs
1140	23567	AI178746	v,Genera		ESTs Rattus norvegicus alpha-globin (GloA)
1141 1142	18907 20991	AI178971 AI178979	∫c ∃i		gene, complete cds
1143	5887	Al179099	q,t		ESTs, Moderately similar to Vanin-1 [M.musculus]
1144	8477	Al179167	b,e, General		ESTs
1145	3348 13608	AI179288 AI179314	lu,v		ESTs ESTs
1146 1147	8849	AI179314 AI179315	g.p		JESTs
1148	13611	AI179378	v,General		Rattus norvegicus mRNA for prostasin precursor, complete cds
1149	15438	Al179399	m,x	collagen type V, alpha 2	collagen type V, alpha 2 ESTs, Moderately similar to RB17
1150	13614	AI179407	e,t, General		MOUSE RAS-RELATED PROTEIN RAB-17 [M.musculus]
1151 1152	15042 2768	AI179422	b,General		ESTs
1152	24041	AI179481 AI179580	i,General b,i		ESTs ESTs

TABLET: §					Any, Docket No. 44921-583300 Doc, No. 1793397
Sequence ID No.	ldentifier	Genfank Ace <i>l</i> Ref. Seq ID	Model (Code)	Gene Namo	Unigene Civeter Title
1154	19822	AI179599	o,Genera		R.norvegicus mRNA for ras-related GTPase Rab29
1155	23270	AI179601	g,Genera		ESTs
1156	5901	Al179605	9		ESTs
1157	16081	Al179610	g,i,p	Heme oxygenase	Heme oxygenase
1158	14564	Al179717	k		ESTs
1159	7918	Al179750	General		ESTs
1160	6647	AI179795	<u>lg</u>		ESTs
1161	9097	AI179875	o,Genera	hypothetical protein LOC56728	hypothetical protein LOC56728
					ESTs, Highly similar to GAP JUNCTION BETA-2 PROTEIN
1162	23989	Al179953	а	1	[R.norvegicus]
1163	12899	Al179967	b		ESTs
1164	1687	AI179971	С	Hemoglobin, alpha 1	Hemoglobin, alpha 1
1165	22569	AI179979	General		ESTs
1166	23514	Al179986	o,General	HHs:phosphoserine phosphatase	ESTs, Highly similar to L-3- phosphoserine phosphatase [H.sapiens]
1167	15892	AI179988	c.General		ESTs
1168	12402	Al180004	g		ESTs, Highly similar to Unknown [H.sapiens]
1169	5443	AI180165	General		ESTs, Moderately similar to testis specific DNAj-homolog [M.musculus]
			0		ESTs, Highly similar to A Chain A, The Crystal Structure Of Human Eukaryotic Release Factor Erf1- Mechanism Of Stop Codon Recognition And Peptidyl-Trna
1170	5481	AI180170	General		Hydrolysis [H.sapiens]
1171	24028	Al180239			ESTs ESTs, Moderately similar to JC4978 oxidative stress protein A170 - mouse
1172	17089	AI180281	g		[M.musculus] ESTs, Moderately similar to Y273 HUMAN HYPOTHETICAL
1173	3701	AI180306	aa		PROTEIN KIAA0273 [H.sapiens]
1174	3352	Al180334	m		ESTs [H.Sapiens]
1175	24368	Al180392	l,m		ESTs, Highly similar to AF114169 1 nucleotide-binding protein short form [M.musculus]
1176	14337	Al180414	c		ESTs, Moderately similar to SPA1 MOUSE GTPASE-ACTIVATING PROTEIN SPA-1 [M.musculus] Rattus norvegicus chemokine CX3C
1177	19080	Al227647	j,y,z		mRNA. complete cds
1178	22838	Al227667	aa		ESTs
1179		Al227761	i,General		ESTs, Highly similar to T00367 hypothetical protein KIAA0665 [H.sapiens]
1180		Al227867	General		ESTs, Weakly similar to AF187065 1 p75NTR-associated cell death executor [R.norvegicus]
1181		AI227885	1		ESTs
1182			d	Peptidylglycine alpha-	ESTs Peptidylglycine alpha-amidating
1183		AI228068	n,w	amidating monooxygenase	monooxygenase
1184	14237	Al228128	е		ESTs, Weakly similar to
1185	14242	AI228197	General		C21I_HUMAN PUTATIVE PROTEIN C21ORF18 [H.sapiens]
1186			0		ESTs
					ESTs, Highly similar to p97

TABLES S	BUMMARY				ZANY. Docket No. 44920-5089W Dock. No. 1798897
ID Nor Sectiones	rillineb)	GenBenk Acel Ref. Seq ID	Comment of the last	Gene Name	Unigeno Cluster VIIIo
1188	8917	AI228301	General		ESTs
1189	15879	AI228313	r,General		ESTS
					ESTs, Weakly similar to AFG1 YEAST AFG1 PROTEIN
1190	13727	AI228326	o,Genera	, ·	[S.cerevisiae]
1191	6102	AI228335	General		IESTs
	1	7.122000			ESTs, Weakly similar to S70642
					ubiquitin ligase Nedd4 - rat
1192	13730	AI228356	а		[R.norvegicus]
1193	13745	Al228494	b,cc		EST
					ESTs, Weakly similar to
					M172_HUMAN MEMBRANE
4404	4247	A1220507	_		COMPONENT, CHROMOSOME 17, SURFACE MARKER 2 [H.sapiens]
1194	4217	A1228587	s		ESTs, Weakly similar to T16757
			1	1	hypothetical protein R144.3 -
1195	16053	AI228596	СС	· .	Caenorhabditis elegans [C.elegans]
1196	3557	Al228672	е		ESTs
1197	11605	Al228682	е		ESTs
1198	13203	Al228728	r		ESTs
		ĺ	1		ESTs, Highly similar to protein
4400	40774	A 10000 40	_		inhibitor of activated STAT protein
1199	13771 5918	Al228848 Al229036	<u>г</u>		PIAS1 [H.sapiens] ESTs
1200 1201	8235	Al229154	k		ESTs
1201	10200	AILLO 10-7	, , , , , , , , , , , , , , , , , , ,	Vesicle-associated	
				membrane protein	Vesicle-associated membrane protein
1202	16203	Al229196	г	(synaptobrevin 2)	(synaptobrevin 2)
1203	13826	Al229304	а		ESTs
1204	13144	AI229320	g		ESTs
1205	4640	AI229404	х,аа		ESTs
			,		ESTs, Moderately similar to MKK2 MOUSE MAP KINASE-ACTIVATED
1206	23563	Al229421	<u>                                     </u>		PROTEIN KINASE 2 [M.musculus] ESTs, Moderately similar to NADH-
4007	15100	1,000,107	_		ubiquinone oxidoreductase PDSW
1207	15426	Al229497 Al229508	bb		subunit [H.sapiens] ESTs
1208	10190	MI229306	00		ESTs, Highly similar to KITH RAT
					THYMIDINE KINASE, CYTOSOLIC
1209	19243	AI229638	x		[R.norvegicus]
1210	23078	AI229647	р		ESTs
			3	HHs:NADH dehydrogenase	
				(ubiquinone) Fe-S protein 3	ESTs, Highly similar to
			*	(30kD) (NADH-coenzyme Q	NADH:ubiquinone oxidoreductase
1211	3099	AI229680	0	reductase)	NDUFS3 subunit [H.sapiens]
					Sprague-Dawley D-beta- hydroxybutyrate dehydrogenase
1212	19508	Al229698	bb		mRNA, complete cds
16 16	1,3500	1122000			Rattus norvegicus mRNA for class I
1213	13977	AI229707	x		beta-tubulin, complete cds
· · · · · · · · · · · · · · · · · · ·	1				ESTs, Moderately similar to
					NADC_HUMAN NICOTINATE-
				a	NUCLEOTIDE
1214	23983	Al229708	V		PYROPHOSPHORYLASE [H.sapiens
1215	2688	AI229793	е		ESTs
1216	13874	AI229832	g		ESTs, Weakly similar to KIAA0859 protein [H.sapiens]
	]	Ĩ			ESTs, Weakly similar to MOT2 RAT
1017	12507	A1220070	Gonoral	}	MONOCARBOXYLATE
1217 1218	12587 20591	AI229979 AI229993	General I,m		TRANSPORTER 2 [R.norvegicus] ESTs
1210	20001		a,b,d,		
1219	24042	AI230002	General		ESTs SNL 6
	1	AI230042	u ]		Rattus norvegicus mRNA for voltage- gated ca channel, complete cds

TABUES	SUMMARY				Any. Docket No. 44921-509900
			a la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la companya da la c		Dec. No. 1793397
Sequence ID No.	lideniiiler	GenBank/Acc/	(3000) [M0000]	Gene Name	Unigene Cluster Ti <u>lle</u>
				HMm:NADH dehydrogenase	ESTs, Highly similar to NIMM MOUS NADH-UBIQUINONE
1221	17672	AI230074	d	(ubiquinone) 1 alpha subcomplex, 1	OXIDOREDUCTASE MWFE SUBUNIT [M.musculus]
1222	3652	AI230113	General		Rattus norvegicus hfb2 mRNA, complete cds
1223	18650	Al230121	aa		ESTs, Weakly similar to HS9B RAT HEAT SHOCK PROTEIN HSP 90- BETA [R.norvegicus]
					ESTs, Moderately similar to CHD3_HUMAN CHROMODOMAIN HELICASE-DNA-BINDING PROTEIN
1224 1225	13025	AI230173	C		3 [H.sapiens]
1225	4280 18528	AI230247 AI230284	Z General	selenoprotein P, plasma, 1	selenoprotein P, plasma, 1 ESTs
1227	7084	AI230362	p		ESTs, Moderately similar to T46458 hypothetical protein DKFZp434M102. [H.sapiens]
1228	20895	Al230549	b,n	3	ESTs
1229	12961	Al230554	General	1	ESTs
1230	15636	Al230616	r		Rattus norvegicus mRNA for galectin- 2 related protein, complete cds
1231	4121	Al230647	j,m		ESTs
			1		ESTs, Highly similar to HN1
1232	14388	AI230702	General		[M.musculus]
1233	18529	Al230716	x,General		ESTs
1234	13618	AI230724	General		Rattus norvegicus phosphoinositide phosphatase SAC1 mRNA, complete cds
1235	8304	Al230746	cc		ESTs
1236	4731	AI230773	е		ESTs
1237	14430	Al230798	c,k,x	•	ESTs, Moderately similar to CDN3_HUMAN CYCLIN- DEPENDENT KINASE INHIBITOR 3 [H.sapiens]
				HHs:Alg5, S. cerevisiae,	ESTs, Highly similar to AF102850 1 dolichyl-phosphate beta-
1238	16627	AI230822	bb .	homolog of	glucosyltransferase [H.sapiens] Rattus norvegicus mRNA for brain
1239	3125	AI231028	General		4.1(S), complete cds
1240	633	Al231127	k		ESTs ESTs, Highly similar to RL2B_HUMAN 60S RIBOSOMAL PROTEIN L23A
1241	20846	Al231140	р		[R.norvegicus]
1242	6743	Al281219	d		ESTs
1244	26292	Al231391	k .		
1245	12343	AI231433	w		ESTs
1246 1247	7337 16321	AI231465 AI231506	aa General		ESTs ESTs
1248	8004		j.l	·	ESTS, Highly similar to Z183_HUMAN ZINC FINGER PROTEIN 183 [H.sapiens]
1249	15171		g g		ESTs, Moderately similar to BAG- family molecular chaperone regulator- 3 [H.sapiens]
1250	6193		i		ESTs
1252	14227		u		ESTs, Moderately similar to tumor protein D53 [M.musculus]
1253	24501		w,y,bb		Rattus norvegicus translation elongation factor 1-delta subunit mRNA, partial cds
1254	3434		g,q,z,cc, General		ESTs
1255	19094		n,General		ESTs, Highly similar to Human Translation Initiation Factor Eif1, Nmr, 29 Structures [H.sapiens]

TABLE 1:	SUMMARY				Aijy. Docket No. 44921-503900 Doc. No. 1793397
Sequence Io Ma	ideniiier	GenBent Acci Rei. Seg ID	Modal Coda	Gene Namo	Unigene Cluster Tille
1256	14020	Al232076	u	3 COMO (ACAMO	ESTs
1257	6726	AI232157	d	<del></del>	JESTs
1258	11549	AI232174	I,m	1	ESTs
1259	23125	Al232266	j,s		ESTs
					ESTs, Moderately similar to JC4914 anti-sigma cross-reacting protein
1260	2085	Al232270	bb	4	homolog I beta precursor [H.sapiens
					ESTs, Weakly similar to T25417 hypothetical protein T28D6.9 -
1261	2913	AI232272	0		Caenorhabditis elegans [C.elegans] ESTs, Weakly similar to KIAA0971
1262	14304	AI232281	<b>]</b> g		protein [H.sapiens]
1263	15955	AI232294	u,bb, General		ESTs
1264	15122	Al232303	V		ESTs, Weakly similar to Sid1669p [M.musculus]
			1	purinergic receptor P2X,	purinergic receptor P2X, ligand-gated
1265	4716	Al232313 Al232332	у	ligand-gated ion channel 4	ion channel 4
1266 1267	15246 24321	AI232332 AI232340	lt,u lo	Stromal cell-derived factor 1	ESTs Stromal cell-derived factor 1
1207	24321	MIZ3Z340	1	Stromar cell-derived factor 1	ESTs, Weakly similar to
1268	16172	Al232341	d		YQ42_CAEEL HYPOTHETICAL 40.0 KD PROTEIN C13B9.2 IN CHROMOSOME III [C.elegans]
1269	11411	Al232346	h		ESTs
1270	19287	Al232379	f	Platelet-derived growth factor receptor alpha	Platelet-derived growth factor receptor
					ESTs, Weakly similar to FMO1 RAT DIMETHYLANILINE
1271	5601	Al232461	n,General		MONOOXYGENASE [R.norvegicus]
1272	14051	Al232489	l,m		ESTs, Weakly similar to PIR1 [H.sapiens]
1273	5572	AI232490	l _{i,t}		ESTs, Moderately similar to A27340 complement C7 precursor [H.sapiens
1274	11157	Al232494	cc		ESTs
1275	8709	AI232534	o	.4	ESTs, Weakly similar to DnaJ homolog 2 [R.norvegicus]
1276	20350	Al232552	j,v,y		EST
1277	14069	Al232631	e		ESTs
1278	4440	AI232643	w		ESTs
1279	17695	Al232784	e		ESTs, Weakly similar to putative peroxisomal 2,4-dienoyl-CoA reductase [R.norvegicus]
1280	15796	Al232874	v		ESTs
1281	12467	AI232924	General		ESTs
1282	12873	AI232984	li		ESTs
1283	5355	Al233031	]r		ESTs
1284	18794	Al233121	c		ESTs, Moderately similar to MHC class I [M.musculus]
1285	3823	Al233147	b,g, General	8	ESTs, Weakly similar to nuclear RNA helicase [R.norvegicus]
			c,k,	<u> </u>	
1286 1287	11967	AI233155 AI233182	General d		ESTs ESTs
					ESTs, Highly similar to PM1_HUMAN
1288	3471	AI233183	9		PROTEIN PM [H.sapiens] ESTs, Weakly similar to T15919
1200	24049	A1222404	.		hypothetical protein EEED8.9 -
1289 1290	21948 13598	Al233191 Al233194	g.p.y		Caenorhabditis elegans [C.elegans] ESTs
· · · · · · · · · · · · · · · · · · ·					ESTs, Highly similar to Bodenin
1291	15552	AI233195	у		[M.musculus] Rattus norvegicus epidermal growth
1292	17907	AI233224	bb		factor receptor related protein (Errp) mRNA, complete cds
1292	14111	AI233224 AI233269	CC		ESTs

Table 1: (	SUMMARY				Anty. Dooksi No. 44921-503900 Dog. No. 17793697
Sequence ID No.	ldeniller	GenBank Ace/ Ref. Scolid	Model Godo	Gene Name	Uilgan Givster Alle
					ESTs, Weakly similar to T24956
	1		1.		hypothetical protein T16G1.10 -
1294	12894	AI233365	d		Caenorhabditis elegans [C.elegans]
					ESTs, Weakly similar to S44853 K12H4.3 protein - Caenorhabditis
1295	7161	AI233407	General		elegans [C.elegans]
1296	15906	AI233425	q	1	ESTs
1297	14120	AI233433	d		ESTs
1298	14095	AI233468	a,d		ESTs
1299	3075	AI233494			ESTs, Weakly similar to 138079 OXA
1300	6046	AI233530	u,aa General		homolog [H.sapiens] ESTs
	10070	1120000	100110101	1	PSD8 HUMAN 26S PROTEASOME
				1	REGULATORY SUBUNIT S14
1301	18900	Al233570	General		[H.sapiens]
		•			ESTs, Moderately similar to
	7000			HHs:arginyl-tRNA	SYR_HUMAN ARGINYL-TRNA
1302 1303	7888 16709	AI233583 AI233602	General	synthetase Adenosin kinase	SYNTHETASE [H.sapiens] Adenosin kinase
1303	16709	A1233002	General	Adenosiii kiliase	ESTs, Highly similar to
					P2CD MOUSE PROTEIN
				1	PHOSPHATASE 2C DELTA
					ISOFORM (PP2C-DELTA) (P53-
	1	Ì			INDUCED PROTEIN PHOSPHATAS
					1) (PROTEIN PHOSPHATASE
1304	5163	AI233712	l,		MAGNESIUM-DEPENDENT 1 DELTA) [M.musculus]
1007	10100	7/12007 12	1	1	ESTs, Moderately similar to ERHUAL
					coatomer complex alpha chain
1305	7243	AI233717	General	<u></u>	homolog [H.sapiens]
					ESTs, Highly similar to
					PSD5_HUMAN 26S PROTEASOME
1306	3816	AI233729	9	<b>‡</b>	SUBUNIT S5B [H.sapiens] ESTs, Weakly similar to ALDR RAT
			d,h,	1	ALDOSE REDUCTASE
1307	13023	AI233740	General		[R.norvegicus]
1308	14871	AI233743	g		ESTs
					ESTs, Highly similar to Gene product
			Ī		with similarity to KIAA0154
1309	7469	AI233767 AI233771	b		[H.sapiens] JESTs
1310	7804	A1233771	10	·	ESTs, Weakly similar to T24413
				1	hypothetical protein T04A11.2 -
1311	13563	AI233773	е		Caenorhabditis elegans [C.elegans]
1312	2154	Al233818	k,cc		ESTs
1313	16616	Al234079	h		ESTs
	1		a,d,		
1314	13393	AI234100	General	cysteine rich protein	cysteine rich protein
1315 1316	7071 14677	A1234162 A1234620	r General		ESTs EST
1310	140//	MIZ34020	General		ESTs, Weakly similar to transcription
1317	4443	Al234629	m		factor C1 [M.musculus]
1318	22453	AI234678	b		ESTs
1319	23964	A1234748	t,General		ESTs
1320	19581	AI234753	f		EST
1321	22152	A1224922	o Gonore'	DEVDAS1/Dover-41	DEVEASA (Daymon)
	22152	A1234822	o,General	DEXRAS1 (Dexras1)	DEXRAS1 (Dexras1) ESTs, Weakly similar to S12207
IJZ I	1,0040	A1234865	d		hypothetical protein [M.musculus]
	J1894Z	,	ļ <del>-</del>	ATPase, H+ transporting,	- A - Transcor Protect [Hilliangonigo]
	18942		The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		
	18942			lysosomal (vacuolar proton	ATPase, H+ transporting, lysosomal
1322	22662	A1234939	aa		(vacuolar proton pump), subunit 1
1322		A1234939	aa	lysosomal (vacuolar proton	(vacuolar proton pump), subunit 1 ESTs, Highly similar to CB80_HUMAN
1322		Al234939	aa o,General	lysosomal (vacuolar proton pump), subun	(vacuolar proton pump), subunit 1

TABUES: 6	BUMMARRY				AMY. Docket No. 44921-5039VV Doc. No. 1793397
Scquinco ID No.	Man Mer	GenBank Acal Ref. Seq ID	Model	Gene Name	Unigene Guster VIIIe
					ESTs, Highly similar to ABF2_HUMA ATP-BINDING CASSETTE, SUB- FAMILY F, MEMBER 2 (IRON INHIBITED ABC TRANSPORTER 2)
1326	14906	AI235192	g		[H.sapiens]
1327	14718	AI235210	e		ESTs
1328	15004	Al235224	b,Genera		Rattus norvegicus tissue inhibitor of metalloproteinase-1 (TIMP1), mRNA, complete cds
1329	6632	AI235277	V		ESTs
1330	14722	AI235284	x,z		ESTs, Weakly similar to single-pass transmembrane protein [R.norvegicus Rat mRNA for preprocathepsin D (EC
1331	1462	AI235585	u,Genera		3.4.23.5)
1332	21061	AI235631	l,m	1	ESTs
1333	14665	Al235646	m	MAD homolog 4 (Drosophila)	MAD homolog 4 (Drosophila)
1334 1335	19940 5698	AI235689 AI235692	General	'8	ESTs, Moderately similar to pescadille [H.sapiens] ESTs
1336	23745	AI235732	k		ESTS, Highly similar to NID2 MOUSE NIDOGEN-2 PRECURSOR [M.musculus]
1337	11164	AI235739	General		ESTs, Moderately similar to A56716 aromatic ester hydrolase [H.sapiens]
1338	5212	AI235745	d		ESTs ESTs, Weakly similar to hypothetical
1339	14768	AI235912	h		protein [H.sapiens]
1340	14776	Al235950	m		ESTs
1341	3091	AI236027	n,General		ESTs
1342	14861	AI236045	r		ESTs
1343	14862	AI236048	e		ESTs, Highly similar to E25B protein
1344	16943	AI236097	р	*	[M.musculus] ESTs, Highly similar to JC7107
40.45					development related unidentified 27K
1345 1346	8336 23230	AI236101 AI236146	v		protein - mouse [M.musculus] ESTs
1347	22855	Al236150	e		ESTs, Highly similar to JC7301 Down syndrome critical region protein 5 alpha [H.sapiens]
1348	14594	Al236152	i		ESTs
1349	18406	Al236168	r		ESTs ESTs, Highly similar to ATDA MOUSE DIAMINE ACETYLTRANSFERASE
1350	15051	AI236332	General		[M.musculus] ESTs, Weakly similar to NHPX RAT
1351	19298	AI236338	bb		NHP2/RS6 FAMILY PROTEIN YEL026W HOMOLOG [R.norvegicus] siah binding protein 1; FBP interacting
1352	10667	Al236366	b	siah binding protein 1; FBP interacting repressor; pyrimidine tr	repressor; pyrimidine tract binding splicing factor; Ro ribonucleoprotein- binding protein 1
1353	10774	AI236397	I .		ESTs
1354	9407	Al236402	aa		ESTs Rattus norvegicus retinol dehydrogenase type II mRNA,
1355	26335	Al236460	General		complete cds
1356	17950	AI236590	t,General		ESTs EST
1357 1358	18259 11445	Al236601 Al236613	h,v j.y		ESTs ESTs
1359	17248	AI236635	o,aa		ESTs, Highly similar to SCF complex protein Skp1 [M.musculus]
1360	16859	AI236753	t,General		ESTs

	SUMMARY				<b>VAN</b> y, <b>Doeke</b> l No. 44 <b>92</b> 1-513900
					Dog. No. 1793397
Economo D No.		Genbenk Ace/ Ref. Seq ID	Model (900)	Gene Name	Unigane Guster Tille
1361	5208	AI236754	9		ESTs, Weakly similar to hT41 [H.sapiens]
1362	24388	AI236772	e,Genera	4	ESTs ESTs, ESTs, Highly similar to HS9B
1363	15850	AI236795	n,v,w		RAT HEAT SHOCK PROTEIN HSP 90-BETA [R.norvegicus]
1364	14800	A1236856	w		// ESTs
1366	11404	AI237002	m	spermidine synthase	spermidine synthase
1367	18151	AI237212	o,Genera		ESTs, Highly similar to hepatitis B virus X interacting protein [H.sapiens
1368	21653	AI237535	t,General	estrogen-responsive uterine transcript	estrogen-responsive uterine transcri
1369	11208	Al237586	z		ESTs, Moderately similar to INIB RA INTERFERON-INDUCIBLE PROTEIL [R.norvegicus]
1370	21893	Al237713	i,k,aa		ESTs, Moderately similar to Y101_HUMAN HYPOTHETICAL PROTEIN KIAA0101 [H.sapiens]
1371	14842	AI237713	r		IESTs
1372	3467	Al237835	General		ESTs, Moderately similar to MXI1 RA MAX INTERACTING PROTEIN 1 {R.norvegicus}
1373	25840	Al638972	u		1 (1.1.10, voglodo)
1374	17108	Al639017	J _n		ESTs, Highly similar to G9A
1077	17.100	7.1003011	<del></del>	mini chromosome	*
1375	16676	Al639082	c,k,x	maintenance deficient 6 (S. cerevisiae)	mini chromosome maintenance deficient 6 (S. cerevisiae)
1376	12400	Al639107	k		ESTs
1377	19952	AI639108	q,v	<del> </del>	ESTs
1379	25907	Al639167	lo,w		ESTs
10.0	120001	7/100310/			ESTs, Highly similar to T46480 hypothetical protein
1381	18533	Al639231	n		DKFZp434L1850.1 [H.sapiens]
1382	18353	Al639233	t,aa	decorin	decorin
1384	15330	AI639285	General		ESTs
1385	20026	AI639354	g		EST
1386	25971	Al639365	r		
1388	19152	AI639387	u,General		ESTs   ESTs, Moderately similar to CAQC
					RAT CALSEQUESTRIN, CARDIAC MUSCLE ISOFORM PRECURSOR
1390	18338	A1639422	<u></u>	***	[R.norvegicus] EST, Highly similar to A42772 mdm2
1392	20082	Al639488	i,m		protein - rat [R.norvegicus] ESTs, Weakly similar to T13607
1394	20056	A1639504	a,bb, General		hypothetical protein EG:87B1.3 - fruit fly [D.melanogaster] ESTs, Highly similar to
1395	4713	AI639518	q		RPB8_HUMAN DNA-DIRECTED RN/ POLYMERASES I, II, AND III 17.1 KI POLYPEPTIDE [H.sapiens]
			*	protein phosphatase 1, regulatory (inhibitor) subunit	protein phosphatase 1, regulatory
1396	14332	AJ001044	bb	5 coticularathin	(inhibitor) subunit 5
1397	7602	AJ001929	k	reticulocalbin	reticulocalbin Rattus norvegicus mRNA for
1398	9867	AJ005424	u General	claudin 7	BMK1/ERK5 protein, partial
1400 1401	20116	AJ011811 AJ011969	I,General	claudin 7 growth differentiation factor 15	claudin 7 growth differentiation factor 15
1402	17635	AJ223355	v,w	<u>                                   </u>	Rattus norvegicus mRNA for mitochondrial dicarboxylate carrier
	3.,000	#/ WEEDOOD	27 1 27		יייייסעייסיוטויטי טוטעוטטאאומנט טמווופו

TABLE 1:	Summary			and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	`` Ally. Dockel No. 44921-50391 Doc. No. 179333
Sequence		GenBank Acc	Model		
ID INO.	ldenilliter	Ref. Seq ID	Gode	Cone Name	Unigene Cheter Mile
				dodecenoyl-Coenzyme A delta isomerase (3,2 trans-	Rat mRNA for delta3, delta2-enoyl- CoA isomerase,dodecenoyl- Coenzyme A delta isomerase (3,2
1403	18686	D00729	9	enoyl-Coenyme A dihydrolipoamide	trans-enoyl-Coenyme A isomerase
1404	5049	D10655	,n,w	acetyltransferase	dihydrolipoamide acetyltransferase
1405	25257	D13623	<u> </u>		
1405	15281	D13623	h		ESTs
1406	11434	D14014	cc		ESTs
1407	1613	D14076	x		Rat mRNA for testicular dynamin, complete cds
				HHs:hydroxyacyl-Coenzyme A dehydrogenase/3-ketoacyl Coenzyme A thiolase/enoyl- Coenzyme A hydratase (trifunctional protein), beta	Rat mRNA for mitochondrial long- chain 3-ketoacyl-CoA thiolase beta subunit of mitochondrial trifunctions
1408	1728	D16479	q	subunit	protein, complete dds
4400	0045				Rat mRNA for polyubiquitin (four repetitive ubiquitins in tandem),
1409	3015	D16554	c,s,v,z	<del> </del>	Complete cds
1410	472	D26111	d,s,bb		R.norvegicus mRNA for chloride channel (putative) 2313bp
1412	16233	D29960	j,l		Rattus norvegicus mRNA for alphal crystallin-related protein, complete
1413	9029	D30804	n	·	ESTs, Highly similar to PRC6 RAT PROTEASOME SUBUNIT RC6-1 [R.norvegicus]
1414	1485	D38222	y,z		Rattus norvegicus tyrosine phosphatase-like protein IA-2a mRI partial cds
1415	9135	D45247	S	proteasome beta type subunit 5	ESTs, Highly similar to PRCE RAT PROTEASOME EPSILON CHAIN PRECURSOR [R.norvegicus]
1416	16354	D50564	u	HHs:mercaptopyruvate sulfurtransferase	Rattus norvegicus mRNA for mercaptopyruvate sulfurtransferase complete cds
1417	1884	D50695	l,m,bb		Rattus norvegicus mRNA for proteasomal ATPase (Tat-binding protein7), complete cds
	1			Solute carrier family 1 A1	Solute carrier family 1 A1 (brain
1418	21147	D63772	General	(brain glutamate transporter) HHs:CDP-diacylglycerol inositol 3- phosphatidyltransferase	glutamate transporter)
				(phosphatidylinositol	Rat mRNA for phosphatidylinositol
419	826	D82928	f d	synthase) 4	synthase, complete cds
420	25306	D84485	U		Pattue populacione mDNA for codica
421	18867	D88250	t		Rattus norvegicus mRNA for serine protease, complete cds
1423	22543	H31117	r,v, General		
424	12360	H31456	w		ESTs
425	20514	H31489	h,j		ESTs
426	11358	H31610	h		ESTs, Highly similar to mtprd [M.musculus]
427	4360	3	bb, General		ESTs, Moderately similar to T14781 hypothetical protein DKFZp586B1621.1 [H.sapiens]
					ESTs, Moderately similar to COF1 RAT COFILIN, NON-MUSCLE
428	9343	H32169			ISOFORM [R.norvegicus]
429	4386	H33093	h,w		EST
430	4415		h		ESTs

TADÚE 18	SUMMARY				Ally, Dockel No. 44921-503900 Doc. No. 1793397
Sequence ID No.	ldanMer	Genbenk Acc/ Ref. Seq ID	(Code	Cene Name	Unigeno Gueter Milo
1431	15374	H34186			ESTs, Highly similar to IF39_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 3 SUBUNIT 9 [H.sapiens]
1432	17159	J00797	u,General	alpha-tubulin	alpha-tubulin
1433	16260	J01878	f		Rat brain-specific identifier sequence RNA, clone p1b224
				Branched chain alpha- ketoacid dehydrogenase	Branched chain alpha-ketoacid
1434	17284	J02827	bb	subunit E1 alpha	dehydrogenase subunit E1 alpha Rat glutathione S-transferase mRNA,
1435	15017	J03752	<u>n</u>	Thyroid hormone receptor, beta (avian erythroblastic leukemia viral (v-erb-a)	complete cds  Thyroid hormone receptor, beta (aviar erythroblastic leukemia viral (v-erb-a)
1436	44	J03819	p,s e.r.	oncogene homolog 2) Glutathione-S-transferase,	oncogene homolog 2) Glutathione-S-transferase, mu type 2
1437	21014	J03914	General	mu type 2 (Yb2) Steroid-5-alpha-reductase,	(Yb2)
1438	20429	J05035	f	alpha polypeptide 1 (3-oxo-5 alpha-steroid delta 4- dehydrogenase alpha 1)	polypeptide 1 (3-oxo-5 alpha-steroid delta 4-dehydrogenase alpha 1)
1439	1247	J05181	j,l,m,s,y,z	Glutamylcysteine gamma synthetase light chain	Glutamylcysteine gamma synthetase light chain
1440	10464	J05510	n,u, General	Inositol 1,4,5-triphosphate receptor type 1	Rat inositol-1,4,5-triphosphate receptor mRNA, complete cds
1441	20149	K03243	q		Rat peroxisomal enoyl-CoA: hydrotase-3-hydroxyacyl-CoA bifunctional enzyme mRNA, complete
1442 1443	17758 381	K03249 L00124	q w	Elastase 2, pancreatic	cds Elastase 2, pancreatic
1444	2048	L00382	k,x	Libstase 2, paricreate	Clastase 2, paricieatic
1445	10500	L04619	S		Rattus norvegicus clone 15 polymeric
1447	108	L14002	р	1	immunoglobulin receptor mRNA, 3'UTR microsatellite repeats
1448	25366	L14003	t		Rattus norvegicus clone 15 polymeric immunoglobulin receptor mRNA,
1449	109 20414	L14004	Conoral	Phospholines C hated	3'UTR microsatellite repeats
1450 1451	25369	L14323 L14937	General y	Phospholipase C-beta1	Phospholipase C-beta1
1452	16119	L16532	k	2',3'- Cyclic nucleotide 3'- phosphodiesterase	2',3'- Cyclic nucleotide 3'- phosphodiesterase
1453	25377	L25387	h		ESTs, Highly similar to A53047 6-
1453	12058	L25387	h	Solute carrier family 1 A1	phosphofructokinase [R.norvegicus] Solute carrier family 1 A1 (brain
1455	21146	L35558	General	(brain glutamate transporter)	glutamate transporter)
1456	106	L37203	w		Rattus norvegicus guanylyl cyclase (GC-D) mRNA, complete cds
1458	13682	L38482	f,j,k,m,z		Rattus norvegicus serine protease gene, complete cds
1459	6405	L38615	р	Glutathione synthetase gene.	Glutathione synthetase gene
1461	15189	M11794	n,v		
1462	17086	M13011	<u> </u>	*	Rat c-ras-H-1 gene, complete cds
4404	04050	******	_		Rat insulin-like growth factor-I mRNA,
1464 1465	21053 25405	M15481	o j,l		3' end
1466	25415	M18330 M19648	յ,ւ a		
1468	14967	M22366	w		
1469	20481	M22631		Propionyl Coenzyme A carboxylase, alpha polypeptide	

20 MAG 23					AMy. Docket No. 44921-5039X Doc. No. 179333
Sequence ID No.	ldenille	Genbank Accil 7 Ref. Seq ID	Model Model	Gene Name	Unigene Giveter Tille
2011				HHs:ubiquinol-cytochrome c	
	1.50.00			reductase, Rieske iron-sulfur	
1471	15048	M24542	19	polypeptide 1	complete cds Rat cytochrome P-450 isozyme 5
1472	20921	M29853	m		(P450 IVB2) mRNA, complete cds
				Cytochrome P450, an	
4.472	1224	1424024	1	olfactory-specific steroid hydroxylase	Cytochrome P450, an olfactory-
1473	1224	M31931	u	Hiydroxylase	specific steroid hydroxylase Rat mitochondrial 3-hydroxy-3-
					methylglutaryl-CoA synthase mRNA
1474	15579	M33648	9		complete cds
					Rat mitochondrial 3-hydroxy-3- methylglutaryl-CoA synthase mRNA
1474	15580	M33648	.lq		complete cds
					ESTs, Weakly similar to KRAB-zinc
1475 1476	17211 20699	M34331 M35601	g,n,q,v b,x,bb	ļ	finger protein KZF-1 [R.norvegicus] Rat alpha-fibrinogen mRNA, 3' end
1476	20700	M35601	b,t,bb		Rat alpha-fibrinogen mRNA, 3' end
					Rat mRNA for MHC class II antigen
					RT1.B-1 beta-chain,Rattus norvegice MHC class II antigen RT1.B beta
1477	9223	M36151	o		chain mRNA, partial cds
	1			<u> </u>	Rat general mitochondrial matrix
					processing protease (MPP) mRNA,
1479 1480	1585 24844	M57728 M58040	lj,m,y ic	transferrin receptor	end transferrin receptor
1481	25057	M58495	h		i i i i i i i i i i i i i i i i i i i
			1	L	
1482	457	M60666	d,Genera	Tropomyosin 1 (alpha)	Tropomyosin 1 (alpha) Rat cystatin S (CysS) gene, complet
1483	1223	M75281	f		cds
				P-glycoprotein/multidrug	
1484	5733	M81855	i,k,aa	resistance 1	P-glycoprotein/multidrug resistance 1 Rat beta-galactoside-alpha 2,6-
1485	4198	M83143	lm		sialyltransferase mRNA
			1		Rat beta-galactoside-alpha 2,6-
1485	4199	M83143	m	0.042	sialyltransferase mRNA
1486	24651	M83678	k,x,z	RAB13 Dopa decarboxylase	RAB13
				(aromatic L-amino acid	Dopa decarboxylase (aromatic L-
1487	1430	M84648	General	decarboxylase)	amino acid decarboxylase)
1488	25467	M93297	C	ornithine aminotransferase	ornithine aminotransferase Rattus norvegicus GABA transporter
1489	729	M95762	a,y		GAT-2 mRNA, complete cds
				Rattus norvegicus Acetyl-	
			l	CoA acyltransferase, 3-oxo acyl-CoA thiolase A,	
		•			Acetyl-CoA acyltransferase, 3-oxo
1490	23698	NM_012489	q ,	Length = 1619	acyl-CoA thiolase A, peroxisomal
	1		1	Rattus norvegicus Acetyl-	
				CoA acyltransferase, 3-oxo acyl-CoA thiolase A,	
				1 '	Acetyl-CoA acyltransferase, 3-oxo
490	23699	NM_012489	q	Length = 1619	acyl-CoA thiolase A, peroxisomal
				Rattus norvegicus Aldolase A, fructose-bisphosphate	
				(Aldoa), mRNA. Length =	
491	7062	NM_012495	q	1442	Aldolase A, fructose-bisphosphate
			1	Rattus norvegicus Aldehyde reductase 1 (low Km aldose	-
				reductase I (low km aldose reductase) (5.8 kb Pstl	
				fragment, probably the	Aldehyde reductase 1 (low Km aldose

TRABLE ():	: SUMMARY				Ally. Docket No. 44921-5939V Doc. No. 1793397
Sequinc ID No. 3	e. Ideniiior	GenBank Acc/. Ref. Seq.(D)	Model Code	Gene Namo	Unigene Gluster Ville
1494	7427	NM_012515	General	Rattus norvegicus Benzodiazepin receptor (peripheral) (Bzrp), mRNA. Length = 781	Benzodiazepin receptor (peripheral)
1495	24433	NM_012527		Rattus norvegicus Cholinergic receptor, muscarinic 3 (Chrm3),	Challes and a second of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control
1433	124433	NW_012321	-	mRNA. Length = 3578 Rattus norvegicus Creatine kinase, brain (Ckb), mRNA.	Cholinergic receptor, muscarinic 3
1496	4467	NM_012529	d	Length = 1146 Rattus norvegicus	Creatine kinase, brain
1497	16520	NM_012532	General	Ceruloplasmin (ferroxidase) (Cp), mRNA. Length = 3700 Rattus norvegicus	Ceruloplasmin (ferroxidase)
1498	225	NM_012544	x,z	Angiotensin I-converting enzyme (Dipeptidyl carboxypeptidase 1) (Ace), mRNA. Length = 4142	Dipeptidyl carboxypeptidase 1 (Angiotensin I-converting enzyme)
1499	1431	NM_012545	General	Rattus norvegicus Dopa decarboxylase (aromatic L- amino acid decarboxylase) (Odc), mRNA. Length = 1954 Rattus norvegicus Early	Dopa decarboxylase (aromatic L- amino acid decarboxylase)
1500	23868	NM_012551	l,m,v, General	growth response 1 (Egr1), mRNA. Length = 3112	Early growth response 1
1500	23872	NM_012551	l,v,cc, General	Rattus norvegicus Early growth response 1 (Egr1), mRNA. Length = 3112	Early growth response 1
1500	23869	NM_012551	v,General	Rattus norvegicus Early growth response 1 (Egr1), mRNA. Length = 3112	Early growth response 1
1501	19407	NM_012554	z	Rattus norvegicus Enolase 1, alpha (Eno1), mRNA. Length = 1725	Enolase 1, alpha
1501	19408	NM_012554	ń,s,y,z	Rattus norvegicus Enolase 1, alpha (Eno1), mRNA. Length = 1725	Enolase 1, alpha
1502	21836	NM 012555	k	Rattus norvegicus Ets avian erythroblastosis virus E2 oncogene homolog 1 (tumor progression locus 1) (Ets1), mRNA. Length = 4991	Ets avian erythroblastosis virus E2 oncogene homolog 1 (tumor progression locus 1)
1503	16895	NM_012558	g,s	Rattus norvegicus Fructose- 1,6- biphosphatase (Fbp1), mRNA. Length = 1357	Fructose-1,6- biphosphatase
1504	25317		bb	Rattus norvegicus Fibrinogen, gamma polypeptide (Fgg), mRNA. Length = 1358	
				Rattus norvegicus Fibrinogen, gamma polypeptide (Fgg), mRNA.	
1504	6477	NM_012559 ,		Length = 1358 Rattus norvegicus Fibrinogen, gamma	Fibrinogen, gamma polypeptide
1504	6478	NM_012559 1	bb	polypeptide (Fgg), mRNA. Length = 1358 Rattus norvegicus Follistatin	Fibrinogen, gamma polypeptide
1505	11731	NM_012561	<u>k</u>	(Fst), mRNA. Length = 1035, Rattus norvegicus Group- specific component (vitamin	Follistatin
1507	4254	NM_012564	1	D-binding protein) (Gc), mRNA. Length = 1676	Group-specific component (vitamin D- binding protein)

TABLE 1:	SUMMARY				- 7.1117. Doeket No. 44921-500000
				ı,	Doc. No. 1793997.
Sequence ID No.	identifier.	Conbent Acce Rol Scol	Model Gode	Gene Name	Unigane Civetar Tille
				Rattus norvegicus Histone H1-0 (H1f0), mRNA. Length	
1508	16026	NM_012578	r	= 1779 Rattus norvegicus Histone	Histone H1-0
				H1-0 (H1f0), mRNA. Length	
1508	16024	NM_012578	<u>r</u>	= 1779 Rattus norvegicus Histone	Histone H1-0
1508	16025	NM 012578	r	H1-0 (H1f0), mRNA. Length = 1779	Histone H1-0
				Rattus norvegicus Heme oxygenase (Hmox1), mRNA.	
1509	16080	NM_012580	g,m	Length = 870	Heme oxygenase
				Rattus norvegicus Insulin- like growth factor-binding	
1510	15098	NM 012588	bb	protein (IGF-BP3) (Igfbp3), mRNA. Length = 2352	Insulin-like growth factor-binding protein (IGF-BP3)
				Rattus norvegicus Isovaleryl	
4544	1450	NA 042502	hh	Coenzyme A dehydrogenase	1
1511	4450	NM_012592 -	bb	(Ivd), mRNA. Length = 2104	dehydrogenase
				Rattus norvegicus Isovaleryl Coenzyme A dehydrogenase	Isovaleryl Coenzyme A
1511	4451	NM_012592	i,bb	(Ivd), mRNA. Length = 2104	dehydrogenase
				Rattus norvegicus Isovaleryl	leavelend Construe A
1511	4452	NM_012592	bb	Coenzyme A dehydrogenase (Ivd), mRNA. Length = 2104	Isovaleryi Coenzyme A dehydrogenase
			1	Rattus norvegicus Kallikrein 1, renal/pancreas/salivary	
1512	17198	NM_012593	а,х	(Klk1), mRNA. Length = 786 Rattus norvegicus Kallikrein	Kallikrein 1, renal/pancreas/salivary
				1, renal/pancreas/salivary	
1512	17197	NM_012593	X °	(Klk1), mRNA. Length = 786 Rattus norvegicus Malic	Kallikrein 1, renal/pancreas/salivary
1513	18749	NM 012600	a,h "	enzyme 1, soluble (Me1), mRNA. Length = 1761	Malic enzyme 1, soluble
				Rattus norvegicus Avian	
			P	myelocytomatosis viral (v-	
1514	2628	NM_012603	General	myc) oncogene homolog (Myc), mRNA. Length = 2168	Avian myelocytomatosis viral (v-myc) oncogene homolog
				Rattus norvegicus Avian	
			3	myelocytomatosis viral (v- myc) oncogene homolog	Avian myelocytomatosis viral (v-myc)
1514	2629	NM_012603	x,General	(Myc), mRNA. Length = 2168	
				Rattus norvegicus Membrane metalio-	
				endopeptidase (neutral endopeptidase/enkephalinas*	Membrane metallo-endopeptidase
1515	16840	NIM 012609	200	e) (Mme), mRNA. Length = 3243	(neutral endopeptidase/enkephalinase)
1515	16849	NM_012608	n,o,q	Rattus norvegicus serine (or	епоорершаѕе/епкерпанлаѕе)
				cysteine) proteinase inhibitor, clade E (nexin,	
			*	plasminogen activator inhibitor type 1), member 1	
1517	15540	NIM 042620	Connent	(Serpine1), mRNA. Length =	Diagraminanan astirutas lahihitas
1517	15540	NM_012620	General 4	Rattus norvegicus Prolactin	Plasminogen activator inhibitor
1518	24568	NM_012630	General	receptor (Prir), mRNA. Length = 1635	Prolactin receptor
				Rattus norvegicus Prolactin receptor (Prlr), mRNA.	
1518	24566	NM_012630	General		Prolactin receptor

TABLE	SUMMARY.				
					Doc. No. 1793997.
Sequence ID No. —	o Maniffer	Conlenk Acc	Model Gode	Coro Namo	Unigene Cluster Title
Checoling and adult (1993)		Academic State of Persons (1) (1) (1) (1)		Rattus norvegicus Prion	
			].	protein, structural (Prnp),	
1519	18553	NM_012631	]k	mRNA. Length = 765 Rattus norvegicus protein	Prion protein, structural
				tyrosine phosphatase, non-	
				receptor type 1 (Ptpn1),	
1520	1844	NM_012637	General	mRNA. Length = 4127	ESTs,Protein-tyrosine phosphatase
				Rattus norvegicus Renin	
1521	24668	NM_012642	<u> f</u>	(Ren), mRNA. Length = 1059	
				Rattus norvegicus RT1 class lb gene (RT1Aw2), mRNA.	
1522	18632	NM 012645	a	Length = 1540	RT1 class ib gene
			1	Rattus norvegicus Sodium	
				channel, voltage-gated, type	
			1	II, alpha polypeptide (Scn2a1), mRNA. Length =	·
1523	25435	NM_012647	9	8553	<u> </u>
***************************************			1	Rattus norvegicus	
				Ryudocan/syndecan 4	
1524	9423	NM 012649	b,cc	(Sdc4), mRNA. Length = 2462	Ryudocan/syndecan 4
		1	1	Rattus norvegicus Solute	
			İ	carrier family 9	
				(sodium/hydrogen exchanger 3), antiporter 3, Na+/H+	Solute carrier family 9
			l	(amiloride insensitive)	(sodium/hydrogen exchanger 3),
			1	(Slc9a3), mRNA. Length =	antiporter 3, Na+/H+ (amiloride
1525	24496	NM_012654	n .	5153	insensitive)
1526	7101	NM 012679	x,bb, General	Rattus norvegicus Clusterin (Clu), mRNA. Length = 1638	Testostrone-repressed prostate message 2
		1		Rattus norvegicus	
			l .	Cytochrome P450 IIA2	
1527	24707	NM_012693	<u> </u>	(Cyp2a2), mRNA. Length = 2259	Cytochrome P450 IIA2
1021	124,07	14142 0 12033	<del>'</del>	Rattus norvegicus T-	Cytochione F 430 HAZ
				kininogen, see also D11Elh1	
1528	1850	NINA 042606	l _t	and D11Mit8 (Kng), mRNA. Length = 1417	T binings.
1320	1000	NM_012696	<del>                                     </del>	Rattus norvegicus T-	T-kininogen
				kininogen, see also D11Elh1	
				and D11Mit8 (Kng), mRNA.	K-kininogen, differential splicing leads
1528	1854	NM_012696	lt .	Length = 1417 Rattus norvegicus Organic	to HMW Kngk,T-kininogen
				cation transporter (Slc22a1),	
1529	1603	NM_012697	General	mRNA. Length = 1882	Organic cation transporter
				Rattus norvegicus	
1530	1372	NM 012734	u .	Hexokinase 1 (Hk1), mRNA. Length = 3653	Hexokinase 1
	1	1		Rattus norvegicus Pyruvate	,
4504			bb,	carboxylase (Pc), mRNA.	
1531	1478	NM_012744	General	Length = 3945 Rattus norvegicus Signal	Pyruvate carboxylase
				transducer and activator of	ļ
				transcription 3 (Stat3),	Signal transducer and activator of
1532	343	NM_012747 _	h,t		transcription 3
1533	8829	NM_012749	General	Rattus norvegicus Nucleolin (Ncl), mRNA. Length = 2142	Nucleolin
	1		30.,0101	Rattus norvegicus CD24	
				antigen (Cd24), mRNA.	
1534	20828	NM_012752	General		CD24 antigen
				Rattus norvegicus CD24 antigen (Cd24), mRNA.	
1534	20829	NM_012752	i,General	1	CD24 antigen

TABLES	SUMMARY				Ally, Docker No. 44921-5039W Doc. No. 1793397
Sequence ID No. 4	ldeniiier	Gonfank Acc	Model Code	Cono Nemo	Unitero Ciuster Tilo
1534	20830	NM_012752	i,General	Rattus norvegicus CD24 antigen (Cd24), mRNA.	CD24 antigen
1535	15174	NM_012756	b	like growth factor 2 receptor (Igf2r), mRNA. Length = 8810 Rattus norvegicus Lost on	Insulin-like growth factor 2 receptor
1536	21685	NM_012760	∉j,m,n	transformation 1 (Lot1), mRNA. Length = 5028 Rattus norvegicus Interleukir 1beta converting enzyme	Lost on transformation 1
1537	18068	NM_012762	t	(Casp1), mRNA. Length = 1209 Rattus norvegicus Guanylate	Interleukin 1beta converting enzyme
1538	1246	NM_012770	a,Genera	Rattus norvegicus	Guanylate cyclase, soluble, beta 2 (GTP pyrophosphate - lyase)
1539	1348	NM_012776	f	adrenergic receptor kinase, beta 1 (Adrbk1), mRNA. Length = 2683 Rattus norvegicus dual-	G-protein-linked receptor kinase (beta adrenergic receptor kinase 1)
1540	18135	NM_012791	w	specificity tyrosine-(Y)- phosphorylation regulated kinase 1a (Dyrk1a), mRNA. Length = 2840	Dual Specificity Yak1-related kinase,ESTs
1541	16947	NM_012793	p,bb	Rattus norvegicus Guanidinoacetate methyltransferase (Gamt), mRNA. Length = 924 Rattus norvegicus	Guanidinoacetate methyltransferase
1542	960	NM_012796	u	glutathione S-transferase, theta 2 (Gstt2), mRNA. Length = 1258	glutathione S-transferase, theta 2
1543	260	NM_012798	f,u ·	Rattus norvegicus MAL protein gene (Mal), mRNA. Length = 2268 Rattus norvegicus Protein C	MAL protein gene
1544	556	NM_012803	d	(Proc), mRNA. Length = 1543	Protein C
1545	21729	NM_012804	q .	Rattus norvegicus ATP- binding cassette, sub-family D (ALD), member 3 (Abcd3), mRNA. Length = 3324 Rattus norvegicus alpha- methylacyl-CoA racemase	ATP-binding cassette, sub-family D (ALD), member 3
1546	15032	NM_012816	General	(Amacr), mRNA. Length = 1504 Rattus norvegicus Insulin-	Methylacyl-CoA racemase alpha
1547	24895	NM_012817	General	like growth factor-binding protein 5 (Igfbp5), mRNA. Length = 1630	Insulin-like growth factor-binding protein 5
1548	18109	NM_012823	u,General	1454	ESTs, Weakly similar to LURT3 annexin III - rat [R.norvegicus]
1549	373	NM_012833	h,l,q, General	4918	Canalicular multispecific organic anion transporter
1550	2855	NM_012838	e	Rattus norvegicus Cystatin beta (Cstb), mRNA. Length = 590	Cystatin beta

TARIUS A	SUMMARY		Masa Maria		(AMy. Docket No. 44921-5089)
0/1993					Dog No. 1793397
Sequence		Contents Ace	Model		
ID No.	ldentifier	Rol Sogid:	Gode :	Cono Namo	Unigene Civeter Tile
				Rattus norvegicus Cytochrome C, expressed in	
				somatic tissues (Cycs),	Cytochrome C, expressed in somatic
1551	11136	NM_012839	S	mRNA. Length = 318 Rattus norvegicus Epidermal	tissues
4550				growth factor (Egf), mRNA.	
1552	20885	NM_012842	<u>a</u>	Length = 4801 Rattus norvegicus Epidermal	Epidermal growth factor
1552	20884	NM_012842	a,bb	growth factor (Egf), mRNA. Length = 4801	Epidermal growth factor
1002	320004	NW 012042	- 00	Rattus norvegicus	Lpidermai grown ractor
				Lysosomal associated membrane protein 1 (120	
				kDa) (Lamp1), mRNA.	Lysosomal associated membrane
1553	18770	NM_012857	le	Length = 2006 Rattus norvegicus O6-	protein 1 (120 kDa) ESTs, Weakly similar to S21348
				methylguanine-DNA methyltranferase (Mgmt).	probable pol polyprotein-related
1554	20674	NM_012861	ļi _	mRNA. Length = 812	protein 4 - rat [R.norvegicus],O6- methylguanine-DNA methyltranferase
			a,r,	Rattus norvegicus Matrix Gla protein (Mgp), mRNA.	
1555	13151	NM_012862	General	Length = 521	Matrix Gla protein
		]		Rattus norvegicus tumor necrosis factor receptor	
				superfamily, member 11b	
				(osteoprotegerin) (Tnfrsf11b), mRNA. Length =	
1556	24617	NM_012870	General	2432 Ribosomal protein L39	Osteoprotegerin
				(Rpl39), mRNA. Length =	
1557	20945	NM_012875	a,v	324	Ribosomal protein L39
				Rattus norvegicus Solute	
				carrier family 2 A2 (gkucose transporter, type 2) (Slc2a2),	Solute carrier family 2 A2 (gkucose
1558	15872	NM_012879	o,r	mRNA. Length = 2573	transporter, type 2)
				Rattus norvegicus Superoxide dismutase 3	
1559	495	NM 012880	z	(Sod3), mRNA. Length = 1729	Superoxide dimutase 3
1000	133	1447-012000	<u> </u>	Rattus norvegicus	Coperoxide dimitage o
			,	Superoxide dismutase 3 (Sod3), mRNA. Length =	
1559	494	NM_012880	c ,	1729	Superoxide dimutase 3
				Rattus norvegicus Sialoprotein (osteopontin)	
1560	23651	NM 012881	d,u, General	(Spp1), mRNA. Length = 1457	Sialoprotein (osteopontin)
1300	123031		Jonala	1	EST, Moderately similar to ACDV RAT
				Rattus norvegicus Acyl-Coa dehydrogenase, Very long	ACYL-COA DEHYDROGENASE, VERY-LONG-CHAIN SPECIFIC,
4500	46:			chain (Acadvl), mRNA.	MITOCHONDRIAL PRECURSOR
1562	19477	NM_012891	q	Length = 2117 Rattus norvegicus	[R.norvegicus]
				aminolevulinate,delta-	Dolto , aminologolicia asid
1563	18564	NM_012899	v;General	Length = 1116	Delta - aminolevulinic acid dehydratase
			f.r.cc.Gen	Rattus norvegicus Annexin 1 (p35) (Lipocortin 1) (Anxa1),	
1564	7197	NM_012904 .	eral	mRNA. Length = 1402	Annexin 1 (p35) (Lipocortin 1)
		,	v,cc,	Rattus norvegicus Annexin 1 (p35) (Lipocortin 1) (Anxa1),	
1564	7196	NM_012904	General	mRNA. Length = 1402	Annexin 1 (p35) (Lipocortin 1)
				Rattus norvegicus Aquaporin 2 (Aqp2), mRNA. Length =	
1565	20202	NM_012909	1		Aguaporin 2

TABLE 1:	SUMMARY				Ally. Docket No. 44921-5039V Doc. No. 1793697
ලා හුණ ළබොහෙමේ	ldentifier.	GenBank/Acc/ Raf. Seq ID	Model Gode	Gene Namo	Unigana Givatar Villa
				Rattus norvegicus Arrestin, beta 2 (Arrb2), mRNA.	
1566	16581	NM 012911	c,j	Length = 1758	Arrestin, beta 2
				Rattus norvegicus Arrestin,	
1566	16582	NM_012911	c	beta 2 (Arrb2), mRNA. Length = 1758	Arrestin, beta 2
	1.0002		1	Rattus norvegicus Activating	
4507				transcription factor 3 (Atf3),	
1567	24431	NM_012912	General	mRNA. Length = 1893 Rattus norvegicus ATPase.	Activating transcription factor 3
				Na+K+ transporting, beta	
1568	10110	NIM 042042		polypeptide 3 (Atp1b3),	ATPase, Na+K+ transporting, beta
1008	18118	NM_012913	P	mRNA. Length = 1818 Rattus norvegicus ATPase	polypeptide 3
				inhibitor (rat mitochondrial	
1569	6108	NM 012915	n	IF1 protein) (Atpi), mRNA. Length = 833	ATPase inhibitor (rat mitochondrial IF protein)
1003	10100	INIM DIZEID	<u> </u>	Rattus norvegicus Cyclin G1	protein)
				(Ccng1), mRNA. Length =	
1570	20757	NM_012923	c,i,aa	3169 Rattus norvegicus Cyclin G1	Cyclin G1
				(Ccng1), mRNA. Length =	1
1570	20755	NM_012923	i	3169	Cyclin G1
		a de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de l	1	Rattus norvegicus CD59 antigen (Cd59), mRNA.	1
1571	2830	NM 012925	f .	Length = 1523	CD59 antigen
				Rattus norvegicus CD59	
1571	2831	NM_012925	ſ	antigen (Cd59), mRNA. Length = 1523	CD59 antigen
107 1	12001	NW_012323 #	<u>'</u>	Rattus norvegicus Carnitine	CD09 anagen
				palmitoyltransferase 2	
1572	1977	NM 012930		(Cpt2), mRNA. Length = 2296	Caraitina palmitoultranaforma 2
1312	1977	1401 012930	ig 💮	Rattus norvegicus v-crk-	Carnitine palmitoyltransferase 2
			1	associated tyrosine kinase	
1573	18694	NM 012931	j,l,m,z	substrate (Crkas), mRNA. Length = 3335	v-crk-associated tyrosine kinase substrate
1313	10034	14101 012931	J,1,111,Z	Rattus norvegicus Crystallin,	Isobstrate
				alpha polypeptide 2 (Cryab),	
1574	13723	NM_012935	n	mRNA. Length = 528 Rattus norvegicus Cathepsin	Crystallin, alpha polypeptide 2,ESTs
			į	H (Ctsh), mRNA. Length =	
1575	9109	NM_012939	j,y,z	1362	Cathepsin H
				Rattus norvegicus Cathepsin H (Ctsh), mRNA. Length =	
1575	19398	NM_012939	aa	1362	EST
				Rattus norvegicus Diphtheria	
			ì	toxin receptor(heparin binding epidermal growth	Diphtheria toxin receptor (heparin
			*	factor - like growth factor)	binding epidermal growth factor - like
1576	223	NM_012945	b,cc	(Dtr), mRNA. Length = 1550	growth factor)
			Î	Rattus norvegicus Thrombin receptor (F2r), mRNA.	
1577	15058	NM_012950	cc	Length = 3418	Thrombin receptor
				Rattus norvegicus High	
1579	19111	NM 012963	,	rnobility group 1 (Hmg1), mRNA. Length = 1225	High mobility group 1
.010	1,3,11	1117_012303	g a	Rattus norvegicus	riigii illooliity group 1
				Hyaluronan mediated motility	
580	19374	NM 012064	x ]	receptor (RHAMM) (Hmmr), mRNA, Length = 2049	Hyaluronan mediated motility receptor (RHAMM)
JJU	1,33/4	NM_012964	******	Rattus norvegicus	(LICIDAIMINI)
				Intercellular adhesion	
	1 '	1	1	molecule 1 (Icam1), mRNA.	

TABLE 1: 8	BUMMARY				. Ally. Docket No. 42921-5039W0 Doc. No. 1793997.
Sequence ID No.	rilliaedi	GonBank/Acc/ Ref. Scop (D)	Model Code	Gene Name	Unigene Cheter Tille
1581	2555	NM_012967	t,cc, General	Rattus norvegicus Intercellular adhesion molecule 1 (Icam1), mRNA. Length = 2602 Rattus norvegicus Potassium	Intercellular adhesion molecule 1
1582	24528	NM_012973	c	(K+) channel protein, slowly activating (Isk) (Kcne1), mRNA. Length = 585	Potassium (K+) channel protein, slowly activating (lsk)
1583	956	NM_012976	С	Rattus norvegicus Lectin, galactose binding, soluble 5 (Galectin-5) (Lgals5), mRNA. Length = 872	Lectin, galactose binding, soluble 9 (Galectin-9)
1594	16417	NIM 012001		Rattus norvegicus Nucleoprotein 50kD (Nup50), mRNA. Length = 3027	Nuclear pore associated protein
1584	17393	NM_012991	g d	Rattus norvegicus Nucleoplasmin-related protein (Nuclear protein B23 (Npm1), mRNA. Length =	Nucleoplasmin-related protein
1586	23544	NM 013013	s	Rattus norvegicus Prosaposin (sulfated glycoprotein, sphingolipid hydrolase activator) (Psap), mRNA. Length = 2175	Prosaposin (sulfated glycoprotein, sphingolipid hydrolase activator)
•				Rattus norvegicus Syndecan 1 (Sdc1), mRNA. Length =	
1587	1588	NM_013026 =	k	2410 Rattus norvegicus Selenoprotein W muscle 1 (Sepw1), mRNA. Length =	Syndecan 1
1588	17894	NM_013027	s,v, General	Rattus norvegicus Solute carrier family 17 (sodium/hydrogen exchanger), member 2 (Slc34a1), mRNA. Length = 2440	Selenoprotein W muscle 1  Rattus norvegicus mRNA for NaPi-2 alpha, complete cds
		NM_013030	7	Rattus norvegicus Solute carrier family 17 (sodium/hydrogen exchanger), member 2 (Slc34a1), mRNA. Length =	Solute carrier family 17 (sodium/hydrogen exchanger),
1589	18076	NM_013030	g,s,z		member 2  Rattus norvegicus mRNA for NaPi-2 alpha, complete cds, Solute carrier family 17 (sodium/hydrogen
1589	18078	NM_013030	S	2440 Rattus norvegicus Solute carrier family 17 (sodium/hydrogen exchanger), member 2	exchanger), member 2  Solute carrier family 17
1589	18077 ,	NM_013030 s	e,s,z	2440 Rattus norvegicus ATP- binding cassette, sub-family C (CFTR/MRP), member 9	(sodium/hydrogen exchanger), member 2
1591	730	NM_013040	w	(Abcc9), mRNA. Length = 5000	Sulfonylurea receptor 2

TABUE 1:	SUMMARY				Aily, Docket No. 44921-5089W. Doc. No. 1798897.
Segrance Divo.	refilmed)	Consent Acc.	Mode) Code		Unigene Cluster Tille
1592	.17401	NM_013043	i,o, General	Rattus norvegicus Transforming growth factor beta stimulated clone 22 (Tgfb1i4), mRNA. Length = 1666	Transforming growth factor beta stimulated clone 22
1593	16684	NM_013052	General	Rattus norvegicus Tyrosine 3 monooxygenase/tryptophan 5-monooxygenase activation protein, eta polypeptide (Ywhah), mRNA. Length = 1689	
1594	14421	NM_013053	u , s	Rattus norvegicus Tyrosine 3 monooxygenase/tryptophan 5-monooxygenase activation protein, theta polypeptide (Ywhaq), mRNA. Length = 2099	
1595	₈ 15254	NM_013058	k	Rattus norvegicus Inhibitor of DNA binding 3, dominant negative helix-loop-helix protein (Id3), mRNA. Length = 568	Inhibitor of DNA binding 3, dominant negative helix-loop-helix protein
1596	14997	NM_013059	s,z -	Rattus norvegicus Tissue- nonspecific ALP alkaline phosphatase (AlpI), mRNA. Length = 2415 Rattus norvegicus Tissue-	Tissue-nonspecific ALP alkaline phosphatase
1596	14996	NM_013059	General	nonspecific ALP alkaline phosphatase (AlpI), mRNA. Length = 2415	Tissue-nonspecific ALP alkaline phosphatase
1597	a 25676	NM 013069	aa	Rattus norvegicus CD74 antigen (invariant polipyeptide of major histocompatibility class II antigen-associated) (Cd74), mRNA. Length = 1150	
1597	16924	NM 013069	0	Rattus norvegicus CD74 antigen (invariant polpypeptide of major histocompatibility class II antigen-associated) (Cd74), mRNA. Length = 1150	CD74 antigen (invariant polpypeptide of major histocompatibility class II antigen-associated)
1598	24748		h,q	Rattus norvegicus Utrophin (Utrn), mRNA. Length = 10,705	Utrophin
1599	1529	NM_013082	d,General	Rattus norvegicus Ryudocan/syndecan 2 (Sdc2), mRNA. Length = 2153	Ryudocan/syndecan 2
1600		NM 013091	j,l,z, General	Rattus norvegicus Tumor necrosis factor receptor superfamily, member 1a (Tnfr1), mRNA. Length = 2130	Tumor necrosis factor receptor
1601	1685	NM_013096		Rattus norvegicus Hemoglobin, alpha 1 (Hba1), mRNA. Length = 556 Rattus norvegicus	Hemoglobin, alpha 1
1601	26150	NM_013096	c,i	Hemoglobin, alpha 1 (Hba1), mRNA. Length = 556 Rattus norvegicus	
1601	1688	NM_013096	р	Hemoglobin, alpha 1 (Hba1), mRNA. Length = 556	Hemoglobin, alpha 1

TABLE 18	SUMMARY				** Alily. Docket No. 44921-5089000
Sequence	1 266	GenBank (Accel			Doc. No. 1793997.1
ID (yor seelneuse	lenilliar	Refe <b>Seq</b> ID	Model Gode	Gene Name	Unigano Civeter Title
				Rattus norvegicus Hemoglobin, alpha 1 (Hba1),	
1601	1689	NM_013096	с,р	mRNA. Length = 556	Hemoglobin, alpha 1
				Rattus norvegicus Hemoglobin, alpha 1 (Hba1),	
1601	1684	NM_013096	c,s,aa	mRNA. Length = 556	Hemoglobin, alpha 1
				Rattus norvegicus Deoxyribonuclease I	
1602	20886	NM 013097	u,x,bb	(Dnase1), mRNA. Length =	Deoxyribonuclease I
1002	120000	0,000,	0,4,00	Rattus norvegicus	
				Deoxyribonuclease I (Dnase1), mRNA. Length =	
1602	20887	NM_013097	u,x,bb	1143	Deoxyribonuclease I
				Rattus norvegicus Glucose-6 phosphatase (G6pc), mRNA.	
1603	1321	NM_013098	С	Length = 2237 Rattus norvegicus FK506-	Glucose-6-phosphatase
				binding protein 1 (12kD)	
1604	15296	NM 013102	l,m	(Fkbp1a), mRNA. Length =	FK506-binding protein 1 (12kD)
1001	1			Rattus norvegicus ATPase	
				Na+/K+ transporting beta 1 polypeptide (Atp1b1),	ATPase Na+/K+ transporting beta 1
1606	23709	NM_013113	o,s,z,aa	mRNA. Length = 2528 Rattus norvegicus ATPase	polypeptide
				Na+/K+ transporting beta 1	
1606	23711	NM 013113 *	р	polypeptide (Atp1b1), mRNA. Length = 2528	ATPase Na+/K+ transporting beta 1 polypeptide
1000	120/11	010110	P	Rattus norvegicus ATPase	
				Na+/K+ transporting beta 1 polypeptide (Atp1b1),	ATPase Na+/K+ transporting beta 1
1606	23710	NM_013113	s	mRNA. Length = 2528 Rattus norvegicus Guanylate	polypeptide
				cyclase activator 2 (guanylin)	
1607	1976	NM 013118	u .	(Guca2a), mRNA. Length =	Guanylate cyclase activator 2 (guanylin)
1007	1370	THIS CIST O			(gazi, m.)
			4	Rattus norvegicus MAD (mothers against	
				decapentaplegic, Drosophila) homolog 1 (Madh1), mRNA.	MAD (mothers against decapentaplegic, Drosophila) homolog
1609	870	NM_013130	h	Length = 2002	1
				Rattus norvegicus Annexin V (Anx5), mRNA. Length =	
1610	16650	NM_013132	u,General	1417	Annexin V
				Rattus norvegicus 3-hydroxy- 3-methylglutaryl-Coenzyme	
1611	650	NIM 013134	h ,	A reductase (Hmgcr), mRNA, Length = 2664	3-hydroxy-3-methylglutaryl-Coenzyme A reductase
1611	650	NM_013134		Rattus norvegicus 3-hydroxy-	n reductions
			_	3-methylglutaryl-Coenzyme A reductase (Hmgcr),	3-hydroxy-3-methylglutaryl-Coenzyme
1611	651	NM_013134	h,j,l	mRNA. Length = 2664	A reductase
			,	Rattus norvegicus Inositol 1, 4, 5-triphosphate receptor 3	
1010	4740	NINA 043499	Concert	(Itpr3), mRNA. Length =	Inocital 1 A 5 triphesehote recents 2
1612	1712	NM_013138	General	8806 Rattus norvegicus Insulin-	Inositol 1, 4, 5-triphosphate receptor 3
			o,v,	like growth factor binding protein 1 (Igfbp1), mRNA.	Insulin-like growth factor binding
1613	16982	NM_013144	General	Length = 1500	protein 1

TABUES	SUMMARY				AMTy, Docket No. 44921-503900 Doc. No. 1793397
Segunc ID Ko.		GenBenk Acel Ref. Seq ID	Model Godo	Cono (Yamo	Unigeno Civeter Milo
			t,cc,	Rattus norvegicus CCAAT/enhancerbinding, protein (C/EBP) delta (Cebpd), mRNA. Length =	CCAAT/enhancerbinding, protein
1614	4 21683 	NM_013154	General	Rattus norvegicus CCAAT/enhancerbinding, protein (C/EBP) delta	(C/EBP) delta
1614	21682	NM_013154	СС	(Cebpd), mRNA. Length = 1200 Rattus norvegicus Cathepsin	CCAAT/enhancerbinding, protein (C/EBP) delta
1615	3431	NM_013156	b,g,n	L (Ctsl), mRNA. Length = 1386 Rattus norvegicus Cathepsin	Cathepsin L
1615	25567	NM_013156	v,General	Rattus norvegicus Cathepsin	
1615	₃ 3430	NM_013156	General	L (Ctsl), mRNA. Length = 1386 Rattus norvegicus Insulin	Cathepsin L
1616	1309	NM_013159	w	degrading enzyme (Ide), mRNA. Length = 4276 Rattus norvegicus Insulin degrading enzyme (Ide),	Insulin degrading enzyme
1616	1310	NM_013159	w	mRNA. Length = 4276 Rattus norvegicus Transforming growth factor,	Insulin degrading enzyme
1617	21723	NM_013174	w .	beta 3 (Tgfb3), mRNA. Length = 2633 Rattus norvegicus Protein	Transforming growth factor, beta 3
1618	1314	NM_013181	m	kinase, cAMP dependent, regulatory, type 1 (Prkar1a), mRNA. Length = 1433	Protein kinase, cAMP dependent, regulatory, type 1
1619	17357	NM_013183	p,bb, General	Rattus norvegicus Meprin 1 beta (Mep1b), mRNA. Length = 2290	Meprin 1 beta
4000	4200	A.D.A. 0.4.2.4.0.0		Rattus norvegicus Phosphofructokinase, liver, B-type (Pfkl), mRNA. Length = 2740	Dhaanhafuutakingaa liyas Dhaa
1620	1300	NM_013190	y 	Rattus norvegicus Aminolevulinate synthase 2, delta (Alas2), mRNA. Length	Phosphofructokinase, liver, B-type
1621	16448	NM_013197	C	= 1899 Rattus norvegicus Carnitine palmitoyltransferase 1 beta, muscle isoform (Cpt1b),	Aminolevulinate synthase 2, delta  Carnitine palmitoyltransferase 1 beta,
1622	20856	NM_013200	b	mRNA. Length = 2826  Rattus norvegicus acyl-CoA	muscle isoform Rattus norvegicus brain cytosolic acyl coenzyme A thioester hydrolase
1623	397	NM_013214	f	hydrolase (RBACH), mRNA. Length = 1523 Rattus norvegicus aflatoxin B1 aldehyde reductase	mRNA, complete cds,acyl-CoA hydrolase
1624	20864	NM_013215	g,n,y	(AFAR), mRNA. Length =	aflatoxin B1 aldehyde reductase
1625	₄ 20728	NM_013217	v	Rattus norvegicus afadin (AF-6), mRNA. Length = 5957 a Rattus norvegicus	afadin
1626	1396	NM_013222	j		augmenter of liver regeneration
1627	815	NM_013224	w	Rattus norvegicus ribosomal protein S26 (Rps26), mRNA. Length = 435	ribosomal protein S26

TABLE 1: E	SUMMARY				: <b>Ally</b> , Dockel No. 44 <b>92</b> 1-5089W0 Doc. No. 1793897.
Sequence D No. ::	ldentifier	GenBank Acc/ Raf. Seqlb	Model Code	Gene Name	CIII retevis eregicu
1628	18305	NM_013226	v	Rattus norvegicus ribosomal protein L32 (Rpl32), mRNA. Length = 465	
	11			Rattus norvegicus Acyl- Coenzyme A dehydrogenase, C-4 to C-12 straight-chain (Acadm),	Acyl-Coenzyrne A dehydrogenase, C-
1629	21078	NM_016986	d	mRNA. Length = 1866	4 to C-12 straight-chain
1630	24649	NM 016988	v	Rattus norvegicus Acid phosphatase 2, lysozymal (Acp2), mRNA. Length = 2009	Acid phosphatase 2, lysozymal
1631	15239	NM_016989	q,w	Rattus norvegicus adenylate cyclase activating polypeptide 1 (Adcyap1), mRNA. Length = 2681	
1632	45	NM_016996	General	Rattus norvegicus Calcium- sensing receptor (hypocalciuric hypercalcemia 1, severe neonatal hyperparathyroidism) (Casr), mRNA. Length = 4113	
1633	20714	NM 016999		Rattus norvegicus Cytochrome P450, subfamily IVB, polypeptide 1 (Cyp4b1), mRNA. Length = 2462	Cytochrome P450, subfamily IVB, polypeptide 1
1633	20713	NM_016999	t	Rattus norvegicus Cytochrome P450, subfamily	Cytochrome P450, subfamily IVB, polypeptide 1
1633	20711	NM_016999	g,t	Rattus norvegicus Cytochrome P450, subfamily IVB, polypeptide 1 (Cyp4b1), mRNA. Length = 2462	Cytochrome P450, subfamily IVB, polypeptide 1
1633	20715	NM_016999	q,t	Rattus norvegicus Cytochrome P450, subfamily IVB, polypeptide 1 (Cyp4b1), mRNA. Length = 2462	Cytochrome P450, subfamily IVB, polypeptide 1
4004	1000	NA 047000	e,n,p,	Rattus norvegicus Diaphorase (NADH/NADPH) (Dia4), mRNA. Length =	Discharge (MADUMADDI)
1634	1698	NM_017000	h,n,	Rattus norvegicus Glucose-6 phosphate dehydrogenase (G6pd), mRNA. Length =	Diaphorase (NADH/NADPH)
1635	18989	NM_017006	General n	2324 Rattus norvegicus Glutathione-S-transferase, alpha type (Yc?) (Gsta2), mRNA. Length = 830	Glucose-6-phosphate dehydrogenase Glutathione-S-transferase, alpha type (Yc?)
1638	21013	NM_017014	e,f	Rattus norvegicus Glutathione-S-transferase, mu type 2 (Yb2) (Gstm2), mRNA. Length = 1055	Glutathione-S-transferase, mu type 2 (Yb2)
1638	21015	NM_017014		Rattus norvegicus Glutathione-S-transferase, mu type 2 (Yb2) (Gstm2), mRNA. Length = 1055	Glutathione-S-transferase, mu type 2 (Yb2)

TABLE 1: £	OMMARY				Ally, Dockel No. 44921-5039WG Doc. No. 1793397.
Sequence ID No.	licanimer -	Gallank Acc Ral Sco (D	Model Gode	Gene Name	Walgene Gluster Tille .
1639	11836	NM 017023	b	Rattus norvegicus Potassium inwardly-rectifying channel, subfamily J (Kcnj1), mRNA. Length = 2069	Potassium inwardly-rectifying channel
1639	5475	NM_017023	b	Rattus norvegicus Potassium inwardly-rectifying channel, subfamily J (Kcnj1), mRNA. Length = 2069	ESTs,Potassium inwardly-rectifying channel, subfamily J
				Rattus norvegicus Potassium inwardly-rectifying channel, subfamily J (Kcnj1), mRNA.	
1639	25546	NM_017023	b,bb	Length = 2069   Rattus norvegicus Lactate   dehydrogenase A (Ldha),	
1640	17807	NM_017025	i,General	mRNA. Length = 1609 Rattus norvegicus Protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform (Ppp2cb), mRNA.	Lactate dehydrogenase A Protein phosphatase 2 (formerly 2A),
1641	24597	NM_017040	u	Length = 1843 Rattus norvegicus Solute carrier family 4, member 2, anion exchange protein 2	catalytic subunit, beta isoform
1642	24696	NM_017048	f,j,z	(Slc4a2), mRNA. Length = 4057	Solute carrier family 4, member 2, anion exchange protein 2
1643	<b>24695</b>	NM_017049	u	Rattus norvegicus Solute carrier family 4, member 3, anion exchange protein 3 (Slc4a3), mRNA. Length = 3877	Solute carrier family 4, member 3, anion exchange protein 3
1040	1			Rattus norvegicus Superoxide dismutase 1, soluble (Sod1), mRNA.	and ordinary process
1644	20876	NM_017050	j,n,z	Length = 650  Rattus norvegicus Bcl2- associated X protein (Bax),	Superoxide dimutase 1, soluble
1645	910	NM_017059	f,i,m	mRNA. Length = 579 Rattus norvegicus Bcl2- associated X protein (Bax),	Bcl2-associated X protein
1645	912	NM_017059	i	mRNA. Length = 579 Rattus norvegicus Lysyl	Bcl2-associated X protein
1646	1946	NM_017061	h	oxidase (Lox), mRNA. Length = 4557 Rattus norvegicus Lysyl	Lysyl oxidase
1646	1942	NM_017061	t,General	oxidase (Lox), mRNA. Length = 4557 Rattus norvegicus Lysyl	Lysyl oxidase
1646	1943	NM_017061	t ,	oxidase (Lox), mRNA. Length = 4557 Rattus norvegicus	Lysyl oxidase
			_	Pleiotrophin (Heparine binding factor, Hbnf, in the mouse) (Ptn), mRNA. Length	Pleiotrophin (Heparine binding factor,
1647	6062	NM_017066	d	= 1246 Rattus norvegicus Lysosomal-associated membrane protein 2	Hbnf, in the mouse)
1648	6654	NM_017068	w	(Lamp2), mRNA. Length = 1548 Rattus norvegicus Glutamine	Lysosomal-associated membrane protein 2
1649	11153	NM_017073	s		Glutamine synthetase (glutamate- ammonia ligase)

TABLE 1:	SUMMARY				Airy, Docker No. 44921-5089W
Sequence In Ma	ldenilier	Genbenk Acc Rel Seg ID	Modal Goda	Grane Neuro	Doc No. 1793397 A Villene Gluster Title
1650	923	NM_017076	General	Rattus norvegicus Tumor- associated glycoprotein pE4 (Tage4), mRNA. Length = 2171	Tumor-associated glycoprotein pE4
1651	1523	NM_017079	s	Rattus norvegicus CD1D antigen (Cd1d), mRNA. Length = 1835	CD1D antigen
				Rattus norvegicus Hydroxysteroid dehydrogenase, 11 beta type 1 (Hsd11b1), mRNA. Length	Hydroxysteroid dehydrogenase, 11
1652	23660	NM_017080	b,d,	= 1265 Rattus norvegicus Hydroxysteroid dehydrogenase, 11 beta type 2 (Hsd11b2), mRNA. Length	beta type 1  Hydroxysteroid dehydrogenase, 11
1653	275	NM_017081	General	= 1864 Rattus norvegicus Urmodulin	beta type 2
1654	16211	NM_017082	j,s,z	(Tamm-Horsfall protein) (Umod), mRNA. Length = 2227	Urmodulin (Tamm-Horsfall protein)
1655	1552	NM_017084	j	Rattus norvegicus Glycine methyltransferase (Gnmt), mRNA. Length = 988	Glycine methyltransferase
1655	1550	NM_017084	y	Rattus norvegicus Glycine methyltransferase (Gnmt), mRNA. Length = 988	Glycine methyltransferase
1656	# 22552	NM 017087	a,k,x	Rattus norvegicus Small proteoglycan I (biglycan), bone (BSPG1) (bone/cartilage proteclycan 1 precursor) (Bgn), mRNA. Length = 2446	Small proteoglycan I (biglycan), bone (BSPG1) (bone/cartilage proteclycan 1 precursor)
1657	8888	NM 017090	m	Rattus norvegicus guanylate cyclase 1, soluble, alpha 3 (Gucy1a3), mRNA. Length = 4775	Guanylate cyclase, soluble, alpha 1 (GTP pyrophosphate - lyase)
1658	10887	NM_017094	a,General	Rattus norvegicus Growth hormone receptor (Ghr), mRNA. Length = 2950	Growth hormone receptor
1050	4202	NIM 017101		Rattus norvegicus Peptidylprolyl isomerase A (cyclophilin A) (Ppia), mRNA. Length = 743	Peptidylprolyl isomerase A (cyclophilin
1659	4393	NM_017101	a,y	Rattus norvegicus solute carrier family (organic anion transporter) member 1 (Slc21a1), mRNA. Length =	A)  solute carrier family (organic anion
1660	24770	NM_017111	đ	2758 Rattus norvegicus granulin	transporter) member 1
1661 1661	20745	NM_017113 NM_017113	e ,	(Grn), mRNA. Length = 2113 Rattus norvegicus granulin (Grn), mRNA. Length = 2113	
				Rattus norvegicus hippocalcin (Hpca), mRNA.	
1662	1375	NM_017122 *	w	Length = 1561 Rattus norvegicus CD37 antigen (Cd37), mRNA.	hippocalcin
1663	12903	NM_017124	<u>k</u>	Length = 1158  Rattus norvegicus laminin receptor 1 (Lamr1), mRNA.	CD37 antigen
1664	24885	NM_017138	Г	Length = 1018  Rattus norvegicus laminin receptor 1 (Lamr1), mRNA.	laminin receptor 1
1664	24886	NM_017138	đ,q	Length = 1018	laminin receptor 1

TABLE 1: 8	SUMMARY				Ally, Dockel No. 44921-5039W. Doc. No. 1793397.
Sequence ID No.		GenBank Accl Ref. See ID	Model Code	Ceno Namo	Unicene Gluster Title
		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20 optionibation (section)	Rattus norvegicus cofilin 1,	
				non-muscle (Cfl1), mRNA.	
1665	15363	NM_017147	ln,u	Length = 1039 Rattus norvegicus cysteine	cofilin 1, non-muscle
				rich protein 1 (Csrp1),	
1666	13392	NM_017148	u,Genera	mRNA. Length = 1403	cysteine rich protein
	1 .			Rattus norvegicus ribosomal	
1667	5351	NM 017150	l.	protein L29 (Rpl29), mRNA. Length = 630	ribosomal protein L29
	1	011100	<del></del>	Rattus norvegicus ribosomal	
	į			protein S15 (Rps15), mRNA.	
1668	16954	NM_017151	a,n	Length = 487	ribosomal protein S15
				Rattus norvegicus ribosomal protein S17 (Rps17), mRNA.	]
1669	21643	NM_017152	g .	Length = 466	ribosomal protein S17
				Rattus norvegicus ribosomal	
1670	1694	NIM 047452		protein S3a (Rps3a), mRNA. Length = 880	sibonomal aratain 82-
1070	1094	NM_017153	a,q	Rattus norvegicus ribosomal	ribosomal protein S3a
			bb,	protein S6 (Rps6), mRNA.	
1671	17104	NM_017160	General	Length = 801	ribosomal protein S6
				Rattus norvegicus ribosomal	
1671	17106	NM 017160	u	protein S6 (Rps6), mRNA. Length = 801	ribosomal protein S6
				Rattus norvegicus ribosomal	The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon
				protein S6 (Rps6), mRNA.	
1671	17107	NM_017160	d,e	Length = 801	ribosomal protein S6
				Rattus norvegicus	
				glutathione peroxidase 4	
1672	17686	NM_017165	n,q	(Gpx4), mRNA. Length = 872	glutathione peroxidase 4
			1	Rattus norvegicus Leukemia- associatedcytosolic	
				phosphoprotein stathmin	
				(Lap18), mRNA. Length =	Leukemia-associated cytosolic
1673	20702	NM_017166	С	1054	phosphoprotein stathmin
				Rattus norvegicus choline/ethanolamine kinase	
				(Chetk), mRNA. Length =	
1674	3513	NM_017177	r ,	1679	choline/ethanolamine kinase
				Rattus norvegicus T-cell	
				death associated gene (Tdag), mRNA. Length =	
1675	19031	NM_017180	v,General	1353	T-cell death associated gene
				Rattus norvegicus high	
				mobility group box 2	
1676	15437	NM 017187	x,z	(Hmgb2), mRNA. Length =	high mobility group protein 2
	1		·	Rattus norvegicus high	g mosy group protein 2
				mobility group box 2	
1676	45422	NIM 047407	. 1	(Hmgb2), mRNA. Length =	high makilih, agawa ayata'a 0
1676	15433	NM_017187	у	1072 Rattus norvegicus high	high mobility group protein 2
			- 1	mobility group box 2	<b> </b>
				(Hmgb2), mRNA. Length =	
1676	15434	NM_017187		1072	high mobility group protein 2
				Rattus norvegicus Myelin- associated glycoprotein	
				(Mag), mRNA. Length =	
1677	24437	NM_017190	p ∤	2474	Myelin-associated glycoprotein
				Rattus norvegicus	
				kynurenine aminotransferase II (Kat2), mRNA. Length =	l
1678	1542	NM_017193			kynurenine aminotransferase II

TABLES	SUMMARY				Ally, Dockel No. 44221-50320
			1.6.2		
Sequence ID No.	  dentitier	ConBank Acel Ref. Scolle	Model Gode	Gane Name	Unigano Gluster Milo
1679	14695	NM_017202	, q,s	Rattus norvegicus cytochrome c oxidase, subunit IVa (Cox4a), mRNA Length = 696	cytochrome c oxidase, subunit IV
1679	14694	NM 017202	s,z	Rattus norvegicus cytochrome c oxidase, subunit IVa (Cox4a), mRNA. Length = 696	cytochrome c oxidase, subunit IV
				Rattus norvegicus outer dense fiber of sperm tails 2 (Odf2), mRNA. Length =	Cytochronic C Onlease, Subunit IV
1680	1428	NM_017213	m	Rattus norvegicus solute carrier family 3, member 1	outer dense fiber of sperm tails 2
1681	1622	NM_017216	g,j,s,z	(Slc3a1), mRNA. Length = 2305 Rattus norvegicus 6-pyruvoy	solute carrier family 3, member 1
1682	13642	NM_017220	v	tetrahydropterin synthase (Pts), mRNA. Length = 1176 Rattus norvegicus 6-pyruvoy	ESTs
1682	19976	NM_017220	w	tetrahydropterin synthase (Pts), mRNA. Length = 1176	
1683	1510	NM_017224	General	Rattus norvegicus organic cationic transporter-like 1 (Orctl1), mRNA. Length = 2227	organic cationic transporter-like 1
				Rattus norvegicus dentatorubral pallidoluysian atrophy (Drpla), mRNA.	
1684	1811	NM_017228	j,l,m,z	Length = 4387 Rattus norvegicus eukaryotic	dentatorubral pallidoluysian atrophy
1686	17563	NM_017245	a,c,e,q	translation elongation factor 2 (Eef2), mRNA. Length = 2626	eukaryotic translation elongation factor 2
1687	17502	NM 017248	,	Rattus norvegicus heterogeneous nuclear ribonucleoprotein A1 (Hnrpa1), mRNA. Length =	heterogeneous nuclear
1007	317302	3 NM_017248		1696 Rattus norvegicus heterogeneous nuclear ribonucleoprotein A1	ribonucleoprotein A1
1687	17501	NM_017248	x	(Hnrpa1), mRNA. Length = 1696 Rattus norvegicus B-cell	heterogeneous nuclear ribonucleoprotein A1
1688	19	NM_017258	1	translocation gene 1, anti- proliferative (Btg1), mRNA. Length = 1464	B-cell translocation gene 1, anti-
			4	Rattus norvegicus B-cell translocation gene 2, anti-proliferative (Btq2), mRNA.	
1689	15300		General	Length = 2519 Rattus norvegicus B-cell	B-cell translocation gene 2, anti- proliferative
1689	15301	1	l,m,v,aa,c c, General	translocation gene 2, anti- proliferative (Btg2), mRNA. Length = 2519	B-cell translocation gene 2, anti- proliferative
1689	15299		l,y,cc,		B-cell translocation gene 2, anti- proliferative
690	15224	NIM 017264			protease (prosome, macropain) 28
	H 17447	NM_017264 (	<u> </u>	mRNA. Length = 921	subunit, alpha

TABLE 1:	SUMMARY		gigar Tagan		Atty, Dockst No. 44921-5039W0 Doc. No. 1793397
Sequence		Genbenk Acel Ref. Seg ID	Model Godo	Gene Namo	Unigene Cluster Tide
1691	3987	NM 017280	bb	Rattus norvegicus proleasome (prosome, macropain) subunit, alpha type 3 (Psma3), mRNA. Length = 897	proteasome (prosome, macropain) subunit, alpha type 3
				Rattus norvegicus proteasome (prosome, macropain) subunit, alpha type 4 (Psma4), mRNA.	proteasome (prosome, macropain)
1692	1447	NM_017281		Length = 1121 Rattus norvegicus proteasome (prosome, macropain) subunit, alpha type 6 (Psma6), mRNA.	subunit, alpha type 4 proteasome (prosome, macropain)
1693	15535	NM_017283	s,bb	Length = 932 Rattus norvegicus ATPase, Ca++ transporting, cardiac muscle, slow twitch 2 (Atp2a2), mRNA. Length =	subunit, alpha type 6  ATPase, Ca++ transporting, cardiac
1694	12349	NM_017290	General	5648 Rattus norvegicus calcium channel, voltage-dependent, L type, alpha 1D subunit (Cacna1d), mRNA. Length =	muscle, slow twitch 2 calcium channel, voltage-dependent,
1695	15819	NM_017298	p	7986 Rattus norvegicus solute carrier family 19 (sodium/hydrogen exchanger), member 1	L type, alpha 1D subunit solute carrier family 19
1696	23825	NM_017299	v	(Sic19a1), mRNA. Length = 2402 Rattus norvegicus solute carrier family 19 (sodium/hydrogen exchanger), member 1 (Sic19a1), mRNA. Length =	(sodium/hydrogen exchanger), member 1 solute carrier family 19 (sodium/hydrogen exchanger),
1696 1697	23826	NM_017299 NM_017305	y j,l,m,y,z	2402 Rattus norvegicus glutamate- cysteine ligase , modifier subunit (Gclm), mRNA. Length = 1382	member 1  Giutamate-cysteine ligase (gamma-glutamylcysteine synthetase), regulatory
1698	26109	NM_017306	q,s	Rattus norvegicus dodecenoyl-Coenzyme A delta isomerase (3,2 trans- enoyl-Coenyme A isomerase) (DCI), mRNA. Length = 972	EST
1609	10007			Rattus norvegicus dodecenoyl-Coenzyme A delta isomerase (3,2 trans- enoyl-Coenyme A isomerase) (DCI), mRNA.	Rat mRNA for delta3, delta2-enoyl- CoA isomerase,dodecenoyl- Coenzyme A delta isomerase (3,2 trans-enoyl-Coenyme A isomerase)
1698 1699	18687	NM_017306 NM_017314	g,t g,s,aa	Length = 972 Rattus norvegicus ubiquitin C (Ubc), mRNA. Length = 2545	ubiquitin C
1700	1894	NM_017320	t	Rattus norvegicus cathepsin S (Ctss), mRNA. Length = 1330 Rattus norvegicus	cathepsin S
1701	20809	NM_017326	u ,	calmodulin (RCM3), mRNA. Length = 1112 Rattus norvegicus transcriptional repressor	calmodulin
1702	355	NM_017334	cc	CREM (CREM), mRNA. Length = 436	

TABLE 1:	SUMMARY"				Alty, Docket No. 44921-503900 Doc. No. 1793397,
Ecquence	)   [dentifer	ConBank Ace/ Ref. Seq ID	Modal Godo	Cone Namo	Unigine Avster Tille
				Rattus norvegicus acyl-coA oxidase (RATACOA1),	
1703	16148	NM_017340	q,s	mRNA. Length = 3741	acyl-coA oxidase
				Rattus norvegicus acyl-coA oxidase (RATACOA1),	
1703	16150	NM_017340	а	mRNA. Length = 3741	acyl-coA oxidase
			1	Rattus norvegicus myosin regulatory light chain	
			r,u,	(MRLCB), mRNA. Length =	Rat mRNA for myosin regulatory light
1704	20849	NM_017343	General	1139 Rattus norvegicus myosin	chain (RLC)
				regulatory light chain	J
1704	20848	NM_017343	b,General	(MRLCB), mRNA. Length =	Rat mRNA for myosin regulatory light chain (RLC)
1704	320040	NM 017343	D,OCHCIE	Rattus norvegicus urinary	oridit (NEO)
				plasminogen activator receptor 2 (uPAR-2), mRNA.	urinary plasminogen activator receptor
1705	606	NM_017350	b	Length = 1272	2
				Rattus norvegicus PDZ and	
				LIM domain 1 (elfin) (Pdlim1), mRNA. Length =	
1706	1581	NM_017365	General	1392	LIM protein
				Rattus norvegicus Tropomyosin 1 (alpha)	
				(Tpm1), mRNA. Length =	
1707	455	NM_019131	×	1004 Rattus norvegicus	Tropomyosin 1 (alpha)
				Tropomyosin 1 (alpha)	
1707	456	NM 019131	y,z	(Tpm1), mRNA. Length = 1004	Tropomyosin 1 (alpha)
.,,	100		<u> </u>	Rattus norvegicus Solute	
				carrier family 12, member 1 (bumetanide-sensitive	
				sodium-[potassium]-chloride	Solute carrier family 12, member 1
1708	4532	NM 019134	ь	cotransporter) (Slc12a1), mRNA. Length = 4595	(burnetanide-sensitive sodium- (potassium]-chloride cotransporter)
1700	14302	1414 013134	<u> </u>	Rattus norvegicus	ESTs, Moderately similar to
1709	1608	NM 019166	j,y,z	synaptogyrin 1 (Syngr1), mRNA. Length = 879	synaptogyrin [R.norvegicus],synaptogyrin 1
1705	1000	1411 019100	J.Y.Z	Rattus norvegicus synuclein,	[Perior vegicus], Syriup togyriir 1
1710	7490	NN 010160	Coporal	alpha (Snca), mRNA. Length	synuclein, alpha
1710	7489	NM_019169	c,General	Rattus norvegicus carbonyl	synuciem, aipha
	47000	040470		reductase (Cbr), mRNA.	
1711	17066	NM_019170	P	Length = 1018  Rattus norvegicus carbonic	carbonyl reductase ESTs, Highly similar to CARBONIC
			ļ., ,	anhydrase 4 (Ca4), mRNA.	ANHYDRASE IV PRECURSOR
1712	23924	NM_019174	bb	Length = 1205  Rattus norvegicus ADP-	[R.norvegicus]
				ribosylation-like 4 (Arl4),	ABB all the latter His
1713	24019	NM_019186	lt	mRNA. Length = 1067 Rattus norvegicus integrin-	ADP-ribosylation-like 4
				associated protein (Cd47),	
1714	22063	NM_019195	d	mRNA. Length = 1053	integrin-associated protein
			,	Rattus norvegicus amino-	
1715	2079	NM 019220	j,k,z	terminal enhancer of split (Aes) mRNA Length = 1356	related to Drosophila groucho gene
17 13	32013	1411 013220	1,1,1,1	Rattus norvegicus solute	resident to broodpring ground garie
				carrier family 12, member 4	
1716	16284	NM_019229	l,m	(Slc12a4), mRNA. Length = 3726	solute carrier family 12, member 4
				Rattus norvegicus small	
				inducible cytokine subfamily A20 (Scya20), mRNA.	
1717	985	NM_019233	b,cc		small inducible cytokine subfamily A20

	SUMMARY				/Aiiy. Docioi No. 44921-5039WG Doc. No. 1793397.
Sequence D No. 12	reilibrebl	GenBenk Acel Ref. Seg ID	Model Code	Cenne Manne	Vilgano Cluster Villa
1718	15503	NM_019237	k,x	Rattus norvegicus procollagen C-proteinase enhancer protein (Pcolce), mRNA. Length = 1547	procollagen C-proteinase enhancer protein
1718	15504	NM_019237	k,x	Rattus norvegicus procollagen C-proteinase enhancer protein (Pcolce), mRNA. Length = 1547	procollagen C-proteinase enhancer protein
1719	17908	NM_019242	l,v,cc, General	Rattus norvegicus interferon- related developmental regulator 1 (Ifrd1), mRNA. Length = 1736	interferon-related developmental regulator 1
1720	11218	NM_019247	C	Rattus norvegicus paired-like homeodomain transcription factor 3 (Pitx3), mRNA. Length = 1253	paired-like homeodomain transcription factor 3
1721	15259	NM 019259	d,f	Rattus norvegicus complement component 1, q subcomponent binding protein (C1qbp), mRNA. Length = 1124	complement component 1, q subcomponent binding protein
			aa,	Rattus norvegicus complement component 1, q subcomponent, beta polypeptide (C1qb), mRNA.	complement component 1, q
1722	21443	NM_019262	General	Length = 1136 Rattus norvegicus complement component 1, q subcomponent (1, the component of the component of the component of the component of the component of the component of the component of the component of the comp	subcomponent, beta polypeptide
1722	21444	NM_019262	t,General	polypeptide (C1qb), mRNA. Length = 1136 Rattus norvegicus sodium	complement component 1, q subcomponent, beta polypeptide
1723	117	NM_019266	o,bb	channel, voltage-gated, type VIII, alpha polypeptide (Scn8a), mRNA. Length = 6586	sodium channel, voltage-gated, type VIII, alpha polypeptide
1724	1145	NM 019280	w	Rattus norvegicus gap junction membrane channel protein alpha 5 (Gja5), mRNA. Length = 3115	gap junction membrane channel protein alpha 5
1725	22220	NM 019286	c	Rattus norvegicus Alcohol dehydrogenase 3 (Adh3), mRNA. Length = 1131	Alcohol dehydrogenase (class I), alpha polypeptide
			l,m,t,x,Ge	Rattus norvegicus Actin- related protein complex 1b (Arpc1b), mRNA. Length =	
1726	10015		bb,	Rattus norvegicus Actin- related protein complex 1b (Arpc1b), mRNA. Length =	Actio-related protein complex 1b
1726	21651	NM_019289 NM_019296	4	1430 Rattus norvegicus Cell division cycle control protein 2 (Cdc2a), mRNA. Length = 1184	Actin-related protein complex 1b  Cell division cycle control protein 2
., 41		0.0250	*	Rattus norvegicus Complement receptor related protein (Cr1), mRNA. Length	
1728	20751	NM_019301	1	= 1811  Rattus norvegicus solute carrier family 12, member 3 (Slc12a3), mRNA. Length =	Complement receptor related protein
1729	645	NM_019345	1		solute carrier family 12, member 3

VABLE 1:	SUMMARY				Aliy. Docksi No. 44921-508900 Doc. No. 1793897
Sequence ID No.	Meniller.	GonEank Ace/ Ref. Scolid		Gene Name	Unigene Guster Mile
1730	<b>∄1301</b>	NM 019349	c	Rattus norvegicus Serine/threonine kinase 2 (Stk2), mRNA. Length = 4194	Rat liver stearyl-CoA desaturase mRNA, complete cds
				Rattus norvegicus Uncoupling protein 2,	
1731	3776	NM_019354	a,u	mitochondrial (Ucp2), mRNA Length = 1575 Rattus norvegicus eukaryotic	Uncoupling protein 2, mitochondrial
1732	4592	NM_019356	General	translation initiation factor 2, subunit 1 (alpha ) (Eif2s1), mRNA. Length = 1377	eukaryotic translation initiation factor 2, subunit 1 (alpha )
1733	1324	NM_019371	w	Rattus norvegicus factor- responsive smooth muscle protein (SM-20), mRNA. Length = 2825	factor-responsive smooth muscle protein
1734	19577	NM_019377	е	Rattus norvegicus 14-3-3 protein beta-subtype (Ywhab), mRNA. Length = 2756	ESTs, Moderately similar to S12207 hypothetical protein [M.musculus]
1735	24626	NM_019381	s	Rattus norvegicus Testis enhanced gene transcript (Tegt), mRNA. Length = 940 Rattus norvegicus espin	Testis enhanced gene transcript
1736	744	NM_019622	р	(Espn), mRNA. Length =	espin
			,	Rattus norvegicus cytochrome P450 4F1 (Cyp4f1), mRNA. Length =	
1737	20716	NM_019623	<u>c</u>	1977 Rattus norvegicus beta- galactoside-binding lectin	cytochrome P450 4F1
1738	20709	NM_019904	X ·	(Lgals1), mRNA. Length = 519	beta-galactoside-binding lectin
1739	674	ANA 040005		heavy chain (Anxa2), mRNA.	Rattus norvegicus clone BB.1.4.1 unknown Glu-Pro dipeptide repeat protein mRNA, complete cds,calpactir I heavy chain,hydroxyacid oxidase 3
1739	574	NM_019905	u,General	Rattus norvegicus hypothetical protein	(medium-chain)
740	9096	NM_019908	j	LOC56728 (LOC56728), mRNA. Length = 858 Rattus norvegicus	hypothetical protein LOC56728
741	20457	NM_020073	i,General	parathyroid hormone receptor (LOC56813), mRNA. Length = 2065	parathyroid hormone receptor
741	20458	NM_020073	General		parathyroid hormone receptor
741	20460	NM_020073		Rattus norvegicus parathyroid hormone receptor (LOC56813),	
. , ,		020073		mRNA. Length = 2065  Rattus norvegicus eukaryotic initiation factor 5 (eIF-5)	parathyroid hormone receptor
742	18713	NM_020075 r			eukaryotic initiation factor 5 (elF-5)
742	18715	NM_020075 r	Į.	initiation factor 5 (eIF-5)	eukaryotic initiation factor 5 (eIF-5)

TABLE 1:	SUMMARY				AMy. Docket No. 44 <b>92</b> 1-503900 Doc. No. 1793997
Sequates	lejentilijer	Contant Acol Ref. Seq.[D]	Model Ogele	Gene Name	Unigene Glusier Tille
1743	20493	NM_020076	р	Rattus norvegicus 3- hydroxyanthranilate 3,4- dioxygenase (Haao), mRNA. Length = 1254 Rattus norvegicus kidney- specific membrane protein	3-hydroxyanthranilate 3,4- dioxygenase
1744	16375	NM_020976	9	(NX-17), mRNA. Length = 1181	kidney-specific membrane protein
1745	20816	NM_021261	k,Genera		thymosin beta-10
1746	15335	NM_021264	a	Rattus norvegicus ribosomal protein L35a (Rpl35), mRNA Length = 348	
1747	18729	NM_021578	k,z	Rattus norvegicus transforming growth factor beta-1 gene (Tgfb1), mRNA. Length = 1585 Rattus norvegicus	transforming growth factor beta-1
1748	19060	NM_021587	cc	transforming growth factor- beta (TGF-beta) masking protein large subunit (Ltbp1), mRNA. Length = 6244	transforming growth factor-beta (TGF beta) masking protein large subunit
1749	17324	NM_021593	o,General	Rattus norvegicus kynurenine 3-hydroxylase (Kmo), mRNA. Length = 1733	kynurenine 3-hydroxylase
1750	19679	NM_021653	General	Rattus norvegicus Thyroxine deiodinase, type I (Dio1), mRNA. Length = 2106	
			a,v,	Rattus norvegicus Thyroxine deiodinase, type I (Dio1),	
1750	19678	NM_021653	General	mRNA. Length = 2106 Rattus norvegicus putative potassium channel TWIK (Kcnk1), mRNA. Length =	Thyroxine delodinase, type I
1751	19665	NM_021688	u,General	Rattus norvegicus cAMP- regulated guanine nucleotide exchange factor I (cAMP-	putative potassium channel TWIK
1752	19667	NM_021690	m	GEFI) (Epac), mRNA. Length = 3373 Rattus norvegicus	cAMP-regulated guanine nucleotide exchange factor I (cAMP-GEFI)
1754	22916	NM_021740	а	prothymosin alpha (Ptma), mRNA. Length = 1182 Rattus norvegicus CD14	prothymosin alpha
1755	19710	NM_021744	t	antigen (Cd14), mRNA. Length = 1591 Rattus norvegicus CD14	CD14 antigen
1755	19711	NM_021744	t	antigen (Cd14), mRNA. Length = 1591 Rattus norvegicus farnesoid	CD14 antigen
1756	19712	NM_021745	r	X activated receptor (LOC60351), mRNA. Length = 2070	farnesoid X activated receptor
1757	1962	NM_021750		Rattus norvegicus cysteine- sulfinate decarboxylase (Csad), mRNA. Length = 2413	Rattus norvegicus cca2 mRNA, complete cds
				Rattus norvegicus cysteine- sulfinate decarboxylase (Csad), mRNA. Length =	
1757 1758	19824 25198	NM_021750 NM_021754		Rattus norvegicus Nopp140 associated protein (Nap65),	cysteine-sulfinate decarboxylase  Nopp140 associated protein

2240.74	SUMMARY .				⁴ Ally, Dockel No. 44921-503900 Doc. No. 1793397.
Sequence Id No.	ldeniiiider	GenBenk/Acc/ Ref. Sec ID	Model Gode	Cene Name	Unigene Gluster Tille
1758	20035	NM_021754	b,n,s,v, General	Rattus norvegicus Nopp140 associated protein (Nap65), mRNA. Length = 1980 Rattus norvegicus pleiotropio	Nopp140 associated protein
1759	20090	NM_021757 ,	m	regulator 1 (Pirg1), mRNA. Length = 1545	pleiotropic regulator 1
1760	17885	NM_021765	aa	Rattus norvegicus beta prime COP (Copb), mRNA. Length = 3025	beta prime COP
1762	20161	NM_021836	cc, General	Rattus norvegicus jun B proto-oncogene (Junb), mRNA. Length = 1035	jun B proto-oncogene
1764	1203	NM_021997	k,z	Rattus norvegicus cytoplasmic linker 2 (Cyln2), mRNA. Length = 4847	cytoplasmic linker 2
1765	23151	NM_022005	b	Rattus norvegicus FXYD domain-containing ion transport regulator 6 (Fxyd6), mRNA. Length = 1711	FXYD domain-containing ion transport regulator 6
1767	17101	NM_022179	bb "	Rattus norvegicus Hexokinase 3 (Hk3), mRNA. Length = 3692	Hexokinase 3
1767	17100	NM_022179	bb	Rattus norvegicus Hexokinase 3 (Hk3), mRNA. Length = 3692	Hexokinase 3
1768	20257	NM 022180	w, General	Rattus norvegicus Hepatic nuclear factor 4(alpha transcription factor 4) (Hnf4a), mRNA. Length =	Hepatic nuclear factor 4 (alpha transcription factor 4)
				Rattus norvegicus Hepatic nuclear factor 4(alpha transcription factor 4) (Hnf4a), mRNA. Length =	Hepatic nuclear factor 4 (alpha
1768	25699	NM_022180	İ	1446 Rattus norvegicus Hepatic nuclear factor 4(alpha transcription factor 4) (Hnf4a), mRNA, Length =	transcription factor 4)
1768	10860	NM_022180	Р	1446 Rattus norvegicus topoisomerase (DNA) II	ESTs
1769	23780	NM_022183	k,x	alpha (Top2a), mRNA. Length = 6052  Rattus norvegicus resiniferatoxin-binding, phosphotriesterase-related	topoisomerase (DNA) II alpha
1770	20312	NM_022224	1	protein (Rpr1), mRNA.  Length = 1050  Rattus norvegicus connective tissue growth	resiniferatoxin-binding, phosphotriesterase-related protein
1771	6585	NM_022266	d,p,cc	factor (Ctgf), mRNA. Length = 2345	connective tissue growth factor
1772	17161		General		alpha-tubulin
1772	17162	NM_022298	u )	Rattus norvegicus alpha- tubulin (Tuba1), mRNA. Length = 1617 Rattus norvegicus alpha-	alpha-tubulin
1772	17160	NM_022298	u ş	tubulin (Tuba1), mRNA.	alpha-tubulin
1772	17158	NM_022298	į	tubulin (Tuba1), mRNA.	alpha-tubulin

TABLE 1:	SUMMARY				
Sequence D No.	reillinebl *	GenBank Asod Red Seg ID	Cooli Cooli	Gene Namo	Uniter Custer Ville
				Rattus norvegicus	
			i,aa,	Proliferating cell nuclear antigen (Pcna), mRNA.	
1773	11454	NM_022381	General	Length = 1160	Proliferating cell nuclear antigen
				Rattus norvegicus Proliferating cell nuclear	
				antigen (Pcna), mRNA.	
1773	11455	NM_022381	I,General	Length = 1160   Rattus norvegicus quinoid	Proliferating cell nuclear antigen
				dihydropteridine reductase	
1774	13480	NM 022390	s	(Qdpr), mRNA. Length =	guipoid dibudeantaridina raduatasa
	10,00	7.117, 022,000	1	1007	quinoid dihydropteridine reductase
				Rattus norvegicus pituitary tumor-transforming 1 (Pttg1)	
1775	15184	NM_022391	z	mRNA. Length = 974	pituitary tumor transforming gene
				Rattus norvegicus growth	
				response protein (CL-6) (LOC64194), mRNA. Length	
1776	22413	NM_022392	h	= 2410	growth response protein (CL-6)
				Rattus norvegicus growth response protein (CL-6)	
				(LOC64194), mRNA. Length	
1776	22414	NM_022392	<u>∮n</u>	= 2410 Rattus norvegicus	growth response protein (CL-6)
				macrophage galactose N-	
				acetyl-galactosamine	
1777	22499	NM 022393	t	specific lectin (MgI), mRNA. Length = 1358	Gal/GalNAc-specific lectin
			1	Rattus norvegicus	
1779	24537	NM 022399	e	calreticulin (Calr), mRNA. Length = 1882	calreticulin
			1	Rattus norvegicus	
1779	24539	NM_022399	l _y	calreticulin (Calr), mRNA. Length = 1882	calreticulin
			1	Rattus norvegicus plectin	ouverteam
1780	1141	NM 022401	o,General	(Plec1), mRNA. Length = 15,231	plectin
		1407 022401	io, General	Rattus norvegicus acidic	piecuri
1781	1069	NM 022402		ribosomal protein P0 (Arbp),	
	1009	14141 022402	9	mRNA. Length = 1046 Rattus norvegicus ferritin	acidic ribosomal protein P0
782	9244	N. 000500		light chain 1 (FtI1), mRNA.	
102	8211	NM_022500	j,n,s	Length = 552 Rattus norvegicus ferritin	ferritin light chain 1
700	2010			light chain 1 (FtI1), mRNA.	_
782	8212	NM_022500	n,s	Length = 552 Rattus norvegicus	ferritin light chain 1
				cytochrome c oxidase	
783	6815	NM 022503	s	subunit VIIa 3 (Cox7a3), mRNA. Length = 460	cutochrome a ovidene automit 1/11- 0
·	1	022000	Ť	Rattus norvegicus ribosomal	cytochrome c oxidase subunit VIIa 3
784	4259	NM 039504		protein L36 (Rpl36), mRNA. Length = 364	dhaaamal aaskala 1 00
, 54	14233	NM_022504	lq,w	Rattus norvegicus survival	ribosomal protein L36
705	1511	NIM DODGGG	[, ]	motor neuron (Smn), mRNA.	
785	1611	NM_022509	<del> </del>	Length = 1243  Rattus norvegicus short	survival motor neuron
				chain acyl-coenzyme A	
786	2236	NM_022512	y,z		short chain acyl-coenzyme A
· - •	1	VLLU12		Rattus norvegicus ribosomal	dehydrogenase
		1		protein L27 (Rpl27), mRNA.	

TABLE 9:	SUMMARY				Ally, Dockol No. 44921-5039W Dock No. 1793337
(ID Kjø. Segjumes	reilinaelel	Genbank Acc/ Ref. Seg (D	Model Gode	Ceno Namo	Unigene Guster Tille
				Rattus norvegicus ribosomal	
1787	3027	NM_022514	a,q,r,aa	protein L27 (Rpl27), mRNA. Length = 463	ribosomal protein L27
				Rattus norvegicus ribosomal	
1788	2696	NM 022515	a,d	protein L24 (Rpl24), mRNA. Length = 541	ribosomal protein L24
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	12000	THE OFFICE	10,0	Rattus norvegicus ribosomal	
4700	2007	000545	l	protein L24 (Rpl24), mRNA.	
1788	2697	NM_022515	n,w,aa	Length = 541 Rattus norvegicus	ribosomal protein L24
				polypyrimidine tract binding	j
1789	3900	NM 022516	h	protein (Ptb), mRNA. Length = 2697	Ł
1703	3500	14141_022310	'	Rattus norvegicus ADP-	polypyrimidine tract binding protein
	1			ribosylation factor 1 (Arf1),	
1790	4151	NM_022518	0	mRNA. Length = 900 Rattus norvegicus omithine	ADP-ribosylation factor 1
				aminotransferase (Oat),	
1791	4242	NM_022521	С	mRNA. Length = 1938	ornithine aminotransferase
				Rattus norvegicus platelet endothelial tetraspan antigen	
			*	3 (Cd151), mRNA. Length =	platelet endothelial tetraspan antigen-
1792	4412	NM_022523	0	1668 Rattus norvegicus	3
	1			plasmolipin (Z49858),	
1793	6641	NM_022533	General	mRNA. Length = 1475	plasmolipin
				Rattus norvegicus cyclophilin B (Ppib), mRNA. Length =	
1794	8097	NM_022536	a	840	cyclophilin B
				Rattus norvegicus phosphatidate phosphohydrolase type 2 (Ppap2), mRNA. Length =	phosphatidate phosphohydrolase type
1795	8597	NM_022538 NM_022538	c,r,u u ,	871 Rattus norvegicus phosphatidate phosphohydrolase type 2 (Ppap2), mRNA. Length = 871	phosphatidate phosphohydrolase type
				Rattus norvegicus small zinc finger-like protein DDP2	
1796	9296	NM_022541	0	(Ddp2), mRNA. Length = 494	small zinc finger-like protein DDP2
1797	21062	NIM 022505		Rattus norvegicus ornithine decarboxylase antizyme inhibitor (Oazi), mRNA.	ornithine decarboxylase antizyme
1131	21063	NM_022585		Length = 4269  Rattus norvegicus	inhibitor
1799	20781	NM_022591	z	telomerase protein component 1 (Tlp1), mRNA. Length = 8216	telomerase protein component 1
1800	20803	NM_022592	n i	Rattus norvegicus transketolase (Tkt), mRNA. Length = 2098	transketolase
				Rattus norvegicus enoyl hydratase-like protein, peroxisomal (Ech1), mRNA. ³	enoyl hydratase-like protein,
1801	20925	NM_022594		Length = 1097	peroxisomal
				Rattus norvegicus cathepsin   B (Ctsb), mRNA. Length =	
1802	20944	NM_022597	aa 🌡	1904	cathepsin B
			į:	Rattus norvegicus synaptojanin 2 binding protein (Synj2bp), mRNA.	
1803	21024	NM_022599	o,General	Length = 5215	outer membrane protein

TABLE 18	SUMWARY				Any, Docket No. 44921-599900 Doc. No. 1799397.
Sequeñce ID No.	refineed!	Genbenk Acci Ref. See ID	Model Godo	Cone Name	Uniform Christel Allo
1804	2250	NM 022643	General	Rattus norvegicus Testis- specific histone 2b (Th2b), mRNA. Length = 470	ESTs, Highly similar to 0506206A histone H2B [R.norvegicus]
1805	17567	NM 022672	a,y	Rattus norvegicus ribosomal protein S14 (Rps14), mRNA. Length = 492	ribosomal protein S14
	47004			Rattus norvegicus H2A histone family, member Z (H2afz), mRNA. Length =	
1806	17661	NM_022674	bb	811 Rattus norvegicus protein phosphatase 1, regulatory (inhibitor) subunit 1A	H2A histone family, member Z
1807	24563	NM_022676	b	(Ppp1r1a), mRNA. Length = 619 Rattus norvegicus protein	protein phosphatase 1, regulatory (inhibitor) subunit 1A
1807	24564	NM_022676	b,x	phosphatase 1, regulatory (inhibitor) subunit 1A (Ppp1r1a), mRNA. Length = 619	protein phosphatase 1, regulatory (inhibitor) subunit 1A
1808	20506	NM_022686		Rattus norvegicus germinal histone H4 gene (Hist4), mRNA. Length = 377	germinal histone H4 gene
1809	20508	NM_022688	9	Rattus norvegicus preoptic regulatory factor-1 (Porf1), mRNA. Length = 689	preoptic regulatory factor-1
1810	17586	NM_022694	k	Rattus norvegicus p105 coactivator (U83883), mRNA. Length = 3166	p105 coactivator
1811	17730	NM_022697	a ,	Rattus norvegicus ribosomal protein L28 (Rpi28), mRNA. Length = 466	ribosomal protein L28
1811	17729	NM_022697	q	Rattus norvegicus ribosomal protein L28 (Rpl28), mRNA. Length = 466	ribosomal protein L28
1812	154	NM_022849	t ,	Rattus norvegicus crp-ductin (Crpd), mRNA. Length = 4344	crp-ductin
1813	127	NM_022855	h	Rattus norvegicus casein kinase 1 gamma 3 isoform (Csnk1g3), mRNA. Length = 2547	casein kinase 1 gamma 3 isoform
1814	d 152	NM 022858	i	Rattus norvegicus HNF- 3/forkhead homolog-1 (Hfh1), mRNA. Length = 1760	HNF-3/forkhead homolog-1
				Rattus norvegicus tricarboxylate carrier-like protein (Loc65042), mRNA.	
1816	18101	NM_022948	Z	Length = 2699  Rattus norvegicus tricarboxylate carrier-like	tricarboxylate carrier-like protein
1816	18103	NM_022948	U	protein (Loc65042), mRNA. Length = 2699 Rattus norvegicus putative	tricarboxylate carrier-like protein
1817	21491	NM_022951			putative protein phosphatase 1 nuclear targeting subunit
1017	21401	1401_022331		Rattus norvegicus phosphatidylinositol 3-kinase (Pik3c3), mRNA. Length =	noolear targeting suburiit
1818	15742	NM_022958	1	1 1	phosphatidylinositol 3-kinase

TABLES	SUMMARY				AMY, Docket No. 44921-5039W Dock No. 1793397
Sequence ID No.	relitines)	Genbank Acci. Rof. Seq ID	Moda) (Goda)	Cene Name	Unicens Cheta III)
1819	9286	NM_023027	t,w	Rattus norvegicus tRNA selenocysteine associated protein (Secp43), mRNA. Length = 864 Rattus norvegicus casein	tRNA selenocysteine associated protein
1820	23215	NM_023102	z	kinase 1 gamma 2 isoform (Csnk1g2), mRNA. Length = 1572	casein kinase 1 gamma 2 isoform
1821	21238	NM_024125	cc, General	Rattus norvegicus Liver activating protein (LAP, also NF-IL6, nuclear factor-IL6, previously designated TCF5) (Cebpb), mRNA. Length = 1408	Liver activating protein (LAP, also Nf IL6, nuclear factor-IL6, previously designated TCF5)
1821	21239	NM_024125	cc, General	(Cebpb), mRNA. Length = 1408	Liver activating protein (LAP, also NF IL6, nuclear factor-IL6, previously designated TCF5)
1822	353	NM_024127	i,n, General	Rattus norvegicus DNA- damage-inducible transcript 1 (Gadd45a), mRNA. Length = 711	DNA-damage-inducible transcript 1
1822	354	NM_024127	i,n, General	Rattus norvegicus DNA- damage-inducible transcript 1 (Gadd45a), mRNA. Length = 711	DNA-damage-inducible transcript 1
1822	352	NM_024127	h,General		DNA-damage-inducible transcript 1
1823	17227	NM_024131	x	Rattus norvegicus D- dopachrome tautomerase (Ddt), mRNA. Length = 628	D-dopachrome tautomerase
1824	1598	NM_024134	l	Rattus norvegicus DNA- damage inducible transcript 3 (Ddit3), mRNA. Length = 806	DNA-damage inducible transcript 3
1825	1162	NM_024153	đ	Rattus norvegicus adrenodoxin reductase (Fdxr), mRNA. Length = 1786	adrenodoxin reductase
1826	7863	NM_024156	С	Rattus norvegicus annexin VI (Anxa6), mRNA. Length = 2739	Rattus norvegicus mRNA for H(+)- transporting ATPase, complete cds
1827	22079 .	NM_024157	x	Rattus norvegicus complement factor I (Cfi), mRNA. Length = 2021	complement factor I
1828	16476	NM_024162	General	Rattus norvegicus heat shock 70kD protein 8	heart fatty acid binding protein
1829	17765	NM_024351	b,s,v	(Hspa8), mRNA. Length = 2073  Rattus norvegicus hairy and	Heat shock cognate protein 70
1830	8879	NM_024360	h .	enhancer of split 1, (Drosophila) (Hes1), mRNA. ; Length = 1453	hairy and enhancer of split 1, (Drosophila)

TABLE 1: 8	BUMMARY				Ally. Docket No. 44921-5939W
Sequence ID No.	l <b>C</b> enfiller	Genleank Accil Ref. Seq (D	Model ⁴	Gone Name	Doc. No. 1793897. Unigane Gluster Title
				Rattus norvegicus heterogeneous nuclear ribonucleoproteins methyltransferase-like 2 (S.	heterogeneous nuclear
1831	20772	NM 024363	×	cerevisiae) (Hrmt112), mRNA. Length = 1201	ribonucleoproteins methyltransferase like 2 (S. cerevisiae)
		024000		Rattus norvegicus 3-hydroxy 3-methylglutaryl CoA lyase (Hmgcl), mRNA. Length =	
1832	2812	NM_024386	С	1390 Rattus norvegicus heme	3-hydroxy-3-methylglutaryl CoA lyase
1833	335	NM_024387	j.y	oxygenase-2 non-reducing isoform (Hmox2), mRNA. Length = 1815	heme oxygenase-2 non-reducing isoform
4024		A.V.A. 00.4000	-	Rattus norvegicus immediate early gene transcription factor NGFI-B (Nr4a1),	immediate early gene transcription
1834	21	NM_024388	СС	mRNA. Length = 2488 Rattus norvegicus immediate	factor NGFI-B
1834	22	NM_024388	cc	early gene transcription factor NGFI-B (Nr4a1), mRNA. Length = 2488	immediate early gene transcription factor NGFI-B
1836	9929	NM 024392	f	Rattus norvegicus peroxisomal multifunctional enzyme type II (Hsd17b4), mRNA. Length = 2535	peroxisomal multifunctional enzyme type II
				Rattus norvegicus ATP- binding cassette, sub-family A (ABC1), member 2	
1837	3582	NM_024396	aa	(Abca2), mRNA. Length = 8040	ATP-binding cassette, sub-family A (ABC1), member 2
4020	40000	NIA 004000		Rattus norvegicus mitochondrial aconitase (nuclear aco2 gene) (Aco2),	mitochondrial aconitase (nuclear aco2
1838	19993	NM_024398 NM_024399	e,p,s,aa o	mRNA. Length = 2744 Rattus norvegicus aspartoacylase (Aspa), mRNA. Length = 1552	gene)
1003	10709 3	NIM_024355		Rattus norvegicus a disintegrin and metalloproteinase with	aspartoacylase
1840	22626	NM_024400	cc,	thrombospondin motifs 1 (ADAMTS-1) (Adamts1), mRNA. Length = 4878	a disintegrin and metalloproteinase with thrombospondin motifs 1 (ADAMTS-1)
				Rattus norvegicus activating transcription factor ATF-4	
1841	13633	NM_024403	g,General	(Atf4), mRNA. Length = 1173	activating transcription factor ATF-4
1841	13634	NM_024403	g.General		activating transcription factor ATF-4
1842	23387	NM 024404		Rattus norvegicus RNA binding protein p45AUF1 (Hnrpd), mRNA. Length = 1240	RNA binding protein p45AUF1
				Rattus norvegicus aminolevulinic acid synthase 1 (Alas1), mRNA, Length =	
1843	21038 .	NM_024484	h .		aminolevulinic acid synthase 1
1844	1853	NM_030826	ŀ	(Gpx1), mRNA. Length =	ESTs,Glutathione peroxidase 1

TABLES: (	SUMMARY				* <b>///ity. Docket No. 4/12/1-5</b> 039W Doc. No. 17/97#97/
Sequence , ID No:	ldentiller	Gendenk Acci. Ref. Seq ID	Model Gode	Gene Name	Unicas Greter Tile
1845	15111	NM_030827	e,Genera	Rattus norvegicus glycoprotein 330 (Lrp2), mRNA. Length = 15,438	glycoprotein 330
1845	15112	NM_030827	y,z	Rattus norvegicus glycoprotein 330 (Lrp2), mRNA. Length = 15,438 Rattus norvegicus	glycoprotein 330
1845	15110	NM_030827	General	glycoprotein 330 (Lrp2), mRNA. Length = 15,438 Rattus norvegicus kidney	glycoprotein 330
1846	808	NM_030837	k,m	specific organic anion transporter (Slc21a4), mRNA. Length = 2772	kidney specific organic anion transporter
4047	4057			Rattus norvegicus islet cell autoantigen 1, 69 kDa (Ica1)	
1847	4057	NM_030844 s	k	mRNA. Length = 2094 Rattus norvegicus gro	islet cell autoantigen 1, 69 kDa
1848	1221	NM_030845	t	(Gro1), mRNA. Length = 929	gro
				Rattus norvegicus epithelial membrane protein 3 (Emp3),	
1849	21509	NM_030847	x	mRNA. Length = 737	epithelial membrane protein 3
		1		Rattus norvegicus pyruvate dehydrogenase kinase 2	
1850	1928	NM_030872	v	subunit p45 (PDK2) (Pdk2), mRNA. Length = 2207 Rattus norvegicus profilin II	pyruvate dehydrogenase kinase 2 subunit p45 (PDK2)
1851	17342	NM_030873	u	(Pfn2), mRNA. Length = 1966	profilin II
1852	24648	NM 030985	u	Rattus norvegicus Angiotensin II receptor, type 1 (AT1A) (Agtr1a), mRNA. Length = 1450	Angiotensin II receptor, type 1 (AT1A)
				Rattus norvegicus Angiotensin II receptor, type 1 (AT1A) (Agtr1a), mRNA.	Angold to the receptor, type 1 (A11A)
1852	25453	NM_030985	General	Length = 1450 Rattus norvegicus Guanine nucleotide-binding protein beta 1 (Gnb1), mRNA.	Guanine nucleotide-binding protein
1853	21802	NM_030987	h	Length = 2837 Rattus norvegicus aldo-keto reductase family 1, member A1 (aldehyde reductase)	beta 1
1854	23109	NM_031000	f,s,z	(Akr1a1), mRNA. Length =	aldo-keto reductase family 1, member A1 (aldehyde reductase)
1855	134	NM 031003	a,u .	aminobutyrate aminotransferase (Abat),	4-aminobutyrate aminotransferase
		711V_001000		Rattus norvegicus angiotensin II type-1 receptor (Agtr1), mRNA.	
1856	25461	NM_031009		Length = 2156	angiotensin II type-1 receptor
1857	1845	NM 031010	t	Rattus norvegicus arachidonate 12- lipoxygenase (Alox12), mRNA. Length = 2048	arachidonate 12-lipoxygenase
				Rattus norvegicus arachidonate 12- lipoxygenase (Alox12),	отоблюбные тепрохуденаве
1857	25517	NM_031010	c,t	1-11	arachidonate 12-lipoxygenase
1858	16562 _s	NM_031020	4	kinase (Mapk14), mRNA.	p38 mitogen activated protein kinase

TABLE ():	SUMMARY				Ally. Docket No. 44224-503900 Doc. No. 17793897.
Scounce ID No. 4	ldeniiier	ConBank Acce	Model Gode	Gene Nemo	Easte the theosen. Universely The
1859	1480	NM 031021	f	Rattus norvegicus casein kinase II beta subunit (Csnk2b), mRNA. Length = 1964	casein kinase II beta subunit
1860	1719	NM_031024	n	Rattus norvegicus drebrin A (Dbn1), mRNA. Length = 2697	drebrin A
1861	1350	NM_031030	h	Rattus norvegicus cyclin G- associated kinase (Gak), mRNA. Length = 4454	cyclin G-associated kinase
				Rattus norvegicus L- arginine: glycine amidinotransferase (Gatm),	
1862	16775	NM_031031	General	mRNA. Length = 2260 Rattus norvegicus guanine	L-arginine: glycine amidinotransferase
1863	691	NM_031034	w	nucleotide binding protein (G protein) alpha 12 (Gna12), mRNA. Length = 1423	guanine nucleotide binding protein (G protein) alpha 12
1864	15886	NM 031035	z	Rattus norvegicus GTP- binding protein (G-alpha-i2) (Gnai2), mRNA. Length = 1748	GTP-binding protein (G-alpha-i2)
1866	3608	NM_031044	k,General	Rattus norvegicus histamine N-methyltransferase (Hnmt), mRNA. Length = 1225	histamine N-methyltransferase
1866	3610	NM_031044	d,General	† · · · · · · · · · · · · · · · · · · ·	histamine N-methyltransferase
1867	15137	NM_031051	s	Rattus norvegicus macrophage migration inhibitory factor (Mif), mRNA. Length = 551	macrophage migration inhibitory factor
1868	514	NM 031056	General	Rattus norvegicus matrix metalloproteinase 14, membrane-inserted (Mmp14), mRNA. Length = 2448	matrix metalloproteinase 14, membrane-inserted
4960	47200	NIM 024057		Rattus norvegicus methylmalonate semialdehyde dehydrogenase gene (Mmsdh), mRNA. Length =	methylmalonate semialdehyde
1869	17269	NM_031057 // NM_031065	General a	2059 Rattus norvegicus ribosomal protein L10a (Rpl10a), mRNA. Length = 710	dehydrogenase gene
1871	1855	NM 031074	h	Rattus norvegicus nucleoporin 98 (Nup98), mRNA. Length = 3237	ribosomal protein L10a
1872			d	Rattus norvegicus phosphatidylinositol 4-kinase (Pik4cb), mRNA. Length = 3205	phosphatidylinositol 4-kinase
1873	15202	NM_031093	- 1	Rattus norvegicus -ral simian leukemia viral oncogene homolog A (ras related) (Rala), mRNA. Length = 952	#NAME?
			2	Rattus norvegicus -ral simian leukemia viral oncogene homolog A (ras related)	
1873				(Rala), mRNA. Length = 952 Rattus norvegicus ribosomal protein L5 (Rpl5), mRNA.	
874	12639	NM_031099	aa 🗼	Length = 1069	ribosomal protein L5

TABLETS	SUMMARY				AMy. Docket No. 44921-5039X Doc. No. 1793697
Sequence (D) No.	o de auder	Genfink Acci Ref. Seg ID	(Mode) (Gode	Cono Namo	Unigene Cluster Tille
1875	20812	NM_031100	а	Rattus norvegicus ribosoma protein L10 (Rpl10), mRNA Length = 769	al
1876	16938	NM_031103	w	Rattus norvegicus ribosoma protein L19 (Rpl19), mRNA Length = 703	al . ribosomal protein L19
1877	19268	NM_031104	q	Rattus norvegicus ribosoma protein L22 (Rpl22), mRNA Length = 465	ribosomal protein L22
1878	16929	NM_031108	<u>ا</u> م	Rattus norvegicus mRNA for ribosomal protein S9 (Rps9 mRNA. Length = 688	), mRNA for ribosomal protein S9
1879	10878	NM_031110	g,bb	Rattus norvegicus ribosoma protein S11 (Rps11), mRNA Length = 534 Rattus norvegicus ribosoma	ribosomal protein S11
1880	19162	NM_031111	aa	protein S21 (Rps21), mRNA Length = 359 Rattus norvegicus ribosoma	ribosomal protein S21
1880	19161	NM_031111	a,bb	protein S21 (Rps21), mRNA Length = 359 Rattus norvegicus ribosoma	ribosomal protein S21
1881	24615	NM_031112	a,y	protein S24 (Rps24), mRNA Length = 466 Rattus norvegicus ribosoma	ribosomal protein S24
1882	20839	, NM_031113	a,q	protein S27a (Rps27a), mRNA. Length = 552 Rattus norvegicus S-100	ribosomal protein S27a
1883	19040	NM_031114	i,m, General	related protein, clone 42C (S100A10), mRNA. Length =	S-100 related protein, clone 42C
1884	16349	NM_031115	u	Rattus norvegicus secretin receptor (Sctr), mRNA. Length = 1796	secretin receptor
1885	14970	NM_031127	General	Rattus norvegicus sulfite oxidase (Suox), mRNA. Length = 1777	sulfite oxidase
1886	1814	NM 031134	n,q	Rattus norvegicus thyroid hormone receptor alpha (Thra1), mRNA. Length = 2460	thyroid hormone receptor
				Rattus norvegicus TGFB inducible early growth response (Tieg), mRNA.	
1887	13359	NM_031135	General	Length = 3115 Rattus norvegicus thymosin beta-4 (Tmsb4x), mRNA.	TGFB inducible early growth response
1888	15052	NM_031136	a	Length = 686 Rattus norvegicus thymosin beta-4 (Tmsb4x), mRNA.	thymosin beta-4
1888	19359	NM_031136	a	Length = 686  Rattus norvegicus vimentin	EST
889	15185	NM_031140	General	(Vim), mRNA. Length = 1796, Rattus norvegicus cytoplasmic beta-actin	vimentin
890	21625	NM_031144	a,e	(Actx), mRNA. Length = 1128 Rattus norvegicus RAB11a.	cytoplasmic beta-actin
891	238	NM_031152	bb :	member RAS oncogene family (Rab11a), mRNA. Length = 895	RAB11a, member RAS oncogene family
891	240	NM_031152		Rattus norvegicus RAB11a, member RAS oncogene family (Rab11a), mRNA. Length = 895	RAB11a, member RAS oncogene family

TABUE 1:	SUMMARY	44.5			Ally, Docket No. 44924-506900 Doc. No. 1793897.
Sequence 10 No.	)   [leleniii]	GenBank Acci. Ref. Seg ID	(COOL)	Gene Name	Unigama Gustar Ville
				Rattus norvegicus ubiquitin- conjugating enzyme E2D 3 (homologous to yeast UBC4/5) (Ube2d3), mRNA.	ubiquitin-conjugating enzyme E2D 3
1892	15277	NM_031237	g	Length = 1531	(homologous to yeast UBC4/5)
4000	10000	)		Rattus norvegicus acyl-CoA thioesterase 1, cytosolic (Cte1), mRNA. Length =	R.norvegicus mRNA for mitochondria
1893	18083	NM_031315	<u>q</u>	Rattus norvegicus acyl-CoA thioesterase 1, cytosolic (Cte1), mRNA. Length =	very-long-chain acyl-CoA thioesterase R.norvegicus mRNA for mitochondrial very-long-chain acyl-CoA thioesterase,acyl-CoA thioesterase 1,
1893	1858	NM_031315	. q	1591   Rattus norvegicus t-complex   testis expressed 1 (Tctex1),	cytosolic
1894	15663	NM_031318	General	mRNA. Length = 698 Rattus norvegicus prolyl	t-complex testis expressed 1
1895	1422	NM 031324	bb, General	endopeptidase (Prep), mRNA. Length = 2743	prolyl endopeptidase
				Rattus norvegicus UDP- glucose dehydrogeanse (Ugdh), mRNA. Length =	
1896	18597	NM_031325	g,bb	2318 Rattus norvegicus cysteine	UDP-glucose dehydrogeanse
1897	11259	NM_031327	i,cc, General	rich protein 61 (Cyr61), mRNA. Length = 1871	cysteine rich protein 61
				Rattus norvegicus heterogeneous nuclear ribonucleoprotein A/B (Hnrpab), mRNA. Length =	heterogeneous nuclear
1898	4235	NM_031330	General	3061 Rattus norvegicus	ribonucleoprotein A/B
			-1	proteasome (prosome, macropain) 26S subunit, non- ATPase,4 (Psmd4), mRNA.	proteasome (prosome, macropain)
1899	18375	NM_031331	l,m	Rattus norvegicus E- cadherin (Cdh1), mRNA.	26S subunit, non-ATPase,4
1900	3519	NM_031334	СС	Length = 4396	E-cadherin
1901	20698	NM 031357	b	Rattus norvegicus ceroid- lipofuscinosis, neuronal 2 (Cln2), mRNA. Length = 2485	
				Rattus norvegicus Glutathione-S-transferase, alpha type (Ya) (Gsta1),	Glutathione-S-transferase, alpha type
1903	634	NM_031509	n s	mRNA. Length = 1178 Rattus norvegicus Glutathione-S-transferase, alpha type (Ya) (Gsta1),	(Ya)
1903	25525	NM_031509	n .	mRNA. Length = 1178	Glutathione-S-transferase, alpha type (Ya)
				Rattus norvegicus Glutathione-S-transferase, alpha type (Ya) (Gsta1),	
1903	25069	NM_031509	b,n,w	mRNA. Length = 1178 Rattus norvegicus Glutathione-S-transferase, alpha type (Ya) (Gsta1),	Glutathione-S-transferase, alpha type
1903	635	NM_031509 «	z	mRNA. Length = 1178 Rattus norvegicus Met proto-	(Ya)
1904	3848	NM_031517		Rattus norvegicus Nerve	Met proto-oncogene
1905	1872	NM_031523			Nerve growth factor, gamma polypeptide

TABLE 18	SUMMARY				Alty, Dookel No. 44921-503900 Doc. No. 1793397
Sequence ID No.	ldeniiiter	GenBank Acel Raf. Seq ID	Modal Goda	Gene Name	Unigene Cluster Tille
1905	16245	NM_031523	a,d,u	Rattus norvegicus Nerve growth factor, gamma polypeptide (Ngfg), mRNA. Length = 873 Rattus norvegicus Nerve	Rattus norvegicus (clone RSKG50) kallikrein mRNA, 3' end
1905	16244	NM_031523	а	growth factor, gamma polypeptide (Ngfg), mRNA. Length = 873	Rattus norvegicus (clone RSKG50) kallikrein mRNA, 3' end
1906	9370	NM 031527	w	Rattus norvegicus Protein phosphatase type 1 alpha, catalytic subunit (Ppp1ca), mRNA. Length = 1392	Protein phosphatase type 1 alpha, datalytic subunit
				Rattus norvegicus Small inducible gene JE (Scya2),	
1907	20448	NM_031530	General	mRNA. Length = 780 Rattus norvegicus Small inducible gene JE (Scya2),	Small inducible gene JE
1907	14633	NM_031530	General u	mRNA. Length = 780 Rattus norvegicus Androsterone UDP- glucuronosyltransferase (Ugl2b2), mRNA. Length = 1593	Androsterone UDP-
				Rattus norvegicus CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1 (scavanger receptor class B type 1) (Cd36I1), mRNA. Length =	glucuronosyltransferase  CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1 (scavanger receptor class B
1909	4011	NM_031541  NM_031543	f c,q	2497 Rattus norvegicus Cytochrome P450, subfamily 2e1 (ethanol-inducible) (Cyp2e1), mRNA. Length = 1624	Cytochrome P450, subfamily 2e1
1910	a4010	NM 031543	3	Rattus norvegicus Cytochrome P450, subfamily 2e1 (ethanol-inducible) (Cyp2e1), mRNA. Length = 1624	Cytochrome P450, subfamily 2e1 (ethanol-inducible)
1310	34010	NW 031343		Rattus norvegicus Cytochrome P450, subfamily 2e1 (ethanol-inducible) (Cyp2e1), mRNA. Length =	Cytochrome P450, subfamily 2e1
1910	4012	NM_031543	9	1624 Rattus norvegicus Regucalcin (Rgn), mRNA.	(ethanol-inducible)
1911	28	NM_031546	General	Length = 1605 Rattus norvegicus Sodium channel, nonvoltage-gated 1,	Regucalcin
1912	24640	NM_031548	h,cc	alpha (epithelial) (Scnn1a), mRNA. Length ≈ 3081 Rattus norvegicus Transgelin (Smooth musels 22 anatais)	Sodium channel, nonvoltage-gated 1, alpha (epithelial)
1913	17149	NM_031549	, ,		Transgelin (Smooth muscle 22 protein)
1913	17151	NM_031549	, ]	(Smooth muscle 22 protein) (Tagln), mRNA. Length = 1186	Transgelin (Smooth muscle 22 protein)
1914	13105	NM_031552	:	Rattus norvegicus Adducin 3, gamma (Add3), mRNA. _ength = 2246	Adducin 3, gamma

TABLE 1:	SUMMARY				Ally, Docket No. 44921-506900 Doc. No. 17793597
Seguence ID No:	(dentifier	Genfenk (1987) Ref. SeqlD	Model Gode	Geno Namo	Unigene Giveter Mile
1915	15411	NM_031559	d,r	Length = 4377	
1916	16164	NM_031563	a.y	Rattus norvegicus Y box protein 1 (Ybx1), mRNA. Length = 1489	Y box protein 1
1917	9621	NM_031570	bb	Rattus norvegicus ribosomal protein S7 (Rps7), mRNA. Length = 650	ribosomal protein S7
1917	9620	NM_031570	w,bb	Rattus norvegicus ribosomal protein S7 (Rps7), mRNA. Length = 650	ribosomal protein S7
1918	546	NM_031573	ſ	Rattus norvegicus Phosphorylase kinase, gamma 1 (Phkg1), mRNA. Length = 1388	phosphorylase kinase gamma
1919	1921	NM 031576	f	Rattus norvegicus P450 (cytochrome) oxidoreductase (Por), mRNA. Length = 2441	
			_	Rattus norvegicus P450 (cytochrome) oxidoreductase	
1919	1920	NM_031576	i,General	Rattus norvegicus protein tyrosine phosphatase 4a1 (Ptp4a1), mRNA. Length = 2638	P450 (cytochrome) oxidoreductase
1921	770	NM 031584	k,x	Rattus norvegicus solute carrier family 22, member 2 (Slc22a2), mRNA. Length = 2152	solute carrier family 22, member 2
1922	18008	NM 031588	cc	Rattus norvegicus neuregulin 1 (Nrg1), mRNA. Length = 3272	
1922	18005	NM_031588	h	Rattus norvegicus neuregulin 1 (Nrg1), mRNA. Length = 3272	potassium channel, subfamily K, member 3
1922	18011	NM_031588	cc, General	Rattus norvegicus neuregulin 1 (Nrg1), mRNA. Length = 3272	potassium channel, subfamily K, member 3
				Rattus norvegicus proteasome (prosome, macropain) 26S subunit, ATPase 3 (Psmc3), mRNA.	proteasome (prosome, macropain)
1923	1584	NM_031595	k	Length = 1627 Rattus norvegicus thioredoxin reductase 1	26S subunit, ATPase 3
1924	24235	NM_031614	v	Rattus norvegicus	thioredoxin reductase 1
1924	24234	NM_031614	General	thioredoxin reductase 1 (Txnrd1), mRNA. Length = 3360 Rattus norvegicus nuclear	thioredoxin reductase 1
1925	1639	NM_031627	j,l,v	receptor subfamily 1, group H, member 3 (Nr1h3),	nuclear receptor subfamily 1, group H member 3
1926	1727		m, General	Rattus norvegicus core promoter element binding protein (Copeb), mRNA.	core promoter element binding protein

TABUES: 6					Aity, Docket No. 44921-503900 Doc. No. 1793397
Sequence D No.	ldeniller	Geneant Acci Ref. Sec. ID	Model Gode	Ceno Namo	Unigene Cluster Tille
1927	20766	NM_031643	y	Rattus norvegicus mitogen activated protein kinase kinase 2 (Map2k2), mRNA. Length = 1182	mitogen activated protein kinase , kinase 2
1929	1993	NM 031655	k,l,m, General	Rattus norvegicus latexin (Lxn), mRNA. Length = 1087	/ latexin
1930	2057	NM 031660	e	Rattus norvegicus cyclic AMP phosphoprotein, 19kD (Arpp19-pending), mRNA. Length = 339	cyclic AMP phosphoprotein, 19kD
1931	15039	NM_031672	k,General	Rattus norvegicus solute carrier family 15 (H+/peptide transporter), member 2 (Slc15a2), mRNA. Length = 3923	
1932	15175	NM_031682	bb	Rattus norvegicus hydroxyacyl-Coenzyme A dehydrogenase, type II (Hadh2), mRNA. Length = 917	hydroxyacyl-Coenzyme A dehydrogenase, type II
1933	1004	NM_031685	v .	Rattus norvegicus golgi SNAP receptor complex member 2 (Gosr2), mRNA. Length = 683	golgi SNAP receptor complex membe
1934	19727	NM_031687	a,q,s	Rattus norvegicus ubiquitin A 52 residue ribosomal protein fusion product 1 (Uba52), mRNA. Length = 467	ubiquitin A-52 residue ribosomal protein fusion product 1
1935	20404 ,	NM_031700	j,r,y	Rattus norvegicus claudin 3 (Cldn3), mRNA. Length = 1192	claudin 3
1935	20405	NM_031700	o,r	Rattus norvegicus claudin 3 (Cldn3), mRNA. Length = 1192	claudin 3
1936	811	NM_031705	General	Rattus norvegicus dihydropyrimidinase (Dpys), mRNA. Length = 2091	dihydropyrimidinase
1936	812	NM_031705		Rattus norvegicus dihydropyrimidinase (Dpys), mRNA. Length = 2091	dihydropyrimidinase
1937	16204	NM_031706		Rattus norvegicus ribosomal protein S8 (Rps8), mRNA. Length = 696	ribosomal protein S8
1937	16205	NM_031706	a,y	Rattus norvegicus ribosomal protein S8 (Rps8), mRNA. Length = 696 Rattus norvegicus	ribosomal protein S8
1938	24081	NM 031708		glycoprotein 110 (Gp110- pending), mRNA. Length = 1444	shyperrotoin 110
	£-7001	1411 <u>-</u> 001700 .	4	Rattus norvegicus ribosomal protein S12 (Rps12), mRNA.	glycoprotein 110
1939	16918	NM_031709		Length = 499	ribosomal protein S12
1940	1081	NM_031712	General	Rattus norvegicus PDZ domain containing 1 (Pdzk1), mRNA. Length = 2005 Rattus norvegicus	PDZ domain containing 1
1941	1340		b,n,u,cc,	phosphofructokinase, muscle (Pfkm), mRNA. Length =	phosphofructokinase, muscle
				Rattus norvegicus alcohol dehydrogenase family 3, subfamily A2 (Aldh3a2),	alcohol dehydrogenase family 3, subfamily A2

Sequence   GenBank Acc/   Rattus norvegicus UDP-Gal: betaGlcNAc beta 1,4-galactosyltransferase, polypeptide 6 (B4galt6), mRNA. Length = 5729   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), member 5 (Sic2a5), mRNA.   Length = 2169   Galicose transporter), molecule (Alcam), mRNA.   Length = 2169   Galicose transporter), molecule (Alcam), mRNA.   Length = 2169   Galicose transporter), molecule (Alcam), mRNA.   Length = 1233   Galicose transporter), mRNA.   Length = 1233   Calicose transporter), mRNA.   Length = 1233   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecule   Calicose transporter, molecu	Ac beta 1,4- se, polypeptide 6  2 (facilitated ), member 5  2 (facilitated ), member 5  cell adhesion
Rattus norvegicus UDP- Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 6 (B4galt6), mRNA. Length = 5729 Rattus norvegicus solute carrier family 2 (facilitated glucose transporter), member 5 (Sic2a5), mRNA. Length = 2169 Rattus norvegicus solute carrier family 2 (facilitated glucose transporter), member 5 (Sic2a5), mRNA. Length = 2169 Rattus norvegicus solute carrier family 2 (facilitated glucose transporter) Rattus norvegicus solute carrier family 2 (facilitated glucose transporter) Rattus norvegicus solute carrier family 2 (facilitated glucose transporter) Rattus norvegicus solute carrier family 2 (facilitated glucose transporter) Rattus norvegicus activated leukocyte cell adhesion molecule (Alcam), mRNA. Length = 2866 Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus rab acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus rab acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus rab acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Beta) Rattus norvegicus rab acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Beta) Rattus norvegicus rab acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Beta)	Ac beta 1,4- se, polypeptide 6  2 (facilitated ), member 5  2 (facilitated ), member 5  cell adhesion
galactosyltransferase, polypeptide 6 (B4galt6), mRNA. Length = 5729 galactosyltransferase polypeptide 6 (B4galt6), mRNA. Length = 5729 galactosyltransferase Rattus norvegicus solute carrier family 2 (facilitated glucose transporter), member 5 (Sic2a5), mRNA. Length = 2169 glucose transporter) galactosyltransferase solute carrier family 2 (facilitated glucose transporter) glucose transporter) glucose transporter), member 5 (Sic2a5), mRNA. Length = 2169 glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transporter) glucose transpo	2 (facilitated ), member 5 2 (facilitated ), member 5 cell adhesion
1943 10241 NM 031740 d polypeptide 6 (B4galt6), mRNA. Length = 5729 Rattus norvegicus solute carrier family 2 (facilitated glucose transporter), member 5 (Sic2a5), mRNA. Solute carrier family 2 (facilitated glucose transporter) (plucose transporter), member 5 (Sic2a5), mRNA. Solute carrier family 2 (facilitated glucose transporter) (plucose transporter), member 5 (Sic2a5), mRNA. Solute carrier family 2 (facilitated glucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter) (plucose transporter)	2 (facilitated ), member 5 2 (facilitated ), member 5 cell adhesion
Rattus norvegicus solute carrier family 2 (facilitated glucose transporter), member 5 (Slc2a5), mRNA. Solute carrier family 2 (facilitated glucose transporter), member 5 (Slc2a5), mRNA. Solute carrier family glucose transporter) (Rattus norvegicus solute carrier family 2 (facilitated glucose transporter), member 5 (Slc2a5), mRNA. Solute carrier family 2 (facilitated glucose transporter) (Rattus norvegicus activated leukocyte cell adhesion molecule (Alcam), mRNA. Length = 2169 (Rattus norvegicus plateletactivating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH beta) (PAF-AH	2 (facilitated ), member 5  2 (facilitated ), member 5  cell adhesion
carrier family 2 (facilitated glucose transporter), member 5 (Slc2a5), mRNA. Length = 2169  Rattus norvegicus solute carrier family glucose transporter) Rattus norvegicus solute carrier family 2 (facilitated glucose transporter), member 5 (Slc2a5), mRNA. solute carrier family 2 (facilitated glucose transporter), member 5 (Slc2a5), mRNA. solute carrier family glucose transporter) Rattus norvegicus activated leukocyte cell adhesion molecule (Alcam), mRNA. Length = 2866 Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus rabacetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus rabacetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus rabacetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus rabacetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus rabacetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233	2 (facilitated ), member 5 cell adhesion
member 5 (Sic2a5), mRNA. Length = 2169 Rattus norvegicus solute carrier family 2 (facilitated glucose transporter) Rattus norvegicus activated glucose transporter) Rattus norvegicus activated leukocyte cell adhesion molecule (Alcam), mRNA. Length = 2866 Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	2 (facilitated ), member 5 cell adhesion
1944 1214 NM_031741 r Length = 2169 glucose transporter)  Rattus norvegicus solute carrier family 2 (facilitated glucose transporter), member 5 (Slc2a5), mRNA. Length = 2169 glucose transporter)  Rattus norvegicus solute carrier family 2 (facilitated glucose transporter), member 5 (Slc2a5), mRNA. Length = 2169 glucose transporter)  Rattus norvegicus activated leukocyte cell adhesion molecule (Alcam), mRNA. Length = 2866 molecule  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 heta)  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 heta)  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 heta)	2 (facilitated ), member 5 cell adhesion
Rattus norvegicus solute carrier family 2 (facilitated glucose transporter), member 5 (Slc2a5), mRNA. solute carrier family glucose transporter)  Rattus norvegicus activated leukocyte cell adhesion molecule (Alcam), mRNA. length = 2866  Rattus norvegicus plateletactivating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  Rattus norvegicus plateletactivating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  Rattus norvegicus plateletactivating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  Rattus norvegicus plateletactivating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  Rattus norvegicus rabacceptor 1 (prenylated) (Rabac1), mRNA. Length =	2 (facilitated ), member 5 cell adhesion
glucose transporter), member 5 (Slc2a5), mRNA. solute carrier family glucose transporter)  Rattus norvegicus activated leukocyte cell adhesion molecule (Alcam), mRNA. Length = 2866  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	cell adhesion
member 5 (Slc2a5), mRNA. solute carrier family glucose transporter)  Rattus norvegicus activated leukocyte cell adhesion molecule (Alcam), mRNA. Length = 2866  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	cell adhesion
Rattus norvegicus activated leukocyte cell adhesion molecule (Alcam), mRNA. Length = 2866 Rattus norvegicus plateletactivating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus plateletactivating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus plateletactivating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus plateletactivating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	cell adhesion
leukocyte cell adhesion molecule (Alcam), mRNA. Length = 2866 Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus platelet- acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  1946 20752 NM 031763 y mRNA. Length = 1233 Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	ctor
1945 20724 NM_031753 h Length = 2866 molecule  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  1946 20752 NM_031763 y mRNA. Length = 1233 beta)  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	ctor
Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit platelet-activating fa acetylhydrolase beta beta)  Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)	
activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  Rattus norvegicus platelet- activating factor acetylhydrolase beta subunit platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  1946  20752  NM_031763  y  mRNA. Length = 1233  Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	
1946 20753 NM 031763 h (PAF-AH beta) (Pafah1b1), acetylhydrolase beta beta beta)  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  1946 20752 NM 031763 y mRNA. Length = 1233 beta)  Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	
1946 20753 NM_031763 h mRNA. Length = 1233 beta)  Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit platelet-activating factor (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  1946 20752 NM_031763 y mRNA. Length = 1233 beta)  Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	1 SUDUIM (FAF-AF
activating factor acetylhydrolase beta subunit platelet-activating fac (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233  Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	
acetylhydrolase beta subunit platelet-activating far (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	
1946 20752 NM_031763 y (PAF-AH beta) (Pafah1b1), acetylhydrolase beta beta (PAF-AH beta) (Pafah1b1), mRNA. Length = 1233 beta)  Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	ctor
Rattus norvegicus rab acceptor 1 (prenylated) (Rabac1), mRNA. Length =	
acceptor 1 (prenylated) (Rabac1), mRNA. Length =	
rain livana livi ariami di dan 1	
1047 114555 gram_051774 [p   1001   1180 acceptor i foren	داسمه ساد
Rattus norvegicus guanine	ylated)
deaminase (Gda), mRNA.  1948	
1948 14184 NM_031776 It.General Length = 1568 guanine deaminase  Rattus norvegicus guanine	
d,o,t, deaminase (Gda), mRNA.	
1948 14185 NM_031776 General Length = 1568 guanine deaminase Rattus norvegicus NF-E2-	
related factor 2 (Nfe2l2),	
1949 1169 NM 031789 c mRNA. Length = 2307 NF-E2-related factor Rattus norvegicus defensin	2
beta 1 (Defb1), mRNA.	
1950 16155 NM_031810 d,z Length = 416 defensin beta 1	
Rattus norvegicus defensin beta 1 (Defb1), mRNA.	
1950   16156   NM_031810   d   Length = 416   defensin beta 1	
Rattus norvegicus G protein- coupled receptor kinase-	
associated ADP ribosylation	
factor GTPase-activating G protein-coupled rec	
protein (GIT1) (Git1), mRNA. associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP ribos [97] associated ADP	
Rattus norvegicus	
retinoblastoma binding protein 7 (Rbbp7), mRNA.	
1952 17535 NM_031816 bb Length = 1947 retinoblastoma bindin	g protein 7
Rattus norvegicus serum-	
inducible kinase (Snk), 1953 2655 NM_031821 i.l.m,aa mRNA. Length = 2781 serum-inducible kinas	
Rattus norvegicus reggie1-1	æ
954 10167 NM_031830   (Flot2), mRNA. Length = 1954   10167 NM_031830   1954   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167   10167	;e

TABLETI	SUMMARY				A <b>iiy</b> . Docket No. 44921-503900 Doc, No. 1793397
Sequence 10 Mo.	ldentifier	Geneak Acci Ref. Seg (D.	Gooda (Gooda)	Gone Mamo	Unigana Cluster Tilla
1955	22321	NM_031832	o,t,u, General	Rattus norvegicus IgE binding protein (Lgals3), mRNA. Length = 948	IgE binding protein
				Rattus norvegicus sulfotransferase family 1A, phenol-preferring, member 1 (Sult1a1), mRNA, Length =	
1956	4748	NM_031834	e,t	1227 Rattus norvegicus sulfotransferase family 1A,	minoxidil sulfotransferase
1956	4749	NM 031834	e,t	phenoi-preferring, member 1 (Sult1a1), mRNA. Length = 1227	minoxidil sulfotransferase
				Rattus norvegicus beta- alanine-pyruvate aminotransferase (AGT2),	beta-alanine-pyruvate
1957	7914	NM_031835	e	mRNA. Length = 2151 Rattus norvegicus vascular endothelial growth factor	aminotransferase
1958	8385	NM_031836	jh L	(Vegf), mRNA. Length = 645 Rattus norvegicus vascular endothelial growth factor	
1958 1959	10268	NM_031836 NM_031838	a	(Vegf), mRNA. Length = 645 Rattus norvegicus ribosomal protein S2 (Rps2), mRNA. Length = 819	vascular endothelial growth factor ribosomal protein S2
1959	10269	NM 031838	aa	Rattus norvegicus ribosomal protein S2 (Rps2), mRNA. Length = 819	ribosomal protein S2
1959	10267	NM 031838	n,aa	Rattus norvegicus ribosomal protein S2 (Rps2), mRNA. Length = 819	ribosomal protein S2
1960	15077	"NM_031841	b	Rattus norvegicus stearoyl- CoA desaturase 2 (Scd2), mRNA. Length = 5055	stearoyl-CoA desaturase 2
1961	16726	NM_031855	×	Rattus norvegicus Ketohexokinase (Khk), mRNA. Length = 1342	Ketohexokinase
1962	125802	NM 031969	a	Rattus norvegicus Calmodulin 1 (phosphorylase kinase, delta) {Calm1), mRNA. Length = 3513	Calmodulin 1 (phosphorylase kinase, delta)
			,	Rattus norvegicus Calmodulin 1 (phosphorylase kinase, delta) (Calm1),	Calmodulin 1 (phosphorylase kinase,
1962	19191	NM_031969	С	mRNA. Length = 3513  Rattus norvegicus	delta)
1962	19195	NM_031969	r	Calmodulin 1 (phosphorylase kinase, delta) (Calm1), mRNA. Length = 3513	Calmodulin 1 (phosphorylase kinase, delta)
962	19190	NM 031969	p	Rattus norvegicus Calmodulin 1 (phosphorylase kinase, delta) (Calm1), mRNA. Length = 3513	Calmodulin 1 (phosphorylase kinase, delta)
				Rattus norvegicus Heat shock 27 kDa protein (Hsp27), mRNA. Length =	- i - d
1963	17734	NM_031970	v,General	787 Rattus norvegicus Heat	ESTs, Heat shock 27 kDa protein ESTs, Highly similar to S10A RAT S- 100 PROTEIN, ALPHA CHAIN
964	1475	NM_031971	ν,	shock protein 70-1 (Hspa1a), mRNA. Length = 2455	[R.norvegicus],Heat shock protein 70- 1

TABLETS	SUMMARY				Ally. Docket No. 44921-5939W Doc. No. 1793397
Sequince ID No.	(IdenMiter	Gandenk Acc	Model Gode		Unigare Glusier Tille
4005	45470	NIA 004070		Rattus norvegicus 26S proteasome, subunit p112 (PSMD1), mRNA. Length =	
1965	15470	NM_031978	1	Rattus norvegicus cerebellar Ca-binding protein, spot 35	
1966	18502	NM_031984	c .	protein (Calb1), mRNA. Length = 2280 Rattus norvegicus syntenin	cerebellar Ca-binding protein, spot 3 protein
1967	19768	NM_031986	v,aa, General	(Sdcbp), mRNA. Length = 2077	syntenin
1968	723	NM_032084	n	Rattus norvegicus chimerin (chimaerin) 2 (Chn2), mRNA Length = 1118	schimerin (chimaerin) 2
1969	17935	NM_032615	a	Rattus norvegicus membrane interacting protein of RGS16 (Mir16), mRNA. Length = 1203	membrane interacting protein of RGS16
1970	₄ 16831	NM_033095	n	Rattus norvegicus Crystallin, gamma polypeptide 4 (Crygd), mRNA. Length = 634	
1971	25468	NM_033234	c,z	Rattus norvegicus Hemoglobin, beta (Hbb), mRNA. Length = 620	
1971	₄ 25469	NM_033234	c .	Rattus norvegicus Hemoglobin, beta (Hbb), mRNA. Length = 620	
1971	17832	NM_033234	с,р	Rattus norvegicus Hemoglobin, beta (Hbb), mRNA. Length = 620	Rat major beta-globin mRNA, complete cds
1971	17829	NM_033234	c,z	Rattus norvegicus Hemoglobin, beta (Hbb), mRNA. Length = 620	Rat major beta-globin mRNA, complete cds
1972	4723	NM 033235		Rattus norvegicus Malate dehydrogenase-like enzyme (Mdhl), mRNA. Length = 1266	Rattus norvegicus cytosolic malate dehydrogenase (Mdh) mRNA,
1372	4723	US3233	Z	Rattus norvegicus Hydroxyacyl glutathione hydrolase (Hagh), mRNA.	complete cds  Rattus norvegicus round spermatid
1973	1409	NM_033349	p,General	Length = 783  Rattus norvegicus ATP- binding cassette, sub-family	protein RSP29 gene, complete cds
1974	19998	NM_033352	General	D (ALD), member 2 (Abcd2), mRNA. Length = 5531 Rattus norvegicus Kidney 1	PDZ domain containing 1
1975	1410	NM_052798	d	(Kid1), mRNA. Length = 2563	Rat zinc finger protein (kid-1) mRNA, complete cds
				Rattus norvegicus cytosolic cysteine dioxygenase 1 (Cdo1), mRNA. Length =	Rat cysteine dioxygenase mRNA,
1976	15028	NM_052809	f ,	1458 Rattus norvegicus Pyruvate kinase 3 (Pkm2), mRNA.	complete cds  Rat mRNA for pituitary pyruvate
1977	5176	NM_053297	u	Length = 1973  Rattus norvegicus ubiquitin	kinase
1978	7660 ,	NM_053299 .	i	D (Ubd), mRNA. Length = 684 Rattus norvegicus homer,	ESTs, Weakly similar to polyubiquitin [R.norvegicus]
1979	.5117 a	NM_053310	p "	neuronal immediate early gene, 3 (Homer3), mRNA.	Rattus norvegicus mRNA for Vesl-3, complete cds

TABLES	SUMMARY				Ally, Docket No. 44921-503900 Doc. No. 1793997
Sequence ID No.	ldaniiior	General: Acc/ Ref. See ID	Model (Gode	Gene Name	Unicene Gueter File
1981	17473	NM_053319	a,v	Rattus norvegicus dynein, cytoplasmic, light chain 1 (Pin), mRNA. Length = 505	Rattus norvegicus protein inhibitor of neuronal nitric oxide synthase (PIN) mRNA, complete cds
				Rattus norvegicus insulin-lik growth factor binding protein acid labile subunit (Igfals),	
1982	25480	NM_053329	g	mRNA. Length = 1812	
1982	21977	NM_053329	у	Rattus norvegicus insulin-lik growth factor binding protein acid labile subunit (Igfals), mRNA. Length = 1812	
1983	14926	NM_053330	]f	Rattus norvegicus ribosomal protein L21 (Rpl21), mRNA. Length = 554	Rattus norvegicus ribosomal protein L21 mRNA, complete cds
1983	14929	NM_053330	e,Genera	Rattus norvegicus ribosomal protein L21 (Rpl21), mRNA. Length = 554	Rattus norvegicus ribosomal protein L21 mRNA, complete cds
1984	16407	NM_053332	c,e	Rattus norvegicus cubilin (intrinsic factor-cobalamin receptor) (Cubn), mRNA. Length = 10,872	Rattus norvegicus intrinsic factor-B12 receptor precursor (CUBILIN) mRNA, complete cds
				Rattus norvegicus regulator of G-protein signaling 19 (Rgs19), mRNA. Length =	
1985	15790	NM_053341	lj,x	1607 Rattus norvegicus	regulator of G-protein signaling 19
1986	6154	NM_053356	p	procollagen, type I, alpha 2 (Col1a2), mRNA. Length = 4474	procollagen, type I, alpha 2
1987	9215	NM 053374		Rattus norvegicus interferon gamma inducing factor binding protein (Igifbp), mRNA. Length = 626	interferon gamma inducing factor binding protein
1988	6416	NM 053380	General	Rattus norvegicus solute carrier family 34 (sodium phosphate), member 2 (Slc34a2), mRNA. Length = 3950	solute carrier family 34 (sodium phosphate), member 2
1989	19113	NM 053395	a	Rattus norvegicus small muscle protein, X-linked (Smpx), mRNA. Length = 892	Rattus norvegicus SMPX protein (Smpx) mRNA, complete cds
	19113	14M 033333	4	Rattus norvegicus flavin- containing monooxygenase	(Jonipa) micros, complete cus
1990	2242	NM_053433	n,General	<b>.</b>	flavin-containing monooxygenase 3
				Rattus norvegicus zinc finger protein 103 (Zfp103), mRNA.	
1991	5561	NM_053438	у	Length = 3258	zinc finger protein 103
1992	14670	NM 053420	n,General	Rattus norvegicus RAN, member RAS oncogene family (Ran), mRNA. Length = 1084	DAN mamber DAS assessed for the
1993	17102	NM_053439	m,General	Rattus norvegicus superiorcervical ganglia, neural specific 10 (Scgn10),	RAN, member RAS oncogene family superiorcervical ganglia, neural specific 10
1994	24762	NM_053442	General	Rattus norvegicus solute carrier family 8 (cationic amino acid transporter, y+ system), member 7 (Lat4),	solute carrier family 8 (cationic amino acid transporter, y+ system), member 7

General d  p h  k	Rattus norvegicus regulator of G-protein signaling protein 2 (Rgs2), mRNA. Length = 1629 Rattus norvegicus nucleobindin (Nucb), mRNA. Length = 2303 Rattus norvegicus cytochrome c oxidase subunit IV isoform 2 precursor (CoxIV-2), mRNA. Length = 704 Rattus norvegicus protein tyrosine phosphatase type IVA, member 2 (Ptp4a2), mRNA. Length = 1095 Rattus norvegicus DNA polymerase alpha subunit II (Pola2), mRNA. Length = 1836 Rattus norvegicus karyopherin (Importin) alpha 2 (Kpna2), mRNA. Length = 1886 Rattus norvegicus calcium binding protein A6 (calcyclin) (S100a6), mRNA. Length = 291 Rattus norvegicus peroxisomal membrane protein Pmp26p (Peroxin-11) (Pex11a), mRNA. Length = 1194	regulator of G-protein signaling protein 2  nucleobindin  cytochrome c oxidase subunit IV isoform 2 precursor  protein tyrosine phosphatase type IVA, member 2  DNA polymerase alpha subunit II
d p h k	of G-protein signaling protein 2 (Rgs2), mRNA. Length = 1629 Rattus norvegicus nucleobindin (Nucb), mRNA. Length = 2303 Rattus norvegicus cytochrome c oxidase subunit IV isoform 2 precursor (CoxIV-2), mRNA. Length = 704 Rattus norvegicus protein tyrosine phosphatase type IVA, member 2 (Ptp4a2), mRNA. Length = 1095 Rattus norvegicus DNA polymerase alpha subunit II (Pola2), mRNA. Length = 1836 Rattus norvegicus karyopherin (importin) alpha 2 (Kpna2), mRNA. Length = 1886 Rattus norvegicus calcium binding protein A6 (calcyclin) (S100a6), mRNA. Length = 291 Rattus norvegicus peroxisomal membrane protein Pmp26p (Peroxin-11) (Pex11a), mRNA. Length =	regulator of G-protein signaling protein 2  nucleobindin  cytochrome c oxidase subunit IV isoform 2 precursor  protein tyrosine phosphatase type IVA, member 2  DNA polymerase alpha subunit II karyopherin (importin) alpha 2  calcium binding protein A6 (calcyclin)
p h k y General	nucleobindin (Nucb), mRNA. Length = 2303 Rattus norvegicus cytochrome c oxidase subunit IV isoform 2 precursor (CoxIV-2), mRNA. Length = 704 Rattus norvegicus protein tyrosine phosphatase type IVA, member 2 (Ptp4a2), mRNA. Length = 1095 Rattus norvegicus DNA polymerase alpha subunit II (Pola2), mRNA. Length = 1836 Rattus norvegicus karyopherin (importin) alpha 2 (Kpna2), mRNA. Length = 1886 Rattus norvegicus calcium binding protein A6 (calcyclin) (S100a6), mRNA. Length = 291 Rattus norvegicus peroxisomal membrane protein Pmp26p (Peroxin-11) (Pex11a), mRNA. Length =	cytochrome c oxidase subunit IV isoform 2 precursor  protein tyrosine phosphatase type IVA, member 2  DNA polymerase alpha subunit II  karyopherin (importin) alpha 2  calcium binding protein A6 (calcyclin)
h , y General	cytochrome c oxidase subunit IV isoform 2 precursor (CoxIV-2), mRNA. Length = 704 Rattus norvegicus protein tyrosine phosphatase type IVA, member 2 (Ptp4a2), mRNA. Length = 1095 Rattus norvegicus DNA polymerase alpha subunit II (Pola2), mRNA. Length = 1836 Rattus norvegicus karyopherin (importin) alpha 2 (Kpna2), mRNA. Length = 1886 Rattus norvegicus calcium binding protein A6 (calcyclin) (S100a6), mRNA. Length = 291 Rattus norvegicus peroxisomal membrane protein Pmp26p (Peroxin-11) (Pex11a), mRNA. Length =	protein tyrosine phosphatase type IVA, member 2  DNA polymerase alpha subunit II  karyopherin (importin) alpha 2  calcium binding protein A6 (calcyclin)
h , y General	Rattus norvegicus protein tyrosine phosphatase type IVA, member 2 (Ptp4a2), mRNA. Length = 1095 Rattus norvegicus DNA polymerase alpha subunit II (Pola2), mRNA. Length = 1836 Rattus norvegicus karyopherin (importin) alpha 2 (Kpna2), mRNA. Length = 1886 Rattus norvegicus calcium binding protein A6 (calcyclin) (S100a6), mRNA. Length = 291 Rattus norvegicus peroxisomal membrane protein Pmp26p (Peroxin-11) (Pex11a), mRNA. Length =	protein tyrosine phosphatase type IVA, member 2  DNA polymerase alpha subunit II  karyopherin (importin) alpha 2  calcium binding protein A6 (calcyclin)
y General	Rattus norvegicus DNA polymerase alpha subunit II (Pola2), mRNA. Length = 1836 Rattus norvegicus karyopherin (importin) alpha 2 (Kpna2), mRNA. Length = 1886 Rattus norvegicus calcium binding protein A6 (calcyclin) (S100a6), mRNA. Length = 291 Rattus norvegicus peroxisomal membrane protein Pmp26p (Peroxin-11) (Pex11a), mRNA. Length =	DNA polymerase alpha subunit II karyopherin (importin) alpha 2 calcium binding protein A6 (calcyclin)
General	Rattus norvegicus karyopherin (importin) alpha 2 (Kpna2), mRNA. Length = 1886 Rattus norvegicus calcium binding protein A6 (calcyclin) (S100a6), mRNA. Length = 291 Rattus norvegicus peroxisomal membrane protein Pmp26p (Peroxin-11) (Pex11a), mRNA. Length =	karyopherin (importin) alpha 2 calcium binding protein A6 (calcyclin)
	2 (Kpna2), mRNA. Length = 1886 Rattus norvegicus calcium binding protein A6 (calcyclin) (S100a6), mRNA. Length = 291 Rattus norvegicus peroxisomal membrane protein Pmp26p (Peroxin-11) (Pex11a), mRNA. Length =	calcium binding protein A6 (calcyclin)
	binding protein A6 (calcyclin) (S100a6), mRNA. Length = 291 Rattus norvegicus peroxisomal membrane protein Pmp26p (Peroxin-11) (Pex11a), mRNA. Length =	calcium binding protein A6 (calcyclin)
ا برا	peroxisomal membrane protein Pmp26p (Peroxin-11) (Pex11a), mRNA. Length =	nerovisomal membrane protein
<u> 11.8</u>	A 1 1 2 4 A	Pmp26p (Peroxin-11)
d	Rattus norvegicus homocysteine-inducible, endoplasmic reticulum stress inducible, ubiquitin-like domain member 1	
<b>3</b> 88 %	Rattus norvegicus ATP- dependent, RNA helicase (Rok1), mRNA. Length =	Rattus norvegicus rROK1L mRNA for ROK1-like protein, complete cds
	Rattus norvegicus lysosomal- associated protein	Rattus norvegicus gcd-10S mRNA,
C s	Rattus norvegicus isopentenyl-diphosphate delta isomerase (Idi1),	complete cds  Rattus norvegicus isopentenyl diphosphate:dimethylallyl diphosphate
	Rattus norvegicus nuclear RNA helicase, DECD variant of DEAD box family (Ddxl),	isomerase mRNA, complete cds  Rattus norvegicus nuclear RNA
General	Rattus norvegicus olfactomedin related ER	helicase mRNA, complete cds Rattus norvegicus neuronal olfactomedin-related ER localized protein (D2Sut1e) mRNA, complete
4.	mRNA. Length = 2759	cds
	c,d General	transmembrane 5 (Laptm5), mRNA. Length = 1309 Rattus norvegicus isopentenyl-diphosphate delta isomerase (Idi1), mRNA. Length = 1182 Rattus norvegicus nuclear RNA helicase, DECD variant of DEAD box family (Ddxl), mRNA. Length = 1511 Rattus norvegicus olfactomedin related ER localized protein (Olfm1),

TABLE 9	SUMMARY	表示: [1] 2. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ij.		Ally. Docket No. 44921-5039WG
Sequenc ID No.	ideniiier	GanBank Ace Rai. San ID	Modal Goda	Gene Name	Doc, No. 1793397. Univere Glusier Tille
2010	19253	"NM_053576	h	Rattus norvegicus thiol- specific antioxidant protein (Prdx5), mRNA. Length = 1414	Rattus norvegicus mRNA for thiol- specific antioxidant protein (1-Cys peroxiredoxin)
2011	3049	NM_053582	p,cc, General	Rattus norvegicus glucocorticoid-inducible protein (gis5), mRNA. Length = 1869	Rattus norvegicus gis5 mRNA for glucocorticoid-inducible protein, complete cds
2011	3050	NM 053582	o,General	Rattus norvegicus glucocorticoid-inducible protein (gis5), mRNA. Length = 1869	Rattus norvegicus gis5 mRNA for glucocorticoid-inducible protein, complete cds
2012	21423	NM 053586	s,y	Rattus norvegicus cytochrome c oxidase subunit Vb (Cox5b), mRNA. Length = 485	Rat mRNA for cytochrome c oxidase
2013	21445	NM 053587	it,v	Rattus norvegicus S100 calcium-binding protein A9 (calgranulin B) (S100a9), mRNA. Length = 494	Rattus norvegicus intracellular calcium binding protein (MRP14) mRNA, complete cds
2014	20871	NM_053591	j.l	Rattus norvegicus dipeptidase 1 (Dpep1), mRNA. Length = 2179 Rattus norvegicus	Rat dipeptidase (dpep1) mRNA, complete cds
2014	20870	NM_053591	l .	dipeptidase 1 (Dpep1), mRNA. Length = 2179 Rattus norvegicus protein	Rat dipeptidase (dpep1) mRNA, complete cds
2015	21044	NM_053594	d 😝	tyrosine phosphatase, receptor type, R (Ptprr), mRNA. Length = 3565	Rattus norvegicus mRNA for tyrosine phosphatase CBPTP, complete cds
2016	21709	NM_053596	k ×	Rattus norvegicus endothelin converting enzyme 1 (Ece1), mRNA. Length = 4469	Rat mRNA for endothelin-converting enzyme, complete cds
2016	21708	NM_053596	z	Rattus norvegicus endothelin- converting enzyme 1 (Ece1), mRNA. Length = 4469	Rat mRNA for endothelin-converting enzyme, complete cds
2017	1597	NM_053611	t	Rattus norvegicus nuclear proten 1 (Nupr1), mRNA. Length = 602	Rattus norvegicus p8 mRNA, complete cds
2018	_₹ 5565	NM_053618	General	Rattus norvegicus Bardet- Biedl syndrome 2 (human) (Bbs2), mRNA. Length = 2573	Rattus norvegicus BBS2 (Bbs2) mRNA, complete cds
2019	13004	NM_053623	t	Rattus norvegicus fatty acid- Coenzyme A ligase, long chain 4 (Facl4), mRNA. Length = 4862	Rattus norvegicus mRNA for Acyl- CoA synthetase, complete cds
2020	1127	NM_053626	g	Rattus norvegicus D-amino acid oxidase (Dao1), mRNA. Length = 1646 Rattus norvegicus beta-	Rattus norvegicus mRNA for D-amino- acid oxidase, complete cds
2021	18644	NM_053648	n .	carotene 15, 15'- dioxygenase (Bcdo), mRNA. 1 Length = 2207	Rattus norvegicus mRNA for beta- carotene 15,15'-dioxygenase, complete cds
2022	21637	NM_053653	*	endothelial growth factor C (Vegfc), mRNA. Length =	ESTs, Highly similar to VEGC MOUSE VASCULAR ENDOTHELIAL GROWTH FACTOR C PRECURSOR [M.musculus]
2023	3454			Rattus norvegicus cyclin L (Ccnl), mRNA. Length =	Rattus norvegicus cyclin ania-6a mRNA, complete cds

TABLE 1:	SUMMARY				Ally: Docker No. 44921-50390 Doc, No. 1793397
Sequence ID No.		GenBenis Assi Res. Sog ID	Modal Goda	Gene Name	Lairens Guster Tille
				Rattus norvegicus Cbp/p300 interacting transactivator, with Glu/Asp-rich carboxy- terminal domain, 2 (Cited2),	
2024	16121	NM_053698	h,j,z	mRNA. Length = 1155 Rattus norvegicus Cbp/p300	MRG1 mRNA, complete cds
				interacting transactivator, with Glu/Asp-rich carboxy- terminal domain, 2 (Cited2),	Rattus norvegicus transcription facto
2024	16122	NM_053698	h,j,z	mRNA. Length = 1155 Rattus norvegicus Kruppel-	MRG1 mRNA, complete cds
2025	25379	NM_053713	General	like factor 4 (gut) (Klf4), mRNA. Length = 2393 Rattus norvegicus Kruppel-	
2025	13622	NM_053713	General	like factor 4 (gut) (Klf4), mRNA. Length = 2393	ESTs, Moderately similar to zinc fing protein [R.norvegicus]
20 <b>2</b> 6	15376	NM_053747	h	Rattus norvegicus ubiquilin 1 (Ubqln1), mRNA. Length = 2131	Rattus norvegicus mRNA for DA41, complete cds
2027	1218	NM 053748	b	Rattus norvegicus dipeptidylpeptidase III (Dpp3), mRNA. Length = 2632	Rattus norvegicus mRNA for dipeptidyl peptidase III, complete cds
2028	1137			Rattus norvegicus cytochrome P450, 40 (25- hydroxyvitamin D3 1 alpha- hydroxylase) (Cyp40),	Rattus norvegicus 25-hydroxyvitamin D 1-hydroxylase (CYP1) mRNA,
		NM_053763	l y	mRNA. Length = 2426 Rattus norvegicus protein tyrosine phosphatase, non- receptor type 16 (Ptpn16),	complete cds  Rattus norvegicus protein tyrosine
2029	15996 8652	NM_053769 NM_053774	g	mRNA. Length = 1104 Rattus norvegicus ubiquitin specific protease 2 (Usp2), mRNA. Length = 1857	phosphatase mRNA, complete cds Rattus norvegicus deubiquitinating enzyme Ubp69 (ubp69) mRNA, complete cds
2031	14664	NM 053806	General	Rattus norvegicus potassium channel, subfamily K, member 6 (TWIK-2) (Kcnk6), mRNA. Length = 2243	
2032	4361	NM_053812	k	Rattus norvegicus BCL2- antagonist/killer 1 (Bak1), mRNA. Length = 1923	Rattus norvegicus BAK protein (Bak) mRNA, complete cds
2034	15002	NM_053819	b,x,bb, General	Rattus norvegicus tissue inhibitor of metalloproteinase. 1 (Timp1), mRNA. Length = 740	Rattus norvegicus tissue inhibitor of metalloproteinase-1 (TIMP1), mRNA, complete cds
2034	15003	NM_053819	b,l,x,bb, General	Rattus norvegicus tissue inhibitor of metalloproteinase 1 (Timp1), mRNA. Length = 740	Rattus norvegicus tissue inhibitor of metalloproteinase-1 (TIMP1), mRNA, complete cds
2035	16173	NM 053822		Rattus norvegicus S100 calcium-binding protein A8 (calgranulin A) (S100a8), mRNA. Length = 361	Rattus norvegicus intercellular calciun binding protein (MRP8) mRNA, complete cds
2036	17154	NM_053835	j,z	Rattus norvegicus clathrin, light polypeptide (Lcb) (Cltb), mRNA. Length = 982	Rat clathrin light chain (LCB2) mRNA, complete cds,Rat clathrin light chain (LCB3) mRNA, complete cds
2037	20868	NM_053843	t	Rattus norvegicus Fc receptor, IgG, low affinity III (Fcgr3), mRNA. Length = 1318	Rat Fc-gamma receptor mRNA, complete cds
2037	20869	NM 053843	ŧ	Rattus norvegicus Fc receptor, IgG, low affinity III (Fcgr3), mRNA. Length =	Rat Fc-gamma receptor mRNA, complete cds

TABLE 1:	SUMMARY				Aity: Docket No. 44921-503900 Doc No. 1793997
Sequence No. :	ldenMar	GanBank Accil	Gode Model	Cono Nemo	unigene Cluster Title
		V		Rattus norvegicus solute	
				carrier family 28 (sodium-	Rattus norvegicus Sprague-Dawley
				transporter), member 1	sodium-dependent nucleoside
2040	714	NM 053863	ļ.,	(Sic28a1), mRNA. Length = 2401	transporter (rCNT1) mRNA, complete
-	17.17	1NM_033863	Jy	Rattus norvegicus dual	cds
				specificity phosphatase 6	Rattus norvegicus dual-specificity
2041	19781	NM 053883	J _b	(Dusp6), mRNA. Length =	protein tyrosine phosphatase (rVH6) mRNA, complete cds
			1	Rattus norvegicus dual	
				specificity phosphatase 6 (Dusp6), mRNA. Length =	Rattus norvegicus dual-specificity protein tyrosine phosphatase (rVH6)
2041	19780	NM_053883	b	2104	mRNA, complete cds
				Rattus norvegicus mitogen	
				activated protein kinase kinase kinase 1 (Map3k1),	Rattus norvegicus MAP kinase kinase kinase kinase 1 (MEKK1) mRNA, complete
2042	1454	NM_053887	General	mRNA. Length = 5180	cds
				Rattus norvegicus cyclin- dependent kinase 5,	
				regulatory subunit 1 (p35)	
2043	1660	NM 053891	g	(Cdk5r), mRNA. Length =	Rattus norvegicus P35 mRNA,
	1.000	1411/203037	19	Rattus norvegicus aldehyde	complete cds
				dehydrogenase family 1,	
2044	712	NM 053896	J _k	subfamily A2 (Aldh1a2), mRNA. Length = 2240	Rattus norvegicus aldehyde dehydrogenase mRNA, complete cds
				Rattus norvegicus	
			1	coagulation factor II (thrombin) receptor-like 1	Rattus norvegicus proteinase-
				(F2ri1), mRNA. Length =	activated receptor-2 mRNA, complete
2045	753	NM_053897	, k	1428 Rattus norvegicus	cds
				kynureninase (L-kynurenine	
2046	794	NM 053902	General	hydrolase) (Kynu), mRNA. Length = 1765	Rattus norvegicus L-kynurenine
2040	1,54	14101 053902	General	Rattus norvegicus pleckstrin	hydrolase mRNA, complete cds
				homology, Sec7 and	
				coiled/coil domains 2 (Pscd2), mRNA. Length =	Rattus norvegicus sec7B mRNA,
2047	17937	NM_053911	ſ,	1561	complete cds
			1	Rattus norvegicus erythrocyte membrane	
				protein band 4.1-like 3	
2048	8188	NM 053927	General	(Epb41I3), mRNA. Length = 4543	Rattus norvegicus mRNA for type II
	1	1-111 000321	Jeneral	Rattus norvegicus	brain 4.1, complete cds
				endothelial differentiation,	
			1	lysophosphatidic acid G- protein-coupled receptor, 2	Rattus norvegicus putative G-protein
0050	1.000		<b>.</b>	(Edg2), mRNA. Length =	coupled receptor GPCR91 (Gpcr91)
2050	1628	NM_053936 _*	h	1543 Rattus norvegicus crystallin.	mRNA, complete cds
				mu (Crym), mRNA. Length =	
2051	13954	NM_053955	General	1227 Sattus norvegicus	Rattus norvegicus CDK108 mRNA
					R.norvegicus mRNA encoding 45kDa
2052	400	NIM DESCO		protein 29 (Erp29), mRNA.	protein which binds to heymann
2052	408	NM_053961		Length = 4529 Rattus norvegicus	nephritis antigen gp330
			]	endoplasmic retuclum	
2052	19991	NM 053961			mitochondrial aconitase (nuclear aco2 gene)
	1.777.	1 000001	<u>- 1</u>		gonoj

TABLES	SUMMARY				Ally. Docket No. 44924-503300 Doc. No. 1793397
10 No.	(dentifier	GenBenk Ace/ Ref. Seq.ID	Model	Cene Name	Unigene Civeter Title
2052	16190	NM 053961	q	Rattus norvegicus endoplasmic retuclum protein 29 (Erp29), mRNA. Length = 4529	ESTs, Weakly similar to ECHM RAT ENOYL-COA HYDRATASE, MITOCHONDRIAL PRECURSOR IR norvegicus]
2002	10/30	14M 033501	9	Rattus norvegicus endoplasmic retuclum	[K.HOI YEGICUS]
2052	21355	NM_053961	j,l,y,z	protein 29 (Erp29), mRNA. Length = 4529 Rattus norvegicus ribosomal	ESTs
2055	15136	NM_053971	aa	protein L6 (Rpl6), mRNA. Length = 963 Rattus norvegicus ribosomal	R.norvegicus mRNA for ribosomal protein L6
2055	15135	NM_053971	d	protein L6 (Rpl6), mRNA. Length = 963	R.norvegicus mRNA for ribosomal protein L6
2056	1764	NM 053974	h	Rattus norvegicus eukaryotic translation initiation factor 4E (Eif4e), mRNA. Length = 1647	
2057	1292	NM_053980		Rattus norvegicus ADP- ribosylation factor related protein 1 (Arfrp1), mRNA. Length = 943	R.norvegicus (Sprague Dawley) ARP
2058	15468	NM_053982	q	Rattus norvegicus ribosomal protein S15a (Rps15a), mRNA. Length = 449	R.norvegicus mRNA for ribosomal protein S15a
2059	15642	NM_053985	General	Rattus norvegicus H3 histone, family 3B (H3f3b), mRNA. Length = 1107	R.norvegicus mRNA for histone H3.3
2060	21066	NM 054001	t	Rattus norvegicus CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 2 (Cd36l2), mRNA. Length = 1938	Rat lysosomal membrane protein (LIMPII) mRNA, complete cds
2061	17326	NM_054008	o	Rattus norvegicus Rgc32 protein (Rgc32), mRNA. Length = 889	Rattus norvegicus RGC-32 (RGC-32) mRNA, complete cds
2061	17327	NM_054008	cc ,	Rattus norvegicus Rgc32 protein (Rgc32), mRNA. Length = 889	Rattus norvegicus RGC-32 (RGC-32) mRNA, complete cds
2061	17329	NM_054008	g,o,cc	Rattus norvegicus Rgc32 protein (Rgc32), mRNA. Length = 889	Rattus norvegicus RGC-32 (RGC-32) mRNA, complete cds
				Rattus norvegicus proteasome (prosome, macropain) subunit, beta type 6 (Psmb6), mRNA.	
2062	25253	NM_057099 .	j,l,m,p,z	Length = 760  Rattus norvegicus proteasome (prosome, macropain) subunit, beta	ESTs, Highly similar to
2062	22849	NM_057099	l,į	type 6 (Psmb6), mRNA. Length = 760 Rattus norvegicus A kinase	PROTEASOME DELTA CHAIN PRECURSOR [R.norvegicus]
2063	19657	NM_057103	b,cc	Length = 5236	Rattus norvegicus PKC binding protein and substrate mRNA, complete cds
2064	5492	NM_057105	1	mRNA. Length = 1593	ESTs,UDP-glucuronosyltransferase 1 family, member 1
20 <del>6</del> 4	15126	NM 057105		Rattus norvegicus UDP glycosyltransferase 1 family, polypeptide A6 (Ugt1a6),	Rattus norvegicus UDP- glucuronosyltransferase UGT1A7 mRNA, complete cds,UDP- glucuronosyltransferase 1 family, member 1

500	i: Summary		Milita Garage		Ally, Docket No. 44921-5039W0 Doc. No. 1793397
Sequence Sequence	so LdenWiler	GenBank Acel Ref. Seq [D	Model Gode	Gene Namo	Unigam Gluster Tillo
2064	15125	NM_057105	s	Rattus norvegicus UDP glycosyltransferase 1 family, polypeptide A6 (Ugt1a6), mRNA. Length = 1593	Rattus norvegicus UDP- glucuronosyltransferase UGT1A7 mRNA, complete cds,UDP- glucuronosyltransferase 1 family, member 1
2066	15391	NM_057114	n	Rattus norvegicus peroxiredoxin 1 (Prdx1), mRNA. Length = 882	Rat mRNA for HBP23 (heme-binding protein 23 kDa), complete cds
2067	727	"NM_057123	m a	Rattus norvegicus protease (prosome, macropain) 26S subunit, ATPase 1 (Psmc1), mRNA. Length = 1556	Rattus norvegicus mRNA for proteasomal ATPase (S4), complete
2068	915	NM_057124	s	Rattus norvegicus pyrimidinergic receptor P2Y, G-protein coupled, 6 (P2ry6), mRNA. Length = 1922	Rat mRNA for novel G protein-coupled P2 receptor, complete cds
2069	15151	NIM 057434		Rattus norvegicus phosphoribosyl pyrophosphate synthetase- associated protein 2 (Prpsap2), mRNA. Length = 11612	Rattus norvegicus mRNA for 41-kDa phosphoribosylpyrophosphate synthetase-associated protein,
	1892	NM_057131	<u>k</u>	Rattus norvegicus cysteine- rich protein 3 (Csrp3),	R.norvegicus mRNA for muscle LIM
2070	12333	NM_057144	b f	mRNA. Length = 853 Rattus norvegicus X-prolyl aminopeptidase (aminopeptidase P) 2, membrane-bound (Xpnpep2), mRNA. Length = 2828	Protein  Rattus norvegicus membrane-bound aminopeptidase P mRNA, complete
2071	12331	NM_057155 a	v,General	Rattus norvegicus X-prolyl aminopeptidase (aminopeptidase P) 2, membrane-bound	Rattus norvegicus membrane-bound aminopeptidase P mRNA, complete cds
2071	12332		· · · · · · · · · · · · · · · · · · ·	Rattus norvegicus X-prolyl aminopeptidase (aminopeptidase P) 2, membrane-bound (Xpnpep2), mRNA. Length =	Rattus norvegicus membrane-bound aminopeptidase P mRNA, complete cds
2072	, 17477			Rattus norvegicus phospholipid scramblase 1 (Plscr1), mRNA. Length =	Rattus norvegicus phospholipid scramblase PLSCR mRNA, complete cds
2073	15408	NM_057197 -	o,t	mitochondrial (Decr1), mRNA. Length = 1109	Rattus norvegicus mRNA for 2,4- dienoyl-CoA reductase precursor, complete cds
2073	15409	NM_057197		mitochondrial (Decr1), mRNA. Length = 1109	Rattus norvegicus mRNA for 2,4- dienoyl-CoA reductase precursor, complete cds
2074	₄ 7866 *	NM_057198			Rattus norvegicus mRNA for amidophosphoribosyltransferase

Tabuen: §					Any, Docks No. 44921-593300 Doc. No. 1793397
Sequence ID No.	ldeniiier	GenBenk/100/ Rei Seg ID	Model Gode	Gene Name	Unigene Cluster Tille
		NIA 057000		Rattus norvegicus tropomyosin 3, gamma (Tpm3), mRNA. Length =	Rattus norvegicus tropomyosin non- muscle isoform NM1 (TPM-gamma) mRNA, complete cds,Rattus norvegicus tropomyosin non-muscle isoform NM3 (TPM-gamma) mRNA,
2075	14125	NM_057208	h.j.y.z	1101   Rattus norvegicus synaptic   vesicle glycoprotein 2 a   (Sv2a), mRNA. Length =	Rattus norvegicus synaptic vesicle
2076	1743	NM_057210	k,s	3844 Rattus norvegicus ribosomal protein S23 (Rps23), mRNA.	protein (SV2) mRNA, complete cds
2077	10498	NM_078617	а	Length = 432 Rattus norvegicus Smhs1 protein (Smhs1), mRNA.	ribosomal protein S23 mRNA
2078	8820	NM_080399	n	Length = 1107 Rattus norvegicus ATP- binding cassette, sub-family C (CFTR/MRP), member 3	Rattus norvegicus mRNA for multidru
2079	15701	NM_080581	j,m,y,z	(Abcc3), mRNA. Length = 5174  Rattus norvegicus ATP-binding cassette, sub-family C (CFTR/MRP), member 3	resistance-associated protein (MRP)- like protein-2 (MLP-2), complete cds
2079	20105	NM_080581	aa -	(Abcc3), mRNA. Length = 5174 Rattus norvegicus N-ethylmaleimide sensitive fusion protein attachment	ESTs
2080	16109	NM_080585	C 1	protein alpha (Napa), mRNA. Length = 1505 Rattus norvegicus Neuroblastoma RAS viral (v- ras) oncogene homolog	Rattus norvegicus mRNA for alpha- soluble NSF attachment,protein
2081	<b>1757</b> 3	NM_080766	d	(Nras), mRNA. Length = 3350  Rattus norvegicus nuclear receptor subfamily 2, group	R.norvegicus N-ras gene for p21 protein Rattus norvegicus ovalbumin upstream promoter beta nuclear
2082	7108	NM_080778	у	F, member 2 (Nr2f2), mRNA. Length = 1572 Rattus norvegicus cyclin-	receptor rCOUPb mRNA, complete cds
2083	132	NM_080782	k	dependent kinase inhibitor 1A (P21) (Cdkn1a), mRNA. Length = 495	Rattus norvegicus p21 (WAF1) mRNA, complete cds
2083	133 。	NM_080782	1	Rattus norvegicus cyclin- dependent kinase inhibitor 1A (P21) (Cdkn1a), mRNA. Length = 495	Rattus norvegicus p21 (WAF1) mRNA, complete cds
2084	20122	NM_080887	General ;	Rattus norvegicus thioredoxin-like (32kD) (Txnl), mRNA. Length =	ESTs, Highly similar to thioredoxin- related protein [M.musculus]
2085	6143	NM_080892	e	mRNA. Length = 1685	ESTs, Moderately similar to selenium- binding protein [H.sapiens]
2086	9952 -	NM_080902		Rattus norvegicus hypoxia induced gene 1 (Hig1), mRNA. Length = 355 Rattus norvegicus	ESTs, Moderately similar to AF077034 1 HSPC010 [H.saplens]
2087	17546	NM_130401		membrane-associated	ESTs, Moderately similar to DD96 homolog [R.norvegicus]

TABLE 1	: Summary ,				Ally, Docket No. 44921-518900 Dock No. 1793897
Sequenc ID No.		Genbenk Acc/* Ref. Scolid	Model Gode	Come Name	Unilgene Guetar Mile
2088	21695	NM_130411	c,x	Rattus norvegicus coronin, actin binding protein 1A (Coro1a), mRNA. Length = 1386	ESTs, Weakly similar to coronin-like protein [R.norvegicus]
2089	21391	NM 130416	x,General		ESTs, Weakly similar to ANX4 RAT ANNEXIN IV [R.norvegicus]
2090	20694	NM_130430	General	Rattus norvegicus proteasome (prosome, macropain) 26S subunit, non ATPase, 9 (Psmd9), mRNA. Length = 1448	
				Rattus norvegicus proteasome (prosome, macropain) 26S subunit, non ATPase, 9 (Psmd9), mRNA.	
2090	19818	NM_130430	cc	Length = 1448 Rattus norvegicus proteasome (prosome, macropain) 26S subunit, non	
2090	18810	NM_130430	e,s	ATPase, 9 (Psmd9), mRNA. Length = 1448	mitochondrial H+-ATP synthase alpha subunit
				Rattus norvegicus acetyl- Coenzyme A acyltransferase 2 (mitochondrial 3-oxoacyl- Coenzyme A thiolase) (Acaa2), mRNA. Length =	
2091 2092	18293 25064	NM_130433 S45392	a,n	1619	Rat mRNA for 3-oxoacyl-CoA thiolase
2093	3244	S63519	u		ESTs
2094	25501	S63521	q		
2095	16248	S68135	h		Rat brain glucose-transporter protein mRNA, complete cds
2096	18647	S69316	q		ESTs, Weakly similar to HS9B RAT HEAT SHOCK PROTEIN HSP 90- BETA [R.norvegicus]
2097	24351	S74257	v		ESTs, Weakly similar to ABD4 MOUSE ATP-BINDING CASSETTE, SUB-FAMILY D, MEMBER 4 [M.musculus]
2098	25066	S75280	d		[M.Muoounus]
			j,l,m,x,y,G		ESTs, Highly similar to K2C8 RAT KERATIN, TYPE II CYTOSKELETAL
2099	1460	S76054	eneral		8 [R.norvegicus]
2100 2101	25539 16400	S76742 S76779	v C		Rat apolipoprotein e mrna
2101	10400	310119			ESTs, Highly similar to MLES RAT MYOSIN LIGHT CHAIN ALKALI, SMOOTH-MUSCLE ISOFORM
2102	24469	S77858	n		[R.norvegicus]
2103	25545	S77900 -	k,s		
2103 2104	21583 10260	S77900 S81497	k s		ESTs ESTs
2105	3609	S82579	k "	histamine N- methyltransferase	histamine N-methyltransferase
2106	1111	U02506	u		Rattus norvegicus clone 15 polymeric immunoglobulin receptor mRNA, 3'UTR microsatellite repeats Rattus norvegicus Sprague Dawley
2107	14959	U03390	a,q, General		protein kinase C receptor mRNA, complete cds
				3	Rattus norvegicus Sprague-Dawley fibrinogen B beta chain mRNA,
2109	2010	U05675	b,x,bb		complete cds
2110	15462	U06230	d 🌯	protein S	protein S

ı

TABLES	SUMMARY				Aity, Docket No. 44921-503900 Doc. No. 1793397
Sequence		Genfank (Acc)	100.00		Estative (Verge)/
ાગ (પ્રાંગ કર્લાતાના લા	) Ideniiiier	Ref. Seq D	(30.45) (70000)	Cene Name	Universe Civeter Title
2112	1583	U07201		Asparagine synthetase	Asparagine synthetase
	1,000	007201	3,001016	nij/sparagine synthetase	Rattus norvegicus New England
2113	627	U09229	h		Deaconess transcription factor mRNA partial cds
					Rattus norvegicus interferon inducible
2114	809	U17035	General		protein 10 (IP-10) mRNA, complete cds
				mini chromosome	
				maintenance deficient 6 (S.	mini chromosome maintenance
2115	16675	U17565	k,x,bb	cerevisiae)	deficient 6 (S. cerevisiae)
2116	25587	U20110	<u>Ir</u>	-	
2117	90	U20796	l _r		Rattus norvegicus nuclear receptor Rev-ErbA-beta mRNA, partial cds
2118	25589	U21718	h,aa		3 Nov Elby Sold Milita, partial cus
2119	22196	U21719	h		ESTs
2120	17118	U25746	s		Rattus norvegicus RNA helicase with arginine-serine-rich domain mRNA,
LIZU	***************************************	3023740	1	<u> </u>	complete cds     Rattus norvegicus UDP-
2121	1537	U27518	g,h,n		glucuronosyltransferase mRNA, complete cds
0400			1		Rattus norvegicus Na+/Pi
2122	1558	U28504	bb		cotransporter-1 mRNA, complete cds
2123	16193	U30831	n		Rattus norvegicus B/K protein mRNA, complete cds
2124	17480	U31598	z	1	R.norvegicus mRNA for RT1.Ma
					Rattus norvegicus retinol
					dehydrogenase type II mRNA,
2125	18302	U33500	General		complete cds
2126	25599	U34897	У		<u> </u>
2127	1394	U37099	h		Rattus norvegicus GTP-binding protein (rab 3C) mRNA, complete cds
	1	00:000		<del> </del>	EST, Weakly similar to actin-filament
					binding protein Frabin
					[R.norvegicus],Rattus norvegicus
2128	244	U38376	n		cytosolic phospholipase A2 mRNA,
2120	+2	1030376	11		complete cds Rattus norvegicus Cys2/His2 zinc
					finger protein (rKr1) mRNA, complete
2129	1623	U41164	h .		cds
		4	f,t,x,		
2130	15851	U42719 1	General ,	Complement component 4	Complement component 4
					Rattus norvegicus apoptosis-
2131	17886	U47315	s,z		regulating basic protein mRNA, complete cds
			i,t,	estrogen-responsive uterine	Complete cus
2132	, 21654	U53184	General ,	transcript	estrogen-responsive uterine transcript
					Rattus norvegicus FceRI gamma-
1422	4430	1157004			chain interacting protein SH2-B (SH2-
2133	1439	U57391	W	colute engine family 46	B) mRNA, complete cds
				solute carrier family 16 (monocarboxylic acid	solute carrier family 16 (monocarboxylic acid transporters).
2424	725	U62316	bb «	transporters), mem	member 7
2134			b,cc,		
2134			~ · · · · · · · · · · · · · · · · · · ·		cor-
2134	2153	U75404	General		ESTs
	2153	U75404	General		Rattus norvegicus cell adhesion
2137					Rattus norvegicus cell adhesion regulator (CAR1) mRNA, complete
2137	4956	U76714	i,y		Rattus norvegicus cell adhesion regulator (CAR1) mRNA, complete cds
2137		U76714			Rattus norvegicus cell adhesion regulator (CAR1) mRNA, complete cds
2137	4956	U76714 U77829	i,y		Rattus norvegicus cell adhesion regulator (CAR1) mRNA, complete cds
2137 2139 2140 2141	.4956 .4477 .21703	U76714 U77829 U82591	,y ,m		Rattus norvegicus cell adhesion regulator (CAR1) mRNA, complete cds ESTs Rattus norvegicus RCL (Rcl) mRNA,
2137 2139 2140 2141	.4956 .4477 .21703	U76714 U77829 U82591 U89744	i,y i,m z		Rattus norvegicus cell adhesion regulator (CAR1) mRNA, complete cds ESTs Rattus norvegicus RCL (Rcl) mRNA, complete cds Rattus norvegicus putative cell surface antigen mRNA, complete cds
2137 2139 2140 2141	.4956 .4477 .21703	U76714 U77829 U82591 U89744	i,y i,m z	lipoprotein-binding protein	Rattus norvegicus cell adhesion regulator (CAR1) mRNA, complete cds ESTs Rattus norvegicus RCL (Rcl) mRNA, complete cds Rattus norvegicus putative cell

TABLE 18: 8	SUMMARY				Affy. Docket No. 44921-50390 Doc. No. 179339
, . (5)	in Complete and the	GanBank Acel	Model		1
Sequines	in spania ze (1). Zasta	Genisank/Acc/			
	ManiMer	Ref. Seque *	Godo =	George Marine	Unigene Civeter Title
	1			Aldolase B, fructose-	
2146	819	X02284	j,z	biphosphate	Aldolase B, fructose-biphosphate
	1		1.	Aldolase B, fructose-	
2147	818	X02291	e,j,z	biphosphate	Aldolase B, fructose-biphosphate
				glutathione S-transferase, p	1
2148	20818	X02904	n,q	2	glutathione S-transferase, pi 2
2149	16401	X04979	c	Discounts bissess there and	Rat apolipoprotein e mma
2150	20513	X05684		Pyruvate kinase, liver and RBC	Burningto kinner liver and BBC
2151	25084	X06769	o,r cc	ROC	Pyruvate kinase, liver and RBC
2152	672	X13722	h		Rat mRNA for LDL-receptor
2153	25675	X14181	n	1	TAR III WAS TOLEDE-TECEPTOL
2100	1200.0	1	<del>"</del> "		ESTs, Highly similar to 60S
					RIBOSOMAL PROTEIN L18A
2153	20810	X14181	n,q,w		[R.norvegicus]
			1		ESTs, Highly similar to RL26 RAT 60
				1	RIBOSOMAL PROTEIN L26
2154	18541	X14671	Jy	Į.	[R.norvegicus]
2155	25679	X15013	Jq		1
			1		ESTs, Highly similar to RL7A HUMA
	1	ļ.			60S RIBOSOMAL PROTEIN L7A
2155	19244	X15013	c,q,w		[R.norvegicus]
					ESTs, Highly similar to RS16 HUMA
					40S RIBOSOMAL PROTEIN S1
2156	15626	X17665	a		[R.norvegicus]
				phospholipase A2, group IIA	
2157	1893	X51529	<u> t                                    </u>	(platelets, synovial fluid)	(platelets, synovial fluid)
2158	25686	X51536	bb		
	1				ESTs, Highly similar to RS3 MOUSE
_			1		40S RIBOSOMAL PROTEIN S3
2158	10819	X51536	aa,bb		[R.norvegicus]
			1		ESTs, Highly similar to RL9 RAT 60S
					RIBOSOMAL PROTEIN L9
2159	18250	X51706	a,q,w	ribosomal protein L9	[R.norvegicus]
	1				ESTs, Highly similar to RS19 RAT
2400		VE4707	1_		40S RIBOSOMAL PROTEIN S19
2160	20872	X51707	a	ribosomal protein S19	[R.norvegicus]
2161 2162	516 25689	X52711 X52815	C	<b> </b>	Rat mRNA for Mx1 protein
2102	123009	A32013	9		Rattus norvegicus ribosomal protein
2163	20427	X53378	"w		S13 (RPS13) mRNA, 3' end
2100	120721	1700010	1"		ESTs, Highly similar to 60S
	1			,	RIBOSOMAL PROTEIN L12
2164	18606	X53504	General		[R.norvegicus]
	1	1	d,u,		Rat mRNA for preprocathepsin D (EC
2165	1463	X54467	General		3.4.23.5)
	*	1			ESTs, Highly similar to 60S ACIDIC
	1				RIBOSOMAL PROTEIN P2
2166	24577	X55153	la,v		[R.norvegicus]
***************************************			1		LOCUS NOTCH HOMOLOG
					PROTEIN 1 PRECURSOR
2167	10344	X57405	j,m ,	Drosophila Notch homolog 1	
	1				ESTs, Highly similar to RS18 HUMAN
	1				40S RIBOSOMAL PROTEIN S18
2168	15106	X57529	g,n,q		[R.norvegicus]
169	5667	X58200	g,bb	ribosomal protein L23	
			1		ESTs, Highly similar to RL23_HUMAN
					60S RIBOSOMAL PROTEIN L23
. 169	18611	X58200	a,v	ribosomal protein L23	[R.norvegicus]
					R.norvegicus ASI mRNA for
					mammalian equivalent of bacterial
170	17175	X58389	w		large ribosomal subunit protein L22
171	25702	X58465	w		
171	10109	X58465 °	c,q e	Ribosomal protein S5	Ribosomal protein S5
			c,i,aa,		
172	25705	X59375	General		* * *

TABLE 0:	SUMMARY				Aity. Dockel No. 44921-503900 Doc. No. 1793397
D No. Sequence	lenimer	Confort Acc	Good Model	Gene Name	Unigene Queter Ville
2173	25709	X59737	u		
2174	18354	X59859	General	decorin	decorin
2174	18355	X59859	t	decorin	decorin
2175	21657	X61381	General		Rattus norvegicus interferon-inducible protein variant 10 mRNA, complete cds
	1		bb,		
2176	25718	X62145	General	ribosomal,protein L8	ESTs, Highly similar to RL8_HUMAN 60S RIBOSOMAL PROTEIN L
2176	15875	X62145	a,q,v	ribosomal protein L8	[R.norvegicus]
0477	100.46	V00400			ESTs, Highly similar to RL3 RAT 60S RIBOSOMAL PROTEIN L3
2177	13646	X62166	bb	<u> </u>	[R.norvegicus]
2178	25721	X62325	Р		
2179	16012	X62875	m,s,z		ESTs, Highly similar to HIGH MOBILITY GROUP PROTEIN HMG-Y [M.musculus]
2180	25730	X63369	cc		
2181	25089	X63594	General	4	
2181	25090	X63594	cc, General		ESTs, Highly similar to RL2B_HUMAN
2182	20844	X65228	n,w		60S RIBOSOMAL PROTEIN L23A [R.norvegicus]
2183	20879	X65296	j.y	carboxylesterase 1	carboxylesterase 1
2184	25736	X68782	c	1	
2185	16426	X70369	С	procollagen, type III, alpha 1	procollagen, type III, alpha 1
2186	16300	X70706	u	plastin 3 (T-isoform)	plastin 3 (T-isoform)
2187	24232	X75207	С	cyclin D1	cyclin D1
2188	16272	X76456	n,p	22	R.norvegicus (Sprague Dawley) alpha albumin gene
2189	25741	X76489	u		
2190	23302	X78949	h	prolyl 4-hydroxylase alpha subunit	prolyi 4-hydroxylase alpha subunit
2191	25747	X81448	General		ESTs, Highly similar to K1CS RAT KERATIN, TYPE I CYTOSKELETAL
2192	24115	X81449	u		19 [R.norvegicus]
2193	25754	X89696	g		
2194	25097	X90642	y,z		
2195	12978	X96437	cc, General		ESTs, Highly similar to RADIATION- INDUCIBLE IMMEDIATE-EARLY GENE IEX-1 [M.musculus]
2197	4594	Y07704 -	С	18	Rattus norvegicus mRNA Best5 protein
	1	I i	g.p.	avidativa atrona indused	oxidative stress induced
2198	25777	Y08355	General	oxidative stress induced	
2198	25777 15986	Y09945	bb, General	DYNAMA 211622 INDUCED	Rattus norvegicus mRNA for putative integral membrane transport protein (UST1r)
2199	15986	Y09945	bb, General	DANGENVE SHESS INDUCED	Rattus norvegicus mRNA for putative integral membrane transport protein (UST1r) Rattus norvegicus mRNA for D6.1A
2199 2200	15986	Y09945 Y13275	bb, General k	Oxidative stress induced	Rattus norvegicus mRNA for putative integral membrane transport protein (UST1r) Rattus norvegicus mRNA for D6.1A protein
	15986	Y09945	bb, General	Oxidative stress induced	Rattus norvegicus mRNA for putative integral membrane transport protein (UST1r) Rattus norvegicus mRNA for D6.1A
2199 2200 2201 2202	15986 20890 21914	Y09945 Y13275 Y13336 Z11995	bb, General k		Rattus norvegicus mRNA for putative integral membrane transport protein (UST1r) Rattus norvegicus mRNA for D6.1A protein Rattus norvegicus DAD-1 gene R.norvegicus mRNA encoding 45kDa protein which binds to heymann nephritis antigen gp330
2199 2200 2201 2202 2203	15986 20890 21914 406 18352	Y13275 Y13336 Z11995 Z12298	bb, General k d o,General	decorin	Rattus norvegicus mRNA for putative integral membrane transport protein (UST1r) Rattus norvegicus mRNA for D6.1A protein Rattus norvegicus DAD-1 gene R.norvegicus mRNA encoding 45kDa protein which binds to heymann nephritis antigen gp330 decorin
2199 2200 2201 2202	15986 20890 21914	Y13275 Y13336 Z11995 Z12298	bb, General k d	decorin	Rattus norvegicus mRNA for putative integral membrane transport protein (UST1r) Rattus norvegicus mRNA for D6.1A protein Rattus norvegicus DAD-1 gene R.norvegicus mRNA encoding 45kDa protein which binds to heymann nephritis antigen gp330 decorin R.norvegicus mRNA for RT1.Ma ESTs, Moderately similar to T17342 hypothetical protein
2199 2200 2201 2202 2202 2203 2204	15986 20890 21914 406 18352 17481	Y09945 Y13275 Y13336 Z11995 Z12298 Z49761	bb, General k d o,General t	decorin	Rattus norvegicus mRNA for putative integral membrane transport protein (UST1r) Rattus norvegicus mRNA for D6.1A protein Rattus norvegicus DAD-1 gene R.norvegicus mRNA encoding 45kDa protein which binds to heymann nephritis antigen gp330 decorin R.norvegicus mRNA for RT1.Ma ESTs, Moderately similar to T17342 hypothetical protein DKFZp586K1924.1 [H.sapiens], Heat
2199 2200 2201 2202 2203 2204	15986 20890 21914 406 18352 17481	Y09945  Y13275  Y13336  Z11995  Z12298  Z49761	bb, General k d o,General t k	decorin  Heat shock protein 70-1	Rattus norvegicus mRNA for putative integral membrane transport protein (UST1r) Rattus norvegicus mRNA for D6.1A protein Rattus norvegicus DAD-1 gene R.norvegicus mRNA encoding 45kDa protein which binds to heymann nephritis antigen gp330 decorin R.norvegicus mRNA for RT1.Ma ESTs, Moderately similar to T17342 hypothetical protein DKFZp586K1924.1 [H.sapiens], Heat shock protein 70-1
2199 2200 2201 2202 2203	15986 20890 21914 406 18352 17481	Y09945 Y13275 Y13336 Z11995 Z12298 Z49761	bb, General k d o,General t	decorin Heat shock protein 70-1	Rattus norvegicus mRNA for putative integral membrane transport protein (UST1r) Rattus norvegicus mRNA for D6.1A protein Rattus norvegicus DAD-1 gene R.norvegicus mRNA encoding 45kDa protein which binds to heymann nephritis antigen gp330 decorin R.norvegicus mRNA for RT1.Ma ESTs, Moderately similar to T17342 hypothetical protein DKFZp586K1924.1 [H.sapiens], Heat

TABUES: 8	XUMIMARRY /				Aliy. Dockel No. 44921-503900 Doc. No. 1793397.1
Scquance ID No.	ldeniiier	Gonbank Ace/ Ref. Seq [D	(3093) (Noceal)	Gene Name	Unigane Cluster Title
2209	439	Z22607	w	Bone morphogenetic protein 4	Bone morphogenetic protein 4
2210	8665	AI071965	v	Heat shock protein 70-1	ESTs, Moderately similar to T17342 hypothetical protein DKFZp586K1924.1 [H.sapiens],Heat shock protein 70-1
2211	155	U32681	t	crp-ductin	crp-ductin
2212	19252	AA892041	s	HMm;peroxiredoxin 5	Rattus norvegicus mRNA for thiol- specific antioxidant protein (1-Cys peroxiredoxin) Rat mitochondrial 3-hydroxy-3-
2213	15582	A1232320	q		methylglutaryl-CoA synthase mRNA, complete cds
2214	17541	M26125	n	Epoxide hydrolase 1 (microsomal xenobiotic hydrolase)	Epoxide hydrolase 1 (microsomal xenobiotic hydrolase)
2215	18609	M30689	],		Rat Ly6-B antigen mRNA, complete cds
2216	6262	AI177125	g		ESTs
2217	23859	AI072161	f	·	ESTs
2218	21011	H32189	e	Glutathione-S-transferase, mu type 2 (Yb2)	Glutathione-S-transferase, mu type 2 (Yb2)
2220	2572	AI177143	Ь		ESTs
2221	25419	M22922	а	1	

WO 02/095000

VABUES: (	PATHWAYS			ANTY: Docket No. 44924-5039. Doc. No. 179339
Sequence ID No.	nefillmebl	Condent: Acci Ref. Seq. ID No. 1	Model Gode	Pathways
1	6949	AA012785	q	
2	25098	AA108277	h,v	
3	17312	AA108308	r	
4	16882	AA684537	0	4
5	6049	AA685178	у	<u> </u>
3 7	4426 21815	AA685974	] ,m	
3	1600	AA686423 AA686470	<u>19</u> 1i	
3	1599	AA686470	<u> </u>	
)	21997	AA799325	ļu —	1
10	18396	AA799330	īv —	
1	6581	AA799412	f,i	1
2	16538	AA799449	k	
3	23294	AA799472	u	
4	18290	AA799497	r	
5	18981	AA799523	e	
6	20843	AA799545	h	
7	16993	AA799560	b	
8	16576	AA799570	d	
9	18361	AA799591	<u> </u>	
0 2	17712	AA799598 AA799718	Z f	
3	8768	AA799716 AA799726	I .	
4	11687	AA799732	w	
5	18349	AA799744	u	
6	17494	AA799751	n	
7	18360	AA799771	General	
8	18880	AA799801	w	
9	20998	AA799803	Z	
0	21006	AA799861	c ,	
1	15011	AA799893	General	
2	20811	AA799899	а	
3	23202	AA799971	General	
4	4832	AA800190	b	
5	21656	AA800202	d	
6	18433	AA800218	j,y,z	
7 8	6386	AA800235	U	
9	18442 21092	AA800258 AA800380	h,k v	
0	17325	AA800587	y General	
1	13930	AA800613	cc,General	
2	21372	AA800693	v	
2	21373	AA800693	S	
3	18161	AA800701	k	
4 . ,	•		w	
5	13348	AA800928	General	
6	23115		o,y	
7		AA801307	General	
3		AA801395	General	
)			t,General	
)			0	
	5985		g l	
3			X .	
			k,General	
5			i,k,General	
3 ,			e,g,p,General g,m	
7	***************************************		y,,,,,	
3	1		b,aa	
)	<b></b>		v	
)	<del>}</del>		h i	
l			General	
?			b,v,cc,General	

	HE TOTAL TOTAL TOTAL		<b>经收益的证据</b> 。	ANNY, DOCHEN NO. 44927-5009 Doc. No. 179039
Sequence D No.	NeffMacOf	Centenk Acel Ref. Seq. 10 No. *	         	
63	11590	AA818721	d	
64	4291	AA818741	q,General	
35	4330	AA818747	o,General	
36	19723	AA818761	v,General	
37	13684	AA818770	]h,j,l,m	
58	6322	AA818801	k	
59 70	7690 4952	AA818875 AA818907	General	
71	6094	AA818911	g,General	<u> </u>
72	10985	AA818998	o,General	
73	6120	AA819008	t t	
74	2586	AA819081	c	
76	6438	AA819269	0	
7	24721	AA819306	d,w	
<b>'</b> 8	6250	AA819376	o,y	
10	6281	AA819517	<u> </u>	
1	10141	AA819526	Ji Tana	
32	6551	AA819558	t	
33	6723	AA819653	r	
34	14958	AA819744	aa	
15	19433	AA819776	v	
36 37	6204 22820	AA819889 AA848315	General	Buring matcheliam
38	6614	AA848389	General bb	Purine metabolism
39	21125	AA848437	General	<u> </u>
10	23504	AA848496		
11	18532	AA848675	g 9	1
2	21140	AA848738	C	
)3	16128	AA848807	0	
14	22923	AA848929	g	
15	17339	AA849497	General	<u> </u>
6	11727	AA849518	1	1
7 ,	21275	AA849796	i,I,m,General	
8	16678	AA849827	aa	
9	8515	AA849917	Ө	
00	18447	AA849939 s	General	
01	12130	AA850037	р	
02	23981	AA850040	x,aa	
03	13615	AA850364	<u>  t                                   </u>	
05	2637	AA850893	X	
06 , 07 *	22093 21766	AA850909 AA850016	d	
07 08	2847	AA850916 AA850919	c w	
09	12162	AA850975	h	<u> </u>
10			General	
11	<del></del>	AA851017	e,q	
11			o,General	
12			a,k	
13		AA851230	General	
14			c :	
15	15386	AA851241	m	
16,		AA851261	g,I,General	
17	21471	AA851343	General	
18			p į	Oxidative phosphorylation, Ubiquinone biosynthesis
19			i,x	
			×	
20			General	
			r,u	
			,o,u,General	
23 24			bb	
2 <del>4</del> 25			i,y k,s,x,bb	

	· · · · · · · · · · · · · · · · · · ·		7	Doc. No. 17939
D No" Bedrave	ldeniiiier	ConBank Acci Ref. Seq. 1D No.	Model Gode	Pathways
26	18350	AA858674	P	
27	19484	AA858693	е	
28	6360	AA858696	d	
29 30	17334 16380	AA858704	<u> </u>	
31	13219	AA858758 AA858759	]q la	
32	6384	AA858788	I,m,General	
34	13412	AA858830	p	
35	7279	AA858892	<del></del>	
36	18217	AA858930	lt .	
137	5867	AA858953	v,General	Alanine and aspartate metabolism, Aminoacyl-tRNA biosynthes
38	14479	AA858969	r	The control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the co
139	6431	AA859085	Ti t	
40	17361	AA859114	o,General	
41	21025	AA859241	General	
42	10076	AA859271	C	
43	21791	AA859333	k	
44	16314	AA859348	∮cc,General	
45	18862	AA859520	<u>[f</u>	
46	15059	AA859545	r	
47 48	19894 14353	AA859581	s	
49	16318	AA859585 AA859648	h h	
50	17316	AA859652	General	
51	19067	AA859663	n,q	
52	22406	AA859680	n	
53	20599	AA859690	x	
54	14261	AA859693	u	
55	14138	AA859700	v	Porphyrin and chlorophyll metabolism
55	14139	AA859700	v	Porphyrin and chlorophyll metabolism
57	22374	AA859804	ĮI .	
58	22385	AA859805	b,k	
59	22773	AA859885	n	
60 61	22816	AA859898	k,x,z	
62	11891 23070	AA859926 AA859942	k	
63	23121	AA859948	k	
64	23166	AA859954	cc,General	
65	18468	AA859966	aa	
66	23336	AA859981	q	Inositol phosphate metabolism
67	4222	AA860024	a,bb	
68 -	13974	AA860030	u,x,General	
69	7090	AA860039	x	
		AA860055	k,x	
	16323	AA866240	w	
		AA866264	General	
73	15884	AA866276	<u>k</u> ]	
	17742	AA866302		Phenylalanine metabolism,Tyrosine metabolism
	16333	AA866414	a,h	
		AA866444	p,q	
7		AA866454	j,l,m,y,z	
		AA866459	h,m	
		AA866482	S	
		AA874849 AA874857	r h	
		AA874873	n r	
		AA874951	<del>;</del>	
		AA874995	w	
		AA875025	<del>i                                    </del>	
		AA875032	cc,General	
			b	

2/9/	<u> </u>		Maring 4	
Sequence ID No.	ldentifier	ConBent: Acci Ref. Seq. ID No.	Model Code	
188	16416	AA875098	bb	
189	16419	AA875102	bb	-
190	15313	AA875126	i,m,General	
191	10936	AA875146	W	
192	18084	AA875186	<u> h</u>	
193	15371	AA875205	tu u	
194	15401	AA875257	, x,z	Oxidative phosphorylation, Ubiquinone
195	15410	AA875268	p,s	biosynthesis
196	15420	AA875286	<b>∮</b> f	
197	15446	AA875327	s,w	
198	7936	AA875495	b,General	
199	17314	AA875509	_li,l,m	
200	24472	AA875523	k	
201	15587	AA875577		
202 202	15617 15618	AA875620	General	
202	5384	AA875620 AA891041	General	
204	24814	AA891209	f,cc,General	
205	21930	AA891322	f,p  d	
206	17225	AA891553	ih	1
207	7522	AA891571	j,m	<del>                                     </del>
208	9071	AA891578	ib	
209	19321	AA891666	√u —	
210	17693	AA891737	j,l,m,n,y,z	
211	17256	AA891739	General	1
213	18269	AA891769	General	
214	9905	AA891774	s,bb,General	
215	17061	AA891812	ld	
216	7050	AA891824	h	
217	4463	AA891831	General	
218 ,	14289	AA891838	Įi	
219	20523	AA891842	r,cc	
220 ,	17779	AA891914	₂g,s,z	
221	17438	AA891943	General	
222 ,	22862	AA891944	P	
23	1159	AA891949	e,z	
224	4473	AA891965	General	
25	6362	AA892053	]f,j,l,m	
26	9037	AA892066	ly .	
27 28	19469	AA892112	General	
29	14595	AA892128	o,t,v	
30	16527 4482	AA892154 AA892173	bb	
		AA892238	h	
		AA892268	d	<del> </del>
33		AA892271	h	
		AA892299	d	
		AA892367	a	
		AA892378	v	
		AA892382	j,p,s,x, General	
				Carbon fixation,Fructose and mannose metabolism,Glycolysis / Gluconeogenesis,Inositol
39	820	AA892395	g,s	metabolism,Pentose phosphate cycle
40	14754		u	
	17439		f	
		AA892462	р	
			i,General	
			n,v,General	
			n,u	
		AA892483	s l	

	<b>PAYAWKIYA</b> S	) - · · · · · · · · · · · · · · · · · ·		Aliy. Doctol No. 44921-50390 Doc. No. 1793397
Sequence ID No.		Genbenk Acc Ref. Seq. (D No.	Model Gode	Paliways
247	11994	AA892507	aa	
248	23888	AA892520	w	
248	23889	AA892520	h	
249	8599	AA892522	р	
250	15154	AA892532	р	
251	17468	AA892545	<u>  [                                   </u>	
252 253	11203	AA892554 AA892561	f,h a,bb,General	
253 254	18906 19327	AA892562	f,j,y,z	
255	18274	AA892572	11,1,7,2 P	
256	4512	AA892578	lcc	
257	15876	AA892582	w	
258	19085	AA892598	General	1
258	19086	AA892598	General	
259	20065	AA892647	1	
260	20088	AA892666	a,n	
261	23783	AA892773	n	
262	17549	AA892776	f,z	
263	13542	AA892798	b	<u> </u>
	00507			Glyoxylate and dicarboxylate
264	22537	AA892799	General	metabolism,Pyruvate metabolism
264	22520	A A B O O 7 O O		Glyoxylate and dicarboxylate
264	22539	AA892799	v	metabolism,Pyruvate metabolism Glyoxylate and dicarboxylate
264	22538	AA892799	General	metabolism,Pyruvate metabolism
265	6951	AA892820	h	metabolism, rytuvate metabolism
266	23322	AA892821	i,z	1
267	17923	AA892843	f -	
268	22871	AA892859	m	1
269	9053	AA892861	p,v,General	
270	16482	AA892940	w	
271	12020	AA893035	j,y	
272	3863	AA893060	General	
273	13332	AA893080	i,General	
274	21305	AA893082	General	
275	16591	AA893191	j,z	
276	17447	AA893192	General	
277 278	3876 3878	AA893205 AA893230	n General	
279	20986	AA893242		Fatty acid metabolism
280	16168	AA893280	i,z,General	ratty acid metabolism
281	3886	AA893289	j,m,y	
282	15209	AA893327	y,y	
283	17800	AA893436	cc	
284	17836	AA893626	h	
285	9084	AA893717	x	
286	22731	AA893743	d	
				Aminoacyl-tRNA biosynthesis, Glycine,
287	12031	AA893860	V 4	serine and threonine metabolism
288	17897		k	
289	3447		d	
290	22583		n	
291	10540	AA894027	J.	
92	4569		X	
293	18419		d	
94	17336	AA894297	<u>!</u>	
95 96	19120		f,j	
296 297	19762	AA899113 AA899219	<u> </u>	
197 198	18286 22051		U W	
298			W .	
299			q aa *	
300		AA899590	uu !	

TABUE 2: I	PATHWAY			Aliy, Docket No. 44921-5039V Doc. No. 1793397
Sequence ID No. ''	ldenMier	Genfenk Acel Ref. Seq. ID No.	Model Gode	
301	4661	AA899709	t,General	
302	21354	AA899721	°q .	
303	17905	AA899762	General	
304 305	15231 23778	AA899840	ļr	
306	22060	AA899854 AA899898	c,k,x	<u> </u>
307	9114	AA899951	v.General	
308	8988	AA900148	f	
309	11841	AA900247	v	
310	4725	AA900290	cc	
311 312	4747 20988	AA900465	General	4
313	3822	AA900562 AA900863	b,g,General	
315	12420	AA901017	.b	
316	4849	AA901155	İs	
317	3959	AA901338	General	
318	22846	AA923982	a,d	
319	4895	AA923999	k	4
320	21546	AA924188	cc,General	
321 322	24192 4933	AA924210 AA924301	n,General	
323	4944	AA924301 AA924405	g,I,General I,General	
324	4948	AA924428	r,General	
325	4949	AA924432	General	
326	18891	AA924598	e	
327	22540	AA924630	v,General	Glyoxylate and dicarboxylate metabolism,Pyruvate metabolism
327	22541	AA924630	General	Glyoxylate and dicarboxylate metabolism, Pyruvate metabolism
328	14759	AA924766	k	metabolism, ytavate metabolism
329	23123	AA924794	x	
330	4067	AA924813	g,p	
331	2888	AA924902	r,General	
332 333	18130	AA924964	d	
334	23141 23195	AA925019 AA925026	Concert	
35	21458	AA925026 AA925049	General f,aa,General	
36	5073	AA925061	m	
137	14790	AA925087	o,General	
138	5089	AA925126	lg	
	23261	AA925145	k,General	
40	17363	AA925150	а	
	23448	AA925167	][	
42 43	23159	AA925318	e	
	21500 22479	AA925353 AA925418	ik It	
	21151	AA925539	1b	
	16944	AA925541	lf d	
		AA925541	fi	
47	17514	AA925554	1	Oxidative phosphorylation
	5183	AA925662	i,General	
		AA925844	r .	
		AA925863	aa	
		AA926051 AA926080	General	
		AA926129	h,cc b	
		AA926129 AA926196	u,General	
		AA926247	General	
		AA926262	General	
57	8948	AA926316	r	
58	21798	AA926365	aa	
		AA942697	S	
50	6039	AA942716	x,General	

C Seguin		8	98 44 ·	Aliy. Dogizi No. 44924 -5039W Dog. No. 1793397.
D No. : :	ldenilliter	CenBank Acel Ref. Seq. ID No.		Pathways 🦂 🦓
361	11174	AA942745	g,o,w	
362	23005	AA942770	g	
363 364	21318	AA942774	General	
365	6615 6691	AA942889 AA943028	v c	
366	22142	AA943066	p	
367	21993	AA943149	v.General	
368	9061	AA943508	General	4
369	24390	AA943531	b,j,n,y	
370	13976	AA943532	f,s,x	
371	22248	AA943537	cc,General	
372 373	22257 12673	AA943558 AA943773	m u,cc,General	4
374	13641	AA944154	u.cc,General	
375	2658	AA944155	f -	
376	12770	AA944161	d	1
377	20903	AA944180	li,x	
378	13507	AA944244	v	3
379	15596	AA944353	General	
380	22681	AA944413	i,v,cc,General	
381 382	6711 14763	AA944439	General	
383	22466	AA944481 AA944605	i,q,General h	
384	12301	AA944727	b	<del></del>
385	7023	AA944792	d,m,aa	Purine metabolism,Pyrimidine metabolism,RNA polymerase
386	22536	AA944803	bb	inetabolishi,rava polymerase
387	22501	AA944811	g,i	
388	23967	AA944831	s	
389	26084	AA944922	i	
390	11974	AA944958	General	
391	22547	AA944970	aa	
392 393	22554	AA945076	z,General	
395	14352 1798	AA945181 AA945569	General General	
396	22050	AA945604	i,aa	
397	19731	AA945615	d,o	
398	22612	AA945624	a,General	
399	22618	AA945656	aa	
400	11871	AA945679	٧	
401	22656	AA945818	General	
402	6720	AA945828	p	
403	22351	AA945867 »	m i	
404 405	22665 24243	AA945877 AA945950	<u>f</u>	
405 406	22689	AA945962	General	
407	22692	AA945986	d	
408	22696	AA945996	c,General	
408	22697	AA945996	c,o	
409 «	22658	AA945998	w	
410	20832	AA946040	S .	Oxidative phosphorylation
411	18337	AA946046	General	
412 413	825	AA946108	General	
413 414	8639 23237	AA946221 AA946224	e,cc,General	
415	15600	AA946250	o,aa	
416	19387	AA946275	t l	
417	6351	AA946344	à	
418 4	22057	AA946348	e	
419	22069	AA946349	aa	
420	13962	AA946351	General	
121	18280	AA946361	g	
122	18944	AA946391	٧	

TABLES: I	PAVIHWAYS			Aliy, Docici No. 4492145039W Doc. No. 1798397
Sequence ID No.	limiliar	CenBank Acel Ref. Seq. ID No	Model Code	Pathways 4
424	21410	AA946408	t	
425	643	AA946439	o,y	
426	20736	AA946443	x	1
427	21878	AA946448	<u>r.                                    </u>	
428	21947	AA946451	bb	
429 430	17499	AA946467 AA946503	General x,General	
431	23360	AA955104	f X,General	<del> </del>
432	23471	AA955162	General	
433	9452	AA955206	b.General	
434	23512	AA955282	General	
435	22596	AA955298	General	
436	23283	AA955391	h	
437	23546	AA955393	General	2
438	12404	AA955408	b	
439	23626	AA955540	aa	
441	17540	AA955914	bb	7
442	24277	AA955962	General	
443	19939	AA955980	General	
444	24000	AA956005	<u> </u>	
445	11050	AA956164	s,v	
446 447	498 23409	AA956278 AA956294	a,General	
449	23773	AA956476	f,x	<u> </u>
450	23799	AA956530	d	
451	23800	AA956534	aa	
452	23834	AA956659	cc,General	
453	16425	AA956688	f,x	
454	23847	AA956723	s	
455	23852	AA956746	j,l,m,z	
456	5989	AA956907	g,s	
456	5990	AA956907	General	
457	23957	AA957123	u,General	
458	22357	AA957264	General	
	1		g,l,m,p,v,cc,	
459	23314	AA957270	General	
460	23995	AA957292	a,b	Aminosoul ADNA bloouethoole Chreine
461	2702	AA957307	General	Aminoacyl-tRNA biosynthesis, Glycine, serine and threonine metabolism
462	24040	AA957422	C	serile and threomine metabolism
463	12478	AA957554	m	
464	21306	AA957811	v	
465	24183	AA957889	t	
466	24178	AA957905	d	
467	17034	AA963071	e	
468	24053	AA963092	General	
469	2767	AA963201	0	
470	2022	AA963259	g	
471	2126	AA963488	d ¹	
472	24246	AA963703	b	
473	2195	AA963746	General	
474	19370	AA963797	l .	
475 476	2282	AA964147	е	
476	2284	AA964152 ,	x	***************************************
178 170	2350	AA964368	g,General	
479 480	18830 2392	AA964496	aa b	
181	2392	AA964541 AA964554	General	
182	2410		i,aa	
183		AA964613	t .	
184		AA964617	g	
185	3107	AA964687	General ]	
186	2457		g,t	

WO 02/095000

	7		7	Doc. No. 1793397
Sequence ID No.	ldeniiier	GenBank Acc/ : Ref. Seq. ID No.	Model Code	Pathways
487	6778	AA964763	b	
489	2468	AA964807	, <mark>.</mark> I	
490	2469	AA964814	w	Glutamate metabolism, Glutathione metabolism
<del>49</del> 1	12561	AA964815	General	
492	2326	AA964892	aa	
493	21339	AA964962	General	
494	21390	AA964988	General	
495	12569	AA965023	g	
496	2583	AA965166	bb	
497	15885	AA965207	ſr	
499	2905	AA996727	b,l,m,u,General	
500	2915	AA996782	u,bb	
501	2920	AA996813	d	
502	19525	AA996856	aa,General	
503	2984	AA997015	<u>  C</u>	1
504	2986	AA997028	General	
505	3145	AA997237	General	
506	19249	AA997342	m	
507	16883	AA997345	General	
508	12598	AA997362	s	<u> </u>
509	3470	AA997374	P	
510	3180	AA997425	lt  Canada	
511	3245	AA997608	General	
512	3020	AA997656	lt	
513	3269 3288	AA997800 AA997877	x,aa	<u> </u>
514 545		AA998164	lk,x	
515 546	23992 17470	AA998264	1b	
516 517	3773	AA998356	General	
51 <i>1</i> 518	19623	AA998422	General	
519	3572	AA998516	1x	-
520	2782	AA998565	<del>1c</del>	
521	26119	AA998576	i.r.w.General	
522	22737	AA998660	aa	
523	3696	AA999030	e	
524	3079	AA999169	k,x,General	
525	3081	AA999171	e,p,r	
526	3082	AA999172	General	Glutamate metabolism, Purine metabolism
527	17337	AB000717	k	
528	1535	AB000778	а	Ì
529	1382	AB002406	jk .	
530	20184	AB003753	d	
531	4312	AB010635	c,i,j,k,y,z	
532	21666	AB012214	k	Methionine metabolism
533	15772	AB015645	g	
534	1183	AF013144	∱h	
535	1582	AF015911	h,z	
536	11483	AF020618	u,cc,General	
537	20295	AF024712	aa .	
538	19077	AF030358	y,z	
539	23044	AF034218	General	
540	25178	AF035955	d	
541	1564	AF035963	x,bb,General	
542	8426	AF036335	1!	
543	21817	AF036537	<u> k</u>	
544	21145	AF038571	General	
545	22602	AF044574	General	·
546	13464	AF047707	<u> </u>	
547	24024	AF052695	X	
548	12259	AF061266	jh	
549 550	4589 16007	AF062389 AF062594	y,z t	<u> </u>

TABUEZ: P	PATHWAY8			(ATTY, 1998) No. 449211-503900 (1793397) Doc. No. 1793397
D No. Sequence	ldeniller	CenBank Acel Ref. Seq. ID No.	Model Gode	
551	15761	AF062741	u	
552	17426	AF073839	p	
553	18615	AF074608	S	
554	15797	AF084205	f	
555 550	12932	AF102552	S	
556 557	18603 22733	AI007649 AI007668	x r	
558	22746	AI007672	<u> </u>	
559	24109	AI0077725	General	
560	15848	AI007820	n,v	
561	10108	AI007857	f	
562	6804	AI007877	General	
563	20099	AI007893	f,u	
564	11368	AI007948	d	
565	15849	AI008074	h	
566	3121	AI008160	General	7
567	16646	AI008190	<u>   t                                  </u>	1
568	12683	A1008203	X	
569	22018	AI008309	h n	
570 571	23917 22599	AI008441 AI008458	General	
572	22698	A1008578	p,General	
573	14405	AI008578	Tr.x	
574	4086	AI008629	Tx x	
575	3808	AI008643	i.v.General	1
576	3931	AI008697	1	
577	7785	AI008758	aa	
578	16701	AI008838	q	
579	21789	AI008930	*k	
580	21895	AI008971	General	
581	410	A1008974	i,aa,General	
582	21632	AI009167	General	
583	21596	AI009168	General	
584 585	11876	AI009197 AI009321	General cc,General	
586	2506	AI009321	General	
587	6382	AI009362	General	
588	14370	AI009427	.k	1
589	19275	AI009460	x	**************************************
590	4154	AI009467	g	
591	3464	AI009589	CC	
592	3926	AI009592	e	
593	19358	Al009675	C	
594	22545	AI009747	9	
595	15089	AI009752	cc,General	
596	5458	A1009756	<u> h</u>	
597 °	6844	A1009770	le,r,cc	
5 <u>98</u> 5	15627 22619	Al009810 Al009825	d	
500 ·	7857	A1009825 A1009898	j,l,m,z	
501 .	13259	A1009090	[],1,111,2	
02	21105	AI010067	General	
603	24627	AI010102	aa	
304	12716	AI010178	General	
305 ;	18757	AI010216	aa	
506 ∗	2912	AI010220	aa,General	
507	3316	AI010237	t	
808 ·	15644	AI010256	General	
509	657	AI010262	b	
310	3271	AI010303	b	
311	11081	AI010407	bb	
312	16521	AI010470	c,s,t,General	Porphyrin and chlorophyll metabolism

TABUE2: P	SYAWAHTKAY			Aliy. Doekel No. 44921-5039W Doc. No. 1793397.
ID Nor Sediairee	ldemilier	Cenbenk Acel Ref. Seq. ID No.	Modal Goda	Pathways 4
614	17524	Al010568	a,j,y,General	
615	6946	AI010642	n	
616	23509	AI010962	aa	
617	6044	AI011285	t	
618	13855	AI011361	0	
619	21779	AI011380	cc	
621 622	12534 12629	AI011460 AI011492	e,f	<del> </del>
623	735	AI011560	f f	
624	3941	Al011598	General	
625	17550	AI011607	i.General	
626	10636	AI011634	e	4
627	3995	AI011678	General	1
628	16112	AI011706	h	
629	13354	AI011757	С	
630	12745	AI011799	cc	
631	18684	AI011812	t	
632	4205	AI011982	b  General	1
633 634	6518 17407	Al012114 Al012145	General	<del> </del>
635	13093	AI012143	r	
636	15395	Al012216	<del> </del>	
637	21796	AI012221	d,General	
638	3981	AI012235	i,General	
639	6606	AI012308	i,r	
640	3417	Al012337	w	
641	24200	AI012356	b,t,General	
642	7471	AI012379	cc	
643	7247	AI012438	9	
644	7127	AI012464	p,General b	
645 646	3304 2311	Al012471 Al012485	aa	
647	20817	Al012485 Al012589	g,n,q	Glutathione metabolism
648	3493	Al012590	v,General	Cicled noise measons.
649	8975	AI012613	General	
650	11335	AI012619		
651	21409	AI012637	General	
652	8015	AI012638	aa	
653	8476	AI012647	w	
654	4232	AI012958	e,p,General	
655	23128	AI013011	General	
656	20086	AI013260	General	
657 . 658	11969 26147	AI013273 AI013387	k aa	
659	8815	Al013437	p .	
660	19722	Al013508	k	
661	6674	Al013568	General	
662	23145	AI013647	o,t	
663	15130	AI013676	w	
664 -	7274	AI013715	aa	
665	7276	Al013730	е	
666	7278	AI013738	y,z,aa	
667 .	22592	AI013740	s,x,bb,General	<u></u>
668	16584	Al013765	W	
669	24143	Al013804	j.l a Conoral	
670 . 671	15928	AI013829	a,General	Valine, leucine and isoleucine degradation
672	21950 3260	AI013861 AI013875	<u> </u>	vaine, leucine and isoleucine degradation
673	2708	Al013882	d,q	
674	8585	AI013886	<u>-114</u>	
675	7299	Al013911	p,r,t,General	
676	15904	Al013971	General	
677	12781	Al014023	w	

AMBRESS 1	PANTHWAY8			Aliy, Dodici No. 44921-5039W Dos. No. 1798397
Sequence ID No. "	ldeniiier	Conbank Acel Ref. Seq. ID No.	Modal (60d)	Pathways :
678	19372	A1014135	aa	
679	4241	AI014140	w	
680	15247	AI014169	c,u	
681 682	7315 16631	AI028831 AI028856	n General	
683	23297	AI028953	X	
684	11326	AI029015	Б	
685	2866	AI029058	n,y	
686	12812	AI029126	General	
687	17602	AI029156	Р	
688	7392	A1029185	aa	
689 690	6517 7639	Al029264 Al029292	d,k,x b	
691	3874	AI029428	i,General	
692	12819	Al029437	f	
693	7452	AI029466	r	
694	7493	AI029608	b	
696	7537	AI029829	o,General	
697	2310	AI029969	V	
698	7585	AI030023	X	4
699 700	7586 14492	AI030024 AI030091	b,n cc	
701	10673	Al030091	f	<u> </u>
702	7615	AI030163	o,r	
703	2370	AI030179	General	
704	7681	AI030449	n	
705	11559	Al030472	General	
706	7665	A1030668	t,bb	
707	24222	AI030704	k	
708 709	10740 10742	Al030743 Al030773	h e	
711	16169	A1030773	General	
712	19527	AI030991	f	
713	22614	AI031004	r	
714	3167	AI031012	е	
715	5350	AI043611	а	1
716	7858	AI043654	t	
717	10784	AI043678	d	
718 719	9180 7867	AI043694 AI043695	aa aa	Glutamate metabolism,Purine metabolism
720	7584	AI043724	General	Giotamate metabolism, runile metabolism
721	7895	AI043768	e	
722	7903	AI043805	General	
723	7913	A1043849	cc	
724		AI043904	1	
725	6766	AI043914	f	
726	10818	AI043990	g,l,m,General	
727 728	7956 5393	AI044018 AI044170	p	<del> </del>
729	5398		d .	
730	5425		a,d	
731 -	8692		r	
732	5430	AI044253	i	
733	5461		g,p,General	
'34 '25			<u>i</u>	
35	3359		aa ,	
'37 '38	2695 5494		b General	
40		2/2/12/2	<del>,</del>	
41			j,m g	
42		<del></del>	g General	
43			n i	
44			U	

vabuez: (	PATHWAYS			Ality, Pocket No. 449241-50391 Poc. No. 179339
Sequence	J. 0. 0000	ConBank Ace	m-236-25	Pethweys 4
D Ňo.	_	Ref. Seq. ID No.	Model Gode	Peumeys
745 746	5630 5634	AI044869 AI044883	General	
747	4047	A1044947	I,m	
748	5654	AI044976	w	
749	5684	AI045056	r	
750	19235	AI045074	General	
751	5689	AI045075	i,aa,General	
752	5711	Al045151	General	
753	19237	AI045153	C	
754 755	9964 5735	AI045161 AI045223	df f	
756	5474	A1045223	a,General	4
757	5811	AI045502	d.e	
758	5819	AI045537	General	<u> </u>
759	5839	AI045594	li	<u> </u>
760	6808	AI045600	S	
761	17755	AI045608	y	
763	10020	AI045632	a	
764	5855	AI045669	General	
765	5881	A1045789	  Consent	
766	5897	A1045862	General	
767 768	7540	AI045866 AI045882	y,z o,t,General	
769	5329	AI045002	p	<del> </del>
770	15093	AI058285	d	
771	8002	AI058304	<del> </del>	
772	8017	AI058341	С	
773	6828	AI058359	General	
774	8177	AI058603	aa	
775	3090	AI058730	aa	
776	10093	AI058746	9	
777	8143	AI058759	General	
778 779	18659 8163	AI058762 AI058837	aa	
780	4789	AI058889	General	
781	8221	AI059061	General	
782	10159	AI059147	d	
783	8245	AI059154	b	
784	8283	AI059290	n	
785	8314	AI059386	g,General	
786	10200	AI059444	i	
87	8347	AI059519	s	
788	18359	A1059675	n	
789 790	10281 8494	A1059947	b,t	
90	8495	AI059968 AI059971	aa General	
92	8496	AI059974	General	
93	10289	AI060053		
'94	8548	AI060176	k	
95	8565	AI060236	t	
'96	18322	AI060279	i,y,z	
97	8745	AI069939	r	
98	8785	A1070067	0	
99	17506	A1070068	Conord	
300 -	9067	A1070087	General	
301 302	3551 4967	AI070122 AI070179	e k	
303	18	AI070179	General	
304	24197	AI070193	General	
05	8869	AI070330	r	
06	8874	AI070336	b,cc	
07	10417	AI070410	m .	
. 80	8901	AI070419	aa	

	,			Altiy, Docket No. 44921-5009N Doc. No. 1790397
Sequence D No.	ldeniiier	Cenbank Acel Ref. Seq. ID No.	Model Gode	Palliways
809	14424	AI070421	I,p,General	2
810	10434	AI070497	General	
811	8927	AI070523	V	
812	8946	A1070611	q	
813 814	8950 8972	AI070621 AI070673	w General	
815	8981	AI070715	bb	*
816	26184	AI070784	1	
817	3007	AI070824	w	
818	8999	AI070839	р	
819	10477	AI070868	e,f	
820	24301	AI070911	k	
821	8721 9212	A1071024	General	
822 823	1831	AI071098 AI071137	C	<del></del>
824	11005	AI071139	lr	
825	9104	AI071173	<del>⅓</del> j,m	
826	9583	AI071185	General	1
827	9644	AI071410	c	
828	16058	AI071490	General	Sphingoglycolipid metabolism
829	11057	AI071509	f,o	
831	5695	AI071566	bb	<u> </u>
832	9671	AI071568	w General	
833 834	22929 9673	AI071578 AI071581	General	ļ
B35	9699	AI071646	General	
B37	9799	AI072008	q,y,z	
838	9808	AI072050	d	
839	22796	AI072213	General	]
840	9271	AI072405	Ŷ	
841	10869	AI072425	w	
842	21797	AI072439	General	
843	9306 9312	A1072521	<u> </u>	
844 845	10893	AI072550 AI072559	×	
846	1501	AI072634	cc.General	
B47	6548	AI072658	General	
348	9363	AI072695	d	
350	9409	AI072841	n	
351	9410	AI072842	w	4
352	9468	AI073021	General	
	9518	AI073223	<u> </u>	
354 355	11183 9190	AI100768 AI100835	t .	Nitrogen metabolism
356	2029	Al100842	e	
357	5687	Al101006	le e	
358	15192	Al101099	g,cc	
359	17399	Al101157	0	
360	9339 1	Al101160	i,m,o	
		Al101256	General	
362	5421	Al101270	С	
		AI101323	General	
		AI101608	Connect	
	4119 16324	Al101901	General	
367		Al102009 Al102023	b o	
368		AI102023	а	
169		Al102055	h	
		Al102064	С	
		Al102248	w	
72	23849	Al102318	e,q	
		Al102505	g,j,s	Oxidative phosphorylation
74	2125	Al102519	c,k	

<u> </u>	-,-			Doc. No. 17933
Sequence ID No.	ldeniifer	CenBank Acel Ref. Seq. ID No.	Model Gods	Pathways :: +
875	5967	Al102520	у	
875	5969	Al102520	p,w	
876	11563	AI102560	General	
377	15190	AI102562	b,g,n,p,v	3
878 870	19769	AI102570	bb	
879 880	22487 19011	A1102578	General	
B81	23837	AI102618 AI102620	General	
882	23538	AI102020	g,General	
883	17234	AI102741	C	
884	5891	AI102745	k	
885	6796	AI102753	General	
886	8837	AI102849	о,р	
387	15861	AI102868	<u> </u>	
388	3533	AI102877	g	
889	13222	Al102977	General	
390	6806	AI103018	o,u	
391	10659	AI103059	w,cc,General	
392	17400	Al103097	е	
393	3584	AI103106	x,aa	
894	13298	AI103143	r	
B95	15981	AI103150	i,x	
396	3475	AI103245	w	
398	23619	AI103314	Р	
399 901	24181	AI103320	e Commont	
902	4355 7622	AI103410	General	
903	20918	AI103472 AI103552	General n	<u> </u>
904	21579	AI103532 AI103572	General	
905	2222	AI103572 AI103631	0	
906	2752	AI103641	e	<del> </del>
907	4856	AI103708	ř	
908	8990	AI103719	l,m,y,z	
909	15942	AI103738	r	
910	22885	AI103828	e,General	
911	15853	AI103841	X	
912	15050	Al103911	j,y	Oxidative phosphorylation
13	12376	Al103939	u	
14	22271	Al103947	o,y	
)15 <i>i</i>	20833	Al104035	f,q	Oxidative phosphorylation
16	7010	Al104099	w	
17	22101	Al104251	General	
18	22833	AI104258	General	
19	22211		g,m	
20	10720	Al104296	<u> </u>	
21	15416	AI104340		<b>4</b>
22 23	10991 18831		<u>a                                    </u>	
23 . 24	7223		p e	
25	23574		·	Oxidative phosphorylation
26	18509	4	e,g,s q	Oxidative priospriorylation
27	11680		<u>v</u>	
28	12342		<u>v</u>	
29	23689		r	
30	15377		o,cc	
31	22957		General	
				Oxidative phosphorylation, Type III protein
32			0,s	secretion system
33			n,General	
34 35			bb	
			ph General	·
37			bb,General o,s	]

	PATHAWAY&			Aliy, Doglar No. 44921-5039 Dog. No. 17983
Sequence ID No.	ldeniller	GenBank Acel Ref. Seq. ID No.	Model Gode	Pathways 1
938	7700	AI105383	cc,General	
939	13343	AI105398	u	
940	22931	AI105417	e,General	
			1	Fatty acid metabolism,Lysine
941	23596	AI105435	bb	degradation,Tryptophan metabolism
942	15893	AI105465	0	
943 944	12660 4479	Al111492 Al111599	C General	
945	24211	AI111853	k	
946	2539	AI111960	<del>-</del>	
947	5729	Al111990	k	
948	4049	Al112012	i,q,u,General	
949	12908	AI112043	1	
950	20041	Al112161	t	
951	12937	Al112462	General	
952	3713	Al112571	b	
953	12921	Al112636	General	
954	12965	AI112926	General	
955	7499	Al112986	General	
956	4969	Al113008	<u> </u>	
957 050	11817	Al136295	f	
959 960	11165	Al136372	I C	1
961	4045 12782	AI136460 AI136493	k cc	
962	6850	Al136665	h h	Purine metabolism, Pyrimidine metabolisi
963	20920	Al136891	p,v	Trume metabolism, rymmome metabolisi
964	6552	Al137062	0	· · · · · · · · · · · · · · · · · · ·
965	22722	Al137211	1	-
966	13111	Al137224	o,General	<u> </u>
967	15969	Al137302	e	
968	14349	Al137303	d	
969	9166	Al137406	General	
970	9525	Al137516	r	
971	6638	Al137579	General	
972	7414	AI137586	General	1
973	11321	AI137752	Z	
974 975 .	23473 13158	AI137932		
976	13467	AI138024 AI138034	cc	
977	11377	A1138105	Tv Tv	<u> </u>
978	6790	Al144801	Jd,h	
979	6506	Al144919	Ji,I,y	
980	8027	AI144958	li li	
82	14458	AI145095	General	
83	7476	Al145202	9	
84	17545	AI145384	е	
85	17479	Al145385	r	
86	4194	Al145387	Įr .	
187	8634	Al145722	9	
88	8339	Al145761	y,General	
89	2059	A1146005	h,General	
90	23224	AI146033	lo LL	<u> </u>
91	5232	AI168942	bb	Valine, leucine and isoleucine degradation
92	18472	AI168975	U	
92 93	18473 13235	Al168975 Al169020	lu Ir	
94	11618	AI169020 AI169115	o,y,General	<del> </del>
95	17386	Al169144	o,y,Gerierai	
96	10984	Al169156	lo,u	
	8205	Al169176	e	
	12979	Al169177	le	
	2607	AI169211	c	

UANDLE ZE 1	ZASURIWASY S			ANTY. Docket No. 4X921-5039X Doc. No. 179339
D No. Sequence	ldeniffer	Conbonk Acel Rol Sog. ID No.	Model Gode	Pathways.
1000	22661	AI169265	s,z	Oxidative phosphorylation, Type III protein secretion system
1001	13239	AI169278	g,j,l,y,z	secretion system
1002	24162	AI169279	-m	
1003	16879	Al169284	0	
1004	24213	AI169289	]p	
1005	13240	AI169311	CC	96
1006	5931	Al169324	b	
1007	20891	AI169337	d	
1008	11979	AI169365	cc	
1009	10947	AI169372	s	
1010 1011	20697	AI169494	0,u	
1012	18234 18343	AI169517 AI169648	0	
1013	10839	AI169655	I,m	<del></del>
1014	24146	AI169668	li.i	
1015	22575	Al169728	r	<u> </u>
1016	804	Al169756	cc	
1017	8213	Al169883	Р	
1018	3916	Al169947	i,bb	
1019	3733	AI170053	u,General	
1020	14179	AI170224	cc	
1021	11406	AI170263	<u> </u> r	
1022	3547	AI170279	General	
1023	11524	AI170340	j,y,z	
1024 1025	2729	AI170363	le,i	
1026	18811 22524	Al170525 Al170542	h	
1026	24048	A1170542 A1170570	a,g	
1028	5968	A1170692	y,aa	
1029	9757	AI170693	b	
1030	18905	AI170770	e,s	
1031	16170	AI170894	Į į	
1032	7089	AI171185	C ,	
1033	17591	AI171354	b	
1034	13285	Al171361	h	Oxidative phosphorylation, Ubiquinone
1035	4428	Al171362	а	biosynthesis
1036	18126	Al171369	W	
037	23253	Al171448	0	
038	4584	Al171492	m,General	
039 040	11158	AI171542 8 AI171587	r,s	
040	15345 21183	AI171587 AI171676	k	
042		A1474600	1:	
043	11437	Al171794	i .	
044	2625	AI171800	cc	
045	23579	Al171802	v	
046	11708	AI171807	l,t	
047	17204	Al171844	s,y,z	Oxidative phosphorylation, Type III protein secretion system
048	4420	AI171916	m i	
049	3266	Al171948	l,m	
050	19012	AI172056	t	
051	11205	Al172057	a,q,bb	
052 .		Al172102	b	
053		Al172103	m	
054		Al172107	Z	-
055		AI172184	n .	
056			bb	
057		AI172263	l,m	
			d Conomi	
059	2140	AI172272	General	

iabhear b	ANJHIWAIYS			Airy. Dociet No. 44 <b>92</b> 1-5039W Doc. No. 1793397
D No.	ldeniffer	ConBenk Ace Ref. Seq. ID No.	Model Gode	Pathways
1060	15382	AI172302	I,p,General	
1061	18689	Al172329	1	
1062 🝵	17887	Al172414	0	
1063	3042	AI172447	General	
				Citrate cycle (TCA cycle), Glutathione metabolism, Reductive carboxylate cycle
1064	17291	AI172491	bb	(CO2 fixation)
1065	26222	AI172506	p	
1066 1067	13095 8795	AI172595 AI172618	General	
1068	6454	A1175342	j,l,m,y	*
1070	4445	AI175466	x	
1071	3418	AI175475	m	
1072	18507	AI175551	bb	
	10217	Al175628	w	
1074	7262	AI175833	∤j,m,x	
1075	19004	AI175875	Ir Il Canacal	
1076	22352	AI175959	I,General	
1077 1078	7022 21467	AI176041 AI176061	lh,n	
1078	18581	AI176160	General	
1080	14159	AI176169	g	
1081	21742	AI176172	lw	
1082	10182	AI176185	v	
1083	22765	Al176265	General	
	6905	Al176275	a	
1085	12999	Al176276	cc	
1086	16438	AI176294	e	
	21130	AI176298	<u>y</u>	
1088 1089	3014 15015	AI176362 AI176363	e r	
1090	19006	AI176393	x	
1091	20001	Al176396	6	
1092	12174	AI176435	i,m	
1093	15191	Al176456	b,o,t,v,cc	
1094	24236	Al176473	d,General	
1095	16518	AI176546	V	
	2161	Al176592	General	
1097	12436	AI176610	General	
	2536 *	AI176616	I,v,General	
1099 1100	18525 23449	AI176792 AI176828	g	
1101	23299	AI176839	General	
	3580	AI176848	e	
7.5	00400	Al176849	d,General	
	16036	Al176855	f	
	15588	Al176916	General	
	16917	Al176951	t	
	16124	Al176963	CC .	
	15146	Al176969	b,General	
	5786	AI177058	ī .	
	2852 3156	AI177059 AI177092	C :	
	14384	AI177096	g a	Purine metabolism
	13310 s	Al177119	General	
	24049	Al177341	g,p,s,u	
	15964	AI177360	o,General	
117	14989	Al177366	u	
	7975	Al177374	aa	
	3006	Al177395	k	
120	17570	Al177683 * Al177706 -	r b	
	9521			

vabuez: i	ZYAWIHTKAY			ANNY. (2001) ANNY (2003) (2003) Doce No. 179339
Sequence ID No.	ldentifier	Genbenk Acel Ref. Seq. ID No. "		
1123	10611	AI177790	j,m	
1124	5356	AI177813	cc	
1125	11791	Al177843	General	
1126	14484	AI177867	General	
1127 1128	5780 19184	Al177869 Al178025	General General	1
1129	6059	AI178025	c.General	
1130	23248	AI178267	v	
1131	4073	AI178272	0	
1132	7838	Al178291	е	
1133	18996	Al178326	у	
1134	22488	Al178392	b	
1135	18800	Al178504	n,p,aa	
1136	22197	AI178527	g,General	
1137	3401	AI178684	bb	
1138 1139	17713 14874	AI178700 AI178735	m e	
1139	23567	AI178735	v,General	
1141	18907	A1178971	c	
1142	20991	Al178979	i	
1143	5887	Al179099	q,t	
1144	8477	Al179167	b,e,General	
1145	3348	Al179288	u,v	
1146	13608	Al179314	e	
1147	8849	Al179315	g,p	
1148	13611	Al179378	v,General	
1149	15438	AI179399	m,x	
1150 1151	13614 15042	Al179407 Al179422	e,t,General b,General	
1152	2768	Al179481	i,General	
1153	24041	Al179580	b,i	
1154	19822	Al179599	o,General	
1155	23270	Al179601	q,General	
1156	5901	Al179605	е	
1157	16081	Al179610	g,i,p	Porphyrin and chlorophyll metabolism
1158	14564	Al179717	k	
1159	7918	Al179750	General ,	
1160 _#	6647	Al179795	g a Casaral	
1162	9097 23989	AI179875 AI179953	o,General a	
1162	12899	Al179967	b	
164	1687	AI179971	C	
165	22569	Al179979	General	
166	23514	Al179986	o,General	Glycine, serine and threonine metabolism
167			c,General	
168			9 .	
169	5443		General	
170	5481	Al180170	General ;	
171	24028	Al180239	<u> </u>	
172			9 '	
173 6	3701 3352		aa	
175	24368		m I,m	
176	14337		C	
177		· · · · · · · · · · · · · · · · · · ·	j,y,z	
178			aa	
179 4			i,General	
180			General ,	
181		Al227885		
	22000	Al227987	d	
182				
182 183 184	1651	Al228068	n,w e	

TABLEZ: (?	ATHWAYS			ATIY. Docket No. 44921-5039V Doc. No. 1793397
Sequence ID No.	ldeniller	GenBenk Acc/ Ref. Seq. 1D No.	Model (Code	
1186	16913	AI228236	0	
1187	22915	Al228299	r	
1188	8917	Al228301	General	
1189	15879	AI228313	r,General	
1190 1191	13727	AI228326 AI228335	o,General General	
1192	6102 13730	AI228356	a	
1193	13745	Al228494	b,cc	
1194	4217	Al228587	s	
1195	16053	Al228596	cc	
1196	3557	Al228672	е	
1197	11605	AI228682	e	
1198	13203	AI228728	<u>  r                                   </u>	
1199 1200	13771 5918	Al228848 Al229036	lg Ir	
1201	8235	Al229030	k	<del></del>
1202	16203	Al229196	r	
1203	13826	Al229304	a	1
1204	13144	AI229320	g	1
1205	4640	Al229404	x,aa	
1206	23563	Al229421	I	
1207	15426	Al229497	s	
1208	15193	A1229508	bb	
1209 1210	19243 23078	AI229638 AI229647	X	
			p	Oxidative phosphorylation, Ubiquinone
1211 1212	3099 19508	Al229680 Al229698	o bb	biosynthesis
1213	13977	Al229707	x	
1214	23983	Al229708	v	
1215	2688	Al229793	е	1
1216	13874	Al229832	g	
1217	12587	Al229979	General	
1218	20591	Al229993	l,m	
1219 1220	24042	Al230002 Al230042	a,b,d,General u	
1220	13880 17672	AI230042	d	Oxidative phosphorylation, Ubiquinone biosynthesis
1222	3652	Al230113	General	Total Tritinging
1223	18650	Al230121	aa	<u> </u>
1224	13025	Al230173	С	1
225	4280	Al230247	z	1
226	18528	Al230284	General	
227	7084	Al230362	р	
	20895	Al230549	b,n	
229		Al230554	General	1
		Al230616 Al230647	r j,m	1
	14388	Al230702	General	
		Al230716	x,General	
234		Al230724	General	
235	8304	Al230746	cc	
		Al230773	е	
		Al230798	c,k,x	
238			bb Canaral	Glycoprotein biosynthesis
		Al231028 * Al231127	General k	
			p .	
			d d	
			k	
			w	
			aa	
247	16321	Al231506	General	

TABUE2: F				ANTY, DOCKCI NO. 44921-50391 Doc. No. 1793391
Sequence ID No.	ldeniiier	Cenbank Ace Ref. Seq. ID No.		
1248	8004	AI231532	j,l	
1249	15171	Al231792	g	
1250	6193	Al231797	-∮i	
1252	14227	AI231999	, u	
1253	24501	AI232006	w,y,bb	
1254	3434	AI232014	g,q,z,cc, General	
1255	19094	AI232021	n,General	*
1256	14020	AI232076	u	
1257	6726	AI232157	d	
1258	11549	Al232174	₫I,m	
1259	23125	AI232266	ij,s	
1260	2085	AI232270	bb	
1261 1262	2913 14304	AI232272 AI232281	0	
1263	15955	AI232294	g u,bb,General	
1264	15122	AI232303	y	
1265	4716	AI232313	ly ly	
1266	15246	AI232332	t,u	
1267	24321	AI232340	o	
1268	16172	AI232341	d	
1269	11411	AI232346	h	
1270	19287	AI232379	<u>lf</u>	pdgf
1271	5601	AI232461	n,General	
1272	14051	AI232489	]1,m	
1273	5572 11157	Al232490 Al232494	i,t cc	
1274	8709	AI232534	10 10	
1276	20350	AI232552	j.v.y	
1277	14069	AI232631	e	*
1278	4440	AI232643	Jw -	
1279	17695	AI232784	e	
1280	15796	Al232874	Įv	
1281	12467	Al232924	General	
1282	12873	AI232984	<u> </u>	
1283	5355	AI233031	<u>  r                                   </u>	
1284	18794 3823	Al233121 Al233147	b.g.General	· · · · · · · · · · · · · · · · · · ·
1285 1286	3023 11967 :	AI233147 AI233155	c,k,General	
1287	11561	Al233182	d	
1288	3471	AI233183	lg .	
1289	21948	Al233191	ľ	
290	13598	AI233194	g,p,y	
1291	15552	AI233195	у	
1292		AI233224	bb	
1293	14111	Al233269	cc	
294	12894	AI233365	d	
295	7161	AI233407	General	
296 297	15906 14120	AI233425	d	
1297	14095	AI233433 AI233468	a,d	
299		AI233494	u,aa	<del> </del>
300	6046	AI233530	General	
301	18900	AI233570	General	
				Aminoacyl-tRNA biosynthesis, Arginine and
302	7888	AI233583	General *	proline metabolism
303	16709	AI233602	General	Purine metabolism
		AI233712	y Canada	
	7243 3816	AI233717	General	
		AI233729 AI233740	g d,h,General	
308		AI233740 AI233743	g.n,General	
		AI233767	cc	

ywaues:	SYAWKIITAY			/433/2.   Docelies   No. 424924  -5099/   Doce, No. 179939
D No. Seguance	ldeniffer	ConBank Acel	Model Gode	
1310	7804	Al233771	b	
1311	13563	Al233773	е	
1312	2154	AI233818	k,cc	
1313	16616	AI234079	h	
1314 1315	13393 7071	AI234100	a,d,General	<u> </u>
1316	14677	AI234162 AI234620	General	<del> </del>
1317	4443	AI234629	m	
1318	22453	Al234678	ь	
1319	23964	Al234748	t,General	
1320	19581	Al234753	f	
1321	22152	Al234822	o,General	
1322	18942	Al234865	d	
				Oxidative phosphorylation, Type III protein
1323	22662	Al234939	aa	secretion system
1324	3875	AI235047	o,General	
1325	19479	AI235135	0	
1326 1327	14906 14718	AI235192	9	
1327	15004	Al235210 Al235224	e b.General	
1329	6632	AI235224 AI235277	v.General	
1330	14722	Al235284	x,z	
1331	1462	Al235585	u,General	
1332	21061	Al235631	I,m	
1333	14665	Al235646	m 3	tgf-beta
1334	19940	Al235689	General	
1335	5698	Al235692	u	
1336	23745	Al235732	k	
1337	11164	Al235739	General	
1338	5212	AI235745	d	
1339 -	14768	AI235912	h .	
1340	14776	AI235950	m	
1341	3091	A1236027	n,General	
1342 1343	14861	AI236045	r	
1343	14862 16943	AI236048 AI236097	e	
1345	8336	Al236101	p	
346	23230	Al236146	v .	
1347	22855	Al236150	e	
348	14594	Al236152	Ī l	
349	18406	Al236168	r	
350	15051		General	
351	19298	Al236338	bb	
352	10667	Al236366	b	
353			f	
354			aa .	
355			General	
356			t,General	
357			h,v	
358 359			i.y	
360			o,aa t,General	
			u,General g	
		······································	e.General	
			n,v,w	
			w	
			m	
			o,General	
368	21653		,General	
369	11208	Al237586	Z į	**************************************
370	21893	Al237713	,k,aa	
~		Al237724 I		
372	3467	Al237835	General	

TABUEZ: I	PATHWAYS			Air. Docke No. 449214503900 Doc. No. 1793397
Sequence D No.	ldentiffer	Genbenk Acc/ Ref. Seq. ID No.		Petthways (**
1373	25840	AI638972	u	
1374	17108	Al639017	'n	
1375	16676	Al639082	c,k,x	
1376	12400	Al639107	k	
1377	19952	AI639108	q,v	
1379	25907	AI639167	0,W	
1381	18533	AI639231	n	
1382 1384	18353 15330	AI639233 AI639285	t,aa General	
1385	20026	A1639354	g	
1386	25971	A1639365	19 1r	
1388	19152	AI639387	u.General	
1390	18338	AI639422	v	
1392	20082	Al639488	li.m	
1394	20056	A1639504	a,bb,General	
1395	4713	AI639518	q	
1396	14332	AJ001044	bb	
1397	7602	AJ001929	k	
1398	9867	AJ005424	u	
1400	16351	AJ011811	General	
1401	20116	AJ011969	I,General	<u> </u>
1402	17635	AJ223355	v,w	
1403	18686	D00729	19	Fatty acid metabolism
1404 1405	5049 25257	D10655 D13623	n,w	
1405	15281	D13623	h	
1406	111434	D14014	cc	
1407	1613	D14076	x	
1408	. 1728	D16479	iq .	biosynthesis (path 2),Fatty acid metabolism,Phenylalanine metabolism,Valine, leucine and isoleucine degradation
1409	3015	D16554	c,s,v,z	
1410	472	D26111	d,s,bb	
1412	16233	D29960	j,i	
1413	9029	D30804	n	
1414	1485	D38222	y,z	
1415	9135	D45247	S	Proteasome
1416	16354	D50564	u '	Cysteine metabolism
1417	1884	D50695	i,m,bb '	
1418	21147	D63772	General	
1419	826	D82928	, , , , , , , , , , , , , , , , , , ,	Glycerolipid metabolism
1420	25306	D84485	u .	
1421 1423	18867 22543	D88250	t su Conoral	
1423	12360	H31117 H31456	r,v,General w	
1425	20514		h,j	
426	11358	H31610	h :	
1427	4360	H31813	bb,General	
428	9343	H32169	1	
429	4386	H33093	h,w	National Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of t
430	4415	H33636	h	
431	15374	H34186	ı	
432	17159	J00797	u,General	
1433	16260	J01878	f	
434	17284	J02827	bb	Valine, leucine and isoleucine degradation
435	15017	<del></del>	n	
436	24044		p,s	Chat-things
437	21014	J03914	e,r,General	Glutathione metabolism
438	20429	J05035		Androgen and estrogen metabolism,Bile acid biosynthesis

VABUES: [	PAYAWKITKAYE			
Sequence ID No.	ldeniller	Cenbank Acel Ref. Seg. ID No.	Model Gode	Pathways ***
				Glutamate metabolism, Glutathione
1439	1247	J05181	j,l,m,s,y,z	metabolism
1440	10464	J05510	n,u,General	
1441	20149	K03243	9	
1442 1443	17758	K03249	<u> </u>	<del></del>
1444	381 2048	L00124	w k,x	
1445	10500	L04619	s	
1447	108	L14002	p	
1448	25366	L14003	li e	1
1449	109	L14004	c,p	
1450	20414	L14323	General	
1451	25369	L14937	у	
1452	16119	L16532	k	
1453	25377	L25387	∮h	
1453	12058	L25387	h	
1455	21146	L35558	General	
1456	106	L37203	w	<b></b>
1458	13682	L38482	∮f,j,k,m,z	<u> </u>
	1		1.	Glutamate metabolism,Glutathione
1459	6405	L38615	∮P	metabolism
1461	15189	M11794	In,v	<b>4</b>
1462	17086 21053	M13011	<del>1</del>	
1464 1465	25405	M15481 M18330	]0 ],	
1466	25415	M19648	a a	<del>                                     </del>
1468	14967	M22366	ja lw	
1469	20481	M22631	]bb	
1471	15048	M24542	19	Oxidative phosphorylation
1472	20921	M29853	<del>-</del> <del> </del>	CAIddire priceprioryaduori
1473	1224	M31931	lu lu	
1474	15579	M33648	Įq .	
1474	15580	M33648	la	
1475	17211	M34331	g,n,q,v	
1476	20699	M35601	jb,x,bb	
1476	20700	M35601	Jb,t,bb	
1477	9223	M36151	0	
1479	1585	M57728	j,m,y	
1480	24844	M58040	<u> c</u>	
1481	25057	M58495	]h	1
1482	457	M60666	d,General	1
1483	1223	M75281	<u>                                     </u>	<u> </u>
1484	5733	M81855	i,k,aa	
1485	4198	M83143	<u> m</u>	
1485	4199	M83143	<u> m</u>	2
1486	24651	M83678	, k,x,z	Histidine metabolism,Phenylalanine metabolism,Tryptophan
1487	1430	M84648	General	metabolism, Tyrosine metabolism  Arginine and proline metabolism, Urea cycle
1488	25467	M93297	Jc .	and metabolism of amino groups
1489	729	M95762	a,y	
		·		Bile acid biosynthesis,Fatty acid biosynthesis (path 2),Fatty acid metabolism,Phenylalanine metabolism,Valine, leucine and isoleucine
1490	23698	NM_012489	q	degradation Bile acid biosynthesis,Fatty acid biosynthesis (path 2),Fatty acid metabolism,Phenylalanine metabolism,Valine, leucine and isoleucine
1490	23699	NM_012489	la .	degradation

	PATHWAYS	LEAL HET. C. VIBATURA		Aliy. Docket No. 44921-50391 Doc. No. 179339
Sequence D No.	ldentifier	Geneank Acel Ref. Seq. ID No. ::	Model Gode	Pathways
				Carbon fixation, Fructose and mannose
				metabolism, Glycolysis /
1491	7062	NM 012495		Gluconeogenesis,Inositol metabolism,Pentose phosphate cycle
1431	7002		19	Fructose and mannose
		·		metabolism.Galactose
				metabolism, Glycerolipid
				metabolism,Pentose and glucuronate
1492	15511	NM_012498	u	interconversions,Pyruvate metabolism
1494	7427	NM_012515	General	
1495	24433	NM_012527	<u> </u>	Arginine and proline metabolism,Urea cy
1496	4467	NM 012529	d	and metabolism of amino groups
1497	16520	NM 012532	General	Porphyrin and chlorophyll metabolism
1498	225	NM 012544	x,z	
				Histidine metabolism,Phenylalanine
	1	l	_	metabolism,Tryptophan
1499	1431	NM_012545	General	metabolism,Tyrosine metabolism
1500	23868	NM_012551	I,m,v,General	1
1500 1500	23872	NM_012551 NM_012551	II,v,cc,General v,General	<del> </del>
1000	23009	THIN DIESSI	, v, Ochciai	Glycolysis /
				Gluconeogenesis, Phenylalanine, tyrosine
1501	19407	NM_012554	z	and tryptophan biosynthesis
				Glycolysis /
				Gluconeogenesis, Phenylalanine, tyrosine
1501	19408	NM_012554	n,s,y,z	and tryptophan biosynthesis
1502	21836	NM_012555	k	4
	į			Carbon fixation, Fructose and mannose
1503	16895	NM 012558	g,s	metabolism, Glycolysis / Gluconeogenesis, Pentose phosphate cyc
1504	25317	NM 012559	bb	Gidcorreogenesis, Pentose phosphate Cyc
1504	6477	NM_012559	b.bb	
1504	6478	NM_012559	bb	1
505	11731	NM_012561	k	
507	4254	NM_012564	а	
508	16026	NM_012578	r	
1508	16024	NM_012578	r	
508 509	16025	NM_012578 NM_012580	r	Porphyrin and chlorophyll metabolism
510	15098	NM 012588	g,m bb	1
511	4450	NM 012592	bb	Valine, leucine and isoleucine degradation
511	4451	NM 012592	i,bb	Valine, leucine and isoleucine degradation
511	4452	NM_012592	bb	Valine, leucine and isoleucine degradation
512	17198	NM_012593	a,x	
512	17197	NM_012593	x .	
513	18749	NM_012600	a,h	Carbon fixation,Pyruvate metabolism
514 514	2628 2629	NM_012603 NM_012603	General x,General	
514 515	16849	NM_012603 NM_012608	n,o,q	
517	15540	NM_012620	General	
518	24568	NM_012630	General	
518	24566	NM_012630	General	
519	18553	NM_012631	k	
520	1844	NM_012637	General	
521	24668	NM_012642	<u>t</u>	
522	18632		a	
523 524	25435 9423	NM_012647 NM_012649	g . b,cc .	
52 <del>4</del> 525	24496		n i	
526	7101		x,bb,General	
	1			Fatty acid metabolism,Tryptophan

	·	1		Dog. No. 1798397
Sequence ID No.	reliimebl	Canbank Acel Ref. Seq. ID No.	Modal Gode	Pathweys
1528	1850	NM_012696	lt	
1528	1854	NM_012696	]t	
1529	1603	NM_012697	General	
1530	1372	NM_012734	u	Aminosugars metabolism,Fructose and mannose metabolism,Galactose metabolism,Glycolysis / Gluconeogenesis,Starch and sucrose metabolism
				Alanine and aspartate metabolism, Citrate
1531	1478	NM_012744	bb,General	cycle (TCA cycle),Pyruvate metabolism
1532	343	NM_012747	h,t	
1533	8829	NM_012749	General	
1534	20828	NM_012752	General	
1534	20829	NM_012752	i,General	
1534	20830	NM_012752	i,General	
1535	15174	NM_012756	b	
1536	21685	NM_012760	Jj,m,n	1
1537	18068	NM_012762	I Consent	I Division and the literature
1538	1246	NM_012770	a,General	Purine metabolism
1539	1348	NM_012776	1	
1540	18135	NM_012791	W	Arginine and proline metabolism, Glycine, serine and threonine metabolism, Urea cyc
1541	16947	NM 012793	p,bb	and metabolism of amino groups
1542	960	NM_012796	lu	Glutathione metabolism
1543	260	NM_012798	f,u	
1544	556	NM 012803	[d	
1545	21729	NM_012804	q	
1546	15032	NM_012816	General	.4
1547	24895	NM_012817	General	
1548	18109	NM_012823	u,General	
1549	373	NM_012833	h,l,q,General	
1550	2855	NM_012838	e	
1551	11136	NM_012839	s	
1552	20885	NM_012842	a	egf
1552	20884	NM_012842	a,bb	egf
1553	18770	NM_012857	e	
1554	20674	NM_012861	1	
1555	13151	NM_012862 NM_012870	a,r,General	
1556	24617		General	
1557	20945	NM_012875	a,v	
1558 1559	15872 495	NM_012879 NM_012880	o,r z	4
1559	495	NM 012880	c	4
1560	23651	NM_012881	d,u,General	
1562	19477	NM 012891	q q	
1563	18564	NM 012899	v,General	Porphyrin and chlorophyll metabolism
1564	7197	NM_012994	f,r,cc,General	gr orphysist and Gisorophysi metabolistii
1564	7196	NM 012904	v,cc,General	1
1565	20202	NM 012909	b,r	
1566	16581	NM_012911	c,j	<del> </del>
1566	16582	NM 012911	c,j	1
1567	24431	NM_012912	General	1
1568	18118	NM_012913	p	Oxidative phosphorylation
1569	6108	NM 012915	n e	
1570	20757	NM_012923	c,i,aa	
1570	20755	NM_012923	1-,-,	
1571	2830	NM 012925	i -	
1571	2831	NM 012925	li	
1572	1977	NM_012930	q	Fatty acid metabolism, Glycerolipid metabolism
1573	18694	NM_012931	j,l,m,z	
1574	13723	NM_012935	n	

WO 02/095000

TABUE 2: P	ATHWAYS			<u>(Aliy. Poolet No. 4492</u> 4-5039000 1. 1793397 - Doc. No. 1793397
Sequence ID No. :	ldentifier	GenBank Acel Ref. Seq. ID No.	Model Gode	Pathways:
1575	9109	NM 012939	j,y,z	
1575	19398	NM_012939	aa	
1576	223	NM_012945	b,cc	
1577	15058	NM_012950	cc	
1579 1580	19111	NM_012963 NM_012964	g	
1581	2554	NM 012967	lx t	
1581	2555	NM 012967	t,cc,General	
1582	24528	NM 012973	C	
1583	956	NM_012976	С	
1584	16417	NM_012991	g	
1585	17393	NM_012992	d	
1586	23544	NM_013013	s	
1587 1588	1588 17894	NM_013026 NM_013027	m .	
1589	18300	NM 013030	s,v,General	
1589	18076	NM 013030	g.s.z	
1589	18078	NM_013030	s	
1589	18077	NM_013030	e,s,z	
1591	730	NM_013040	w	
1592	17401	NM_013043	i,o,General	
1593	16684	NM_013052	General	
1594	14421	NM_013053	u	
1595	15254	NM_013058	k	Folate biosynthesis, Glycerolipid metabolism
1596 1596	14997 14996	NM_013059 NM_013059	s,z General	Folate biosynthesis, Glycerolipid metabolism
1597	25676	NM 013069	aa	Totale biosynthesis, Gryceronpid metabolism
1597	16924	NM 013069	0	
1598	24748	NM 013070	h,q	
1599	1529	NM 013082	d,General	
1600	1521	NM_013091	j,l,z,General	
1601	1685	NM_013096	c,aa	
1601	26150	NM_013096	C,i.	7.
1601	1688	NM_013096	р	
1601	1689	NM_013096	c,p	
1601 1602	1684 20886	NM_013096 NM_013097	c,s,aa u,x,bb	
1602	20887	NM 013097	u,x,bb	
1				Galactose metabolism,Glycolysis / Gluconeogenesis,Starch and sucrose
1603	1321	NM_013098	C	metabolism
1604 1606	15296 23709	NM_013102	l,m	
1606	23709	NM_013113 NM_013113	o,s,z,aa p	
1606	23710	NM_013113	s s	
1607	1976	NM 013118	u	
1609	870	NM 013130	h	
1610	16650	NM_013132	u,General	
1611	650	NM_013134	h	Sterol biosynthesis
1611	651	NM_013134	h,j,l	Sterol biosynthesis
1612	1712	NM_013138	General	
1613	16982	NM_013144	o,v,General	
1614 1614	21683 21682	NM_013154 NM_013154	t,cc,General cc	
1615	3431	NM_013156	b,g,n	
1615	25567	NM 013156	v,General	
1615	3430	NM_013156	General	
1616	1309	NM_013159	w	
1616	1310	NM_013159	w	
1617	21723	NM_013174	w	
1618	1314	NM_013181	m	
1619	17357	NM_013183	p,bb,General	

T/AIDIII E SOE	OWER THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF		Fig. 1	Aliy. Docket No. 44921-5089
TABUEZ: F	ZAULIUW/AVE			Dog. No. 1793397.
Sequence D No.	ldenillier	Cenbank Acel: Ref. Seq. ID No		Pathways
				Fructose and mannose
				metabolism,Galactose
1620	1300	NIM 042400	ļ.,	metabolism, Glycolysis / Gluconeogenesis, Pentose phosphate cycle
1621	16448	NM_013190 NM_013197	y C	Glycine, serine and threonine metabolism
1021	10440	114101_013131	1	Fatty acid metabolism, Glycerolipid
1622	20856	NM_013200	b	metabolism
1623	397	NM_013214	f	
1624	20864	NM_013215	g,n,y	
1625 ·	20728	NM_013217	<u>v</u>	
1626	1396	NM_013222	<u> </u>	
1627 1628	815 18305	NM_013224 NM_013226	lw lv	<u> </u>
1020	10303	3 NIVI_U13220	T	Fatty acid metabolism,Propanoate
1629	21078	NM 016986	d	metabolism, Valine, leucine and isoleucine degradation, beta-Alanine metabolism
1630	24649	NM 016988	lv	Riboflavin metabolism
1631	15239	NM 016989	q.w	T do die vii t t de do die t i
1632	45	NM 016996	General	
1633	20714	NM 016999	t	Fatty acid metabolism, Tryptophan metabolism
1000	1207.14	11111 010550	<del> </del>	Fatty acid metabolism,Tryptophan
1633	20713	NM_016999	t	metabolism
1633	20711	NM_016999	q,t	Fatty acid metabolism,Tryptophan metabolism
				Fatty acid metabolism, Tryptophan
1633	20715	NM_016999	q,t	metabolism
1634	1698	NM_017000	e,n,p,General	Sterol biosynthesis
1635	1399	NM 017006	h,n,General	Glutathione metabolism,Pentose phosphate cycle
1637	18989	NM 017013	n,n,ocherar	Glutathione metabolism
1638	21013	NM 017014	e,f	Glutathione metabolism
1638	21015	NM_017014	e,General	Glutathione metabolism
1639	11836	NM_017023	b_	
1639	5475	NM_017023	b	
1639	25546	NM_017023	b,bb	
4040	47007	047005		Cysteine metabolism,Glycolysis / Gluconeogenesis,Propanoate
1640 1641	17807 24597	NM_017025 NM_017040	i,General u	metabolism,Pyruvate metabolism
1642	24696	NM 017048	f,j,z	
1643	24695	NM 017049	u	
1644	20876	NM 017050	j,n,z	
1645	910	NM_017059	f,I,m	
1645	912	NM_017059	l	
1646	1946	NM_017061	h	
1646	1942	NM_017061	t,General	
1646	1943	NM_017061	t	
1647	6062	NM_017066 NM_017068	d w	
1648 1649	6654 11153	NM 017073	s ·	Glutamate metabolism, Nitrogen metabolism
1650	923	NM 017076	General	Gidamate metabolism, Nidogen metabolism
1651	1523	NM 017079	S	
1652	23660		s	Androgen and estrogen metabolism,C21- Steroid hormone metabolism
1653	275	NM 017081	b.d.General	Androgen and estrogen metabolism,C21- Steroid hormone metabolism
1654	16211	NM 017081	j,s,z	oteroid normone metabolism
1655	1552	NM 017084	i	Glycine, serine and threonine metabolism
1655	1550		y :	Glycine, serine and threonine metabolism
1656	22552		a,k,x	
1657	8888		m :	Purine metabolism
1658	10887	NM_017094	a,General	

TABLEZ: F				Ality. Docini No. 44 <b>924143039</b> 14 Doc. No. <b>179</b> 03 <b>9</b> 7
Sequence ID No."	ldentifier	Constalk (Acc) Ref. Seq. ID No.:	Model Code	Paliways
1659	4393	NM_017101	a,y	
1660	24770	NM_017111	d	
1661	20745	NM_017113	e	
1661	20746	NM_017113	Įa	
1662 1663	1375 12903	NM_017122 NM_017124	w k	<del></del>
1664	24885	NM 017138	ir	
1664	24886	NM 017138	d,q	
1665	15363	NM_017147	n,u	
1666	13392	NM_017148	u,General	
1667	5351	NM_017150	q	
1668 1669	16954 21643	NM_017151 NM_017152	a,n	
1670	1694	NM_017153	a,q	
1671	17104	NM 017160	bb,General	
1671	17106	NM_017160	u	1
1671	17107	NM_017160	d,e	
1672	17686	NM_017165	n,q	Glutathione metabolism
1673	20702	NM_017166	С	1
1674	3513	NM_017177	r Cooper	Glycerolipid metabolism
1675 1676	19031 15437	NM_017180 NM_017187	v,General	
1676	15433	NM 017187	x,z y	*
1676	15434	NM 017187	x,z	1
1677	24437	NM 017190	p	
1678	1542	NM_017193	j,l,m,z	
1679	14695	NM_017202	q,s	Oxidative phosphorylation
1679	14694	NM_017202	s,z	Oxidative phosphorylation
1680	1428	NM_017213	lm	
1681 1682	1622	NM_017216 NM_017220	g,j,s,z v	
1682	13642 19976	NM_017220	w	
1683	1510	NM_017224	General	
1684	1811	NM 017228	j,l,m,z	
1686	17563	NM_017245	a,c,e,q	
1687	17502	NM_017248	r	
1687	17501	NM_017248	x	
1688 1689	19 15300	NM_017258 NM_017259	v,General	
1009	15500 3	INIVI_U17259	I,v,cc,General I.m,v,aa,cc.	
1689	15301	NM 017259	General	
1689	15299	NM 017259	I,y,cc,General	
1690	15224	NM_017264	d	
1691	3987	NM_017280	bb	Proteasome
1692		NM_017281		Proteasome
1693	15535	NM_017283	s,bb	Proteasome
1694 1695		NM_017290 NM_017298	General	Oxidative phosphorylation
		NM_017298 NM_017299	p v	
		NM 017299	V	
				Glutamate metabolism, Glutathione
1697	14003	NM_017305	j,l,m,y,z	metabolism
		NM_017306	q,s	
		NM_017306	q,t a	Fatty acid metabolism
		NM_017314	g,s,aa	
		NM_017320	t 	
		NM_017326 NM_017334	u cc	
		NM 017344	q,s	Fatty acid metabolism
			u,s a	Fatty acid metabolism
			r,u,General	war mousement
			b,General	
			b	

000000				
Boguence D No.	ldeniiiler	CenBank Acel Ref. Seq. ID No.		Pathways 🔀
706	1581	NM_017365	General	
707	455	NM_019131	x	
707 708	456 4532	NM_019131 NM_019134	y,z b	
1709	1608	NM 019166	j,y,z	1
710	7489	NM 019169	c,General	
1711	17066	NM_019170	p	Prostaglandin and leukotriene metabolis
712	23924	NM_019174	bb	Nitrogen metabolism
1713	24019	NM_019186	]t	4
1714 1715	22063	NM_019195 NM_019220	d j,k,z	<u> </u>
1716	2079 16284	NM 019229	₹J,K,Z I,m	
1717	985	NM 019233	b,cc	
718	15503	NM 019237	k,x	1
1718	15504	NM_019237	k,x	
1719	17908	NM_019242	I,v,cc,General	
1720	11218	NM 019247	C d f	
1721 1722	15259 21443	NM_019259 NM_019262	d,f aa,General	
1722	21444	NM 019262	t,General	
723	117	NM 019266	o,bb	
1724	1145	NM_019280	w	
				Bile acid biosynthesis,Fatty acid
				metabolism,Glycerolipid
705	22222	NIM 040200		metabolism, Glycolysis / Gluconeogenesis, Tyrosine metabolism
725 726	10015	NM_019286 NM_019289	l,m,t,x,General	Gluconeogenesis, i yrosine metabolism
726	10015	NM 019289	bb.General	
727	21651	NM 019296	c,f,x	
1728	20751	NM_019301	s	
729	645	NM_019345	bb	
730	1301	NM_019349	C	
1731 1732	3776 4592	NM_019354 NM_019356	a,u General	
1733	1324	NM 019371	w	
1734	19577	NM_019377	e	
735	24626	NM 019381	s	
736	744	NM_019622	р	
			1	Fatty acid metabolism,Tryptophan
737	20716	NM_019623	С	metabolism
738 739	20709 574	NM_019904 NM_019905	x u,General	  Glyoxylate and dicarboxylate metabolism
739 740	9096	NM 019905	u,General	Giyoxyiate and dicarboxyiate metabolish
741	20457	NM_020073	i,General	
741	20458	NM_020073	General	
741	20460	NM_020073	General	
742	18713	NM_020075	r	
742	18715	NM_020075	r	T
743	20493	NM_020076	P	Tryptophan metabolism
744 · · · · · · · · · · · · · · · · · ·	16375 20816	NM_020976 NM_021261	g k,General	
746	15335	NM 021264	a	
747	18729	NM_021578	k,z	
748	19060	NM_021587	cc	
749	17324	NM_021593	o,General	
750	19679	NM_021653	General	
750	19678	NM_021653	a,v,General	
751 752	19665 19667	NM_021688 NM_021690	u,General m	
754 <i>2</i>	22916	NM 021740	а	
755	19710	NM_021740	t	
755	19711	NM 021744	t	
756	19712	NM_021745	r	

IVADUS VS P	CYLAWMINA CHILD			ANTY, IDOCKET INO. 44.9221-5039) Doc. No. 179939
Sequence D No	ldentifer	GenBank Acci Raf. Seq. ID No. *	Model Gode	Pathways 4
1757	1962	NM 021750	j,k,y,z	
757	19824	NM 021750	a,bb	Taurine and hypotaurine metabolism
758	25198	NM_021754	h	
758	20035	NM_021754	b,n,s,v,General	
759	20090	NM_021757	m	
760	17885	NM_021765	aa	
762	20161	NM_021836	cc,General	
764	1203	NM_021997	k,z	
765	23151	NM_022005	b	
			6	Aminosugars metabolism,Fructose and mannose metabolism,Galactose metabolism,Glycolysis / Gluconeogenesis,Starch and sucrose
767	17101	NM_022179	bb	metabolism
1767	17100	NM 022179	, bb	Aminosugars metabolism,Fructose and mannose metabolism,Galactose metabolism,Glycolysis / Gluconeogenesis,Starch and sucrose metabolism
768	20257	NM 022180	w,General	
768	25699	NM 022180	i .	
768	10860	NM 022180	p a	
769	23780	NM 022183	k,x	
770	20312	NM 022224	0	
771	6585	NM 022266	d,p,cc	
772	17161	NM 022298	i.v.cc,General	
772	17162	NM 022298	u	
772	17160	NM 022298	u	
772	17158	NM_022298	g -	
773	11454	NM_022290	i,aa,General	
773	11455	NM_022381	I,General	
774		NM_022390		Folate biosynthesis
775	13480 15184	NM 022390	S #	Polate biosynthesis
776	22413 22414	NM_022392 NM_022392	h n	
		NM 022393	t	
777 779	22499 24537	NM_022393	e	
	24539	NM_022399	y - C	
780	1141	NM_022401	o,General	
781	1069	NM_022402	9	
782	8211		j,n,s .	
782	8212	NM_022500	n,s	
783	6815	NM_022503	s	Oxidative phosphorylation
	4259	NM_022504	q,w	
785 786	2236	3		Butanoate metabolism,Fatty acid metabolism,Valine, leucine and isoleucin degradation
	3026	NM 022514	a	
			a,q,r,aa	
788		NM 022515	a,d	
		NM 022515	n,w,aa	
789		NM_022516	h	
	4151		0	
791	4242			Arginine and proline metabolism, Urea cycand metabolism of amino groups
			0	and metabolism of animo groups
			General	
793		NM_022533		·
	8097	NM_022536	a <u> </u>	
794				
794 1 795	8597	NM_022538	c,r,u	
794 795 795	8597 8598	NM_022538 . NM_022538	c,r,u u o	

vasus 2: :	PATHWAYS			AXIIY: Docket No. 4492XI-5039X Doc. No. 1793397
මුව්ධානය මුව්ධානය	reillinebl	Cenbenk Acel Ref. Seq. ID No.	Mödel Gode	Pathways
1799	20781	NM_022591	Z	
1800	20803	NM_022592	n	Carbon fixation, Pentose phosphate cycle
1801	20925	NM_022594	q	
1802 1803	20944	NM_022597	aa	4
1804	21024 2250	NM_022599 NM_022643	o,General General	<u> </u>
1805	17567	NM 022672	a,y	
1806	17661	NM 022674	bb	
1807	24563	NM 022676	Ь	<u> </u>
1807	24564	NM_022676	b,x	
1808	20506	NM_022686	Ţ.	
1809	20508	NM_022688	g	
1810	17586	NM_022694	k	1
1811	17730	NM_022697	а	
1811	17729	NM_022697	q	1
1812	154	NM_022849	1 <u>t                                      </u>	
1813	127	NM_022855	h	
1814	152	NM_022858	ħ	
1816 1816	18101 18103	NM_022948 NM_022948	z u	<del></del>
1817	21491	NM 022951	w	<u> </u>
1818	15742	NM 022958	v	
1819	9286	NM 023027	t,w	
1820	23215	NM 023102	Z	
1821	21238	NM 024125	cc.General	il6,interact6-1
1821	21239	NM 024125	cc.General	il6.interact6-1
1822	353	NM 024127	i,n,General	
1822	354	NM 024127	i,n,General	
1822	352	NM 024127	h,General	
1823	17227	NM_024131	x	
1824	1598	NM_024134	I	
1825	1162	NM_024153	d	Porphyrin and chlorophyll metabolism
				Oxidative phosphorylation, Type III protein
1826	7863	NM_024156	С	secretion system
1827	22079	NM_024157	X	
1828	16476	NM_024162	General	
1829	17765	NM_024351 ,	b,s,v	
1830	8879	NM_024360	h	
1831	20772	NM_024363	x	Butanoate metabolism,Synthesis and degradation of ketone bodies,Valine,
1832	2812	NM_024386	C	leucine and isoleucine degradation
833	335	NM_024387	j,y	Porphyrin and chlorophyll metabolism
834	21	NM_024388	cc	
834		NM_024388	cc	
836	9929	NM_024392	f	Androgen and estrogen metabolism
837	3582	NM_024396	aa	
838 839		NM_024398 NM_024399	e,p,s,aa o	
840	22626	NM 024400	cc,General	
841	13633		g,General	
841			g,General	
842	23387		b,General	
843			h	Glycine, serine and threonine metabolism
844			s	Glutathione metabolism
845			e,General	
845	15112		y,z	
845			General	
846	808		k,m	
847			k	
848			t	
			X	
850	1928	NM_030872	V	

Garman		GenBank Acc	I a As a Chair	
Sequence D No. †	ldeniiier	Ref. Seq. (D No.)	Model Gode	Pathways 1
1851	17342	NM_030873	u	
1852	24648	NM_030985	u	
1852	25453	NM_030985	General	
1853	21802	NM_030987	<u>jh</u>	
4054	00400			Glycerolipid metabolism, Glycolysis / Gluconeogenesis, Pentose and glucuronal
1854	23109 134	NM_031000 NM_031003	f,s,z	interconversions
1855 1856	25461	NM 031009	a,u o	
1857	1845	NM 031010	li	Prostaglandin and leukotriene metabolism
1857	25517	NM 031010	c,t	Prostaglandin and leukotriene metabolism
1858	16562	NM 031020	f f	1 Tostagiarion and leakotherie metabolish
1859	1480	NM 031021	l <del>i</del>	
1860	1719	NM 031024	n	<del></del>
1861	1350	NM 031030	h	<del></del>
				Arginine and proline metabolism,Glycine, serine and threonine metabolism,Urea cycles and metabolism of amino arguments.
1862 1863	16775 691	NM_031031	General	and metabolism of amino groups
1864	15886	NM_031034 NM_031035	w z	
1866	3608	NM 031044	k,General	Histidine metabolism
1866	3610	NM 031044	d.General	Histidine metabolism
1867	15137	NM 031051	s	I ilstidire metabolism
1868	514	NM 031056	General	1
	,	11111 001000	Concia	Inositol metabolism,Propanoate metabolism,Valine, leucine and isoleucine
1869	17269	NM_031057	General	degradation
1870	11849	NM_031065	a	
1871	1855	NM_031074	h	
1872	4683	NM_031083	d	
1873	15202	NM_031093	а	
1873	15201	NM_031093	a,n	
1874	12639	NM_031099	aa	
1875 1876	20812 16938	NM_031100 NM_031103	a 	4
1877	19268	NM 031104	w	<del> </del>
1878	16929	NM 031108	a a	+
1879	10878	NM 031110	g,bb	
1880	19162	NM 031111	aa	
880	19161	NM 031111	a,bb	
881	24615	NM 031112	a,y	
882	20839	NM 031113	a,q	
883	19040	NM 031114	I,m,General	
884	16349	NM 031115	u	1
885	14970	NM 031127	General	
886	1814	NM 031134	n,q	
887	13359	NM 031135	General	
888	15052	NM_031136	а	
888	19359	NM 031136	а	
889	15185	NM_031140	General	
890	21625	NM_031144	a,e	
891 .	238	NM_031152	bb	
891	240	NM_031152	bb	
892	15277	NM_031237	9	
893	18083		q ,	
893	1858		q	
894	15663	NM_031318 .	General	
895	1422	NM_031324	bb,General	
896	18597	NM 031325	g,bb	Nucleotide sugars metabolism,Pentose an glucuronate interconversions,Starch and sucrose metabolism
897	11259		i,cc,General	
898	4235		General	<u> </u>

				44137. Docket No. 44921-503900 Doc. No. 1793397
Sequence Id No. : : :	ldeniiier	Cenbank Acel Ref. Seq. ID No.		Palliways
1899	18375	NM_031331	l,m	
1900	3519	NM_031334	cc	
1901	20698	NM_031357	b	
1903	634	NM_031509	<u>in</u>	Glutathione metabolism
1903	25525	NM_031509	n	Glutathione metabolism
1903	25069	NM_031509	b,n,w	
1903	635	NM_031509	]z	Glutathione metabolism
1904	848	NM_031517	t	
1905	1872	NM_031523	а	
1905	16245	NM_031523	a,d,u	
1905	16244	NM_031523	a	1
1906	19370	NM_031527	w	
1907	20448	NM_031530	General	
1907	20449	NM_031530	General	4
1908 1909	14633 16048	NM_031533 NM_031541	u f	Androgen and estrogen metabolism,Pentose and glucuronate interconversions,Porphyrin and chlorophyl metabolism,Starch and sucrose metabolis
			<b>†</b>	Fatty acid metabolism, Tryptophan
1910	4011	NM_031543	c,q	metabolism
***************************************	1			Fatty acid metabolism, Tryptophan
1910	4010	NM_031543	c,q	metabolism
			1-7-3	Fatty acid metabolism, Tryptophan
1910	4012	NM 031543	la	metabolism
1911	28	NM 031546	General	
1912	24640	NM 031548	h,cc	
1913	17149	NM 031549	x	
1913	17151	NM 031549	x	
1914	13105	NM 031552	lw	
			1	Fatty acid metabolism, Glycerolipid
1915	15411	NM 031559	d,r	metabolism
1916	16164	NM 031563	a,y	
1917	9621	NM_031570	bb	
1917	9620	NM_031570	w,bb	
1918	546	NM_031573	f	
1919	1921	NM 031576	f	4
919	1920	NM_031576	r	
920	24219	NM_031579	i,General	
921	770	NM_031584	k,x	
922	18008	NM 031588	СС	
922	18005	NM 031588	h	4
922	18011	NM_031588	cc,General	
923	1584	NM_031595	k	]
924		NM_031614	v	Pyrimidine metabolism
924		NM_031614	General	Pyrimidine metabolism
925		NM_031627	j,l,v	1
926	1727 .	NM 031642	m,General	
927	20766	NM_031643	у	
929		NM_031655	k,l,m,General	1
930		NM_031660	е	1
931		NM_031672	k,General	1
932		NM 031682	bb	Butanoate metabolism,Fatty acid biosynthesis (path 2),Fatty acid metabolism,Lysine degradation,Tryptophar metabolism,Valine, leucine and isoleucine degradation
933		NM 031685	V	uegraudii0i1
934		NM 031687		1
935		NM_031700	a,q,s	
935		NM_031700	j,r,y o,r	

n(xi⊋id≘ xx∷i	PATHWAYS			ANTY. Docton No. 44921-50320 Doc. No. 1793397
Sequence, D No.	refillmebl	GenBenk Acci Ref. Seq. ID No. 14	Model Godo	Pathways .y.
1936	811	NM 031705	General	Pantothenate and CoA biosynthesis,Pyrimidine metabolism,beta- Alanine metabolism
		1444_031103	Concra	Pantothenate and CoA biosynthesis,Pyrimidine metabolism,beta-
1936	812	NM_031705	o,v,bb,General	
1937	16204	NM_031706	q,bb	
1937	16205	NM_031706	a,y	
1938	24081	NM_031708	m	
1939 1940	16918	NM_031709 NM_031712	a,q General	1
1941	1340	NM 031715	b,n,u,cc,	Fructose and mannose metabolism,Galactose metabolism,Glycolysis / Gluconeogenesis,Pentose phosphate cyc
				Arginine and proline metabolism,Ascorbal and aldarate metabolism,Bile acid biosynthesis,Butanoate metabolism,Fatty acid metabolism,Glycerolipid metabolism,Histidine metabolism,Lysine degradation,Propanoate metabolism,Pruvate metabolism,Tryptophan metabolism,Valineleucine and isoleucine degradation,beta-
1942	23884	NM_031731	j,s	Alanine metabolism
1943	10241	NM_031740	d	
1944 1944	1214	NM_031741	r	
1945	1215 20724	NM_031741 NM_031753	r h	
1946	20753	NM 031763	h	
1946	20752	NM 031763	v	
1947	14953	NM 031774	p	
1948	14184	NM 031776	t,General	Purine metabolism
1948	14185	NM 031776	d,o,t,General	Purine metabolism
1949	1169	NM 031789	C	
1950	16155	NM_031810	d,z	
1950	16156	NM_031810	d	
1951	17194	NM_031814	z	•
1952	17535	NM_031816	bb	
1953	2655	NM_031821	i,l,m,aa	
954	10167	NM_031830	i	
955	22321	NM_031832	o,t,u,General	
956	4748	NM_031834	e,t	
1956	4749	NM_031834 =	e,t	
				Alanine and aspartate metabolism, Glycine
957	7914	NM_031835	e	serine and threonine metabolism
958	8385	NM_031836	<u>h</u>	
958 959	8384 10268	NM_031836 NM_031838	h a	
959	10268	NM_031838	aa	
959	10267	NM 031838	n,aa	
960	15077	NM_031841	b	
961	16726	NM_031855	x	Fructose and mannose metabolism
962	25802	NM 031969	a	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
962		NM 031969	C	
962		NM 031969	r	
962		NM 031969	p	
963		NM 031970	v,General	
964		NM_031971	v ,	
965		NM_031978	f	
966		NM_031984	C	
967			v,aa,General	
968	723	NM 032084		

TABLE2: P	ATHWAYS			/Aijy. (2003:21) (No. 4/1924)-50339) (2003. (No. 179339)
ID Nør Sednavæe	ldentifer	GenBank Acci Reil Seq. ID No.	Model Gode	Palliways
1969	17935	NM_032615	а	
1970	16831	NM_033095	n	
1971 -	25468	NM_033234	c,z	
1971	25469	NM_033234	С	
1971	17832	NM_033234	с,р	
1971	17829	NM_033234	c,z	
1972	4723	NM_033235	Z	
1973	1409	NM_033349	p,General	Pyruvate metabolism
1974	19998	NM_033352	General	
1975	1410	NM_052798	d	Cyataina matabaliam Tayrina and
1076	15028	NM 052809	f	Cysteine metabolism, Taurine and hypotaurine metabolism
1976 1977	15028 5176	NM 053297	<u> </u>	mypotaume metabolism
	7660	NM 053297	u i	
1978 1979 *	5117	NM_053299 NM_053310	1	
1979 × 1981 -	17473	NM_053310 NM_053319	p a,v	
1981	25480	NM 053319 NM 053329		<u> </u>
1982	21977	NM 053329	9 y	
1983	14926	NM 053330	f	<b> </b>
1983	14929	NM 053330	e,General	
1984	16407	NM 053332	c,e	
1985	15790	NM 053341	j,x	
1986	6154	NM 053356	p .	
1987	9215	NM 053374	<u>                                      </u>	
1988	6416	NM_053380	General	
1989	19113	NM 053395	a	
1990	2242	NM 053433	n.General	
1991	5561	NM 053438	V V	
1992	14670	NM 053439	n,General	
1993	17102	NM 053440	w	
1994	24762	NM 053442	General	
1995	8085	NM 053453	General	
1996	4622	NM 053463	d	
1997	21866	NM 053472	p	
1998	9573	NM_053475	h :	
1999	16137	NM 053480	k	
2000	15556	NM 053483	v	
2001	16394	NM 053485	General	
2002	4290	NM 053487	j.y	
2004	18826	NM 053523	d	
2005	7764	NM 053525	aa	
2006	14199	NM 053538	C	
2007	1058	NM_053539	c,d	
2008	4327	NM 053563	General	
2009		AUA OCOCTO	h	
2010	19254	NM_053576	h,s	Methane metabolism,Phenylalanine metabolism
2040	40052	NINA OESETO	_	Methane metabolism,Phenylalanine
2010	19253	NM_053576	h n co Conoral	metabolism
2011	3049	NM_053582	p,cc,General	
2011	3050 21423	NM_053582 NM_053586	o,General	Ovidativo phosphogratica
		NM_053586 NM_053587	s,y	Oxidative phosphorylation
2013 2014	21445 20871	NM_053587 NM_053591	t,v	
			j,l	
2014	20870	NM_053591 NM_053594	<u>'</u>	
2015	21044		d	
2016	21709	NM_053596	k	
2016	21708		Z .	
2017	1597		Conoral	
2018 d 2019		NM_053618 NM_053623	General t	Fatty acid metabolism

				(A) 137. Docket No. 449231-50391 Doc. No. 179339	
Sequence ID No.	ldeniliter	Consenk Acel Ref. Seq. ID No.	Model Gode	Pettiweys :	
				Arginine and proline metabolism,D-Arginin	
2020	1127	NM 053626		and D-ornithine metabolism, Glycine, serir and threonine metabolism	
2021	18644	NM 053648	lg In	and threonine metabolism	
2022	21637	NM 053653	р		
2023	3454	NM_053662	cc		
2024	16121	NM_053698	h,j,z		
2024	16122	NM_053698	jh,j,z		
2025 2025	25379 13622	NM_053713 NM_053713	General General		
2026	15376	NM 053747	h	4	
2027	11218	NM 053748	ь		
2028	1137	NM_053763	ly		
2029	15996	NM_053769	cc	4	
2030	8652	NM_053774	g		
2031	14664	NM_053806	General		
2032 2034	4361	NM_053812	k		
2034	15002	NM_053819	b,x,bb,General b,l,x,bb,		
2034	15003	NM 053819	General		
2035	16173	NM 053822	t		
2036	17154	NM 053835	j,z		
2037	20868	NM_053843	t		
2037	20869	NM_053843	t		
2040	714	NM_053863	У		
2041	19781	NM_053883	b		
2041 2042	19780 1454	NM_053883 NM_053887	b General		
2042	1660	NM 053891	g		
2044	712	NM 053896	k		
2045	753	NM 053897	k		
2046	794	NM_053902	General	Tryptophan metabolism	
2047	17937	NM_053911	f		
2048	8188	NM_053927	General		
2050	1628	NM_053936	<u>h</u> ,		
2051 2052	13954 408	NM_053955	General		
2052	19991	NM_053961 NM_053961	General a		
2052	16190	NM 053961	q		
2052	21355	NM 053961	i,l,y,z		
2055	15136		aa .		
2055	15135	NM_053971	d		
2056	1764		h .		
2057	1292	NM_053980	1		
058	15468	NM_053982	<u>q</u> :		
059	15642		General		
2060 2061	21066 17326	NM_054001 NM_054008	t 0		
2061	17327		cc		
:061	17329		g,o,cc		
062	25253		j,l,m,p,z		
062	22849	NM_057099	j,l		
063	19657	NM_057103	b,cc		
				Androgen and estrogen metabolism,Pentose and glucuronate	
			1	interconversions,Porphyrin and chlorophyll	
.064	5492	NM 057105	7	metabolism, Starch and sucrose metabolism	
				Androgen and estrogen	
				metabolism,Pentose and glucuronate	
				interconversions, Porphyrin and chlorophyll	
064	15126	NM_057105	r 🌡	metabolism, Starch and sucrose metabolism	

TABUEZ: F	SYAWHTAY			Aliy. Dociel No. 44941-5039/// Doc. No. 1798397.
Sequence ID No.	ldenijijer	Genbank Acel Ref. Seq. ID No.	Model Gode	Pathways
				Androgen and estrogen
	[			metabolism,Pentose and glucuronate
2064	45425	NIM DETAGE	]_	interconversions, Porphyrin and chlorophyll
2064 2066	15125 15391	NM_057105 NM_057114	s n	metabolism,Starch and sucrose metabolism
2067	727	NM 057123	im in	<u> </u>
2068	915	NM_057124	s	
2069	15151	NM_057131	k	
2070	1892	NM_057144	b	
2071	12333	NM_057155	lf Carant	
2071 2071	12331	NM_057155 NM_057155	v,General f,General	
2072	17477	NM 057194	a.General	
2073	15408	NM 057197	p,t	
2073	15409	NM_057197	t	
2074	7866	NM_057198	h	Glutamate metabolism,Purine metabolism
2075	14125	NM_057208	h,j,y,z	
2076	1743	NM_057210	k,s	
2077	10498	NM_078617	a	
2078 2079	8820 15701	NM_080399 NM_080581	i m v z	
2079	20105	NM 080581	j,m,y,z aa	
2080	16109	NM 080585	c	
2081	1757	NM 080766	d	
2082	7108	NM_080778	y	
2083	132	NM_080782	∫k .	
2083	133	NM_080782	I	
2084	20122	NM_080887	General	
2085	6143	NM_080892	e	
2086 2087	9952 17546	NM_080902 NM_130401	h lb	
2088	21695	NM 130411	ic,x	
2089	21391	NM 130416	x,General	
2090	20694	NM 130430	General	
2090	19818	NM_130430	cc	
2090	18810	NM_130430	e,s	
2091	18293	NM_130433	q	Bile acid biosynthesis,Fatty acid biosynthesis (path 2),Fatty acid metabolism,Phenylalanine metabolism,Valine, leucine and isoleucine degradation
2092 2093	25064 3244	S45392 S63519	la,n lu	
2093	25501	S63521	q	
2095	16248	S68135	h	
2096	18647	S69316	q ,	
2097	24351	S74257	V	
2098	25066	S75280	d	
	1		j,l,m,x,y,	
2099	1460	S76054	General	
2100	25539	S76742	v	
2101 2102	16400 24469	S76779 S77858	C n	
2102	25545	S77900	k,s	
2103	21583	S77900	k	
2104	10260	S81497	s	
2105	3609	S82579	k	Histidine metabolism
2106	111	U02506	u	
2107	14959	U03390	a,q,General	
2109	2010	U05675	b,x,bb	
2110	15462	U06230	d i	
2112 2113	1583 . 627	U07201 U09229	s,General h	

TABUEZ: F	PATHIWAYS		Min.	Aliy, Docket No. 44921-508900 Doc. No. 1793397
Sequence ID No.	ldendffer	Genbank Aca Ref. Seq. ID No.	Model Gode	Palliways +
2114	809	U17035	General	
2115	16675	U17565	k,x,bb	
2116	25587	U20110	Г	
2117	90	U20796	<u>lr</u>	
2118	25589	U21718	]h,aa	
2119 2120	22196 17118	U21719 U25746	h s	
2121	1537	U27518	g,h,n	
2122	1558	U28504	bb	
2123	16193	U30831	n	
2124	17480	U31598	ζZ	
2125	18302	U33500	General	
2126	25599	U34897	у	
2127 2128	1394 244	U37099	lh In	
2129	1623	U38376 U41164	ih	
2130	15851	U42719	f,t,x,General	
2131	17886	U47315	S,Z	
2132	21654	U53184	i,t,General	
2133	1439	U57391	w	
2134	725	U62316	bb	
2137	2153	U75404	b,cc,General	
2139	4956	U76714	j.y	
2140	4477	U77829	l,m	
2141 2142	21703 ·	U82591	Z	
2143	23282	U89744 U90725	ls h	
2144	22005	U96490	m	
2146	819	<b>Χ02284</b>	j,z	metabolism,Glycolysis / Gluconeogenesis,Inositol metabolism,Pentose phosphate cycle Carbon fixation,Fructose and mannose
04.47		V00004		metabolism,Glycolysis / Gluconeogenesis,Inositol
2147	818	X02291	e,j,z	metabolism,Pentose phosphate cycle
2148 2149	20818 16401	X02904 X04979	n,q	Glutathione metabolism
2150	20513	X05684	o,r	Carbon fixation, Glycolysis / Gluconeogenesis, Purine metabolism, Pyruvate metabolism
2151	25084 672	X06769	CC .	
2152 2153	25675	X13722 X14181	h n	
2153		X14181	n,q,w	
2154		X14671	y y	
2155		X15013	q	
2155	19244	X15013	c,q,w	
2156	15626	X17665	а	
2157	1893	X51529	lt .	Glycerolipid metabolism,Phospholipid degradation,Prostaglandin and leukotriene metabolism
2158		X51536	bb	
2158	10819	X51536	aa,bb	
2159		X51706	a,q,w	
2160		X51707	а	
2161		X52711	С	
2162		X52815	9	
2163		X53378	W .	
21 <b>64</b> 2165		X53504 X54467	General .	
2166		X55153	d,u,General a,v	
2167		X57405	j,m	

UANDUE Z# U		Strage with the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the		/Xiiy, Dockel No. 44921-50397 Doc. No. 179339
Sequence ID No.			Model Gode	Palliways
2168	15106	X57529	g,n,q	
2169	5667	X58200	q,bb	
2169	18611	X58200	la,v	
2170	17175	X58389	w	
2171	25702	X58465	w	
2171	10109	X58465	c,q	
2172	25705	X59375	c,i,aa,General	
2173	25709	X59737	₹u	
2174	18354	X59859	General	
2174	18355	X59859	t	4
2175	21657	X61381	General	
2176	25718	X62145	bb,General	
2176	15875	X62145	a,q,v	
2177	13646	X62166	bb	
2178	25721	X62325	р	
2179	16012	X62875	m,s,z	2
2180	25730	X63369	cc	
2181	25089	X63594	General	
2181	25090	X63594	cc,General	
2182	20844	X65228	_n,w	
2183	20879	X65296	J,y	
2184	25736	X68782	Įc .	
2185	16426	X70369	c	
2186	16300	X70706	u	
2187	24232	X75207	c	
2188	16272	X76456	n,p	
2189	25741	X76489	u	
2190	23302	X78949	h	
2191	25747	X81448	General	
2192	24115	X81449	u	
2193	25754	X89696	g	
2194	25097	X90642	y,z	
2195	12978	X96437	cc,General	
2197	4594	Y07704	c	
2198	25777	Y08355	g,p,General	4
2199	15986	Y09945	bb,General	1
200	20890	Y13275	k	
2201	21914	Y13336	d	1
202	406	Z11995	o,General	
203	18352	Z12298	lt	1
204	17481	Z49761	k	<u> </u>
205	8664	Z75029	r,v	1
206	2459	AA964755	cc	
207	23830	AA956638	aa	<u> </u>
208	6100	X73524	x	1
209	439	Z22607	w	1
210	8665	AI071965	v	
211	155	U32681	lt -	
212	19252	AA892041	s	Methane metabolism,Phenylalanine metabolism
213	15582	AI232320	q	
214	17541	M26125	n	
215	18609	M30689	li	
216	6262	Al177125	g	
217	23859	AI072161	f	<del> </del>
218	21011	H32189	е .	Glutathione metabolism
220	2572	Al177143	b	
		M22922	1-	

TABLE	S: HWWAN	HOMOLOGUEAN	INOTATIONS		: Ally, Docket No. 44921-5039WC Doc. No. 1798387.1
809. ID No.!	ldentifier	J	Model (600)	Homologous Cene Name	Revolotions Giveter Natura
1	6949	AA012785	q		
2	25098	AA108277	h,v		
3	17312	AA108308	ſ		EST, Moderately similar to A Chain A, Mdm2 Bound To The Transactivation Domain Of P53 (SUB 17-125 [H.sapiens], mouse double minute 2, human homolog of; p53-binding protein
4	* 16882	AA684537	0		NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 5 (16kD, SGDH)
					EST, Weakly similar to T30827 nascent polypeptide-associated complex alpha chain, non-muscle splice form - mouse [M.musculus], FKSG17, Homo sapiens alpha-NAC gene for nascent polypeptide- associated complex component, KIAA0363 protein, expressed sequence AL022831, nascent- polypeptide-associated complex alpha
5	6049	AA685178	у		polypeptide
6	4426	AA685974	l,m		
7	21815	AA686423	g		EST, Weakly similar to T46390 hypothetical protein DKFZp434C1920.1 [H.sapiens], hepatocellular carcinoma-associated antigen 59
•				DNA-damage inducible transcript 3, DNA-damage-	DNA-damage inducible transcript 3, EST, Moderately similar to GA15_HUMAN GROWTH ARREST AND DNA-DAMAGE-INDUCIBLE PROTEIN GADD153 [H.sapiens],
8	1600	AA686470	ji ji	inducible transcript 3	myozenin
8 9	1599 21997	AA686470 AA799325	<b>i</b> E	DNA-damage inducible transcript 3, DNA-damage-inducible transcript 3	DNA-damage inducible transcript 3, EST, Moderately similar to GA15_HUMAN GROWTH ARREST AND DNA-DAMAGE-INDUCIBLE PROTEIN GADD153 [H.sapiens], myozenin
			U		
10	<u></u> 18396	AA799330			ESTs, Highly similar to ERR3_HUMAN ESTROGEN-RELATED RECEPTOR GAMMA [H.sapiens], Untitled, estrogen related receptor, alpha, estrogen related receptor, beta,
11	6581	AA799412	f,I	44	estrogen-related receptor beta
					ESTs, Moderately similar to NPL4_HUMAN NUCLEOSOME ASSEMBLY PROTEIN 1-LIKE 4 [H.sapiens], ÆSTs, Weakly similar to NPL4_HUMAN NUCLEOSOME ASSEMBLY PROTEIN 1-LIKE 4 [H.sapiens], SET translocation,
	1				nucleosome assembly protein 1-like 1,
12	16538		k ;	4	nucleosome assembly protein 1-like 4
13	23294		u :		CGI-116 protein
14	18290	AA799497	r		

TABU	es: Human	HOMOFOGALE VA		le 19, se suit in 19, se suit in 19, se suit in 19, se suit in 19, se suit in 19, se suit in 19, se suit in 19	Ally: Docket No. 44924-503900 Doc. No. 1799397.
Seq. I No.	e (dentifier	ConBank Aced	i di di di di di di di di di di di di di	Homologous Cana Nama	Homologous Cluster Name
NO.	T- (denuter	Ker Seg. In the	Mocal Gode	Mane	DAZ associated protein 1, ESTs, Highly similar to ROA1 RAT HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 [R.norvegicus], ESTs, Moderately similar to Up1, The Two Rna-Recognition Motif Domain Of Hnmp A (SUB 3-184 [H.sapiens], ESTs, Weakly similar to ROA1 RAT HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 [R.norvegicus], ESTs, Weakly similar to ROA2 MOUSE HETEROGENEOUS NUCLEAR RIBONUCLEAR RIBONUCLEOPROTEINS A2/B1 [M.musculus], RIKEN cDNA 3010025E17 gene, Ras-GTPase
					activating protein SH3 domain-binding protein 2, Ras-GTPase-activating protein SH3-domain binding protein, cell death regulator aven, heterogeneous nuclear ribonucleoprotein A1, heterogeneous
15	18981	AA799523	е		nuclear ribonucleoprotein A2/B1 EST, Moderately similar to A38983 TCP1 ring complex protein TRiC5 [H.sapiens], T-complex 1, chaperonin containing TCP1, subunit 3 (gamma),
16	20942	A A 7005 45			expressed sequence Al528772, t-
16 17	16993	AA799545 AA799560	h b		complex 1, t-complex protein 1
18	16576	AA799570	d		
19	18361	AA799591			EST, Moderately similar to 138369 beta tubulin [H.sapiens], ESTs, Highly similar to 138370 beta-tubulin [H.sapiens], ESTs, Highly similar to T08726 tubulin beta chain [H.sapiens], ESTs, Highly similar to TBB1 RAT TUBULIN BETA CHAIN [R.norvegicus], ESTs, Moderately similar to 138370 beta-tubulin [H.sapiens], RIKEN cDNA 2410129E14 gene, RIKEN cDNA 4930542G03 gene, Rat mRNA for beta tubulin T beta 15, beta tubulin 1, class VI, tubulin, beta 3, tubulin, beta, 2
20	17712	AA799598	z		
22	18346		f		
23 24 25	8768 11687	AA799726 AA799732	w		DiGeorge syndrome chromosome region 6, DiGeorge syndrome critical region gene 6, DiGeorge syndrome critical region gene 6 like
25	18349	AA799744	u		
26 27	17494 18360	AA799751 AA799771	n General		
28	18880	AA799801	w		
				,	EST, Moderately similar to MAS2_HUMAN MANNAN-BINDING LECTIN SERINE PROTEASE 2 PRECURSOR [H.sapiens], Rattus norvegicus mRNA for serine protease, complete cds, complement C1r-like proteinase precursor,, complement component 1, r subcomponent, s
29	20998	AA799803	z	£	subcomponent, protein C

TABLE		HOMOROGAEV	EKOKATOKE		Any. Docket No. 44921-5039WC Doc. No. 1793397.1
	ldentifier	GonBank Acel Rof. Seq. (D No.		Homologous Cone Namo	Homologous Gluster Namo
30	21006	AA799861	c		interferon regulatory factor 7
					ESTs, Moderately similar to Up1, The Two Rna-Recognition Motif Domain Of Hnmp A1 (SUB 3-184 [H.sapiens], ESTs, Weakly similar to ROA1 RAT HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 [R.norvegicus], ESTs, Weakly similar
				,	to heterogeneous ribonuclear particle protein A1 [H.sapiens], Human DNA sequence from clone RP11-51N22 on chromosome 13 Contains ESTs, STSs and GSSs. Contains an HNRPA1 (heterogeneous nuclear ribonucleoprotein A1) pseudogene,
1				·	RIKEN cDNA 4930547K05 gene,
31	15011	AA799893	General		heterogeneous nuclear ribonucleoprotein A1
32 33	20811	AA799899 AA799971	a General	-8	EST, Moderately similar to RL1X_HUMAN 60S RIBOSOMAL PROTEIN L18A [H.sapiens], EST, Weakly similar to RL1X_HUMAN 60S RIBOSOMAL PROTEIN L18A [H.sapiens], EST, Weakly similar to S47353 ribosomal protein L18a, cytosolic [H.sapiens], ESTs, Highly similar to RL1X_HUMAN 60S RIBOSOMAL PROTEIN L18A [H.sapiens], RIKEN cDNA 2510019J09 gene, ribosomal protein L18a
33	123202	AA799971	General		ESTs, Moderately similar to 1701409A
34	4832	AA800190	ь	. \$	glycogen phosphorylase [H.sapiens], ESTs, Weakly similar to 1701409A glycogen phosphorylase [H.sapiens], phosphorylase, glycogen; brain
35 36	21656 18433	AA800202 AA800218	d		
37	6386	AA800216 AA800235	j,y,z u		
38	18442	AA800258	h,k	in the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second se	
39	21092	AA800380	y		DNA segment, Chr 14, University of California at Los Angeles 2, Hydroxysteroid dehydrogenase, 11 beta type 1, expressed sequence C79874, hydroxysteroid (11-beta) dehydrogenase 1, hydroxysteroid 11-beta dehydrogenase 1, hydroxysteroid 17-beta dehydrogenase 11, retinal short-chain dehydrogenase/reductase retSDR2
					ESTs, Highly similar to GSHG_MOUSE GLUTATHIONE PEROXIDASE-GASTROINTESTINAL (GSHPX-GI) [M.musculus], Glutathione peroxidase 1, glutathione peroxidase 1, glutathione peroxidase 2
40	17325	AA800587	General		(gastrointestinal)
41 ,	13930	AA800613	cc, General		zinc finger protein 36, zinc finger protein homologous to Zfp-36 in mouse
42	21372	AA800693	V		
42	21373	AA800693	S		
43 44	18161 6595	AA800701 AA800753	k w		
45	13348	AA800753 AA800928	W General		
73	10040	עעטטעסצס	Odligiai		

WO 02/095000

TABLE	e Chawan	HOMOLOGUE AI	- SKOTKATOKE		Atty, Docket No. 44921-503900 Doc. No. 1793397.
839. ID No.	reilliaebl	GenBank Acc./ Ref. Seq. ID No.	Model Gode	Komologous Care Name	
					EST, Weakly similar to H2AL_HUMAN HISTONE H2A.L (H2A/L) [H.sapiens],
					H2A histone family, member L, similar to H2A histone family, member A (H.
46	23115	AA801165	о,у		sapiens)
47	12399	AA801307	General	1	1
48	7543	AA801395	General	1	1
49	24237	AA817726	t,General		
50	11215	AA817921	0		
51	5985	AA818005	9	1	
52	11338	AA818016	x		EST, Weakly similar to RB6K MOUSE RABKINESIN-6 [M.musculus], RAB6 interacting, kinesin-like (rabkinesin 6), RIKEN cDNA 3110001D19 gene, Rab6, kinesin-like
53 54	2845	AA818026	k,General		COP9 (constitutive photomorphogenic), subunit 6 (Arabidopsis), Homo sapiens cDNA FLJ14833 fis, clone OVARC1001171, moderately similar to Homo sapiens translation initiation factor 3 47 kDa subunit mRNA, IFP38, RIKEN cDNA 0610037M02 gene, eukaryotic translation initiation factor 3, subunit 5 (epsilon, 47kD), hypothetical protein MGC13045, proteasome (prosome, macropain) 26S subunit, non-ATPase, 7
54	16756	AA818089	i,k,General		glycyl-tRNA synthetase
55	17771	AA818224	e,g,p,General		EST, Weakly similar to S45140 tubulin beta chain [H. sapiens], RIKEN cDNA 2410129E14 gene, RIKEN cDNA 4930542G03 gene, tubulin, beta 2, tubulin, beta 5, tubulin, beta polypeptide, tubulin, beta, 2
56	6522	AA818261	g,m	<u> </u>	polypepude, tubbini, beta, 2
57	5924	AA818359	y	1	
58	7806	AA818421	b,aa		
59	8237	AA818512	v		
60	17434	AA818574	h		
61	8728	AA818615	General		
			9	diphtheria toxin receptor (heparin-binding epidermal growth factor-like growth factor), heparin binding epidermal growth factor-	diphtheria toxin receptor (heparin- binding epidermal growth factor-like growth factor), expressed sequence AW047313, heparin binding epidermal
62	6054	AA818658	b,v,cc;General	like growth factor	growth factor-like growth factor
63	11590	AA818721	a Canasi'		
64 65	4291	AA818741	q,General		
66	4330 19723	AA818747 AA818761	o,General v.General		
67	13684	AA818770	h,j,l,m		
68 -	6322	AA818801	(1,j,i,fi) k		
	JUEE	PANOLIDOV I			expressed sequence AV066530, guanylate cyclase activator 2B (uroguanylin), guanylate cyclase
69	7690	AA818875	General	فد	activator 2b (retina)
70	4952	AA818907	q,General		
71	6094	AA818911	t		
72 .	10985 ,	AA818998	o,General		
73	6120	AA819008	t ·		

TABL	es: Human	HOMOLOGUE AN	INOTATIONS		Atty, Docke No. 44921-5939 Doc. No. 1793397.
80g. () බල	D Heniliter	Conbant Ace./ Ref. Seq. ID No.	Modal (606)	Homologous Gene Name	Honologous Cluster Name
74	2586	AA819081	C		CocoaCrisp, ESTs, Weakly similar to JC5308 testis-specific, vespid, and pathogenesis-related protein 1 precursor [H.sapiens], Homo sapiens, Similar to RIKEN cDNA 1700011E04 gene, clone MGC:26856 IMAGE:4822995, mRNA, complete cds, RIKEN cDNA 1200009H11 gene, RIKEN cDNA 1700011E04 gene, RIKEN cDNA 4921508O11 gene, acidic epididymal glycoprotein-like 1, glioma pathogenesis-related protein, specific gene 1, testis specific protein 1, testis specific protein 1 (probe H4-1 p3-1)
76	16438	AA819269	0		T
77	24721	AA819306	d,w		1
78	6250	AA819376	o,y		ESTs, Weakly similar to T17246 hypothetical protein DKFZp586M0617.1 [H.sapiens], KIAA0263 gene product, mammalian inositol hexakisphosphate kinase 2
					HYA22 protein, conserved gene amplified in osteosarcoma, nuclear
80	6281	AA819517	Ų		LIM interactor-interacting factor
81	10141	AA819526	į.		
82	6551	AA819558	<u>t</u>		
83 84	6723 14958	AA819653 AA819744	aa		
85	. 19433	AA819776	v		ESTs, Highly similar to HS9B RAT HEAT SHOCK PROTEIN HSP 90-BETA [R.norvegicus], expressed sequence AL024080, expressed sequence C81438, heat shock 90kD protein 1, beta, heat shock protein, 84 kDa 1
86	6204	AA819889	aa		
87 88	22820 6614	AA848315 AA848389	General bb		GMPR2 for guanosine monophosphate reductase isolog, IMP (inosine monophosphate) dehydrogenase 2, RIKEN cDNA 2310004P21 gene, RIKEN cDNA 5730544D12 gene, expressed sequence AA959850, guanosine monophosphate reductase, inosine 5'-phosphate dehydrogenase 2
89	21125	AA848437	General		<del></del>
90	23504		q		ESTs, Moderately similar to IF4B_HUMAN-EUKARYOTIC TRANSLATION INITIATION FACTOR 4B [H.sapiens], eukaryotic translation initiation factor 4B
91	18532		g		ESTs, Highly similar to FMO2_HUMAN DIMETHYLANILINE MONOOXYGENASE [H.sapiens], Flavin-containing monooxygenase 1, flavin containing monooxygenase 2, flavin containing monooxygenase 2, flavin containing monooxygenase 3, hypothetical protein PRO1257
92	21140		c		
93	16128		0		1
94	22923	AA848929	g		
95	17339	AA849497	General		
96	11727	AA849518	<u> </u>		
97	21275	AA849796 1	i,l,m,General		1

WO 02/095000

TABLES	RAMMAN :	HOWOTOGNE W	MOTATIONS		Anny. Docket No. 44921-508900 Doc. No. 1798897.
S39, (D) No.	ldeniller	ConBank Acel Ref. Seq. ID No.	Model Gode !	Honologous Gene Xeme	Hemologous Gluster Namo
98	16678	AA849827	aa		
99	8515	AA849917	e		
100	18447	AA849939	General		
101	12130	AA850037	p		
102	23981	AA850040	x,aa		RIKEN cDNA 2810452G09 gene, adenylyl cyclase-associated CAP protein homolog 1 (S. cerevisiae, S. pombe), adenylyl cyclase-associated protein
103	13615	AA850364	t		
105 4	2637	AA850893	X		DKFZP434O125 protein
106	22093	AA850909	d		
107	21766	AA850916	c		
	0047				ESTs, Highly similar to LB4D_HUMAN NADP-DEPENDENT LEUKOTRIENE B4 12-HYDROXYDEHYDROGENASE [H.sapiens], ESTs, Weakly similar to FAS RAT FATTY ACID SYNTHASE [R.norvegicus], ESTs, Weakly similar to LB4D_HUMAN NADP-DEPENDENT LEUKOTRIENE B4 12-HYDROXYDEHYDROGENASE [H.sapiens], crystallin, zeta, fatty acid
108	2847	AA850919	W		synthase
109	12162	AA850975	h		
110	9514	AA850978 -	General		
111	3924	AA851017	e,q		
111	3925	AA851017	o,General	· · · · · · · · · · · · · · · · · · ·	i e
112	4490	AA851184	a.k		cathepsin Z
113	19187	AA851230	General		Octroponi 2
113	1910/	AA031230	General		DUCEN - ONA 44400E0U04
114	19189	AA851237	с		RIKEN cDNA 1110058H21 gene, ubiquitin specific protease 18 breast cancer metastasis-suppressor
115	15386	AA851241	m		1, hypothetical protein MGC11296
116	21462	AA851261	g,l,General		ART-4 protein
117	21471 16902	AA851343 * AA851379	General p	4	NADH dehydrogenase (ubiquinone) Fe S protein 8 (23kD) (NADH-coenzyme Q reductase)
119	23376	AA851392	i,x	.49	kinesin-like 4
119	23377	AA851392	X		kinesin-like 4
120	13349	AA851417	General	·	
	21527	AA851733	r,u		
122	4048	AA851814	i,o,u,General	9	EST, Moderately similar to PM17 MOUSE MELANOCYTE PROTEIN PMEL 17 PRECURSOR [M.musculus], Homo sapiens, Similar to glycoprotein (transmembrane) nmb, clone MGC:1696 IMAGE:3345861, mRNA, complete cds, glycoprotein (transmembrane) nmb, silver
					signal sequence receptor, alpha
123	10561	AA851871	bb ;		(translocon-associated protein alpha)
	17411		j.y		ESTs, Weakly similar to A60021 tropomyosin-related protein, neuronal - rat [R.norvegicus], RIKEN cDNA 0710005K15 gene, expressed sequence R75279, reticulon 1, reticulon 3
125	1801	AA858636	k,s,x,bb		expressed sequence AI747533, mini chromosome maintenance deficient 7 (S. cerevisiae), minichromosome maintenance deficient (S. cerevisiae) 7
	18350		p		
126					
	19484		9		

		HOMOLOGAE VA			Ally. Docket No. 44921-50390 Doc. No. 179339
	ldeniller	Consent Ace./ Ref. Seq. ID No.	Model Gode	Hamalogove Geno Namo	Homologous Gluster Namo
					exostoses (multiple) 1, exostoses
129 .	17334	AA858704	ln .	ł	(multiple)-like 1, expressed sequence AA409028
130	6380	AA858758	q	<del> </del>	**************************************
131 .	13219	AA858759	a		
132	6384	AA858788	I,m,General		
134 135	13412 7279	AA858830 AA858892	p		LanC (bacterial lantibiotic synthetas component C)-like, LanC (bacterial lantibiotic synthetase component C) like 1, RIKEN cDNA 1700003F10 ge
136	18217	AA858930	li		
137	5867	AA858953	v,General		asparaginyl-tRNA synthetase, hypothetical protein FLJ23441
138 139	14479 6431	AA858969 AA859085	r		Interleukin 1 receptor accessory protein, Mus musculus IL-1Rrp2 mRNA, complete cds, interleukin 1 receptor accessory protein-like 2, interleukin 1 receptor, type I, interleukin 18 receptor 1
140	17361	AA859114	o,General		
	21025 10076	AA859241 AA859271	General c		EST, Highly similar to OM25_RAT MITOCHONDRIAL OUTER MEMBRANE PROTEIN 25 (NPW16) [R.norvegicus], EST, Weakly similar OM25_RAT MITOCHONDRIAL OUTER MEMBRANE PROTEIN 25 (NPW16) [R.norvegicus], Erbb2 interacting protein, discs, large homolog 4 (Drosophila), expressed sequence Al118201, hypothetical protein FLJ11271, synaptojanin 2 binding protein
		AA859333 AA859348	k cc,General		EST, Moderately similar to CYSR RA CYSTEINE-RICH PROTEIN 1 [R.norvegicus], ESTS, Weakly similar to S12658 cysteine-rich protein [H.sapiens], cysteine and glycine-rich protein 1, cysteine and glycine-rich protein 3 (cardiac LIM protein), cysteine rich protein, cysteine-rich protein 2, cysteine-rich protein 3, thymus LIM protein
		AA859520	f		
<del></del>		AA859545	r i		
					EST, Highly similar to SPERM-COATING GLYCOPROTEIN PRECURSOR [R.norvegicus], ESTs, Weakly similar to JC4131 glioma pathogenesis-related protein [H.sapiens], Human DNA sequence from clone RP5-881L22 on chromosome 20 Contains ESTs, GSSs, STSs and CpG islands. Contains a gene for a novel protein similar to a trypsin inhibitor and four other genes for novel proteins, RIKEN cDNA 1810049K24 gene, RIKEN cDNA 2410114O14 gene, RIKEN cDNA 9230112K08 gene, acidic epididymal glycoprotein 1, acidic epididymal glycoprotein 2, epididymal glycoprotein 2, epididymal glycoprotein 3, glycoproteins, glioma pathogenesis-

TABLE	SK CHUMAN	HOMO FOG ME VI	SKOTKATOKE		Ally, Docket No. 44921-5039WG Doc. No. 1793397.
809.ID No.	deniller	ConBank Acel Ref. Seq. ID No.	Model (Gode)	Homologove Geno Name	Homologous Cluster Namo
148	14353	AA859585	h	11 11 11 11 11 11 11 11 11 11 11 11 11	DnaJ (Hsp40) homolog, subfamily B, member 1, DnaJ (Hsp40) homolog,
	***************************************				subfamily B, member 5, DnaJ (Hsp40) homolog, subfamily B, member 6, DnaJ (Hsp40) homolog, subfamily B, member 8, ESTs, Weakly similar to DnaJ-like protein [M.musculus], ESTs, Weakly similar to HS44 MOUSE HEAT SHOCK 40 KDA PROTEIN 4 [R.norvegicus], Homo sapiens cDNA
					FLJ13992 fis, clone Y79AA1002139, weakly similar to DNAJ PROTEIN HOMOLOG 1, RIKEN cDNA 1700029A20 gene, RIKEN cDNA
149	16318	AA859648	h		2010306G19 gene
150 151	17316 19067	AA859652 AA859663	General n,q		
152	22406	AA859680	n		
153	20599	AA859690	x		
154	14261	AA859693	u		
155	14138	AA859700	V		protoporphyrinogen oxidase
155	14139	AA859700	ν ,		protoporphyrinogen oxidase
157	22374	AA859804	]		
				*	ESTs, Weakly similar to PROTEIN- LYSINE 6-OXIDASE PRECURSOR [R.norvegicus], Lysyl oxidase, lysyl oxidase, lysyl oxidase-like, lysyl
158	22385	AA859805	b,k	-46	oxidase-like 1, lysyl oxidase-like 2
159	22773	AA859885	n		
160	22816	AA859898	k,x,z		
161	11891	AA859926	x	4	EST, Weakly similar to JC1343 glycylpeptide N- tetradecancyltransferase [H.sapiens],
162	23070	AA859942	k		N-myristoyltransferase 1
163	23121	AA859948	k .		
164	23166	AA859954	cc,General		
165	18468 4	AA859966			Homo sapiens cDNA FLJ14666 fis, clone NT2RP2003000, weakly similar to TUMOR NECROSIS FACTOR, ALPHA-INDUCED PROTEIN 1, Homo sapiens polymerase delta-interacting protein 1 mRNA, complete cds, MSTP028 protein, tumor necrosis factor, alpha-induced protein 1 (endothelial)  ESTs, Moderately similar to A Chain A,
166	23336	AA859981			Inositol Monophosphatase [H.sapiens], Inositol (myo)-1(or 4)-monophosphatase 1, RIKEN cDNA 2900059K10 gene, bisphosphate 3'-nucleotidase 1, inositol (myo)-1(or 4)-monophosphatase 1, inositol (myo)-1(or 4)-monophosphatase 2, inositol(myo)-1(or 4)-monophosphatase 1, inositol(myo)-
100	23330	VVODBROOV	9		1(or 4)-monophosphatase 2 EST, Moderately similar to
					EST, Moderately similar to EF1G_HUMAN ELONGATION FACTOR 1-GAMMA [H.sapiens], ESTs, Highly similar to EF1G_HUMAN, ELONGATION FACTOR 1-GAMMA [H.sapiens], Homo sapiens cDNA FLJ11216 fis, clone PLACE1008002,
				1	eukaryotic translation elongation factor
167	4222	AA860024	a,bb		1 gamma

Sag ID Addition Rd Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag ID No. Model Golds Sag	TABLES	REMOMEN &	HOMOFOGALE VA	. Saotatoa		Aity, Docket No. 44921-5939WC Doc. No. 1793397.1
EST, Moderately similar to 138369 beta-tubulin   Raspiens  EST, Weakly similar to 138369 beta-tubulin   Raspiens  EST, Weakly similar to 108869 beta-tubulin   Raspiens  EST, Weakly similar to 108869 beta-tubulin   Raspiens  EST, Weakly similar to 108869 beta-tubulin   Raspiens  EST, Weakly similar to 108869 beta-tubulin   Raspiens  EST, Weakly similar to A25113 tubulin beta chain 15 - rat   R. Ronovegius,   K5056-binding protein   14 (12kD), RIKEN CDNA 2310061600   gene, RiKEN CDNA 2310061600   gene, RiKEN CDNA 2310061600   gene, RiKEN CDNA 2410129E14   gene, tubulin, beta 2, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 5, tubulin, beta 7, tubulin, beta 5, tubulin, beta 6, tubulin, beta 7, tubulin, beta 6, tubulin, beta 7, tubulin, beta 6, tubulin, beta 7, tubulin, beta 6, tubulin, beta 7, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 9, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 7, tubulin, beta 8, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9,	89. (D	Klanfffar	GenBank Aced Ref. See. ID No.	(Model Gode)	Homologous Caro Neme	Edition St. St. St.
H.sapiensi, EST, Weakly similar to TUBULIN GETA-5 CHAINI     M. musculus, ESTs, Highly similar to A25113 tubulin beta chain 15 - rat (R.norvegicus), FK506-binding policy of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of the model of						EST, Moderately similar to I38369 beta tubulin [H.sapiens], EST, Weakly
M. musculus J. ESTs. Highly similar in a rat (R. norvegicus), FK506-binding profit in A (1240), RIKEN Lohn A 231006100 gene, RIKEN CDNA 231006100 gene, RIKEN CDNA 2410128E14 gene, bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, beta J. bubulin, be					¥	[H.sapiens], EST, Weakly similar to
IR. norvegicus], FK306-binding proteir 1A (12bD, RIKEN DAD 2310018bC) gene, RIKEN cDNA 2310018bC) gene, RIKEN cDNA 241012BC1 gene, rubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 2, lubulin, beta 3, lubulin, beta 3, lubulin, beta 3, lubulin, beta 2, lubulin, beta 3, lubulin, beta 2, lubulin, beta 3, lubulin, beta 3, lubulin, beta 3, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 4, lubulin, beta 5, lubulin, beta 4, lubulin, beta 5, lubulin, beta 4, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin, beta 5, lubulin,					4	[M.musculus], ESTs, Highly similar to
188 13974 AA860030 u.x.,General gene, tubulin, beta 2, tubulin, beta 3, tubulin, beta 6, tubulin, beta 6, tubulin, beta 7, tubulin, beta 8, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 9, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin, beta 10, tubulin,						[R.norvegicus], FK506-binding protein 1A (12kD), RIKEN cDNA 2310061K05
Mus musculus 12 days embryo male wolffian duct includes surrounding region cDNA, RIKEN full-length enriched library, clone: 5720466F14, hyaluronan mediated motility receptor (RHAMM), hyaluronan-mediated protein fLul 10604  170 23769 AA860055 k.x  171 16323 AA866240 W  EST, Weakly similar to PE2R RAT 20 ALPHA-HYDROXYSTEROID DEHYDROGENASE (R. Roverejicus), Mus musculus 10 days embryo cDNA RIKEN full-length enriched library, clone: 261028B18, full insert sequence, RIKEN cDNA 9430025F20 gene, Rattus norvegicus mRNA for 20 alpha-hydroxysteroid dehydrogenase (20-alpha-HSD), complete cds, aldo-keto reductase family 1, member C1, aldo-keto reductase family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C4, cloirdeces family 1, member C5, aldo-keto reductase family 1, member C4, cloirdeces family 1, member C5, aldo-keto reductase family 1, member C5, aldo-keto reductase family 1, member C5, aldo-keto reductase family 1, member C6, aldo-keto reductase family 1, member C6, aldo-keto reductase family 1, member C7, aldo-keto reductase family 1, member C7, aldo-keto reductase family 1, member C6, aldo-keto reductase family 1, member C7, aldo-keto reductase family 1, member C7, aldo-keto reductase family 1, member C8, aldo-keto reductase family 1, member C8, aldo-keto reductase family 1, member C8, aldo-keto reductase family 1, member C8, aldo-keto reductase family 1, member C8, aldo-keto reduc					3	
region CDAA, RIKEN full-length enriched library, clone-3724696F14, full insert sequence, RIKEN cDNA 0810027D24 gene, TRAP4 associated motility receptor (RHAMM), fractor 1, hyaluronan mediated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM), playuronan-mediated motility receptor (RH	168	13974	AA860030	u,x,General		
hyaluronan mediated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM), pyaluronan-mediated motility receptor (RHAMM), pyaluronan-mediated motility receptor (RHAMM), DKFZP547E2110 protein, hypothetica protein FLJ10604  171 16323 AA866240 W EST, Weakly similar to PE2R RAT 20 ALPHA-HYDROXYSTEROID DEHYDROGENASE (R.norvegicus), Mus musculus 10 days embryo cDNA RIKEN full-length enriched library, clone:2610528918, full insert sequence, RIKEN cDNA 9430025F20 gene, Rattus norvegicus mRNA for 20 alpha-hydroxysteroid dehydrogenase (20-alpha-HSD), complete cds, aldokot reductase family 1, member C1, aldo-keto reductase family 1, member C2, aldobe device reductase family 1, member C3, aldobe device reductase family 1, member C4, aldobe deviced reductase family 1, member C4, aldobe deviced reductase family 1, member C5, aldobe deviced dehydrogenase Alpha hydroxysteroid dehydrogenase, type 1 dihydroxysteroid dehydrogenase, hype 1 dihydroxysteroid dehydrogenase, hype 1 dihydroxysteroid dehydrogenase Alpha hydroxysteroid dehydrogenase Alpha dehydrogenase 6 ESTs, Highly similar to A54602 microtubule-associated serine/fhreonine protein kinase MAST205 - mouse (M.musculus), ESTs, Moderately similar to A54602 microtubule-associated serine/fhreonine protein kinase MAST205 - mouse (M.musculus), Homo sapiens cDNA; FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus aldul male occur colones, Ricepton kinase serine/fhreonine protein kinase, syntrophin associated serine/fhreonine protein kinase, syntrophin associated serine/fhreonine protein kinase, syntrophin associated serine/fhreonine protein kinase, syntrophin associated serine/fhreonine protein kinase, syntrophin associated serine/fhreonine protein kinase, syntrophin associated serine/fhreonine	·				ř	•
hyaluronan mediated motility receptor (RHAMM), factor 1, RAF4 associated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM), hyaluronan-mediated protein FLJ10604  170 23769 AA860055 k,x DKZP37610 DKZP376110 protein, hypothetica protein FLJ10604  171 16323 AA866240 W ST. Waskly similar to PE2R RAT 20 ALPHA-HYDROXYSTEROID DEHYDROSENASE (R. norvegicus), Mus musculus 10 days embryo cDNA RIKEN full-length enriched library, clone:2610528B18, full insert sequence, RIKEN cDNA 9430025F20 gene, Rattus norvegicus mRNA for 20 alpha-hydroxysteroid dehydrogenase (20-alpha-HSD), complete cds, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reductase family 1, member C4, aldo-keto reduc						
hyaluronan-mediated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM)  23769 AA860055 k.x  170 16323 AA860250 w  EST, Weakly similar to PE2R RAT 20 ALPHA-HYDROXYSTEROID DEHYDROGENASE [R. norvegicus], Mus musculus 10 days embryo cDNA RIKEN full-length enrichates 3-alpha hydroxysteroid dehydrogenase (20-alpha-hydroxysteroid dehydrogenase (20-alpha-hydroxysteroid dehydrogenase (20-alpha-hydroxysteroid dehydrogenase (20-alpha-hydroxysteroid dehydrogenase (20-alpha-hydroxysteroid dehydrogenase (20-alpha-hydroxysteroid dehydrogenase (30-alpha-hydroxysteroid dehydrogenase (30-alph				4	1 -	0610027D24 gene, TRAF4 associated
DKFZP547E2110 protein, hypothetica protein FLJ10604  171 16323 AA866240 W  EST, Weakly similar to PE2R RAT 20 ALPHA-HYDROXYSTEROID DEHYDROGENASE (R.norvegicus), Mus musculus: 10 days embryo cDNA RIKEN full-length enriched library, clone: 2610528818, full insert sequence, RIKEN cDNA 9430025F20 gene, Rattus norvegicus mRNA for 20 alpha-hydroxysteroid dehydrogenase (20-alpha-HSD), complete cds, aldoketo reductase family 1, member C1, aldo-keto reductase family 1, member C4 (chlordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type I dihydrodiol dehydrogenase, type I dihydrodiol dehydrogenase, type I dihydrodiol dehydrogenase Alpha hydroxysteroid (17-beta) dehydrogenase 5  ESTS, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse (M.musculus), ESTS, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse (M.musculus), Homo sapiens cDNA; FLU21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine	169	7090	AA860039	x	hyaluronan-mediated	receptor (RHAMM), hyaluronan-
AA866240 W  EST, Weakly similar to PE2R RAT 20 ALPHA-HYDROXYSTEROID DEHYDROGENASE [R. norvegicus], Mus musculus 10 days embryo cDNA RIKEN full-length enriched library, clone:2610528818, full insert sequence, RIKEN cDNA 9430025F20 gene, Rattus norvegicus mRNA for 20 alpha-hydroxysteroid dehydrogenase (20-alpha-HSD), complete cds, aldo- keto reductase family 1, member C1, aldo-keto reductase family 1, member C4, clohordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type I dihydrodiol dehydrogenase 4), expressed sequence Al315367, expressed sequence Al503553, hydroxysteroid (17-beta) dehydrogenase 5 ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA; FLJ21699 fis, clone C0L09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026018, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine	l					DKFZP547E2110 protein, hypothetical
ALPHA-HYÖROXYSTEROID DEHYDROGENASE [R.norvegicus], Mus musculus 10 days embryo cDNA RIKEN full-length enriched library, clone:2610528B18, full insert sequence, RIKEN cDNA 9430025F20 gene, Rattus norvegicus mRNA for 20 alpha-Hydroxysteroid dehydrogenase (20-alpha-HSD), complete cds, aldo- keto reductase family 1, member C1, aldo-keto reductase family 1, member C4 (chlordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type I dihydrodiol dehydrogenase, type I dihydrodiol dehydrogenase, type I dihydrodiol dehydrogenase, type I dihydrogenase 5, expressed sequence Al503553, hydroxysteroid (17-beta) dehydrogenase 5 ESTS, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTS, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enriched library, clone; Musculus adul male cecum cDNA, RIKEN full-length enric			·			p.o.o
Mus musculus 10 days embryo cDNA RIKEN full-length enriched library, clone:2610528B18, full insert sequence, RIKEN cDNA 9430025F20 gene, Rattus norvegicus mRNA for 20 alpha-hydroxysteroid dehydrogenase (20-alpha-HSD), complete cds, aldo- keto reductase family 1, member C4 (chlordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type 1 dihydrodiol dehydrogenase, type 1 dihydrodiol dehydrogenase, type 1 dihydrodiol dehydrogenase, type 1 dihydroxysteroid (17-beta) dehydrogenase 5 ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Horno sapiens cDNA: FLJ21699 fis, clone COL09829, KIAAO303 protein, KIAA0807 protein, Mus musculus adult male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine					· 6	f i
clone:2610528B18, full insert sequence, RIKEN cDNA 9430025F20 gene, Rattus norvegicus mRNA for 20 alpha-hydroxysteroid dehydrogenase (20-alpha-HSD), complete cds, aldo- keto reductase family 1, member C1, aldo-keto reductase family 1, member C4 (chlordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type 1 dihydrodiol dehydrogenase, type 1 dihydrodiol dehydrogenase, type 1 dihydrodiol dehydrogenase, type 1 dehydrogenase 5 ESTS, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTS, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone-9130026018, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine				·s		Mus musculus 10 days embryo cDNA,
gene, Rattus norvegicus mRNA for 20 alpha-hydroxysteroid dehydrogenase (20-alpha-HSD), complete cds, aldo-keto reductase family 1, member C1, aldo-keto reductase family 1, member C4 (chlordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type I dihydrodiol dehydrogenase 4), expressed sequence Al315367, expressed sequence Al303553, hydroxysteroid (17-beta) dehydrogenase 5  ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA; FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-leight enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase, syntrophin associated serine/threonine protein kinase,					3	clone:2610528B18, full insert
(20-alpha-HSD), complete cds, aldo-keto reductase family 1, member C1, aldo-keto reductase family 1, member C4 (chlordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type I dihydrodiol dehydrogenase 4), expressed sequence Al315367, expressed sequence Al315367, expressed sequence Al303553, hydroxysteroid (17-beta) dehydrogenase 5  172 4462 AA866264 General dehydrogenase 5  ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Horno sapiens cDNA: FLI21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						gene, Rattus norvegicus mRNA for 20-
aldo-keto reductase family 1, member C4 (chlordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type I dihydrodiol dehydrogenase 4), expressed sequence Al315367, expressed sequence Al503553, hydroxysteroid (17-beta) dehydrogenase 5  172 4462 AA866264 General ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adull male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine					***	(20-alpha-HSD), complete cds, aldo-
C4 (chlordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type I dihydrodiol dehydrogenase 4), expressed sequence Al315367, expressed sequence Al503553, hydroxysteroid (17-beta) dehydrogenase 5  ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine				4	*	
hydroxysteroid dehydrogenase, type I dihydrodiol dehydrogenase 4), expressed sequence AI315367, expressed sequence AI503553, hydroxysteroid (17-beta) dehydrogenase 5  Heart Strain Hydroxysteroid (17-beta) dehydrogenase 5  ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						
dihydrodiol dehydrogenase 4), expressed sequence Al315367, expressed sequence Al503553, hydroxysteroid (17-beta) dehydrogenase 5  ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine			:			
expressed sequence Al503553, hydroxysteroid (17-beta) dehydrogenase 5  ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						
hydroxysteroid (17-beta) dehydrogenase 5  ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine	:					
4462 AA866264 General dehydrogenase 5  ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine					,	
ESTs, Highly similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine	172	4462	AA866264	General		
microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine	17.2	1102	771000204	COTICIO		
MAST205 - mouse [M.musculus], ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						
ESTs, Moderately similar to A54602 microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						serine/threonine protein kinase
microtubule-associated serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						
serine/threonine protein kinase MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						
MAST205 - mouse [M.musculus], Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						
Homo sapiens cDNA: FLJ21699 fis, clone COL09829, KIAA0303 protein, KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						,
KIAA0807 protein, Mus musculus adul male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine					i	Homo sapiens cDNA: FLJ21699 fis,
male cecum cDNA, RIKEN full-length enriched library, clone:9130026D18, full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						
full insert sequence, microtubule associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						male cecum cDNA, RIKEN full-length
associated testis specific serine/threonine protein kinase, syntrophin associated serine/threonine						
serine/threonine protein kinase, syntrophin associated serine/threonine						
						serine/threonine protein kinase,
173	173	15884	AA866276	k		syntrophin associated serine/threonine kinase

TABLE	BE CHUMAN	HOMOLOGAEVA	SMOTATOM		Ally, Docket No. 44921-503900 Doc. No. 1793397.
809.ID No	ldentifier	ConBank Ace./ Ref. Seq. ID No.	Model Code	Homologous Cene Name	Homelogous Cluster Name
174	17742	AA866302	c,y ,	4-hydroxyphenylpyruvate dioxygenase, 4- hydroxyphenylpyruvic acid dioxygenase	4-hydroxyphenylpyruvate dioxygenase, 4-hydroxyphenylpyruvic acid dioxygenase, ESTs, Weakly similar to HPPD MOUSE 4-HYDROXYPHENYLPYRUVATE DIOXYGENASE [M.musculus], ESTs, Weakly similar to S32820 alloantigen fat [R.norvegicus], hypothetical protein MGC15668
175	16333	AA866414	a,h	solute carrier family 4 (anion exchanger), member 1, solute carrier family 4, anion exchanger, member 1 (erythrocyte membrane protein band 3, Diego blood group)	ESTs, Highly similar to BAND 3 ANION EXCHANGE PROTEIN [M.musculus], ESTs, Weakly similar to B3HU band 3 anion transport protein, erythrocyte [H.sapiens], solute carrier family 4 (anion exchanger), member 1, solute carrier family 4, anion exchanger, member 1 (erythrocyte membrane protein band 3, Diego blood group)
176	18918	AA866444	p.q	Diogo Diodo group/	•
177	16853	AA866454	j,l,m,y,z		
179 180 181 182	16013 26036 16059 16069	AA866482 AA874849 AA874857 AA874873	h,m s r h		ESTs, Highly similar to FGD1_HUMAN PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR [H.sapiens], ESTs, Weakly similar to FGD1 MOUSE PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR [M.musculus], ESTs, Weakly similar to FGD1_HUMAN PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR [H.sapiens], FGD1 family, member 3, RIKEN cDNA 5830461L01 gene, faciogenital dysplasia (Aarskog-Scott syndrome), faciogenital dysplasia homolog, faciogenital dysplasia homolog 2 (human)
	21633	AA874951	f	:0	protein.[H.sapiens]
184	16192	AA874995	w		
185 186		AA875025	L		cellular retinoic acid-binding protein 1
	20701	AA875032 AA875097	cc,General	fibrinogen, A alpha polypeptide	Homo sapiens clone HQ0582, expressed sequence Al303526, fibrinogen, A alpha polypeptide, fibrinogen, gamma polypeptide ADP-ribosylation factor 3, RIKEN cDNA 5430400P17 gene, Rattus norvegicus ADP-ribosylation factor 3
188	16416	AA875098	bb		mRNA, complete cds, expressed sequence AA408731
190	15313	AA875126	bb I,m,General		expressed sequence AL022645, expressed sequence C76690, small nuclear ribonucleoprotein E, small nuclear ribonucleoprotein polypeptide E
		AA875146	W ⁸		
192	18084	AA875186	h		
193	15371	AA875205	u	**************************************	ESTs, Weakly similar to IF39_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 3 SUBUNIT 9 [H.sapiens]

	RAMIDH S	; Hovorognevi			
809, ID Ko	(Coniii)	ConBank Ace./ Ref. Seq. ID No.	Model Gode :	Homologous Gene Name	Homologous Cluster Name
194	15401	AA875257	x,z		
195	15410	AA875268	p,s		NADH dehydrogenase (ubiquinone) For S protein 7 (20kD) (NADH-coenzyme Q reductase)
196	15420	AA875286	f		
197	15446	AA875327	s,w	J	
198	7936	AA875495	b,General		
199	17314	AA875509	i,l,m		EST, Moderately similar to A Chain A, Mdm2 Bound To The Transactivation Domain Of P53 (SUB 17-125 [H.sapiens], mouse double minute 2, human homolog of; p53-binding protein
200	24472	AA875523	k		EST, Weakly similar to MOHU6N myosin alkali light chain 6, nonmuscle form [H.sapiens], myosin light chain, alkali, nonmuscle, myosin, light polypeptide 6, alkali, smooth muscle and non-muscle
201	15587	AA875577	0		4
202 202	15617	AA875620	General	]	
202	15618	AA875620	General	<del> </del>	Lun B anagana in B and
203	5384	AA891041 .	f,cc,General	1	Jun-B oncogene, jun B proto-
204	24814	AA891209	f,p	-	oncogene
205	21930	AA891322	<u>d</u>		nucleolin - rat [R.norvegicus], EST, Weakly similar to NUCL_HUMAN NUCLEOLIN [H.sapiens], ESTs, Highly similar to FUS_HUMAN RNA-BINDING PROTEIN FUS [H.sapiens], ESTs, Weakly similar to T17210 hypothetical protein DKFZp434N041.1 [H.sapiens], RIKEN cDNA 2700022N21 gene, fusion, derived from t(12;16) malignant liposarcoma, poly(A) binding protein, nuclear 1, small nuclear ribonucleoprotein 70kD polypeptide (RNP antigen) EST, Weakly similar to IF37 MOUSE
206	17225 "	AA891553	h		EUKARYOTIC TRANSLATION INITIATION FACTOR 3 SUBUNIT 7 [M.musculus], eukaryotic translation initiation factor 3, subunit 7 (zeta, 66/67 kDa), eukaryotic translation initiation factor 3, subunit 7 (zeta, 66/67kD)
207	7522	AA891571	j,m		
208	9071		b j	· ·	
	19321 ,	AA891666	u e	melanoma antigen, family '	Homo sapiens, Similar to neurofilament, heavy polypeptide (200kD), clone MGC:20701 IMAGE:4634024, mRNA, complete cds, MAGE-E1 protein, MAGEF1 protein, Neurofilament, heavy polypeptide, RIKEN cDNA 2010107K23 gene, RIKEN cDNA 3830417A13 gene, general transcription factor III+I, polypeptide 1 (62kD subunit), melanoma antigen, family D, 1, melanoma antigen, family D, 2, necdin, neurofilament, heavy polypeptide, neurofilament, heavy polypeptide (200kD)
209 🕴					
	17693	AA891737	i,l,m,n,y,z		, , , , , , , , , , , , , , , , , , ,

200	In the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of th				AMY Docket No. 44921-503900 Doc. No. 1793397
80g, II Xo.	) : Identifier	Cenbank Acel Ref. Seq. ID No.	Model Gode *	Homologous Gono Nemo	Komologous Cluster Name
					ESTs, Highly similar to S03917 fibronectin ED-A [H.sapiens]. ESTs, Moderately similar to Fourth And Fifth
			1		Fibronectin Type I Module Pair (SUB
040	1				183-275 [H.sapiens], Fibronectin 1,
213 214	18269 9905	AA891769 AA891774	General s,bb,General		fibronectin 1
215	17061	AA891812	d		
					ESTs, Highly similar to 2013348A Ser kinase SRPK1 [H.sapiens], Mus musculus 13 days embryo head cDN/RIKEN full-length enriched library, clone:3110005M20, full insert sequence, Mus musculus adult male lung cDNA, RIKEN full-length enriched library, clone:1200011B22, full insert sequence, SFRS protein kinase 1, SFRS protein kinase 2, serine/argining rich protein specific kinase 2.
216	7050	AA891824	l _h		serine/threonine kinase 23
217 218	4463 14289	AA891831 3AA891838	General i		EST, Weakly similar to PE2R RAT 20-ALPHA-HYDROXYSTEROID DEHYDROGENASE [R.norvegicus], Mus musculus 10 days embryo cDNA, RIKEN full-length enriched library, clone:2610528B18, full insert sequence, RIKEN cDNA 9430025F20 gene, Rattus norvegicus mRNA for 20 alpha-hydroxysteroid dehydrogenase (20-alpha-HSD), complete cds, aldo- keto reductase family 1, member C1, aldo-keto reductase family 1, member C4 (chlordecone reductase; 3-alpha hydroxysteroid dehydrogenase, type I; dihydrodiol dehydrogenase 4), expressed sequence Al315367, expressed sequence Al503553, hydroxysteroid (17-beta) dehydrogenase 5
219	20523	AA891842	r,cc		
•••					EST, Weakly similar to ACY1_HUMAN AMINOACYLASE-1 [H.sapiens],
220 221	17779	AA891914 AA891943	g,s,z General		aminoacylase 1
222	22862	AA891944	p General		
223	1159	AA891949	e,z		1
224	4473	AA891965	General		
225 226	6362	AA892053	ſ,j,l,m		
- LU	9037	AA892066	у		EST, Weakly similar to PROD_HUMAN PROLINE OXIDASE, MITOCHONDRIAL PRECURSOR [H.sapiens], Homo sapiens mRNA for KIAA1653 protein, partial cds, proline dehydrogenase, proline dehydrogenase (proline oxidase),
227	19469	AA892112	General		proline oxidase 1, proline oxidase homolog
228	14595		o,t,v		
229 230	16527 4482	·	cc i		
231	20917		h l		<del></del>
			1		Met proto-oncogene, RYK receptor-like tyrosine kinase, macrophage stimulating 1 receptor (c-met-related
232	2357	AA892268	d l		tyrosine kinase), met proto-oncogene

TABUE 8	E HUMAN	HOMOFOGALE VA	- SKONATOKP		Ally, Docket No. 44921-50391 Doc. No. 1793397
Seq. (D) No.	lden@fer	ConBank Ace/ Ref. Seq. ID No.	Modal Goda	Honologous Cono Namo	Homologous Gluster Name
233	18183	AA892271	h		
234	6523	AA892299	d		
					EST, Weakly similar to 60S RIBOSOMAL PROTEIN L3 [R.norvegicus], EST, Weakly similar I84501 ribosomal protein L3 [H.sapiens], ESTs, Moderately simila to 60S RIBOSOMAL PROTEIN L3 [R.norvegicus], ESTs, Moderately similar to I84501 ribosomal protein L
					[H.sapiens], ESTs, Weakly similar to RL3 MOUSE 60S RIBOSOMAL PROTEIN L3 [M.musculus], RIKEN cDNA 1110057H16 gene, ribosomal
236	13647	AA892367	a		protein L3, ribosomal protein L3-like
237	3473 17682	AA892378 AA892382	j,p,s,x,General		ESTs, Weakly similar to T44342 hypothetical protein TSC501 [H.sapiens], kidney- and liver-specific gene, putative N-acetyltransferase Camello 2
		,		aldolase 2, B isoform, aldolase B, fructose-	
239	820	AA892395	g,s	bisphosphate	ļ
240	14754	AA892414	u		
241	17439	AA892446	I .		inhiguinal autophisms a radiation
242	16469	AA892462	р		ubiquinol-cytochrome c reductase (6.4kD) subunit
243 :	13609	AA892468	i,General		EST, Weakly similar to MAST CELL PROTEASE 7 PRECURSOR [M.musculus], ESTs, Weakly similar t MCT7 RAT MAST CELL PROTEASE PRECURSOR [R.norvegicus], RIKEN cDNA 2410039E18 gene, RIKEN cDNA 4933401F05 gene, marapsin, mast cell protease 7, protease, serine 21 (testisin), protease, serine, 22, protease, serine, 8 (prostasin), tryptase delta 1, tryptase, alpha
243	13610 /	AA892468	n,v,General		EST, Weakly similar to MAST CELL PROTEASE 7 PRECURSOR [M.musculus], ESTs, Weakly similar to MCT7 RAT MAST CELL PROTEASE PRECURSOR [R.norvegicus], RIKEN cDNA 2410039E18 gene, RIKEN cDNA 4933401F05 gene, marapsin, mast cell protease 7, protease, serine 21 (testisin), protease, serine, 22, protease, serine, 8 (prostasin), tryptase delta 1, tryptase, alpha EST, Weakly similar to histone H2A.F/Z variant [H.sapiens], H2A
244	9254	AA892470	n u	4	histone family, member Z, RIKEN cDNA C530002L11 gene, histone H2A.F/Z variant
	11991		n,u s		I IETA 14 VOI IOIN
	, , , , , ,	70.032703	<b>X</b>	•	EST, Weakly similar to A32609 alpha- glucosidase [H.sapiens], ESTs, Weakly similar to LYAG MOUSE LYSOSOMAL ALPHA-GLUCOSIDAS: PRECURSOR [M.musculus], alpha glucosidase 2, alpha neutral subunit,
246	1522	AA892486	ſ	*	glucosidase, alpha, acid ESTs, Highly similar to DS1_HUMAN DS-1 PROTEI [H.sapiens], immature
			aa w	*	colon carcinoma transcript 1

TABLE 8	KAMPAN S	HOMOLOGUE AL	NOTATIONS		# <b>/Aii</b> y. <b>Docket No. 44921-5</b> 939W0 <b>Doc. No. 179</b> 3397.1
Sog. ID Xo	ldenilifer	Cenbank Aced Ref. Seq. ID No.	Modal Goda	Komologous Cene Neme	Honologous Chetor Namo
248	23889	AA892520	h		
249	8599	AA892522	р	4	
250 251	15154 17468	AA892532 AA892545	j.		expressed sequence Al987846, expressed sequence AL023058, expressed sequence C77895, hypothetical protein MGC3178, protein disulfide isomerase-related protein, quiescin Q6
252	11203	AA892554	f,h	<u> </u>	
253	18906	AA892561	a,bb,General	1	
254	19327	AA892562	f.j.y,z	4	ESTs, Moderately similar to DKC1 RAT DYSKERIN [R.norvegicus], ESTs, Weakly similar to DKC1_HUMAN DYSKERIN [H.sapiens], RIKEN cDNA 9030425C13 gene, dyskeratosis congenita 1, dyskerin, hypothetical protein, MGC:7014, nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor-like 1
255	18274	AA892572	]p		
256	4512	AA892578	cc		
257 258	15876 19085	AA892582 AA892598	w General		EST, Highly similar to 60S RIBOSOMAL PROTEIN L8 [R.norvegicus], EST, Moderately similar to 60S RIBOSOMAL PROTEIN L8 [R.norvegicus], EST, Weakly similar to JN0923 ribosomal protein L8, cytosolic [H.sapiens], ESTs, Highly similar to 60S RIBOSOMAL PROTEIN L8 [R.norvegicus], ESTs, Highly similar to RL8_HUMAN 60S RIBOSOMAL PROTEIN L [M.musculus], ESTs, Moderately similar to RL8_HUMAN 60S RIBOSOMAL PROTEIN L [M.musculus], expressed sequence AL024098, ribosomal protein L8
258	19086	AA892598	General	1	
259 260	20065 20088	AA892647 AA892666			EST, Highly similar to HISTONE H4 [R.norvegicus], ESTs, Highly similar to HISTONE H4 [R.norvegicus], H4 histone family, member D, H4 histone family, member H, H4 histone family, member I, H4 histone family, member K, Mus musculus 10 day old male pancreas cDNA, RIKEN full-length enriched library, clone:1810029H14, full insert sequence, Mus musculus 10 days embryo cDNA, RIKEN full-length enriched library, clone:2610027B07, full insert sequence, Mus musculus adult male testis cDNA, RIKEN full- length enriched library, clone:4930558J22, full insert sequence, Mus musculus adult male tongue cDNA, RIKEN full-length enriched library, clone:2310067E17, full insert sequence, histone 4 protein
			a,n		
261	23783	AA892773	n "		

Seq. ID, Identifier Ref. Seq. ID No. Model Gode Name Homologous Gluster Mus musculus, Similar to family 25 (mitochondrial composphate carrier), memb MGC:7631, mRNA, comp expressed sequence W5 carrier family 25 (mitocho phosphate carrier), memb MGC:7631, mRNA, comp expressed sequence W5 carrier family 25 (mitocho phosphate carrier), memb MGC:7631, mRNA, comp expressed sequence W5 carrier family 25 (mitocho phosphate carrier), memb MGC:7631, mRNA, comp expressed sequence W5 carrier family 25 (mitocho phosphate carrier), memb MGC:7631, mRNA, comp expressed sequence W5 phosphoglycerate dehytest, was musculus sequence, MIKEN similar to St PHOSPHOGLYCERATE DEHYDROGENASE [R.m. ESTs, Moderately similar SERA_HUMAN D-3-PHOSPHOGLYCERATE DEHYDROGENASE [R.m. ESTs, Waskly similar to St RIKEN cDNA 64306 glyoxylate reductase/hydr reductase, phosphoglycerate dehytest dehydrogenase 3-phosphoglycerate dehytest dehydrogenase [R.m. ESTs, Weakly similar to SE PHOSPHOGLYCERATE DEHYDROGENASE [R.m. ESTs, Moderately similar to SE PHOSPHOGLYCERATE DEHYDROGENASE [R.m. ESTs, Moderately similar to SE PHOSPHOGLYCERATE DEHYDROGENASE [R.m. ESTs, Moderately similar to SE PHOSPHOGLYCERATE	9 <b>21-5039</b> 000 <b>0. 179339</b> 7.:
family 25 (mitochondrial or phosphate carrier), memb MGC:7631, mRNA, comp expressed sequence W5 carrier family 25 (mitocho phosphate carrier), memb 25 (mitocho phosphate carrier), memb 263 13542 AA892798 b  3-phosphoglycerate dehytest, we will be a sequence with the sequence with the sequence with the sequence will be a sequence with the sequence will be a sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequence with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the sequence will be sequenced with the se	
263 13542 AA892798 b  3-phosphoglycerate dehytest, weakly similar to Stephosphoglycerate dehytest, weakly similar to Stephosphoglycerate Dehythorogenase [R.nt. ESTs, Moderately similar SERA_HUMAN D-3-PHOSPHOGLYCERATE DEHYDROGENASE [H.st. musculus adult male testic RIKEN full-length enriched clone:4930404C15, full in sequence, RIKEN cDNA 64306 glyoxylate reductase/hydr reductase, phosphoglycerate dehydrogenase  264 22537 AA892799 General 3-phosphoglycerate dehydrogenase 3-phosphoglycerate dehydrogenase 3-phosphoglycerate dehydrogenase ST, Weakly similar to SE PHOSPHOGLYCERATE DEHYDROGENASE [R.nc. ESTs, Moderately similar SERA_HUMAN D-3-PHOSPHOGLYCERATE	carrier; ber 3, clone plete cds, 1672, solute
3-phosphoglycerate dehytest, Weakly similar to SEPHOSPHOGLYCERATE DEHYDROGENASE [R.m. ESTs, Moderately similar SERA_HUMAN D-3-PHOSPHOGLYCERATE DEHYDROGENASE [H.s. musculus adult male testis RIKEN full-length enriched clone:4930404C15, full insequence, RIKEN cDNA 64306 glyoxylate reductase/hydroreductase, phosphoglycerate dehydrogenase  264 22537 AA892799 General 3-phosphoglycerate dehydrogenase 3-phosphoglycerate dehydrogenase 3-phosphoglycerate dehydrogenase SET, Weakly similar to SEPHOSPHOGLYCERATE DEHYDROGENASE [R.m. ESTs, Moderately similar SERA_HUMAN D-3-PHOSPHOGLYCERATE	ber 3
EST, Weakly similar to SE PHOSPHOGLYCERATE DEHYDROGENASE [R.m. ESTs, Moderately similar SERA_HUMAN D-3-PHOSPHOGLYCERATE DEHYDROGENASE [H.st musculus adult male testis RIKEN full-length enriched clone:4930404C15, full insequence, RIKEN cDNA 64306 glyoxylate reductase/hydroreductase, phosphoglycerate dehydrogenase  264 22537 AA892799 General 3-phosphoglycerate dehydrogenase 3-phosphoglycerate dehydrogenase 3-phosphoglycerate dehydrogenase ST, Weakly similar to SE PHOSPHOGLYCERATE DEHYDROGENASE [R.mc ESTs, Moderately similar SERA_HUMAN D-3-PHOSPHOGLYCERATE	
reductase, phosphoglycer dehydrogenase  3-phosphoglycerate dehydest, Weakly similar to SE PHOSPHOGLYCERATE DEHYDROGENASE [R.notest] ESTs, Moderately similar to SERA_HUMAN D-3-PHOSPHOGLYCERATE	ERA RAT D-3 norvegicus], to sapiens], Mus sis cDNA, dd library, nsert 1110059D05
264 22537 AA892799 General dehydrogenase  3-phosphoglycerate dehyd EST, Weakly similar to SE PHOSPHOGLYCERATE DEHYDROGENASE [R.nc ESTs, Moderately similar SERA_HUMAN D-3-PHOSPHOGLYCERATE	
3-phosphoglycerate dehyd EST, Weakly similar to SE PHOSPHOGLYCERATE DEHYDROGENASE [R.no ESTs, Moderately similar SERA_HUMAN D-3- PHOSPHOGLYCERATE	1410
DEHYDROGENASE [H.sa musculus adult male testis RIKEN full-length enriched clone:4930404C15, full ins sequence, RIKEN cDNA 1 gene, RIKEN cDNA 64306 glyoxylate reductase/hydroreductase, phosphoglycerode dehydrogenase	era RAT D-3 corvegicus], to apiens], Mus is cDNA, d library, issert 1110059D05 629L09 gene, roxypyruvate
3-phosphoglycerate dehyd EST, Weakly similar to SE PHOSPHOGLYCERATE DEHYDROGENASE [R.nc ESTS, Moderately similar to SERA_HUMAN D-3- PHOSPHOGLYCERATE DEHYDROGENASE [H.sa musculus adult male testis RIKEN full-length enriched clone:4930404C15, full ins sequence, RIKEN cDNA 1 gene, RIKEN cDNA 64306 glyoxylate reductase/hydro reductase, phosphoglycera	ERA RAT D-3- orvegicus], to  apiens], Mus s cDNA, d library, sert 1110059D05 629L09 gene, oxypyruvate
264   22538   AA892799   General   dehydrogenase	

TABLE	E HUMAN	HONOLOGUEV	<b>EXIGITATORI</b>		
Seq. (19 No.	) ;;; dentifier		Model Gode	Homologous Geno Name	
					ESTs, Highly similar to AR72_HUMAN AFLATOXIN B1 ALDEHYDE REDUCTASE 1 (AFB1-AR 1)
					(ALDOKETOREDUCTASE 7) [H.sapiens], ESTs, Moderately similar to AFAR RAT AFLATOXIN B1
					ALDEHYDE REDUCTASE [R.norvegicus], RIKEN cDNA
					0610025K21 gene, aflatoxin B1 aldehyde reductase, aldo-keto
					reductase family 7, member A2 (aflatoxin aldehyde reductase), aldo-
266	23322	AA892821	j,z		keto reductase family 7, member A3 (aflatoxin aldehyde reductase)
267	17923	AA892843	11		4
					RIKEN cDNA 2410042F05 gene, procollagen-lysine, 2-oxoglutarate 5- dioxygenase (lysine hydroxylase) 2, procollagen-lysine, 2-oxoglutarate 5-
					dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type VI), procollagen-lysine, 2-oxoglutarate 5-
268	22871	AA892859	m		dioxygenase 1
269	9053	AA892861	p,v,General		FOT Manharatan
					EST, Weakly similar to EFHU2 translation elongation factor eEF-2 [H.sapiens], ESTs, Highly similar to ELONGATION FACTOR 2 [R.norvegicus], U5 snRNP-specific protein, 116 kD, eukaryotic translation
270	16482	AA892940	w		elongation factor 2, expressed sequence Al451340, hypothetical protein FLJ21661
270 271	116482	AA892940 AA893035	w i.v		IDIOGRI PLUZ 1001
272	3863	AA893035	J,y General		<del></del>
273	13332	AA893080	i,General		
274	121305	AA893082	General		1
275	16591	AA893191	i,z		1
276	17447	AA893192	General		
277	3876	AA893205	n		1
					Calmodulin 1 (phosphorylase kinase, delta), Calmodulin III, ESTs, Highly similar to A Chain A, Calmodulin
					Complexed With Calmodulin-Binding Peptide From Smooth Muscle Myosin Light Chain Kinase (SUB 2-148
					[H.sapiens], RIKEN cDNA 2310068O22 gene, calmodulin,
					calmodulin 1, calmodulin 1 (phosphorylase kinase, delta), calmodulin 2, calmodulin 2
278	3878	AA893230	General		(phosphorylase kinase, delta), calmodulin 3, calmodulin-like 3

TABLE	JE HUMAN	HOWOTOGALE (V)	AMOTIATIONS		: , ANY, Dockel No. 44921-5089WO Doc. No. 1793897. 1
	ldenWiter	Genbenk Ace <i>l</i> Ref. Seq. ID No.	Maria (cara	Hamologous Cana Nama	Homologous Gluster Kama
				fatty acid Coenzyme A	ESTs, Weakly similar to LCFB MOUSE LONG-CHAIN-FATTY-ACID-COA LIGASE 2 [M.musculus], Mus musculus, Similar to fatty-acid-Coenzyme A ligase, long-chain 6, clone MGC:28744 IMAGE:4481949, mRNA, complete cds, Rattus norvegicus gonadotropin-regulated long chain acyl-CoA synthetase (GR-LACS) mRNA, complete cds, fatty acid Coenzyme A ligase, long chain 2, fatty acid Coenzyme A ligase, long chain 5,
279	20986	AA893242	q	ligase, long chain 2, fatty- acid-Coenzyme A ligase, long-chain 2	fatty-acid-Coenzyme A ligase, long- chain 1, fatty-acid-Coenzyme A ligase, long-chain 2, lipidosin
					RIKEN cDNA 1300012C15 gene, RIKEN cDNA 2310076L09 gene, adipose differentiation related protein,
280	16168	AA893280	i,z,General	1	adipose differentiation-related protein
281	3886	AA893289	j,m,y	·	
282	15209	AA893327	У		
283 284 285	17836 9084	AA893626 AA893717	h x		Guanine nucleotide-binding protein beta 1, Homo sapiens mRNA for FLJ00083 protein, partial cds, Mus musculus, clone MGC:7934 IIMAGE:3583848, mRNA, complete cds, RIKEN cDNA 5930415H02 gene, WD repeat domain 5, guanine nucleotide binding protein (G protein), beta polypeptide 1, guanine nucleotide binding protein, beta 1, guanine nucleotide binding protein, beta 1, guanine nucleotide binding protein, beta 4, hypothetical protein, recombination protein REC14
286	22731	AA893743	d	<del></del>	4
287	12031	AA893860			ESTs, Highly similar to YSHUT threoninetRNA ligase [H.sapiens], ESTs, Moderately similar to YSHUT threoninetRNA ligase [H.sapiens], hypothetical protein FLJ12528, threonyl-tRNA synthetase
288	17897	AA893905	k	· · · · · · · · · · · · · · · · · · ·	
289	3447	AA893982	d		
290	22583	AA894009	n		
291	10540	AA894027			
292	4569	AA894059	X		

TABLE	e Guman	HOMOLOGUEA	RADITATIONS :		
Sea. (D)		ConBank Ace.		Handlerous Gone	1906, No. 1793397, 1 Homologous <b>Qu</b> ster <b>N</b> eme
No.	ldentifier	Ref. Seq. 10 No.	Model Gode #	Namo .	Homologovis <b>Cluster Nam</b> e
					Amyloid protein precursor-like protein
					2, EST, Weakly similar to AMYLOID-
					[R.norvegicus], Human DNA sequence
					from clone RP3-461P17 on
					chromosome 20q12-13.2. Contains
	,				two novel genes, gene HE4 for Major Epididymis-specific protein E4
					precursor (Epididymis Secretory
1				,	protein £4), RPL5 (60S Ribosomal
					Protein L5), COX6C (Cytochrome C Oxidase subunit VIC) and HSPD1
	j				(HSP60, Mitochondrial Matrix Protein
		-		-1	P1 precursor, Heat Shock Protein 60,
					GROEL, HUCHA60) pseudogenes, the SPINT3 gene for Kunitz type serine
					protease inhibitor 3 (HKIB9), two
•					genes for novel Kunitz/Bovine
				,	pancreatic trypsin inhibitor and WAP-
					type (Whey Acidic Protein) 'four- disulfide core' domains containing
ĺ				4	proteins and the gene for Eppin-1, -2
					and -3. Contains ESTs, STSs, GSSs
	1			,	and a CpG island, RIKEN cDNA 1700024E17 gene, amyloid beta (A4)
					precursor-like protein 2, serine
					protease inhibitor, Kunitz type 2, tissue
200	18419	A A GO 44 2 O	۵		factor pathway inhibitor, tissue factor pathway inhibitor 2
293 294	17336	AA894130 AA894297	d li		patriway irinibitor 2
295	19120	AA894318	f,j		
296	19762	AA899113	i		FOT Weeklesinile to 045440 bibilis
				•	EST, Weakly similar to S45140 tubulin beta chain [H.sapiens], ESTs, Highly
				1	similar to T08726 tubulin beta chain
					[H.sapiens], ESTs, Highly similar to
					TBB1 RAT TUBULIN BETA CHAIN   [R.norvegicus], ESTs, Moderately
				• 8	similar to I38370 beta-tubulin
l					[H.sapiens], ESTs, Moderately similar
l	Ī			8	to TBB1 RAT TUBULIN BETA CHAIN
				8	[R.norvegicus], RIKEN cDNA 2410129E14 gene, RIKEN cDNA
				-4	4930447K03 gene, RIKEN cDNA
					4930542G03 gene, tubulin, beta 3,
297 298	18286 22051	AA899219 AA899498	u w	<u> </u>	tubulin, beta polypeptide
298	22052	AA899498	q	,	
299	21628	AA899563	aa		
300	4262	AA899590	l	receptor (calcitonin)	receptor (calcitonin) activity modifying
301	4661	AA899709	t,General	activity modifying protein 3,	
302	21354	AA899721	q	,	
	1			i) S	EST, Moderately similar to
					EGFR_HUMAN EPIDERMAL GROWTH FACTOR RECEPTOR
	1			į,	PRECURSOR [H.sapiens], Epidermal
					growth factor receptor, formerly avian
					erythroblastic leukemia viral (v-erbB)
				4	oncogene homolog (Erbb1), avian erythroblastosis oncogene B 3.
1				1	epidermal growth factor receptor,
	1			Í	epidermal growth factor receptor
303	17905	AA899762	General s		(avian erythroblastic leukemia viral (v- erb-b) oncogene homolog)
304	15231	AA899840	r .		o.o o, onoogono nomologi

TABLE	e e e e e e	HOMOFOGATE VI	SKOTATOK		A <b>11y: D</b> ocket No. 44921-5019X( Doc. No. 1793397
809. [[ No	D Identifier	GenBank Aced Rof, Seq. ID No.	Modal Goda	Hamologous Corc. r Name:	
					ESTs, Moderately similar to A40493 DNA topoisomerase [H.sapiens],
					ESTs, Moderately similar to TP2A MOUSE DNA TOPOISOMERASE II,
					ALPHA [M.musculus], topoisomerase
				topoisomerase (DNA) II	(DNA) II alpha, topoisomerase (DNA)
305	23778	AA899854	c,k,x	alpha, topoisomerase (DNA) II alpha (170kD)	beta, topoisomerase (DNA) II beta (180kD)
306	22060	AA899898	b	(Civi) ii dipile (11 oko)	T T
307	9114	AA899951	v,General		1
308	8988	AA900148	ſ		
309	11841	AA900247	v		ESTs, Highly similar to IEFS_HUMAN TRANSFORMATION-SENSITIVE PROTEIN IEF SSP 3521 [H.sapiens], hypothetical protein FLJ12788
					Alpha-2-macroglobulin, ESTs,
					Moderately similar to A2M2 MOUSE MURINOGLOBULIN 2 PRECURSOR [M.musculus], RIKEN cDNA
		]			2610307I21 gene, alpha-2-
	ł		1		macroglobulin, carbon catabolite
					repression 4 homolog (S. cerevisiae),
	j				expressed sequence AW456442,
310	4725	AA900290	cc		pregnancy-zone protein
311	4747	AA900465	General		
312	20988	AA900562	0		
313	<b>3822</b>	AA900863	b,g,General		DNA segment, Chr 17, human D6S81E 1, ESTs, Highly similar to S33681 translation initiation factor eIF-4A.I [H.sapiens], HLA-B associated transcript 1, Human clone 23933 mRNA sequence, eukaryotic translation initiation factor 4A, isoform 1, mitochondrial DEAD-box polypeptide 28, nuclear RNA helicase, DECD variant of DEAD box family
315	12420	AA901017	b		Mus musculus, Similar to aspartyl- tRNA synthetase, clone MGC:6719 IMAGE:3586278, mRNA, complete cds, asparaginyl-tRNA synthetase, aspartyl-tRNA synthetase, hypothetical protein FLJ10514, hypothetical protein FLJ23441
316	4849	AA901155	s		
317	3959	AA901338	General		
					succinate-CoA ligase, ADP-forming,
318	22846	AA923982	a,d		beta subunit
319	4895	AA923999	K Connert		
320 321	21546 24192	AA924188 AA924210	cc,General n,General		
322	4933	AA924301	g,I,General		
			g _i , constat		ESTs, Weakly similar to NEUROFILAMENT TRIPLET H PROTEIN [M.musculus], RIKEN cDNA 0610009L18 gene, RIKEN cDNA 1300003A17 gene, RIKEN cDNA 2410142G14 gene, nucleolar protein
323	4944	AA924405	I,General		(KKE/D repeat)
324	4948	AA924428	r		

TABLE	es human	HOMOLOGUEA	SKOTATOKK		Atty, Dockel No. 44 <b>92</b> 6-503900 Dock No. 1793337
Seg. [[  Xe.	D   Cantifier	Content Acel Ref. Seq. ID No.	eboolebom	Homologous Cene	Constant Steel Serve Constant
					ESTs, Weakly similar to NPT2_HUMAN RENAL SODIUM- DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 [H.sapiens] Homo sapiens, Similar to solute-carrie family 34 (sodium phosphate), membe 1, clone MGC:18179 IMAGE:4155326, mRNA, complete cds, Rattus norvegicus mRNA for NaPi-2 alpha, complete cds, Solute carrier family 17 (sodium/hydrogen exchanger), member 2, expressed sequence Al649385, solute carrier family 34
					(sodium phosphate), member 1, solute carrier family 34 (sodium phosphate),
325	4949	AA924432	General	×	member 2
326	18891	AA924598	е		3-phosphoglycerate dehydrogenase, EST, Weakly similar to SERA RAT D-3 PHOSPHOGLYCERATE DEHYDROGENASE [R.norvegicus], ESTs, Moderately similar to SERA_HUMAN D-3-PHOSPHOGLYCERATE DEHYDROGENASE [H.sapiens], Mus musculus adult male testis cDNA, RIKEN full-length enriched library, clone:4930404C15, full insert sequence, RIKEN cDNA 1110059D05 gene, RIKEN cDNA 6430629L09 gene, glyoxylate reductase/hydroxypyruvate reductase, phosphoglycerate
327	22540	AA924630	v,General		dehydrogenase 3-phosphoglycerate dehydrogenase, EST, Weakly similar to SERA RAT D-3- PHOSPHOGLYCERATE DEHYDROGENASE [R.norvegicus], ESTs, Moderately similar to SERA_HUMAN D-3- PHOSPHOGLYCERATE DEHYDROGENASE [H.sapiens], Mus- musculus adult male testis cDNA, RIKEN full-length enriched library, clone:4930404C15, full insert sequence, RIKEN cDNA 1110059D05 gene, RIKEN cDNA 6430629L09 gene, glyoxylate reductase/hydroxypyruvate reductase, phosphoglycerate
327 328	22541 14759	AA924630 AA924766	General		dehydrogenase
329	23123		k ]		
330	4067	AA924813	g,p .	*	
331	2888	AA924902	r,General		
332	18130		d		
333	23141	AA925019	ř		
334	23195	AA925026 "	General		ESTs, Weakly similar to A35863 tryptase [H.sapiens], ESTs, Weakly similar to MCT7 RAT MAST CELL PROTEASE 7 PRECURSOR [R.norvegicus], RIKEN cDNA 4733401N09 gene, mast cell protease 7, tryptase delta 1, tryptase gamma 1, tryptase, alpha
335			f,aa,General		
336			m ]		
337	14790	AA925087	o,General	i	

TABLE	S: HUMAN	HOMOLOGAE VI	SKONATOKK		Atty, Docket No. 44921/5089WC Doc. No. 1793397.
<b>8</b> 69, ID No :	  ldanMilar	Cenbank Ace./ Ref. Seg. (D) No.	Model Gode 7	Homologous Cene Name	CineX relevies evegolomoth
338	5089	AA925126	g		Homo sapiens, clone IMAGE:3940519 mRNA, partial cds, hypothetical protein DKFZp762O076
339	23261	AA925145	jk,General		Mus musculus adult male testis cDNA, RIKEN full-length enriched library, clone:4930572N12, full insert sequence, betaine-homocysteine methyltransferase, betaine-homocysteine sequence, betaine-homocysteine methyltransferase, betaine-
			, Oelidia		homocysteine methyltransferase 2 KIAA0438 gene product, Rattus norvegicus mRNA for neurodegeneration associated protein 1, complete cds, expressed sequence AL022700, g1-related zinc finger protein, hypothetical protein, hypothetical protein FLJ11830 similar to Praja1, hypothetical protein, similar
340	17363	AA925150	a		to (U06944) PRAJA1, praja1
342 343 344	23159 21500 22479	AA925318 AA925353 AA925353	e k		EST, Weakly similar to TRI9_HUMAN THYROID RECEPTOR INTERACTING PROTEIN 9 [H.sapiens], ESTs, Highly similar to A44437 regenerating liver inhibitory factor RL/IF-1 - rat [R.norvegicus], ESTs, Weakly similar to I-kappa B alpha chain [M.musculus], nuclear factor of kappa light chain gene enhancer in B-cells inhibitor, alpha, nuclear factor of kappa light chain gene enhancer in B-cells inhibitor, beta, nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha, nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, beta, nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, polypeptide gene enhancer in B-cells inhibitor, epsilon
345	21151	AA925539	b	hotorogonopus pusicar	EST, Moderately similar to 1604358A nuclear RNP protein L [H.sapiens], ESTs, Highly similar to 1604358A nuclear RNP protein L [H.sapiens], ESTs, Moderately similar to 1604358A nuclear RNP protein L [H.sapiens], betterspens
346	16944	AA925541	f	heterogeneous nuclear ribonucleoprotein L	heterogeneous nuclear ribonucleoprotein L EST, Moderately similar to 1604358A nuclear RNP protein L [H.sapiens], ESTs, Highly similar to 1604358A nuclear RNP protein L [H.sapiens], ESTs, Moderately similar to 1604358A nuclear RNP protein L [H.sapiens],
346	16945 ,	AA925541	t	heterogeneous nuclear ribonucleoprotein L	heterogeneous nuclear ribonucleoprotein L ESTs, Moderately similar to JX0336 succinate dehydrogenase [H.sapiens], succinate dehydrogenase complex,
347	17514	AA925554	bb		subunit A, flavoprotein (Fp)
348	5183	AA925662	i,General		The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s

			SKOTATOKE		Ally, Doctor No. 4/92/1-2039W( Doc. No. 17/92897,
8339. [D 130. ≠	ldeniiier	Coneank Ace./ Rof. Seq. ID No.	Model Gode	Homologous Cone Name	Homologous Cluster Namo
					EST, Weakly similar to IMB3_HUMAN IMPORTIN BETA-3 SUBUNIT [H.sapiens], Homo sapiens cDNA FLJ12978 fis, clone NT2RP2006321, RAN binding protein 6, karyopherin
350	23190	AA925863	aa		(importin) beta 3
351	5252	AA926051	General		
352	22967	AA926080	h,cc		4
353 354	17157	AA926129	b Canada		
355	13411 5295	AA926196 AA926247	u,General General	,	potassium channel, subfamily K, member 1 (TWIK-1), potassium channel, subfamily K, member 3 (TASK-1), potassium channel, subfamily K, member 6 (TWIK-2), potassium channel, subfamily K, member 7
					DNA segment, human D4S114, P311
356	22928	AA926262	General		protein
357 358	21798	AA926316 AA926365	aa		CGI-69 protein, EST, Moderately similar to T43493 hypothetical protein DKFZp434C119.1 [H.sapiens], mitochondrial carrier family protein, mitochondrial solute carrier
359	9942	AA942697	s		
360 361	6039 11174	AA942716 AA942745	x,General g,o,w		DNA segment, Chr 17, ERATO Doi 441, expressed, hematological and neurological expressed 1
362	23005	AA942770	g		
363	21318	AA942774	General		
364 · · · · · · · · · · · · · · · · · · ·	6615 ·	AA942889 AA943028	v c		RAT MACROPHAGE COLONY STIMULATING FACTOR I RECEPTOR PRECURSOR [R.norvegicus], colony stimulating factor 1 receptor, colony stimulating factor 1 receptor, formerly McDonough feline sarcoma viral (v-fms) oncogene homolog
366	<b>22142</b> ,	AA943066 "	p		DEAD (aspartate-glutamate-alanine-aspartate) box polypeptide 5, DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 17 (72kD), KIAA0801 gene product, RIKEN cDNA 2610007K22 gene, RIKEN cDNA 4921506D17 gene, RIKEN cDNA 9130430L19 gene, RNA helicase, Rattus norvegicus RNA helicase with arginine-serine-rich domain mRNA, complete cds, expressed sequence Al325430, hypothetical protein, prp28, U5 snRNP 100 kd protein
	1	* · · · · · · · · · · · · · · · · · · ·	·		ALEX1 protein, ALEX3 protein,
367	21993	AA943149	v,General		armadillo repeat protein ALEX2, hypothetical protein MGC3195
					TU3A protein, hypothetical protein
368	9061	AA943508	General		MGC11034
369	24390	AA943531	b,j,n,y		ESTs, Weakly similar to VIL1 MOUSE VILLIN [M.musculus], actin binding LIM protein 1, advillin, erythrocyte membrane protein band 4.9 (dematin), erythrocyte protein band 4.9, villin

TABLE	88 CHUMAN	HOMOROGALE V	nnotations 🖟		. Any Docker No. (1924-5039)
899. ID	)   (   (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	GenBenk Ace./ Ref. Seq. ID No.	Madel (Gade)	Homologous Cone	Doc. No. 1793397.1   Hemologous Cluster Name
		<u>, was eag</u> in 100		e encon	EST, Moderately similar to I38369 beta tubulin [H.sapiens], EST, Weakly similar to I38369 beta-tubulin [H.sapiens], EST, Weakly similar to TUBULIN BETA-5 CHAIN [M.musculus], ESTs, Highly similar to A25113 tubulin beta chain 15 - rat [R.norvegicus], FK506-binding protein 1A (12kD), RIKEN cDNA 2310061K05 gene, RIKEN cDNA 2410129E14 gene, tubulin, beta 2, tubulin, beta 5,
370	13976	AA943532	f,s,x		tubulin, beta polypeptide ajuba, expressed sequence Al481106,
371	22248	AA943537	cc,General		expressed sequence R75157, zyxin TATA box binding protein (TBP)- associated factor, RNA polymerase II.
372	22257	AA943558	m		J, 20kD
373	12673	AA943773	u,cc,General		
374	13641	AA944154	U.		
375 376	2658	AA944155	<u>[</u>		
377	20903	AA944161	d		CDC28 protein kinase 2, RIKEN cDNA 1110038L14 gene, expressed
378	13507	AA944180 AA944244	Ji,x V		seguence Al047807
379	15596	AA944353	General		
380	22681	AA944413	i,v,cc,General		
381	6711	AA944439	General		
382 383	14763 22466	AA944481 AA944605	i,q;General	1	ESTs, Highly similar to AGP2_RAT ANGIOPOIETIN-2 (ANG-2) [R.norvegicus], angiopoietin 1, angiopoietin 2, angiopoietin-like 3, angiopoietin-like 4, angiopoietin-like factor
384 385	7023	AA944792	b d,m,aa		B-cell-CLL/lymphoma 3, B-cell leukemia/lymphoma 3, ESTs, Highly similar to A44437 regenerating liver inhibitory factor RL/IF-1 - rat [R.norvegicus], ESTs, Weakly similar to I-kappa B alpha chain [M.musculus], molecule possessing ankyrin repeats induced by lipopolysaccharide (MAIL), homolog of mouse, nuclear factor of kappa light chain gene enhancer in B-cells 1, p105, nuclear factor of kappa light chain gene enhancer in B-cells inhibitor, alpha, nuclear factor of kappa light polypeptide gene enhancer in B-cells 2, p49/p100, nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha, nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, epsilon, testis-specific ankyrin motif containing protein
386	22536		bb		
					CGI-89 protein, hypothetical protein DKFZp667O2416, hypothetical protein
207	22504			1	FLJ20984, leukocyte receptor cluster
			g,l	1	FLJ20984, leukocyte receptor cluster (LRC) member 4
387 388 389	23967	AA944831	g,l s	1	
	23967 26084	AA944831 AA944922		1	

TANDUC!	രം സ്ഥാരമാ	Marval ears or	พลานายลงเจ		Attive filocalizati No. 440004 (2000)
UANBUER	SE LALULOYAYA	HOMOLOGUEA	ANOTATUONS		Atty: Docket No. 44921-2039// Doc No. 1793397
899. (D Mo.	ldenilliter	Cenbank Ace./ Ref. Seq. (D) No.	(1000) (1000)	Homologous Gene Neme	Handogous Gluster Namo
392	22554	AA945076	z,General		
393	14352	AA945181	General		
395	1798	AA945569	General	1	
396	22050	AA945604	i,aa	1	
397	19731	AA945615	d,o		
398 399	22612 22618	AA945624 AA945656	a,General aa		Diaphorase (NADH/NADPH), NAD(P)H menadione oxidoreductase 2, dioxin inducible, NAD(P)H menadione oxidoreductase 2, dioxin-inducible, diaphorase (NADH/NADPH) (cytochrome b-5 reductase), diaphorase 4 (NADH/NADPH)
400	11871	AA945679	lv		1
401	22656	AA945818	General	<del> </del>	
402	6720	AA945828	p		
403	22351	AA945867	lm		
404	22665	AA945877	<del>lii</del>		
405	24243	AA945950	b		
406	22689	AA945962	General		
407	22692	AA945986	d		1.4
408	22696	AA945996	c,General	1	
408	22697	AA945996	c,o	-	<u> </u>
409	22658	AA945998	w		
409	122000	MA340330	W .		ESTs, Weakly similar to COXG
410 411	20832 18337	AA946040 AA946046	s General	:sl	Human DNA sequence from clone RP4-591N18 on chromosome 22q13.1-13.2 Contains a COX6B (Cytochrome C Oxidase subunit VIb (EC 1.9.3.1)) pseudogene, ESTs, GSSs and two putative CpG islands, RIKEN cDNA 2010000G05 gene, cytochrome c oxidase subunit VIb
412 .	825	AA946108	General	. 1	EST, Highly similar to LMA3_HUMAN LAMININ ALPHA-3 CHAIN PRECURSOR [H.sapiens], ESTs, Highly similar to LMA3_HUMAN LAMININ ALPHA-3 CHAIN PRECURSOR [H.sapiens], Homo sapiens cDNA: FLJ21236 fis, clone COL01111, expressed sequence Al853660, laminin, alpha 3 (nicein (150kD), kalinin (165kD), BM600 (150kD), epilegrin)
413	8639	AA946221	e,cc,General		(130kD), epilegilii)
414	23237	AA946224	f ,		
415	15600	AA946250	o,aa		
					actin related protein 2/3 complex,
416	19387	AA946275	t ,		subunit 3 (21 kD) EST, Weakly similar to JC5111 cyclin-
417	6351		d .		dependent kinase-related protein 1b - rat [R.norvegicus], EST, Weakly similar to S10889 proline-rich protein [H.sapiens], ESTs, Highly similar to JC5111 cyclin-dependent kinase-related protein 1b - rat [R.norvegicus], Homo sapiens ALS2CR7 mRNA, complete cds, PCTAIRE protein kinase 1, PCTAIRE-motif protein kinase 1, PFTAIRE protein kinase 1
418	22057		9 1		
419	22069	AA946349	<b>aa</b> ,		
420	13962	AA946351	General .		

		HOMOLOGNE A			Ally: Docket No. 44921-503900 Doc. No. 1793397.1
Seq. (I No.:	D. lidenililer	GenBank Ace./ Ref. Seq. ID No.	් චූණුව ලබන	Homologous Com Namo	Homologovs Olyster Name
421	18280	AA946361	g		EST, Moderately similar to 1923401A protein CBP [M.musculus], EST, Weakly similar to 1923401A protein CBP [M.musculus], ESTs, Highly similar to 1923401A protein CBP [M.musculus], ESTs, Weakly similar to 1923401A protein CBP [M.musculus], bromodomain, testis-specific, bromodomain-containing 2
422	18944	AA946391	v		
424	21410	AA946408			EST, Highly similar to HISTONE H4 [R.norvegicus], H4 histone family, member D, H4 histone family, member I, H4 histone family, member I, H4 histone family, member I, H4 histone family, member K, Mus musculus 10 day old male pancreas cDNA, RIKEN full-length enriched library, clone:1810029H14, full insert sequence, Mus musculus 10 days embryo cDNA, RIKEN full-length enriched library, clone:2610027B07, full insert sequence, Mus musculus adult male testis cDNA, RIKEN full-length enriched library, clone:4930558J22, full insert sequence, Mus musculus adult male tongue cDNA, RIKEN full-length enriched library, clone:2310067E17,
425	643	AA946439	о,у	*	full insert sequence, germinal histone H4 gene, histone 4 protein
426	20736	AA946443	x	- 18	EST, Weakly similar to NPD1_HUMAN NEURAL PROLIFERATION DIFFERENTIATION AND CONTROL PROTEIN-1 PRECURSOR (NPDC-1 PROTEIN) [H.sapiens], expressed sequence Al314472, neural proliferation, differentiation and control gene 1, neural proliferation, differentiation and control, differentiation and control,
427	21878	AA946448	r		
428	21947	AA946451	bb		EST, Highly similar to AF151863 1 CGI 105 protein [H.sapiens]
429	17499	AA946467	General		
430	1809	AA946503	x,General		
431	23360	AA955104	1		
432	23471	AA955162	General		
433	9452	AA955206	b,General		
434	23512	AA955282	General		
435	22596	AA955298	General		
436	23283	AA955391 ,	h	*	high density lipoprotein binding protein (vigilin)
437	23546	AA955393	General	***************************************	(vigini)
			Sandia		ESTs, Weakly similar to SX10 RAT TRANSCRIPTION FACTOR SOX-10 [R.norvegicus], SRY (sex determining region Y)-box 10, SRY (sex determining region Y)-box 9 (campomelic dysplasia, autosomal sex-reversal), SRY-box containing gene
	12404	AA955408	b		10, expressed sequence AV220920
438	23626	701000700		.4	10, expressed sequence Avzzoszo i

TABLES	BE HUMAN	HOWOLOGUEVI	THE PAR		Ally. Dockel No. 44921-5039W Doc. No. 1793397
809.ID No. :	ldadffor	Consent Acel Rel Sog. ID No.	Model Gode	Homologous Garo Keino	
					EST, Highly similar to FBRL MOUSE FIBRILLARIN [M.musculus], EST, Weakly similar to A38712 fibrillarin [H.sapiens], ESTs, Highly similar to
			-		A38712 fibrillarin [H.sapiens], ESTs, Weakly similar to FBRL MOUSE FIBRILLARIN [M.musculus],
441	17540	AA955914	bb		expressed sequence AL022665,
442	24277	AA955962	General		
443	19939	AA955980	General		
					ESTs, Weakly similar to PCB3_MOUSE POLY(RC)-BINDING PROTEIN 3 (ALPHA-CP3) [M.musculus], ESTs, Weakly similar t ROK_HUMAN HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN I [R.norvegicus], IGF-II mRNA-binding protein 3, RIKEN cDNA 2610101N11 gene, coding region determinant- binding protein, heterogeneous nuclei
444	24000	AA956005			ribonucleoprotein K, poly(rC)-binding protein 3, poly(rC)-binding protein 4
					EST, Weakly similar to T-COMPLEX PROTEIN 1, EPSILON SUBUNIT
,		,			similar to T-COMPLEX PROTEIN 1, EPSILON SUBUNIT [M.musculus], T- complex 1, chaperonin containing TCP1, subunit 5 (epsilon), chaperonin subunit 5 (epsilon), expressed
445	11050	A A OEG464			sequence Al528772, t-complex 1, t-
446	498	AA956164 AA956278	s,v a,General		complex protein 1
	23409	AA956294	q 1		·
449	23773	AA956476	f,x		
450	23799	AA956530	d		
451	23800	AA956534	aa		ESTs, Weakly similar to RNG1_HUMAN RING1 PROTEIN [H.sapiens], ring finger protein 1, ring finger protein 2
	23834	AA956659	cc,General	· · · · · · · · · · · · · · · · · · ·	iniger protein 2
453	16425	AA956688	f,x		gene rich cluster, C8 gene, hypothetical protein MGC2577
454	23847	AA956723	S	. 1	ESTs, Weakly similar to CHD4_HUMAN CHROMODOMAIN HELICASE-DNA-BINDING PROTEIN 4 [H.sapiens], KIAA1416 protein, KIAA1696 protein, chromodomain
455	23852	AA956746	,l,m,z	d d	helicase DNA binding protein 4 DnaJ (Hsp40) homolog, subfamily C,
					member 8, Homo sapiens mRNA; cDNA DKFZp434C2016 (from clone DKFZp434C2016), eukaryotic translation initiation factor 3, eukaryotic translation initiation factor 3, subunit 10 (theta, 150/170kD), expressed sequence C85189, guanylate kinase membrane-
<b>456</b> , <b>4</b>	5989	AA956907	j,s		associated inverted 1, hypothetical protein DKFZp434B227, nasopharyngeal epithelium specific protein 1

TABLE	8: CHUMAN	HOWOROGNEY		理性的 计自己计算系统	Ally, Docket No. 44924-50390 Doc. No. 1793397
800. (i 800. (i		Confenit Aced Ref. Seq. ID No.		Hamologove Gene Name	Homologova Cluster Name
					DnaJ (Hsp40) homolog, subfamily C
					member 8, Homo sapiens mRNA;
			1		cDNA DKFZp434C2016 (from clone DKFZp434C2016), eukaryotic
					translation initiation factor 3.
					eukaryotic translation initiation factor
					3, subunit 10 (theta, 150/170kD),
					expressed sequence C85189,
					guanylate kinase membrane-
					associated inverted 1, hypothetical protein DKFZp434B227,
	1				nasopharyngeal epithelium specific
456	5990	AA956907	General		protein 1
			1		X-linked protein, brain expressed, X-
					linked 1, hypothetical protein
					FLJ10097, nerve growth factor
457	23957	AA957123	u.General		receptor (TNFRSF16) associated protein 1
	1200/		a, Contral		EST, Weakly similar to T12456
					hypothetical protein
					DKFZp564M2423.1 [H.sapiens], EST
	1				Highly similar to T12456 hypothetical
			1		protein DKFZp564M2423.1
	1				[H.sapiens], PAI-1 mRNA-binding protein, intracellular hyaluronan-
458	22357	AA957264	General		binding protein
······			g,l,m,p,v,cc,Gene		
459	23314	AA957270	ral		
460	23995	AA957292	a,b		
					EST, Moderately similar to G01026 serine—tRNA ligase [H.sapiens],
	1				hypothetical protein FLJ20450, seryl-
					tRNA synthetase, uncharacterized
461	2702	AA957307	General		gastric protein YC12P
	1				CD3 antigen, zeta polypeptide, CD3Z
					antigen, zeta polypeptide (TiT3
	1	}			complex), Fc fragment of IgE, high affinity I, receptor for; gamma
					polypeptide, Fc receptor, IgE, high
			1		affinity I, gamma polypeptide,
162	24040	AA957422	С		expressed sequence Al573376
	1		1		EST, Weakly similar to S01696 gene
					P3 protein [H.sapiens], ESTs, Highly
163	12478	AA957554	_		similar to P3 PROTEIN [M.musculus], Protein P3
164	21306	AA957811	m v		Fiotenirs
65	24183	AA957889	t		
66	24178	AA957905	d		
					EST, Moderately similar to
					*COPE_HUMAN COATOMER
					EPSILON SUBUNIT (H.sapiens), ESTs, Highly similar to COPE HUMA
			-		COATOMER EPSILON SUBUNIT
					[H.sapiens], coatomer protein
	İ				complex, subunit epsilon, hypothetical
67	17034	AA963071 ,	е ,		protein FLJ13241
					X-linked protein, brain expressed, X-
					linked 1, hypothetical protein
					FLJ10097, nerve growth factor receptor (TNFRSF16) associated
68	24053	AA963092	General		protein 1
69	2767	AA963201	0		1
70	2022	AA963259	g į		4
	2126		d		
71	04040				
71 72 73	24246 2195	AA963703 AA963746	b General		1

		HOMOTOGAE V	SKOTKATOKK		Atty, Docker No. 44221-5039W Dock No. 1793397
Seg. (D). No.	Mentifier	GenBank Accil Ref. Seq. ID No.	Model Code	Hemologous Gene Name	Homologous Gluster Namo
475	2282	AA964147	е		
476	2284	AA964152	lx		
	1				ubiquitin specific protease 14 (tRNA-
478	2350	AA964368	g,General		guanine transglycosylase)
	1	<b>[</b>	1		ESTs, Weakly similar to A29861 actin
	l				gamma [H.sapiens], ESTs, Weakly
					similar to 139393 alpha-actin
	į				[H.sapiens], ESTs, Weakly similar to
				İ	S38782 actin beta' chain [H.sapiens],
					Homo sapiens mRNA; cDNA
			1		DKFZp434B2115 (from clone
					DKFZp434B2115), RIKEN cDNA
					1700052K15 gene, RIKEN cDNA
				·	1700061J02 gene, actin-like 7a,
					expressed sequence AL023024,
					expressed sequence AV259599,
	j				melanoma X-actin, uncharacterized
479	18830	AA964496	laa .		hypothalamus protein HARP11
480	2392	AA964541	b		
481	2395	AA964554	General		
482	2410	AA964589	i,aa		1
483	19145	AA964613	t .		
484	2424	AA964617	q		
485	3107	AA964687	General		
486	2457	AA964752	q,t		
487	6778	AA964763	b		
489	2468	AA964807	T .		
,				3	ESTs, Highly similar to GSH0 HUMAN
	1				GLUTAMATE-CYSTEINE LIGASE
			į.	glutamate-cysteine ligase	REGULATORY SUBUNIT [H.sapiens],
				modifier subunit, glutamate	glutamate-cysteine ligase, modifier
			ļ	cysteine ligase, modifier	subunit, glutamate-cysteine ligase,
490	2469	AA964814	w	subunit	modifier subunit
491 °	12561	AA964815	General		
				*	EST, Weakly similar to
			*		PROCOLLAGEN ALPHA 1(IV) CHAIN
					PRECURSOR [M.musculus], collagen,
					type IV, alpha 1, procollagen, type IV,
			,	14	alpha 1, procollagen, type IV, alpha 3,
492	2326	AA964892	aa ,		procollagen, type IV, alpha 5
					ATP-binding cassette, sub-family A
					(ABC1), member 1, ATP-binding
					cassette, sub-family A (ABC1),
					member 12, ATP-binding cassette, sub
					family A (ABC1), member 7, EST,
				¥	Moderately similar to ABC1_HUMAN
					ATP-BINDING CASSETTE, SUB-
					FAMILY A, MEMBER 1 [H.sapiens],
					EST, Weakly similar to ABC1 MOUSE
				1	ATP-BINDING CASSETTE, SUB-
					FAMILY A, MEMBER 1 [M.musculus],
	21339	AA964962	General		RIKEN cDNA 1810036E22 gene
	21390	AA964988	General		
495	12569	AA965023	g -		
				4	Homo sapiens, clone MGC:8857
			1	4	IMAGE:3866266, mRNA, complete
					cds, inorganic pyrophosphatase,
496	2583	AA965166	bb		pyrophosphatase (inorganic)
			-		EST, Highly similar to T14795
					hypothetical protein DKFZp434E171.1
497 🕺		AA965207	r .		[H.sapiens]
	2905	AA996727	b,l,m,u,General		
	2303				CCTs. Madagataly similar to I Abital DO
	2303			Ï	ESTs, Moderately similar to LAMIN B3
	2503				[M.musculus], hypothetical protein
499		AA996782	u,bb "		
499 , 500 ,	2915		u,bb "		[M.musculus], hypothetical protein

		HOMOFOGAE VA			- Ally, Poetal No. 44921-503900   Doc. No. 1793897
809, ID No.		Conbank Acc./ Ref. Seq. ID No.		Homologous Cinii Namo	Hemologous Glusier Name : "
503	2984	AA997015	c		
504	2986	AA997028	General		
505	3145	AA997237	General		-
506	19249	AA997342	m		
507	16883	AA997345	General	1	
508	12598	A A 0072022			methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate
509	3470	AA997374	P		cyclohydrolase, protease, serine, 15 EST, Weakly similar to LIS1 MOUSE PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT [R.norvegicus], ESTs, Weakly similar to LIS1 MOUSE PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT [R.norvegicus], WD repeat domain 3, f-box and WD-40 domain protein 2, hypothetical protein MGC2655, platelet-activating factor acetylhydrolase beta subunit (PAF-Al- beta), platelet-activating factor acetylhydrolase, isoform 1b, beta1 subunit, platelet-activating factor acetylhydrolase, isoform Ib, alpha subunit (45kD)
	3180 3245 3020	AA997608 AA997656	General		EST, Weakly similar to PLASMINOGEN ACTIVATOR INHIBITOR-2, TYPE A [R.norvegicus] expressed sequence Al876477, expressed sequence C76171, plasminogen activator inhibitor 2 type A, serine (or cysteine) proteinase inhibitor, clade B (ovalbumin), membe 2, serine (or cysteine) proteinase inhibitor, clade B (ovalbumin), membe 6, serine protease inhibitor 12
					Homo sapiens, clone IMAGE:4810400 mRNA, antigen identified by
	3269		x,aa		monoclonal antibody Ki 67
	23992	AA997877	f k,x		DNA segment, Chr 4, ERATO Doi 639 expressed, EST, Moderately similar to CGB2 MOUSE G2/MITOTIC-SPECIFIC CYCLIN B2 [M.musculus], ESTs, Weakly similar to CGB1_HUMAN G2/MITOTIC-SPECIFIC CYCLIN B [H.sapiens], cyclin B1
	17470		b		biliverdin reductase B (flavin reductase (NADPH))
517	3773	AA998356	General		B-cell CLL/lymphoma 3, molecule possessing ankyrin repeats induced by lipopolysaccharide (MAIL), homolog of mouse, nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, epsilon
i18	19623	AA998422	General		
519 \$	3572 _s	AA998516	×		ESTs, Weakly similar to G2/MITOTIC- SPECIFIC CYCLIN B1 [R.norvegicus], cyclin A2, cyclin B1, cyclin B1, related sequence 1, cyclin B2 cyclin-dependent kinase inhibitor 1C
i20 #2	2782	AA998565	c .		(P57), cyclin-dependent kinase inhibitor 1C (p57, Kip2)

		HOMOLOGUEA	unoiiaviions		AMY Docket No. 44921-503900 Doc. No. 1793397
Seg. (D) No.	i Ideniiiler	GenBank Ace./ Ref. Seq. ID No.	Modal Goda	Homologous Gene Namo	Homologous Cluster Name
521	26119	AA998576	i,r,w,General		
522	22737	AA998660	aa		
523	3696	AA999030	e		1
524	3079	AA999169	k,x,General		
<b>525</b> ,	<b>23081</b> ⊌	AA999171	e,p,r	signal transducer and activator of transcription 1, signal transducer and activator of transcription 1, 91kD	Signal transducer and activator of transcription 3, expressed sequence AA408197, signal transducer and activator of transcription 1, signal transducer and activator of transcription 1, 91kD, signal transducer and activator of transcription 2, signal transducer and activator of transcription 3, signal transducer and activator of transcription 3 (acute-phase respons factor), signal transducer and activator of transcription 4
	1				ESTs, Moderately similar to A54847
	1				GMP synthase [H.sapiens], guanine
526	3082	AA999172	General	1	monphosphate synthetase
527	17337	AB000717	k	1	
528	1535	AB000778	а		phospholipase D1, phophatidylcholin specific, phospholipase D2
529	1382	AB002406	k	RuvB (E coli homolog)-like 1, RuvB-like protein 1	Homer, neuronal immediate early gene, 1B, Homer, neuronal immediate early gene, 2, homer, neuronal immediate early gene, 1, homer, neuronal immediate early gene, 2
530	20184	AB003753	d	1	
531	4312 ;	AB010635	c,í,j,k,y,z		EST, Weakly similar to JC5408 carboxylesterase [H.sapiens], ESTs, Moderately similar to ES22 MOUSE LIVER CARBOXYLESTERASE 22 PRECURSOR [M.musculus], ESTs, Weakly similar to A48809 carboxylesterase [H.sapiens], ESTs, Weakly similar to JC5408 carboxylesterase [H.sapiens], T-complex expressed gene 5, carboxylesterase 1, carboxylesterase 2 (intestine, liver), carboxylesterase 3 (brain), hypothetical protein FLJ21736 DNA (cytosine-5-)-methyltransferase
532	21666	AB012214	k	3	1, DNA (cytosine-5-)- methyltransferase 2, DNA methyltransferase (cytosine-5) 1, ES' Weakly similar to JE0378 DNA [R.norvegicus], Mus musculus DNA cytosine methyltransferase mRNA, f- box and leucine-rich repeat protein 1 protein containing CXXC domain 2  Mus musculus mouse-thyrotropin-
5 <b>33</b> .	15772	AB015645	g	8	releasing hormone receptor 2 (TRH- R2) mRNA, complete cds, thyrotropin releasing hormone receptor, thyrotropin-releasing hormone receptor.

TABLE	S: THUMAIX	I HOWOTOGALE VA	SKOTATOKK		Atty, Docket No. 44921-5039000 Doc. No. 1793997 1
No. Seg. II	(dentifier	Consonk Aced Ref. Seq. ID No.	Model Gode -	Homologous Cane Keme	Longlogous Cluster Manne
					ESTs, Weakly similar to DUS8_HUMAN DUAL SPECIFICITY PROTEIN PHOSPHATASE 8 [H.sapiens], Human DNA sequence from clone RP11-243J16 on chromosome 20 Contains parts of 2 isoforms of the BCL2L1 (BCL2-like 1) gene, the gene for a novel protein (FLS353), the gene for a protein similar to MYLK (myosin, light polypeptide kinase), the FKHL18 (forkhead (Drosophila)-like 18) gene, part of three novel genes, ESTs, STSs, GSSs and CpG islands, KIAA1725 protein, dual specificity phosphatase 13, dual specificity phosphatase 14, dual specificity phosphatase 5, expressed sequence BB104621, expressed sequence
534	1183	AF013144	h		C79103, protein tyrosine phosphatase, non-receptor type 16
535	1582	AF015911	h,z	14	B-cell CLL/lymphoma 6, member B (zinc finger protein), ESTs, Moderately similar to zinc finger protein [H.sapiens], Homo sapiens, Similar to RIKEN cDNA 0610020102 gene, clone MGC:23427 IMAGE:4654320, mRNA, complete cds
536	11483	AF020618	u,cc,General		
537	20295	AF024712	aa		HLA-G histocompatibility antigen, class I, G
538	19077	AF030358	y,z	- a	hypothetical protein, clone 1-53, small inducible cytokine subfamily D-{Cys-X3 Cys), member 1 (fractalkine, neurotactin), small inducible cytokine subfamily D, 1
539	23044	AF034218	General		RIKEN cDNA 4632428M18 gene, hyaluronidase 1, hyaluronidase 2, hyaluronoglucosaminidase 1, hyaluronoglucosaminidase 2, hyaluronoglucosaminidase 3, sperm adhesion molecule
540	25178	AF035955	d		ESTs, Moderately similar to hepatitis A
541	1564	AF035963	x,bb,General	.,	virus cellular receptor 1 [H.sapiens], ESTs, Moderately similar to kidney injury molecule-1 [R.norvegicus], ESTs, Weakly similar to kidney injury molecule-1 [R.norvegicus]
542	§8426	AF036335	f		ESTs, Moderately similar to NR54_HUMAN 54 KDA NUCLEAR RNA-BINDING PROTEIN [H.sapiens], ESTs, Moderately similar to p54nrb [H.sapiens], ESTs, Weakly similar to A54691 octamer-binding protein NonO mouse [M.musculus], ESTs, Weakly similar to PSF_HUMAN PTB-ASSOCIATED SPLICING FACTOR [H.sapiens], RIKEN cDNA 5730470C09 gene, RIKEN cDNA 9030402K04 gene, non-POU-domain-containing, octamer-binding protein

TABLE	BE EPUMAN	HOMOLOGUEVA	ANOTATIONS		
80g. (D No.	ldentifier	Genbenk Ace <i>l</i> Ref. Seq. ID No.	Model Gode	Homologous Come Name	Homologous Chelca Namo
NO.	dentitier	ral sag Id No.	Model Gode	Name	ESTs, Highly similar to A55318 serine/threonine protein kinase [M.musculus], ESTs, Weakly similar to RIP MOUSE SERINE/THREONINE PROTEIN KINASE RIP [M.musculus], Human DNA sequence from clone RP5-1182A14 on chromosome 1 Contains part of a gene similar to rat Espin, a pseudogene similar to rat KIAA0454, a gene similar to MST1 (macrophage stimulating 1 (hepatocyte growth factor-like)), a pseudogene similar to KIAA0445, two isoforms of a novel gene (isoform 2 is the gene for KIAA1245 protein), ESTs, STSs, GSSs and CpG islands, ankyrin repeat domain 3, cerebral cavernous malformations 1, mitogen activated protein kinase kinase kinase 12, mitogen-activated protein kinase kinase 12, receptor (TNFRSF)
543	21817	AF036537	k		interacting serine-threonine kinase 1, receptor interacting protein 3, receptor-interacting serine-threonine kinase 2
544	21145 -	AF038571	General	solute carrier family 1 (neuronal/epithelial high affinity glutamate transporter, system Xag), member 1, solute carrier family 1, member 1	·
.545	22602	AF044574	General		2,4-dienoyl CoA reductase 1, mitochondrial, 2,4-dienoyl-CoA reductase 2, peroxisomal, 2-4-dienoyl-Coenzyme A reductase 2, peroxisomal, ESTs, Weakly similar to S11021 2,4-dienoyl-CoA reductase [R.norvegicus], Homo sapiens AS10 protein mRNA, partial cds, RIKEN cDNA 1200012F07 gene, RIKEN cDNA 2400003B18 gene, hydroxyprostaglandin dehydrogenase 15 (NAD), hydroxysteroid (17-beta) dehydrogenase 10, peroxisomal trans 2-enoyl-CoA reductase; putative short chain alcohol dehydrogenase
546	13464	AF047707	h		UDP-glucose ceramide glucosyltransferase
547	12259	AF052695	x h	·	EST, Highly similar to JC5807 trp3 protein - rat [R.norvegicus], EST, Weakly similar to TRP1_MOUSE TRANSIENT RECEPTOR POTENTIAL: CHANNEL 1 (TRANSIENT RECEPTOR PROTEIN 1) (MTRP1) (TRP-RELATED PROTEIN 1) [M.musculus], transient receptor potential channel 1, transient receptor protein 1, transient receptor protein 3, transient receptor protein 4, transient receptor protein 5

TABUE		HOMOLOGUEA	- EXIOTATIONIX	e de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de l	Atty. Docket No. 44924-5039W0 Doc. No. 1793397. 1
309. [D. No.	identifier	ConBank Ace./ Ref. Seq. ID No.	Model Code ·	Name : Komologous Gene	Homologous Cluster Namo
					EST, Highly similar to A61209 hypertension-associated protein SA- rat [R.norvegicus], ESTs, Highly similar to A61209 hypertension- associated protein SA - rat [R.norvegicus], ESTs, Weakly similar to I54401 hypertension-associated protein SA [H.sapiens], KIAA1504 protein, SA (rat hypertension- associated) homolog, SA rat hypertension-associated homolog, expressed sequence AI788978, hypothetical protein FLJ20581, medium-chain acyl-CoA synthetase, solute carrier family 27 (fatty acid transporter), member 1, solute carrier
549	4589	AF062389	y,z		family 27 (fatty acid transporter), member 4 ESTs, Highly similar to 2008109A set
550	16007	AF062594	t	nucleosome assembly protein 1-like 1	gene [R.norvegicus], ESTs, Highly similar to SET_HUMAN SET PROTEIN [H.sapiens], SET translocation, SET translocation, (myeloid leukemia-associated), nucleosome assembly protein 1-like 1, nucleosome assembly protein 1-like 2, nucleosome assembly protein 1-like 4 KIAA1348 protein, protein phosphatase 1G (formerly 2C),
551 a	15761	AF062741	u		magnesium-dependent, gamma isoform
552	17426	AF073839	p		
553	18615	AF074608	S		ESTs, Moderately similar to T17365 serine/threonine protein kinase TAO1 - rat [R.norvegicus], ESTs, Weakly similar to ST25_MOUSE SERINE/THREONINE PROTEIN KINASE 25 (STERILE 20/OXIDANT STRESS-RESPONSE KINASE 1) (STE20/OXIDANT STRESS RESPONSE KINASE-1) (SOK-1) (STE20-LIKE KINASE-1) (SOK-1) (KIE20-LIKE KINASE) [M.musculus], KIAA1361 protein, STE20-like kinase, expressed sequence AU020252, prostate derived STE20-like kinase PSK, serine/threonine kinase 10, thousand and one amino acid protein
554 g	15797	AF084205	f		kinase ESTs, Moderately similar to A55575 ankyrin 3, long splice form [H.sapiens], RIKEN cDNA 2310026G15 gene, RIKEN cDNA 2410004E01 gene, RIKEN cDNA 2410197A17 gene, RIKEN cDNA 4933400N19 gene, RIKEN cDNA 4933400N19 gene, RIKEN cDNA 6430011H06 gene, ankyrin 3, node of Ranvier (ankyrin G), hypothetical protein FLJ20189, phospholipase A2, group VI, phospholipase A2, group VI (cytosolic,

TARILE	Se (HIIIMAANI	HOMOLOGUEA	NOTATIONS		
		A CONTRACT			Doc. No. 1799397.
699, ID Vo. (	ldenilliler	GenBank Ace./ Ref. Seq. ID No.		Homologous Cent News	Homologous Auster Name
					EST, Moderately similar to A49013 turnor cell suppression protein HTS1 [H.sapiens], KIAA1277 protein,
	1	1			hypothetical protein FLJ22457,
556	18603	AI007649	х .	,	suppression of tumorigenicity 5
557	22733	AI007668	r		
558	22746	Al007672 .	<u>r                                      </u>		
559	24109	Al007725	General		
				:4	EST, Highly similar to HS9B RAT HEAT SHOCK PROTEIN HSP 90-BETA [R.norvegicus], EST, Weakly similar to HHMS84 heat shock protein 84 - mouse [M.musculus], ESTs, Highly similar to T46243 hypothetical protein DKFZp761K0511.1 [H.sapiens], expressed sequence AL022974, expressed sequence
560	15848	AI007820	n,v	ės	C81438, heat shock 90kD protein 1, beta, heat shock protein, 84 kDa 1
561 562	10108 6804	A1007857 A1007877	f General		HGF-regulated tyrosine kinase substrate, Homo sapiens cDNA FLJ13428 fis, clone PLACE1002493, highly similar to Homo sapiens signal transducing adaptor molecule 2A (STAM2) mRNA, Mouse 31-kDa proline-rich salivary protein, complete cds of clone pUMP125, Mus musculus Similar to proline-rich protein BstNI subfamily 2, clone MGC:18611 IMAGE:4165240, mRNA, complete cds, RIKEN cDNA 1700120F24 gene, RIKEN cDNA 4930406E12 gene, Rattus norvegicus proline-rich proteoglycan (PRPG2) mRNA, complete cds, proline-rich protein HaeIII subfamily 2, signal transducing adaptor molecule (SH3 domain and ITAM motif) 2
563	20099	Al007877			
			f,u		
564	11368	A1007948	d ,		EST, Highly similar to HS9B RAT HEAT SHOCK PROTEIN HSP 90-BETA [R.norvegicus], EST, Weakly similar to HHMS84 heat shock protein 84 - mouse [M.musculus], ESTs, Highly similar to T46243 hypothetical protein DKFZp761K0511.1 [H.sapiens], expressed sequence AL022974, expressed sequence C81438, heat shock 90kD protein 1,
565			h ,		beta, heat shock protein, 84 kDa 1
566	3121	Al008160 6	General		CGI-83 protein

		HOMOLOGUEA	ENOITATONK		Airy, Doctor No. 44921-5009W6 Doc. No. 1798997.1
Seq. (D No. 🐎		ConBent Ace/ Ref. Seq. ID No.	Model Gode	Homologous Cano Name	Homologous Cluster Name
					EST, Highly similar to JC7290 guanine nucleotide binding protein G gamma 2 chain [H.sapiens], EST, Weakly similar to GBG9 RAT GUANINE
					NUCLEOTIDE-BINDING PROTEIN G(I)/G(S)/G(O) GAMMA-9 SUBUNIT [M.musculus], EST, Weakly similar to
					JC7290 guanine nucleotide binding protein G gamma 2 chain [H.sapiens], RIKEN cDNA 1110003P13 gene,
					guanine nucleotide binding protein (G protein), gamma 12, guanine
					Inucleotide binding protein (G protein), gamma 2, guanine nucleotide binding protein (G protein), gamma 2 subunit,
					guanine nucleotide binding protein (G protein), gamma 3 subunit, guanine
567	16646	A1008190	t		nucleotide binding protein (G protein), gamma 4 subunit, guanine nucleotide binding protein 4
					EST, Moderately similar to CGB2 MOUSE G2/MITOTIC-SPECIFIC CYCLIN B2 [M.musculus], ESTs,
				1	Weakly similar to G2/MITOTIC- SPECIFIC CYCLIN B1 [R.norvegicus], Homo sapiens cDNA FLJ13342 fis.
568	12683	A1008202		,	clone OVARC1001950, cyclin A1, cyclin B1, cyclin B1, related sequence
300	12003	Al008203	x	3	1, cyclin B2 ESTs, Highly similar to PROTO- ONCOGENE SERINE/THREONINE-
					PROTEIN KINASE PIM-1 [M.musculus], ESTs, Highly similar to S55333 protein kinase pim-2
				*	[M.musculus], ESTs, Moderately similar to S55333 protein kinase pim-2
500				6	[M.musculus], Pim-1 oncogene, pim-1 oncogene, pim-2 oncogene, proviral integration site 1, serine threonine
569		A1008309	<u> </u>		kinase pim3
570 571		AI008441 AI008458	n General	: 4	phosphogluconate dehydrogenase
			p,General		
573			r,x		
				-	EST, Weakly similar to JH0446 75K autoantigen [H.sapiens], polymyositis/scleroderma autoantigen
574	4086	AI008629	×	-	1 (75kD) DnaJ (Hsp40) homolog, subfamily B,
			·	7	member 1, DnaJ (Hsp40) homolog, subfamily B, member 12, DnaJ
					(Hsp40) homolog, subfamily B, member 4, DnaJ (Hsp40) homolog, subfamily B, member 5, ESTs, Weakly
			,	1	similar to HS4L_HUMAN HEAT SHOCK 40 KDA PROTEIN 1 HOMOLOG [H.sapiens], RIKEN cDNA
			i,v,General		1700029A20 gene, RIKEN cDNA 2010306G19 gene
576	3931	A1008697	<u> </u>	1	

1000		KIOWOFOGNE VI			Atty: Docket No. 44921 45038W Doc. No. 1793897.1
Seg. (II No.	) Idaniffer	Consonk Ace./ Ref. Seq. ID No.	Modal (90da	Homologous Gene Kame	Homologous Glysler Name
577 578	7785	AI008758 AI008838	aa q	dipeptidylpeptidase 4, dipeptidylpeptidase IV (CD26, adenosine deaminase complexing protein 2)	ESTs, Weakly similar to DPP4 MOUSE DIPEPTIDYL PEPTIDASE IV [M.musculus], ESTs, Weakly similar to DPP4 RAT DIPEPTIDYL PEPTIDASE IV [R.norvegicus], Homo sapiens chromosome 19, cosmid R26894, Homo sapiens, clone IMAGE:3447394 mRNA, partial cds, RIKEN cDNA 4932434F09 gene, dipeptidylpeptidase 4, dipeptidylpeptidase 6, dipeptidylpeptidase 8, fibroblast activation protein, fibroblast activation protein, alpha
	10/01	F-100000	7		EST, Moderately similar to CYSR RAT CYSTEINE-RICH PROTEIN 1 [R.norvegicus], ESTs, Weakly similar to S12658 cysteine-rich protein [H.sapiens], cysteine and glycine-rich protein 1, cysteine and glycine-rich
579 580	21789 21895	A1008930 A1008971	k General		protein 3 (cardiac LIM protein), cysteine rich protein, cysteine-rich protein 2, cysteine-rich protein 3, thymus LIM protein
581	410	A1008971	i,aa,General		
582	21632	Al009167	General		BCL2-associated athanogene 2, ESTs, Highly similar to T08764 hypothetical protein DKFZp586C021.1 [H.sapiens]
583	21596	AI009168	General		protein bis zpoudouz (. ) [13.5apiens]
584	22801	Al009197	General		
585	11876	Al009321	cc,General		
586 587	2506 6382	A1009341 A1009362	General General		
588	14370	A1009427	k		EST, Weakly similar to PRCF_HUMAN PROTEASOME COMPONENT MECL-1 PRECURSOR [H.sapiens], ESTS, Weakly similar to PRCF_HUMAN PROTEASOME COMPONENT MECL-1 PRECURSOR [H.sapiens], proteasome (prosome, macropain) subunit, beta type 10, proteasome (prosome, macropain) subunit, beta type 7, proteasome (prosome, macropain) subunit, beta type 7, proteasome (prosome, macropain) subunit, beta type, 10, proteasome (prosome, macropain) subunit, beta type, 7
589	19275	A1009460	x		EST, Moderately similar to ABP2_HUMAN ENDOTHELIAL ACTIN- BINDING PROTEIN [H.sapiens], ESTs, Moderately similar to ABP2_HUMAN ENDOTHELIAL ACTIN- BINDING PROTEIN [H.sapiens], filamin A, alpha (actin-binding protein- 280), filamin B, beta (actin-binding protein- protein-278)
590		A1009467	g		
591 592	3464 3926	AI009589 AI009592	cc e		
593			c i		
594	22545	Al009747	g		
595	15089	Al009752	cc,General		

TABLE	3: HUMAN	HOMOTOGNEV	SKIOTRATIOKK		# " <b>Ally. Docket No. 44921-5039</b> 000
്രം വര		CanBank Acc./			<u>Doc. No. 17933</u> 97
130° ः १८०४ः ।		Ref. Seq. ID No.	Model Gode	Hamologous Cáric Namo	Hemologous Cluster Name
596	5458	Al009756	h	programmed cell death 6 interacting protein, programmed cell death 6- interacting protein	EST, Moderately similar to T14756 hypothetical protein DKFZp564F0923.1 [H.sapiens], EST, Weakly similar to A28996 proline-rich protein M14 precursor - mouse [M.musculus], EST, Weakly similar to PRP4_HUMAN SALIVARY PROLINE-RICH PROTEIN PO PRECURSOR [H.sapiens], expressed sequence Al462446, poly(A)-binding protein, nuclear 1, proline rich protein, proline rich protein 2, proline-rich protein BstNI subfamily 4, protein tyrosine phosphatase, non-receptor type 23
597	6844	AI009770	e,r,cc		SST A1217021 EST Workly similar to
598	15627	Al009810	aa		EST Al317031, EST, Weakly similar to R3HU16 ribosomal protein S16, cytosolic [H.sapiens], expressed sequence AA420385, ribosomal protein S16
599	22619	Al009825	d		
600	7857 13259	Al009898 Al009946	jj,l,m,z		
602	21105	Al010067	]  General		<u> </u>
603	24627 12716	Al010102 Al010178	aa General	testis enhanced gene transcript, testis enhanced gene transcript (BAX inhibitor 1)	CGI-119 protein, RIKEN cDNA 5031406P05 gene, testis enhanced gene transcript (BAX inhibitor 1) CGI-100 protein
605	18757	AI010216	aa		
606	2912	AI010220	aa,General		RIKEN cDNA 6720456I16 gene, claudin 10, claudin 15, claudin 7
607	3316	AI010237	t		Judani 10, oladani 10, oladani 1
608	15644	Al010256	General		ESTs, Highly similar to HISTONE H3.3 [R.norvegicus], H3 histone, family 3A, H3 histone, family 3B, H3 histone, family 3B (H3.3B) colony stimulating factor 2 receptor,
609	657	AI010262	b	a	beta 1, low-affinity (granulocyte- macrophage), interleukin 4 receptor, interleukin 4 receptor, alpha
610	3271	AI010303	b		interieukin 4 receptor, aipria
611	11081	Al010407	bb		
612	]16521	A1010470		ceruloplasmin,	DNA segment, Chr 3, ERATO Doi 555, expressed, EST, Highly similar to 1012298A factor VIIIC [H.sapiens], ESTs, Weakly similar to CERU MOUSE-CERULOPLASMIN PRECURSOR [M.musculus], ESTs, Weakly similar to CERU RAT CERULOPLASMIN PRECURSOR [R.norvegicus], ESTs, Weakly similar to KUHU ferroxidase [H.sapiens], Hermansky-Pudlak syndrome 3, ceruloplasmin, ceruloplasmin
613		AI010470 AI010542	c,s,t,General General	ceruloplasmin (ferroxidase)	(lerroxidase), nepnaestin
614	3 3	AI010542 AI010568		growth hormone receptor	growth hormone receptor
615		AI010642	n		
616			aa		RIKEN cDNA 2510028H01 gene, sorting nexin 2, sorting nexin 3
617 618		AI011285 AI011361	0		
619			cc		
621			cc		

TABLE	Be (HUUMAN)	HOMOLOGUEA	SKOTKÁTOKI		Ally, Dodkol No. 44921-5089W0 Dog, No. 1798997.1
809. ID No. :	Meniller	GenBenk Aced Ref. Seq. (D No.	Model Gode	Homologous Cana Kema	Hamalogous Auster Nemo
622	12629	Al011492	e,f		HYA22 protein, conserved gene amplified in osteosarcoma, nuclear LIM interactor-interacting factor
623	735	Al011560	f	,	Homo sapiens, Similar to RIKEN cDNA 2300002L21 gene, clone MGC:17528 IMAGE:3458906, mRNA, complete cds, RIKEN cDNA 2300002L21 gene, S100 calcium-binding protein A12 (calgranulin C), S100 calcium-binding protein, beta (neural), S100 protein, beta polypeptide, neural ESTs, Moderately similar to 2113291A
624	3941	AI011598	General		laminin:SUBUNIT, Usher syndrome 2A (autosomal recessive, mild) homolog (human), hypothetical protein, MGC: 8159, laminin, alpha 5
					butyrobetaine (gamma), 2-oxoglutarate dioxygenase (gamma-butyrobetaine hydroxylase) 1, epsilon-trimethyllysine
625 626	17550 10636	AI011607 AI011634	j,General e		hydroxylase
627	3995	AI011678	General		
628	16112	Al011706	h		EST, Weakly similar to SPLICING FACTOR, ARGININE/SERINE-RICH 5 [R.norvegicus], Mus musculus, Similar to splicing factor, arginine/serine-rich 7 (35kD), clone MGC:6268 IMAGE:2646366, mRNA, complete cds, neural-salient serine/arginine-rich, splicing factor, arginine/serine-rich 3 (SRp20), splicing factor, arginine/serine-rich 5 (SRp40, HRS) Fc fragment of IgG, high affinity Ia,
<b>629</b> ,	13354	AI011757	c	9	receptor for (CD64), Fc fragment of IgG, low affinity Illa, receptor for (CD16), Fc fragment of IgG, low affinity Illb, receptor for (CD16), Fc receptor, IgG, low affinity Ill, expressed sequence BB219290
630	12745	AI011799	cc		
631	18684	Al011812	t		DKFZP564O123 protein, putative breast adenocarcinoma marker (32kD)
632	4205	AI011982	b		
633	6518	AI012114	General		chromosome 1 open reading frame 25, hypothetical protein FLJ20244
634	17407	AI012145	General		T. C. C. C. C. C. C. C. C. C. C. C. C. C.
635	13093	AI012177	r.	, ,	FK506 binding protein 4 (59 kDa), FK506 binding protein 8 (38 kDa), FK506-binding protein 4 (59kD), FK506-binding protein 6 (36kD), FK506-binding protein like, RIKEN cDNA 2210019E14 gene
636 -	15395	AI012216 «	f		Fas-associated factor 1, ORF, RIKEN of cDNA 2210404D11 gene, UBX domain containing 2, expressed sequence AA408698, expressed sequence AI196514, putative glialblastoma cell differentiation-related

WO 02/095000 PCT/US02/16173

EST X83352, ET17226 hypoth TDKFZp566G22 sapiens, Simile intracellular ch MGC:8812 IM, complete cds, 5730531E12 g intracellular ch	S Cluster Name ESTs, Highly similar to hetical protein 23.1 [H.sapiens], Homo ar to chloride
EST X83352, & T17226 hypoth DKFZp566G22 sapiens, Simile intracellular ch MGC:8812 IM/ complete cds, 5730531E12 g intracellular ch	hetical protein 23.1 [H.sapiens], Homo ar to chloride
hypothetical pr	AGE:3861372, mRNA, RIKEN cDNA gene, chloride nannel 1, chloride nannel 4, chloride nannel 4 (mitochondrial), rotein DKFZp434N127, nloride ion channel
639 6606 AI012308 I.r.	
ESTs, Weakly NHP2/RS6 FAI YEL026W HO! RIKEN cDNA 2 histone chromo cerevisiae)-like family A, memb	similar to NHPX RAT MILY PROTEIN MOLOG [R.norvegicus], 2410130M07 gene, non- osome protein 2 (S. e 1, nucleolar protein ber 2 (H/ACA small es), sperm specific
640   3417   AI012337   W     antigen 1	
642 7471 AI012379 Icc	
643 7247 AI012438 g	
644 77127 Al012464 p,General	
645 3304 AI012471 b	
646 2311 Al012485 aa	
647 20817 Al012589 g,n,q	
648 3493 Al012590 v,General	
649 8975 Al012613 General	
650 11335 Al012619 j	
651 21409 AI012637 General	
652 8015 Al012638 aa	
ribosomal prote [H.sapiens], Mi ribosomal prote [H.sapiens], Mi ribosomal prote MGC:6876 IMA complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 complete cds, 6 c	similar to S33710 ein S20, cytosolic us musculus, Similar to ein S20, clone AGE:2651405, mRNA, expressed sequence
655 23128 Al013011 General	
derived neurite precursor [H.sa similar to A274 alpha precursor Weakly similar NEXIN PRECU serine (or cyste inhibitor, clade activator inhibit serine (or cyste inhibitor, clade	similar to A26061 glia- e promoting factor apiens], ESTs, Highly 196 glia-derived nexin I or [H.sapiens], ESTs, to GLIA DERIVED JRSOR [R.norvegicus], eine) proteinase £ (nexin, plasminogen tor type 1), member 2, eine) proteinase I (neuroserpin),
658 26147 Al013387 aa 659 8815 Al013437 p	
660 19722 AI013508 k	
661 6674 Al013568 General	
IOO TOUT JAIO SUGEREIAI I	
662 23145 AI013647 O.t	

		HOMOFOGAE VI	NOTATIONS		Anny. Docket No. 44921-503900 Doc. No. 1793397
Seq. ID No. 4	(Contillor	Consent Ace./ Ref. Seq. ID No.	Model Gode	Homologous Conc Namo	Homologous Glusier Neme
delining.	·	,	Flandini	7	Bone morphogenetic protein 6, bone
				j	morphogenetic protein 5, bone
					morphogenetic protein 6, bone
	1			1	morphogenetic protein 7, bone
					morphogenetic protein 7 (osteogenic
004	7074	41040745			protein 1), growth differentiation facto
664 665	7274 7276	AI013715 AI013730	e e		15
666 .	7278	AI013738	y,z,aa	<b>†</b>	
300	1210	7.1010730	7,2,00		ESTs, Weakly similar to S32567 A4
					protein [H.sapiens], Homo sapiens,
	l		Í		Similar to RIKEN cDNA 2900052H21
					gene, clone MGC:21625
	1				IMAGE:4214683, mRNA, complete
					cds, Homo sapiens, clone MGC:1976
	ł				IMAGE:3636045, mRNA, complete
				1	cds, proteolipid protein 2 (colonic
667	22592	AI013740	s,x,bb,General		epithelium-enriched)
					Mus musculus retinal cone arrestin 3
					(Arr3) mRNA, complete cds, RIKEN
					cDNA 1200006117 gene, arrestin, beta
~~~	40504	41040705			2, expressed sequence Al326910,
668	16584	AI013765	W		retinal S-antigen
669 670	24143	AI013804	J,I		
2/0	15928	AI013829	a,General		0 h d - i - h h d - h
					3-hydroxyisobutyrate dehydrogenase,
					ESTs, Highly similar to D3HI_HUMAN
					3-HYDROXYISOBUTYRATE DEHYDROGENASE,
					MITOCHONDRIAL PRECURSOR
	l				(HIBADH) [H.sapiens], cytokine-like
671	21950	AI013861	i		nuclear factor n-pac
672	3260	AI013875	ł .		nadour ractor ii pec
673	2708	AI013882	d,q		
674	8585	AI013886	i -		
					H.sapiens PABII pseudogene, Human
				i i	DNA sequence from PAC 560B9 on
					chromosome 1q24-1q25. Contains
				,	profilin-like pseudogene, 60S
				*	ribosomal protein L4 pseudogene RNA
				4	binding protein, ESTs, GSS, Mus
					musculus adult male tongue cDNA,
1				,	RIKEN full-length enriched library,
					clone:2310074E15, full insert
				ė	sequence, RNA binding motif protein
				4	3, RNA binding motif protein, X
					chromosome, RNA binding motif
				2	protein, X chromosome retrogene, colo
					inducible RNA-binding protein, testes-
275	7200	AI013011	n r t Con!		specific heterogenous nuclear
675 676	7299 15904	AI013911 AI013971	p,r,t,General General		ribonucleoprotein G-T
,,,,	13304	עוס ואפן ו	Colleigi	3	EST, Moderately similar to
				7	Y124 HUMAN HYPOTHETICAL
l					PROTEIN KIAA0124 [H.sapiens],
577	12781	AI014023	w		block of proliferation 1
···		, , ,		beta-carotene 15, 15'-	EST, Moderately similar to 0806162D
				-	protein COII [M.musculus], EST,
l			1		Weakly similar to 810024D cytochrome
78	19372	AI014135	aa		oxidase II [H.sapiens]
					DKFZP564A2416 protein, EST,
				İ	Moderately similar to T14738
					hypothetical protein
					DKFZp564A2416.1 [H.sapiens], Homo
					sapiens cDNA FLJ14138 fis, clone
			1	1	
Į			1	1	MAMMA1002765, hypothetical protein

STS, Highly similar to JE0368 mitogen-activated protein kinase kinas			, HONOTOGNE VI			Atty, Docket No. 44921-5039W Doc. No. 1793397
	809.ID No.	(dentifier	Consent Aced Ref Seq. 10 No.	Modal Gode	Homologous Gene Kame	Honologous Cluster Namo
mitogen-activated protein kinase ki	680	15247	Al014169	_г с,и		clone KAIA1993, Homo sapiens mRNA; cDNA DKFZp434B102 (from clone DKFZp434B102), KIAA1376 iprotein, expressed sequence AV216361, upregulated by 1,25- dihydroxyvitamin D-3
Section	681	7315	Al028831	ın		mitogen-activated protein kinase kinase kinase [H.sapiens], mitogen activated protein kinase kinase 5, mitogen-activated protein kinase
ESTs, Moderately similar to RUNG, HUMAN SMALL NUCLEAR RIBONUCLEOPROTEIN G H sapiens], small nuclear ribonucleoprotein polypeptide G H sapiens], small nuclear ribonucleoprotein polypeptide G H sapiens], small nuclear ribonucleoprotein polypeptide G H sapiens], small nuclear ribonucleoprotein polypeptide G H sapiens], small nuclear ribonucleoprotein polypeptide G H sapiens], small nuclear ribonucleoprotein polypeptide G H sapiens G	682			General		
1326 1326 1326 132915 132912						RUXG_HUMAN SMALL NUCLEAR RIBONUCLEOPROTEIN G [H.sapiens], small nuclear
885 2866 A029058 n.y 886 12812 A029128 General 887 17602 A1029128 General 888 7592 A1029128 aa 889 6517 A1029284 d.jk.x 890 7639 A1029292 b 888 7592 A1029292 b 889 6517 A1029292 b 890 7639 A1029292 b 891 3874 A1029428 i.General 892 12819 A1029437 f 893 7452 A1029466 r 894 7493 A1029468 b 894 7493 A1029468 b 895 7537 A1029899 o.General 896 7537 A1029899 iv 897 7452 A102946 b 898 7585 A1030023 k 899 7586 A1030023 k 899 7586 A1030024 b,n 8						Thornacieoprotein polypeptide G
1760			1	}		
17602 AI029185 p						
R88		L				
S89 S517 Al029264 d.k.x						
Section Sect						
ESTs, Moderately similar to CB80 HUMAN 80 KDA NUCLEAR CAP BINDING PROTEIN [H.sapiens] Homo sapiens cDNA FLJ11599 fls, clone HEMBA1003879, nuclear cap binding protein subunit 1, 80kD						
12819 Al029437 f	691	3874	Al029428	i.General		CB80_HUMAN 80 KDA NUCLEAR CAP BINDING PROTEIN [H.sapiens], Homo sapiens cDNA FLJ11599 fis, clone HEMBA1003879, nuclear cap
100	692			f	<u> </u>	
100 100	693			r		
Section	694			b		
Section	696	7537	AI029829	o,General		
7586 Al030024 b,n 760 14492 Al030091 cc EST, Weakly similar to 1605244A erythrocyte ankyrin [H.sapiens], ESTs Weakly similar to 568418 protein phosphatase 1M chain M110 isoform rat [R.norvegicus], Human DNA sequence from clone RP11-196N14 chromosome 20 Contains ESTs, STSs, GSSs and CpG islands. Contains three novel genes, part of a gene for a novel protein similar to protein serine/threonine phosphatase 4 regulatory subunit 1 (PP4R1) and a gene for a novel protein with an ankyrin domain, RIKEN cDNA 1110058D09 gene, RIKEN cDNA 110058D09 gene, RIKEN cDNA 1600009D24 gene, RIKEN cDNA 1600009D24 gene, RIKEN cDNA 4930539L19 gene, expressed sequence AA408090, hypothetical protein MGC5540, leukocyte receptor cluster (LRC) member 3, myosin phosphatase, target subunit 1, protein phosphatase 1, regulatory (inhibitor) subunit 12A, testis-specific ankyrin motif containing protein motif containing protein motif containing protein motif containing protein motif containing protein motif containing protein	697	2310	AI029969	ν		
700 14492 Al030091 cc EST, Weakly similar to 1605244A erythrocyte ankyrin [H.sapiens], ESTs Weakly similar to 568418 protein phosphatase 1M chain M110 isoform rat [R.norvegicus], Human DNA sequence from clone RP11-196N14 ochromosome 20 Contains ESTs, STSs, GSSs and CpG islands. Contains three novel genes, part of a gene for a novel protein similar to protein serine/threonine phosphatase 4 regulatory subunit 1 (PP4R1) and a gene for a novel protein with an analyrin domain, RIKEN CDNA 1110058D09 gene, RIKEN cDNA 1110058D09 gene, RIKEN cDNA 4930539L 19 gene, expressed sequence AA408090, hypothetical protein MGC5540, leukocyte receptor cluster (LRC) member 3, myosin phosphatase 1, regulatory (inhibitor) subunit 12A, testis-specific ankyrin motif containing protein	698	7585	AI030023	x		
EST, Weakly similar to 1605244A erythrocyte ankyrin [H.sapiens], ESTs Weakly similar to S68418 protein phosphatase 1M chain M110 isoform rat [R.norvegicus], Human DNA sequence from clone RP11-196N14 of chromosome 20 Contains ESTs, STSs, GSSs and CpG islands. Contains three novel genes, part of a gene for a novel protein similar to protein serine/threonine phosphatase 4 regulatory subunit 1 (PP4R1) and a gene for a novel protein with an ankyrin domain, RIKEN cDNA 1110058D09 gene, RIKEN cDNA 1110058D09 gene, RIKEN cDNA 4930539L19 gene, expressed sequence AA408090, hypothetical protein MGC5540, leukocyte receptor cluster (LRC) member 3, myosin phosphatase, target subunit 1, protein phosphatase, target subunit 1, protein phosphatase, target subunit 1, protein phosphatase, target subunit 1, protein phosphatase, target subunit 1, protein phosphatase, target subunit 1, protein phosphatase, target subunit 1, protein phosphatase, and the containing protein 701 10673 Al030134 f motif containing protein	699	7586	AI030024	b,n		
erythrocyte ankyrin [H.sapiens], ESTs Weakly similar to S68418 protein phosphatase 1M chain M110 isoform rat [R.norvegicus], Human DNA sequence from clone RP11-196N14 of chromosome 20 Contains ESTs, STSs, GSSs and CpG islands. Contains three novel genes, part of a gene for a novel protein similar to protein serine/threonine phosphatase 4 regulatory subunit 1 (PP4R1) and a gene for a novel protein with an ankyrin domain, RIKEN cDNA 1110058D09 gene, RIKEN cDNA 1600009D24 gene, RIKEN cDNA 4930539L19 gene, expressed sequence AA408090, hypothetical protein MGC5540, leukocyte receptor cluster (LRC) member 3, myosin phosphatase, target subunit 1, protein phosphatase 1, regulatory (inhibitor) subunit 12A, testis-specific ankyrin motif containing protein for the protein model of the protein model of the protein model of the protein model of the protein phosphatase 1, regulatory (inhibitor) subunit 12A, testis-specific ankyrin motif containing protein for the protein model of the protein mod	700	14492	AI030091	cc		
703 2370 Al030179 General						erythrocyte ankyrin [H.sapiens], ESTs. Weakly similar to S68418 protein phosphatase 1M chain M110 isoform-rat [R.norvegicus], Human DNA sequence from clone RP11-196N14 or chromosome 20 Contains ESTs, STSs, GSSs and CpG islands. Contains three novel genes, part of a gene for a novel protein similar to protein serine/threonine phosphatase 4 regulatory subunit 1 (PP4R1) and a gene for a novel protein with an ankyrin domain, RIKEN cDNA 1110058D09 gene, RIKEN cDNA 1600009D24 gene, RIKEN cDNA 4930539L19 gene, expressed sequence AA408090, hypothetical protein MGC5540, leukocyte receptor cluster (LRC) member 3, myosin phosphatase, target subunit 1, protein phosphatase 1, regulatory (inhibitor)
	701			f,		
	702	7615	AI030163			

		HOMOLOGUE A			. Any. Docker No. 44921-3039000 Doc. No. 1793397.
Seq. ID No:	ldeniller	ConBank Acel: Ref. Seq. ID No.	M ode l Gode :	Hamologous Cana Name	Homologous Cluster Name
705	11559	Al030472	General		ESTs, Highly similar to 2008109A set gene [R.norvegicus], ESTs, Highly similar to SET_HUMAN SET PROTEIN [H.sapiens], SET translocation, SET translocation (myeloid leukemia-associated), nucleosome assembly
706	7665	A1030668	t,bb	nucleosome assembly protein 1-like 1	protein 1-like 1, nucleosome assembly protein 1-like 2, nucleosome assembly protein 1-like 4
707	24222	AI030704	k		
708	10740	AI030743	h .		
709	10742	AI030773	е		
711	16169	AI030932	General		RIKEN cDNA 1300012C15 gene, RIKEN cDNA 2310076L09 gene, adipose differentiation related protein, adipose differentiation-related protein
712	19527	AI030991	f		
713	22614	AI031004	r		
714	3167	AI031012	е		ClpP (caseinolytic protease, ATP- dependent, proteolytic subunit, E. coli) homolog, caseinolytic protease, ATP- dependent, proteolytic subunit homolog (E. coli)
715	5350	AI043611	а		
716	7858	AI043654	t	1	
717	10784	AI043678	d	1	
718	9180	AI043694	aa		
719 720	7867 7584	AI043695 AI043724	aa General		AMIDOPHOSPHORIBOSYLTRANSFE RASE PRECURSOR [H.sapiens], ESTs, Moderately similar to PUR1_HUMAN AMIDOPHOSPHORIBOSYLTRANSFE RASE PRECURSOR [H.sapiens], RIKEN cDNA 5730454C12 gene, expressed sequence AA675351, expressed sequence C79945, glutamine fructose-6-phosphate transaminase 2, glutamine-fructose-6- phosphate transaminase 2, phosphoribosyl pyrophosphate amidotransferase
721	7895	AI043768	е		1
722	7903	AI043805	General		1
					ELL-RELATED RNA POLYMERASE II, ELONGATION FACTOR, ESTS, Highly similar to ELL2_HUMAN RNA POLYMERASE II ELONGATION FACTOR ELL2 [H.sapiens], ESTS, Weakly similar to ELL MOUSE RNA POLYMERASE II ELONGATION FACTOR ELL [M.musculus], ESTS, Weakly similar to ELL2_HUMAN RNA POLYMERASE II ELONGATION FACTOR ELL2 [H.sapiens], Mus musculus, clone IMAGE:3583970, mRNA, partial cds, Mus musculus, clone MGC:11987 IMAGE:3601737, mRNA, complete cds, eleven-nineteen lysine-rich leukemia gene, hypothetical
723 724	7913		CC .		protein FLJ22637
724	3899	AI043904	cc <i>,</i> I		protein FLJ22637
		AI043904 AI043914	cc I f g,l,m,General		protein FLJ22637

TABLE	8: HUMAN	HOMOLOGUEA	EXIOTATIONS	oyon Eliza	Any. Docket No. 44921-5039W
A Let					Dog. No. 1798397.1
Seq. (D		General Acel		Homologous Comp., 4	
No. 2	(dentifier	Ref. Seq. ID No.	Model Gods	Name : 1	Homologous Cluster Name
728	5393	Al044170	p		
729	5398	AI044177	q		
	н				EST, Weakly similar to S59856
					collagen alpha 1(III) chain precursor -
			j		mouse [M.musculus], ESTs, Weakly
		1			similar to S59856 collagen alpha 1(III)
					chain precursor - mouse [M.musculus]
	1			,	Homo sapiens, Similar to hypothetical protein FLJ20783, clone MGC:1005
			1		IMAGE:3139876, mRNA, complete
		l			cds, expressed sequence AW122071,
	1			1	hypothetical protein FLJ10355,
	1			1 .	procollagen, type XIX, alpha 1,
					sequence-specific single-stranded-
					DNA-binding protein, single-stranded
730	5425	AI044237	a,d	3	DNA-binding protein 2
					2,4-dienoyl CoA reductase 1,
İ					mitochondrial, 2,4-dienoyl CoA
1				:	reductase 2, peroxisomal, ESTs,
1				.*	Weakly similar to LUNG CARBONYL
l					REDUCTASE [M.musculus], ESTs, Weakly similar to S11021 2,4-dienoyl-
1	1				CoA reductase [R.norvegicus], FabG
				j	(beta-ketoacyl-[acyl-carrier-protein]
			1		reductase, E coli) like, Homo sapiens
					AS10 protein mRNA, partial cds,
					RIKEN cDNA 1200012F07 gene,
					RIKEN cDNA 1810027P18 gene,
				.4	carbonyl reductase, carbonyl
731	8692	AI044247	Jr		reductase 2, oxidoreductase UCPA
732	5430	AI044253	<u> </u>		
733	5461	A1044338	g,p,General		
734 735	5464 3359	AI044345 AI044347	laa		
/35	3339	A1044347	laa		EST, Moderately similar to
İ				į į	IL6B HUMAN INTERLEUKIN-6
					RECEPTOR BETA CHAIN
			1	4	PRECURSOR [H.sapiens], colony
					stimulating factor 3 receptor
					(granulocyte), cytokine receptor-like
				3	factor 1, interleukin 12 receptor, beta
	1		1		2, interleukin 6 signal transducer,
			1.		interleukin 6 signal transducer (gp130,
737	2695	A1044396	b	<i>B</i>	oncostatin M receptor)
738	5494	AI044425	General		
740	9882	A1044588	j,m		
741 742	5575	AI044688 AI044794	g General		
142	2348	M1044794	General		

TABLE	Se HUMAN	HOMOFOGNEY	BKOTATOKK		(Alty), Docket No. 44921-503900 (Doc. No. 1793397)
යික (බ		 ContBenty ∆on/		Homologous Come	Bas was the therefore
No.	leenilitier	Consonk Ace <i>l</i> Ref. Seq. ID No.	Model Godo	Namo	Homologous Gluster Name
					EST, Moderately similar to JH0148
					nucleolin - rat [R.norvegicus], EST,
		1		1	Moderately similar to RBM8_HUMAN PUTATIVE RNA-BINDING PROTEIN
					[H.sapiens], EST, Weakly similar to
					NUCL HUMAN NUCLEOLIN
					[H.sapiens], ESTs, Highly similar to
	1				FUS_HUMAN RNA-BINDING
					PROTEIN FUS [H.sapiens], ESTs, Highly similar to RBM8 HUMAN
					PUTATIVE RNA-BINDING PROTEIN 8
					[H.sapiens], ESTs, Moderately similar
		1			to RBM8_HUMAN PUTATIVE RNA-
					BINDING PROTEIN 8 [H.sapiens],
					Mus musculus pigpen protein mRNA,
				<u> </u>	complete cds, RNA binding motif protein 8A, TATA box binding protein
					(TBP)-associated factor, RNA
	ļ				polymerase II, N, 68kD (RNA-binding
	I				protein 56), fusion, derived from
743	18205	AI044836	<u>In</u>		t(12;16) malignant liposarcoma
744 745	5626	AI044864 AI044869	lu f		
746	5634	Al044883	General		
747	4047	AI044947	l,m		
748	5654	Al044976	, w		
749	5684	AI045056	ļr		FOT WELL SHIP ON MOUSE
					ESTs, Highly similar to BGAL MOUSE BETA-GALACTOSIDASE
					PRECURSOR [M.musculus], ESTs,
			l		Weakly similar to BGAL MOUSE BETA
					GALACTOSIDASE PRECURSOR
			ŀ		[M.musculus], Homo sapiens, clone
				,	IMAGE:3502329, mRNA, partial cds, Homo sapiens, clone IMAGE:3938286,
					mRNA, partial cds, RIKEN cDNA
					4833408P15 gene, galactosidase,
750	19235	AI045074	General		beta 1
751	5689	AI045075	i,aa,General		FOT. WU.
]	1		ESTs, Weakly similar to MCAT HUMAN MITOCHONDRIAL
					CARNITINE/ACYLCARNITINE
				1	CARRIER PROTEIN [H.sapiens],
				.*	expressed sequence AW108044,
					solute carrier family 25
	1				(carnitine/acylcarnitine translocase), member 20. solute carrier family 25
					(mitochondrial carnitine/acylcarnitine
				,	translocase), member 20, solute
					carrier family 25 (mitochondrial carrier;
				'	adenine nucleotide translocator),
				4	member 10, solute carrier family 25
	1	,		,	(mitochondrial carrier; ornithine transporter), member 15, uncoupling
					protein 2 (mitochondrial, proton
					carrier), uncoupling protein 2,
752	5711	AI045151	General		mitochondrial

TABLE	3 HUMAN	HOMOLOGUEA	NNOTATIONS	A 24 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Any. Pocket No. 44921-5039W
					Doc. No. 1793397.
809. II No.) Identifier	Cenbank Aced Ref. Seq. ID No.		Homologous Gano Nemo	" Honologous Gluster Name
					ESTs, Moderately similar to K6B2_MOUSE RIBOSOMAL PROTEIN S6 KINASE BETA 2 (S6K-
					BETA 2) (70 KDA RIBOSOMAL PROTEIN S6 KINASE 2) (P70-S6KB) (P70 RIBOSOMAL S6 KINASE BETA)
					(P70 S6KBETA) (S6K2) [M.musculus], NIMA (never in mitosis gene a)-related expressed kinase 3, RIKEN cDNA 2510318/15 gene, expressed
				The second secon	sequence Al256796, expressed sequence AW319595, ribosomal
753	19237	AI045153	c		protein S6 kinase, 70kD, polypeptide 2, serine/threonine kinase 5
754	9964	AI045161	f		
755	5735	AI045223	d .		
756	5474	A1045477	a,General		
757 758	5811 5819	AI045502 AI045537	d,e General	1	
759	5839	AI045594	General	1	
700	10000	171040004	 		TRAM-like protein, translocating chain-
760	6808	AI045600	Js		associating membrane protein
761	17755	AI045608	у		
763	10020	AI045632	a		3
764	5855	A1045669	General		
765	5881	AI045789	ji .		B aggressive lymphoma gene, DKFZP434J214 protein, KIAA1268 protein
]				KIAA0138 gene product, hypothetical protein FLJ13213, scaffold attachment
766 767	5897 5900	AI045862	General		factor B
		AI045866]y,z		EST, Weakly similar to C29149 prolinerich protein - mouse [M.musculus], ESTs, Weakly similar to C29149 proline-rich protein - mouse [M.musculus], KIAA0999 protein, Mouse 31-kDa proline-rich salivary protein, complete cds of clone pUMP125, Mus musculus, Similar to proline-rich protein BstNI subfamily 2, clone MGC:18611 IMAGE:4165240, mRNA, complete cds, RIKEN cDNA 6030468B19 gene, Rattus norvegicus proline-rich proteoglycan (PRPG2) mRNA, complete cds, proline-rich
768 769	7540 5329	AI045882 AI045970	o,t,General		protein HaellI subfamily 2
770	15093	AI058285	d d		
771	8002	Al058304	Ī		
772	8017	AI058341	C ,		
773	6828	AI058359	General		Cdc42 effector protein 2, Cdc42 effector protein 3
774	8177	A1058603	aa		
775 776		AI058730	aa		
776 777	10093 8143	A1058746	g General		
778	18659	AI058759 AI058762	f		<u> </u>
	110000	MI000102 "	J		* 1
		AI058837	aa		
779	8163	AI058837 AI058889	aa General		
	8163	AI058837 AI058889 AI059061	aa General General		

TABUE	SE HUMAN	HOMOLOGUEA	- EXIOTIATORIX		Anny, Docket No. 44921-503900 Doc. No. 1793397
Seq. ID	ldeniffer	GenBank Ace./ Ref. Seq. ID No.	Model Gode	Namo Hamologous Gano	Homologaus Gluster Namo
783	8245	- A1059154	, b		EST, Weakly similar to GBLP_HUMAN GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT-LIKE PROTEIN 12.3 [H.sapiens], Homo sapiens mRNA for FLJ00083 protein, partial cds, IRA1 protein, Rattus norvegicus Sprague Dawley protein kinase C receptor mRNA, complete cds, WD repeat domain 5, expressed sequence AL033335, hypothetical protein, recombination protein REC14
784	8283	AI059290	n	Ì	
785	8314	AI059386	g,General		
786	10200	AI059444	li		
787	8347	Al059519	5		DKFZP566D213 protein, EST, Moderately similar to EPIDERMAL GROWTH FACTOR PRECURSOR [M.musculus], ESTs, Weakly similar to mel [M.musculus], Epidermal growth factor, epidermal growth factor, epidermal growth factor (betaurogastrone), hypothetical protein MGC11256, nel-like 2 homolog (chicken)
788	18359	A1059675	n		EST, Highly similar to TERA HUMAN [H.sapiens], EST, Weakly similar to T46437 hypothetical protein DKFZp434K0126.1 [H.sapiens], ESTs, Weakly similar to T46437 hypothetical protein DKFZp434K0126.1 [H.sapiens], ESTs, Weakly similar to TERA HUMAN [H.sapiens], ESTs, Weakly similar to TERA RAT TRANSITIONAL ENDOPLASMIC RETICULUM ATPASE [R.norvegicus], RIKEN cDNA 5430414H02 gene, spermatogenesis associated factor, valosin containing protein
789	10281	AI059947	b,t		
790 791 792	8494 8495 8496	AI059968 AI059971 AI059974	General	·	Homo sapiens (clone NCD18) tumor necrosis factor receptor related protein mRNA, complete exon and repeat region, lymphotoxin B receptor, lymphotoxin beta receptor (TNFR superfamily, member 3), tumor necrosis factor receptor superfamily, member 8
192	0490	MIUD99/4	General		KIAA1685 protein, KIAA1713 protein
702	1,000	41000000	,]		CGI-142, RIKEN cDNA 3930401K13
793	10289	AI060053	<u> </u>		gene
794	8548		k		
795	8565	AI060236	t		
796 ,	18322	AI060279	i,y,z		
797 798 :	8745	AI070067	0		IK cytokine, down-regulator of HLA II, Mus musculus, Similar to IK cytokine, down-regulator of HLA II, clone MGC:25508 IMAGE:4920184, mRNA, complete cds growth arrest and DNA-damage-
799 .	17506 "	A1070068	cc		inducible 45 beta, growth arrest and DNA-damage-inducible, alpha, growth arrest and DNA-damage-inducible, beta

		HOWOTOGALE V	化二苯十四烷基基		Ally, Docket No. 44921-50390 Doc. No. 179339
300; (D XIO:	lden th er	Genfant Aced Ref. Seg. ID No.	Model Gode	Manie Manie Manie	Homologous Cluster Name
					ESTs, Highly similar to NUCL_HUM. NUCLEOLIN [H.sapiens], Nucleolin,
			ļ		RIKEN cDNA 0610010A22 gene, eukaryotic translation initiation factor
					3, subunit 4 (delta, 44 kDa), eukaryo
800	9067	AI070087	General		translation initiation factor 3, subunit (delta, 44kD), nucleolin
***************************************	1	1			CGI-97 protein, EST, Weakly similar
					YC97_HUMAN HYPOTHETICAL PROTEIN CGI-97 [H.sapiens], RIKE
801	3551	Al070122	e		cDNA 4733401P19 gene
802 803	4967 18	AI070179 AI070195	k General		glia maturation factor, gamma CGI-20 protein
	1	,	Joeneral		armadillo repeat gene deletes in
					velocardiofacial syndrome, catenin
					(cadherin-associated protein), delta catenin (cadherin-associated protein
304	24407	1070044			delta 2 (neural plakophilin-related arr
305	24197 8869	AI070314 AI070330	General	<u> </u>	repeat protein), plakophilin 4
306	8874	AI070336	b,cc		
307	10417	AI070410	m		
308	8901	AI070419	aa		toll-like receptor 1, toll-like receptor 1 toll-like receptor 2, toll-like receptor 6
309 310	14424	AI070421	I,p,General		
310	10434 8927	AI070497 AI070523	General v		
312	8946	AI070611	g :		1
313 314	8950 8972	AI070621 AI070673	W Constal		
315	8981	Al070075	General bb		
16			i,l	·	ESTs, Highly similar to I49636 DNA-binding protein - mouse [M.musculus] ESTs, Moderately similar to I49636 DNA-binding protein - mouse [M.musculus], ESTs, Weakly similar to B57785 zinc finger protein ZNF136 [H.sapiens], ESTs, Weakly similar to OZF_HUMAN ZINC FINGER PROTEIN OZF [H.sapiens], Homo sapiens, Similar to zinc finger protein 136 (clone pHZ-20), clone MGC:1064 IMAGE:4053041, mRNA, complete cds, RIKEN cDNA 2310011F05 gene, pancreas zinc finger protein, zinc finger protein 136 (clone pHZ-20), zinc finger protein 260, zinc finger protein 63, zinc finger protein 97 DKFZP564F0522 protein, ESTs, Weakly similar to 708675 hypothetical
			w		protein DKFZp564F0522.1 [H.sapiens
	0333	AI070839	0		ESTs, Highly similar to NRP2 RAT
20	24301	Al070911	ə,f ,		NEUROPILIN-2 PRECURSOR (VASCULAR ENDOTHELIAL CELL GROWTH FACTOR 165 RECEPTOR 2) [R.norvegicus], neuropilin 2, neuropilin-2, platelet derived growth factor C
			General		
	× 1	307 1030			cell division cycle 25 homolog B (S. cerevisiae), cell division cycle 25 homolog C (S. cerevisiae), cell division cycle 25C, cell division cycle 25C,

					A lly. Docket No. 44921-5 03900 Doc. No. 1 793307
	ldentifier		Model Gode	Kame Kame	Homologous Guster Name
824	11005	AI071139	r		
					ESTs, Highly similar to ROG_HUMAN HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN G [H.sapiens], Homo sapiens, Similar to RNA binding motif protein, X chromosome, clone MGC:9398 IMAGE:3875565, mRNA, complete cds, RIKEN cDNA 1700012H05 gene
					RNA binding motif protein, X chromosome, RNA binding motif protein, X chromosome retrogene, RNA binding motif protein, Y chromosome, family 1, member A1, testes-specific heterogenous nuclear
825	9104	AI071173]j,m		ribonucleoprotein G-T
826 827	9583	AI071185	General		
<u> </u>	3044	AI071410	lc		serine palmitoyltransferase, long chair
828	16058	AI071490	General		base subunit 2
829	11057	Al071509	f,o -		
831	5695	AI071566	bb		1
832	∮9671	AI071568	w		
833	22929	AI071578	General		DNA segment, human D4S114, P311 protein
834	19673	AI071581	General		
835	9699	AI071646	General		
837	9799	AI072008	q,y,z		
838	9808	A1072050	d		
839 840	22796 9271	AI072213 AI072405	General		4
841	10869	A1072405	v w		
842	21797	A1072439	General		EST X83352, ESTs, Highly similar to T17226 hypothetical protein DKFZp566G223.1 [H.sapiens], Homo sapiens, Similar to chloride intracellular channel 4, clone MGC:8812 IMAGE:3861372, mRNA, complete cds, RIKEN cDNA 5730531E12 gene, chloride intracellular channel 1, chloride intracellular channel 4, chloride intracellular channel 4 (mitochondrial), hypothetical protein DKFZp434N127, intracellular chloride ion channel protein p64H1
843 844	9306 9312	A1072521 A1072550	r i		
845	10893	AI072559	X 1		
846	1501	AI072634	cc,General		
847	6548	AI072658	General		
348	9363	A1072695	d		DnaJ (Hsp40) homolog, subfamily C, member 4, Homo sapiens, clone MGC:19482 IMAGE:4309314, mRNA, complete cds, hypothetical protein FLJ11506
850 851	9409	AI072841 AI072842	n		
352	9468	AI072842 AI073021	w General		
353	9518	AI073223	f		
354	11183	Al100768			EST, Moderately similar to CARBONIC ANHYDRASE II [R.norvegicus], carbonic anhydrase 2, carbonic anhydrase II, carbonic anhydrase VIII, carbonic anhydrase-like seguence 1
		iru wuruu d	. 1		namanic ampunase-iko semience 1

		HOWO! OGNE (A			Ally. Docket No. 44921-5999W Doc. No. 1799397
809. ID No.	ldentiller	ConBonk Ace./ Ref. Seq. ID No.			Homologous Cluster Name
856	2029	AI100842	р		
857	5687	AI101006	e	1	
858	15192	Al101099	g,cc		ESTs, Moderately similar to AF078844 1 hqp0376 protein [H.sapiens], expressed sequence AA409533
859 860	17399 9339	Al101157 Al101160	o I,m,o		ATP synthase, H+ transporting, mitochondrial F0 complex, subunit f, isoform 2, EST, Weakly similar to ATPK_HUMAN ATP SYNTHASE F CHAIN, MITOCHONDRIAL [H.sapiens], ESTs, Highly similar to ATPK_HUMAN ATP SYNTHASE F CHAIN, MITOCHONDRIAL [H.sapiens]
000	19999	A1101100	41,111,0		<u> </u>
					ESTs, Moderately similar to HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN C [R.norvegicus], Mus musculus high-glycine/tyrosine protein type I-E5 mRNA, complete cds, RNA binding protein p45AUF1, expressed sequence C85084, heterogeneous nuclear ribonucleoprotein A/B, heterogeneous nuclear ribonucleoprotein D, heterogeneous nuclear ribonucleoprotein D (AU-rich element RNA-binding protein 1, 37kD), heterogeneous nuclear
861	6321	Al101256	General		ribonucleoprotein D-like
862	5421	Al101270	c		Rho GDP dissociation inhibitor (GDI) beta, expressed sequence C87222, rho, GDP dissociation inhibitor (GDI) beta
					ets variant gene 5 (ets-related
863	11910	AI101323 *	General		molecule)
864	23140	AI101608	e		
865	4119	Al101901	General "		
866	16324	Al102009	b		
				(brain-specific membrane-anchored protein, chromosome 1 open reading
867	18642	AI102023	О .		frame 8
868	19373	Al102044	a	beta-carotene 15, 15'- dioxygenase, beta- carotene 15,15'- dioxygenase, frizzled (Drosophila) homolog 1, frizzled homolog 1, (Drosophila)	EST, Moderately similar to 0806162D protein COII [M.musculus], EST, Weakly similar to 810024D cytochrome oxidase II [H.sapiens]
869 ;	7051	Al102055	h		ESTs, Highly similar to 2013348A Ser kinase SRPK1 [H.sapiens], Mus musculus 13 days embryo head cDNA, RIKEN full-length enriched library, clone:3110005M20, full insert sequence, Mus musculus adult male lung cDNA, RIKEN full-length enriched library, clone:1200011B22, full insert sequence, SFRS protein kinase 1, SFRS protein kinase 2, serine/argininerich protein specific kinase 2, serine/threonine kinase 23
			c		
			w		
			e,q		
			g,j,s		
			c,k	4	TYRO protein tyrosine kinase binding protein

TABUE	MAMPUR, 85	HOMOTOGAE V	ZKOLENTOKK		Ally, Docket No. 44921-5039W Doc. No. 1793397.1
Seq. (10) No **	ldentijier.	ConBook Ascal Ref. Seq. (D No.	Modal Gode	Homologous Gane	Hemologous Cluster Warre
					ESTs, Weakly similar to GEF2_HUMAN GANGLIOSIDE EXPRESSION FACTOR 2 [R.norvegicus], GABA(A) receptor- associated protein-like 2, RIKEN cDNA 0610012F20 gene, ganglioside
875	5967	AI102520	у	4	expression factor 2
875	5969	AI102520	sep.w		ESTs, Weakly similar to GEF2_HUMAN GANGLIOSIDE EXPRESSION FACTOR 2 [R.norvegicus], GABA(A) receptor- associated protein-like 2, RIKEN cDNA 0610012F20 gene, gamma- aminobutyric acid (GABA(A)) receptor- associated protein-like 1, ganglioside expression factor 2
876	11563	AI102560	General		
877	15190	AI102562	b,g,n,p,v		EST, Moderately similar to Cd-7 Metallothionein-2 [H.sapiens], EST, Moderately similar to SMHU1E metallothionein 1E [H.sapiens]
878	19769	AI102570	bb		EST, Highly similar to I49523 Mouse
879 .	22487	AI102578	General		primary response gene B94 mRNA, 3'end - mouse [M.musculus], Homo sapiens, clone MGC:16332 IMAGE:3842543, mRNA, complete cds, RIKEN cDNA 1200009106 gene, RIKEN cDNA 1600013K19 gene, similar to S. cerevisiae Sec6p and R. norvegicus rsec6, tumor necrosis factor, alpha-induced protein 2
880	19011	AI102618	General		
881	23837	AI102620 AI102727	g,t g,General		solute carrier family 20 (phosphate transporter), member 1, solute carrier family 20 (phosphate transporter), member 2, solute carrier family 20, member 1, solute carrier family 20, member 2
883	17234	Al102741	c	tissue inhibitor of metalloproteinase 3, tissue inhibitor of metalloproteinase 3 (Sorsby fundus dystrophy, pseudoinflammatory)	tissue inhibitor of metalloproteinase 3, tissue inhibitor of metalloproteinase 3 (Sorsby fundus dystrophy, pseudoinflammatory)
884	5891	AI102745	k		
885	6796	Al102753	General		
886	8837	Al102849	o,p		
887 888	15861 3533	AI102868 AI102877			phosphoserine aminotransferase
889	13222	Al102977	g General		
890	6806	Al102977	o,u		
891	10659	Al103010	w.cc.General		
892 ,	17400	Al103097	e		ATP synthase, H+ transporting, mitochondrial F0 complex, subunit f, isoform 2, EST, Weakly similar to ATPK_HUMAN ATP SYNTHASE F CHAIN, MITOCHONDRIAL [H.sapiens], ESTs, Highly similar to ATPK_HUMAN ATP SYNTHASE F CHAIN, MITOCHONDRIAL [H.sapiens]
	3584	Al103106	x,aa .		
894	13298	Al103143	r		

E MANAGEMENT		HOMOrogne V			Alit y, Docket No. 44921-503900 Doc. No. 1793397,
809.II No.	D ldentilier	Consont Acel Ref. Seq. ID No.	 Model Gode	Homologous Gerie Name	Homologous Gluster Namo
895	15981	A1402450			ESTs, Highly similar to S17516 hypothetical protein [H.sapiens], ESTs Highly similar to UBIQUITIN-CONJUGATING ENZYME E2-17 KD [R.norvegicus], RIKEN cDNA 1110015A16 gene, RIKEN cDNA 2610301N02 gene, expressed sequence Al327276, ubiquitin conjugating enzyme, ubiquitin-conjugating enzyme E2A (RAD6 homolog), ubiquitin-conjugating enzyme E2B (RAD6 homolog), ubiquitin-conjugating enzyme E2B (RAD6 homology), ubiquitin-conjugating enzyme E2B (RAD6 homology), ubiquitin-conjugating enzyme E2B (RAD6 homology), ubiquitin-conjugating enzyme E2C, ubiquitin-conjugating enzyme E2C, ubiquitin-
896		AI103150	i,x w		conjugating enzyme E2G 2
-	3475	AI103245			
898 899	23619 24181	AI103314	p		
901	4355	AI103320 AI103410	e General		
902	7622	AI103410 AI103472	General		
903	20918	AI103472	n		
904	21579	AI103572	General		
905	2222	AI103631	0		
906	2752	AI103641	e		
907	4856	AI103708	i		
908	8990	AI103719	l,m,y,z		
909	15942	AI103713	r,,y,&		
910	22885	AI103738	e,General		
310	22003	A1103020	e,General	complement component 4	
911	15853	Ai103841	×		EST, Weakly similar to complement component C4A [H.sapiens]
					EST, Moderately similar to UCRI RAT UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR
912	15050	A1103911	· ·	15 Min	SUBUNIT, MITOCHONDRIAL PRECURSOR [R.norvegicus], EST, Weakly similar to UCRI_HUMAN UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT, MITOCHONDRIAL PRECURSOR [H.sapiens], ESTs, Moderately similar to UCRI_HUMAN UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT, MITOCHONDRIAL PRECURSOR [H.sapiens], Human DNA sequence from clone RP1-228J4 on chromosome 6 Contains a pseudogene similar to UQCRFS1 (ubiquinol-cytochrome c reductase, Rieske iron-sulfur polypeptide 1), ESTs, an STS and GSSs, RIKEN cDNA 4430402G14 gene, expressed sequence Al875505, ubiquinol- cytochrome c reductase, Rieske iron-
912 913	15050 12376		j.y u	15 Min	SUBUNIT, MITOCHONDRIAL PRECURSOR [R.norvegicus], EST, Weakly similar to UCRI_HUMAN UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT, MITOCHONDRIAL PRECURSOR [H.sapiens], ESTs, Moderately similar to UCRI_HUMAN UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT, MITOCHONDRIAL PRECURSOR [H.sapiens], Human DNA sequence from clone RP1-228J4 on chromosome 6 Contains a pseudogene similar to UQCRFS1 (ubiquinol-cytochrome c reductase, Rieske iron-sulfur polypeptide 1), ESTs, an STS and GSSs, RIKEN cDNA 4430402G14 gene, expressed sequence AI875505, ubiquinol-

1.50		See 1			ANY, Docket No. 44924-50390 Doc. No. 179339
Seq. (D Xo. ⊕ ((IdenIIIier	Genbenk Aced Ref. Seq. 10 No.	Model Godo	Hamalogous Cene Name	Homologous Gluster Name
015	20833	Al104035	sf,q		ESTs, Weakly similar to COXG MOUSE CYTOCHROME C OXIDAS POLYPEPTIDE VIB [M.musculus], Human DNA sequence from clone RP4-591N18 on chromosome 22q1: 13.2 Contains a COX6B (Cytochrom C Oxidase subunit VIb (EC 1.9.3.1)) pseudogene, ESTs, GSSs and two putative CpG islands, RIKEN cDNA 2010000G05 gene, cytochrome c oxidase subunit VIb
16	7010	Al104099	W	}	
917 918	22101 22833	AI104251 AI104258	General General		DKFZP564O243 protein
919 920	22211	Al104279	g,m		EST, Weakly similar to IF6_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 6 [H.sapiens], Mus musculus 10 days neonate cerebellum cDNA, RIKEN full-length enriched library, clone:6530402L05, full insert sequence, integrin beta 4 binding protein
921	10720 15416	AI104296 AI104340	!		
922	10991	AI104340 AI104342	a		
923 924	18831 7223	Al104357 Al104373	p e		gamma [H.sapiens], ESTs, Weakly similar to 139393 alpha-actin [H.sapiens], ESTs, Weakly similar to S38782 actin beta' chain [H.sapiens], Homo sapiens mRNA; cDNA DKFZp434B2115 (from clone DKFZp434B2115), RIKEN cDNA 1700052K15 gene, RIKEN cDNA 1700051J02 gene, actin-like 7a, expressed sequence AL023024, expressed sequence AV259599, melanoma X-actin, uncharacterized hypothalamus protein HARP11
			ż	cytochrome c oxidase	
25	23574	Al104520	e,g,s	subunit VIa polypeptide 1, cytochrome c oxidase, subunit VI a, polypeptide 1	NADH dehydrogenase (ubiquinone) 1
26	18509	AI104528	q	,	beta subcomplex, 6 (17kD, B17)
227			V		ESTs, Weakly similar to RENAL TRANSCRIPTION FACTOR KID-1 [R.norvegicus], ESTs, Weakly similar to T42682 hypothetical protein DKFZp434G1221.1 [H.sapiens], Homsapiens, clone MGC:20975 IMAGE:4634585, mRNA, complete cds, expressed sequence AA415813, expressed sequence AI839920, expressed sequence AL024263, hypothetical protein FLJ20531, transcription factor 17, transcription factor 17-like 1, zinc finger protein 91, zinc finger protein 91, zinc finger protein homologous to
28			w		Zfp91 in mouse
29	23689	AI104685			hypothetical protein MGC10947,
30	15377	AI104821	o,cc]		leucine rich repeat (in FLII) interacting protein 2

TABLE	RAMUH.	HOMOLOGUEA	encitations		Airy. Docket No. 44921-5339 WO Doc. No. 1793397.1
Scq. [D Vo. *+) Clentifier	Cenbank Ace./ Ref. Seq. ID No.	Modal Godo	Homologous Caro Namo	Handogous Cluster Neme
932	, 18451	Al104953	o,s		ATP synthase, H+ transporting, mitochondrial F1 complex, delta subunit, EST, Moderately similar to ATPD_HUMAN ATP SYNTHASE DELTA CHAIN, MITOCHONDRIAL PRECURSO [H.sapiens], RIKEN cDNA 0610008F14 gene, expressed sequence AA960090, expressed sequence AI876556, expressed sequence C85518
933	24375	Al104979	n,General		3-oxoacid CoA transferase.
934 935	18278 2196	AI105080 AI105243	bb g		hypothetical protein FKSG25
936	5199	Al105272	bb,General		
937 938	12901 7700	AI105301 AI105383	o,s cc,General		
939	13343	AI105398	u		
940	22931	Al105417	e,General		DNA segment, human D4S114, P311 protein expressed sequence D17825, glutaryl-
941	23596	AI105435	bb		Coenzyme A dehydrogenase
942 943	15893 12660	Al105465	0	130	ESTs, Highly similar to DHSD_HUMAN SUCCINATE DEHYDROGENASE [H.sapiens], ESTs, Moderately similar to DHSD_HUMAN SUCCINATE DEHYDROGENASE [H.sapiens], succinate dehydrogenase complex, subunit D, integral membrane protein
944	4479	AI111492 AI111599	General		
945 946	24211 2539	Al111853 Al111960	k		EST, Moderately similar to 0710252A histone H3 [H.sapiens], ESTs, Highly similar to H33_HUMAN HISTONE H3.3 [H.sapiens], ESTs, Weakly similar to H33_HUMAN HISTONE H3.3 [H.sapiens], ESTs, Weakly similar to JQ1983 H3.3 like histone MH921 - mouse [M.musculus], H3 histone, family 3A, H3 histone, family 3B, H3 histone, family 3B (H3.3B)
		·			EGF-containing fibulin-like extracellular matrix protein 1, EGF-containing fibulin-like extracellular matrix protein 2, EST, Weakly similar to FBL3_RAT EGF-CONTAINING FIBULIN-LIKE EXTRACELLULAR MATRIX PROTEIN 1 PRECURSOR (FIBULIN-3) (FIBL-3) (T16 PROTEIN) (R.norvegicus], ESTs, Highly similar to FBL3_RAT EGF-CONTAINING FIBULIN-LIKE EXTRACELLULAR MATRIX PROTEIN 1 PRECURSOR (FIBULIN-3) (FIBL-3) (T16 PROTEIN) (R.norvegicus], ESTs, Weakly similar to FBL3_RAT EGF-CONTAINING FIBULIN-LIKE EXTRACELLULAR MATRIX PROTEIN 1 PRECURSOR (FIBULIN-3) (FIBL-3) (T16 PROTEIN) (R.norvegicus],
947	5729	Al111990	k .		fibulin-like extracellular matrix protein 1, epidermal growth factor-containing fibulin-like extracellular matrix protein 2

		HOMOROGALS W			Atty, Docket No. 44921-503977 Doc. No. 1793597
Seq. (1 No.	D (denimer	Consont Acel Ref. Seq. 10 No.	Model Code	Name Name Konclogous Gana	Homologous Gluster Name
948	4049	Al112012	₅i,g,u,General		EST, Moderately similar to PM17 MOUSE MELANOCYTE PROTEIN PMEL 17 PRECURSOR [M.musculus Homo sapiens, Similar to glycoproteir (transmembrane) nmb, clone MGC:1696 IMAGE:3345861, mRNA, complete cds, glycoprotein (transmembrane) nmb, silver
949	12908	AI112043	<u>]i</u>		
950 951	20041 12937	Al112161 JAI112462	Concret		
952	3713	Al112571	General b		
953	3713 312921	Al112636	General		Homo sapiens BAC clone RP11- 335J18 from 2, RIKEN cDNA 1700124F02 gene, expressed sequence Al325217, uridine phosphorylase
954	12965	Al112926	General	1	
955	7499	Al112986	General		
956	4969	Al113008	r		
957	11817	Al136295	f		DKFZP564O123 protein, putative breast adenocarcinoma marker (32kD)
959	11165	AI136372	C		
960	4045	AI136460	cc	4	
961	12782	AI136493	k		
962	6850	Al136665	h	# # # # # # # # # # # # # # # # # # #	diphosphohydrolase 1, ectonucleoside triphosphate diphosphohydrolase 2, ectonucleoside triphosphate diphosphohydrolase 3, ectonucleoside triphosphate diphosphohydrolase 6 (putative function) ESTs, Moderately similar to TISB RAT TIS11B PROTEIN [R.norvegicus], ESTs, Weakly similar to TISB RAT TIS11B PROTEIN [R.norvegicus], butyrate response factor 1, butyrate
963 964	20920 *6552	Al136891 Al137062	p,v o	butyrate response factor 1, zinc finger protein, C3H type, 36-like 1	response factor 1 (EGF-response factor 1), butyrate response factor 2 (EGF-response factor 2), expressed sequence AW742437 6.2 kd protein
965	22722	AI137211	i		
966	_* 13111	Al137224	o,General		hypothetical protein FLJ20260, oxysterol binding protein 2
					DNA segment, Chr 17, ERATO Doi 197, expressed, EST, Weakly similar to ZF37_RAT ZINC FINGER PROTEIN
967	15969	Al137302	e		37 (ZFP-37) [R.norvegicus], ESTs, Weakly similar to 138600 zinc finger protein ZNF135 [H.sapiens], ESTs, Weakly similar to ZINC FINGER PROTEIN ZFP-29 [M.musculus], Homo sapiens GIOT-1 mRNA for gonadotropin inducible transcription repressor-1, partial cds, expressed sequence AI449432, hypothetical protein FLJ14855, zinc finger protein 135 (clone pHZ-17), zinc finger protein 29, zinc finger protein 37, zinc finger protein homologous to Zfp37 in mouse

TABLE	DE THIUMIANN	HOMOLOGAEV	BKIOTEATOKK	. 100 172	Airy, Dockel No. 44921-503900 Doc. No. 1793397
Sea lin		Concent Acc.		Hamologous Gare	Moe No. 11/88881/
Seq. ID. No. 4-4	ldeniller			Mama Care Care	Honologous Cluster Name
969	9166	Al137406	General		protein C receptor, endothelial, prote C receptor, endothelial (EPCR)
					EST, Weakly similar to ZF37_RAT
					ZINC FINGER PROTEIN 37 (ZFP-37 [R.norvegicus], ESTs, Weakly simila
	l				to B32891 finger protein 2, placental
		1			[H.sapiens], ESTs, Weakly similar to
	1				MLZ4 MOUSE ZINC FINGER
					PROTEIN MLZ-4 [M.musculus], Horn
					sapiens cDNA FLJ14967 fis, clone
,	1			1	THYRO1000242, moderately similar
				1	ZINC FINGER PROTEIN 84, expressed sequence AI854635, zinc
					finger protein 113, zinc finger protein
					268, zinc finger protein 37, zinc finge
				1	protein 46, zinc finger protein 84
					(HPF2), zinc finger protein
970 971	9525 6638	AI137516	Ir Conoro'	4	homologous to Zfp37 in mouse
<i>31</i> I	0030	AI137579	General	 	EST, Weakly similar to IMB3 HUMAI
			1	1	IMPORTIN BETA-3 SUBUNIT
					[H.sapiens], Homo sapiens cDNA
					FLJ12978 fis, clone NT2RP2006321,
					RAN binding protein 6, karyopherin
972	7414 .	AI137586	General	<u> </u>	(importin) beta 3
				1	EST, Highly similar to R5HU7
					ribosomal protein L7, cytosolic [H.sapiens], EST, Weakly similar to
				1	RL7 MOUSE 60S RIBOSOMAL
				,	PROTEIN L7 [M.musculus], ESTs.
			ĺ		Highly similar to R5HU7 ribosomal
				-	protein L7, cytosolic [H.sapiens],
070	44004	41407750	<u>.</u>	1	calponin like transmembrane domain
973 974	11321 23473	Al137752 Al137932	Z	<u> </u>	protein, ribosomal protein L7
	13158	Al138024	ľ		
				1	UDP-glucose ceramide
	13467	AI138034	cc		glucosyltransferase
	11377	AI138105	у	1	
	6790 6506	AI144801 AI144919	d,h j,l,y		
	8027	Al144958	i		
982	14458	Al145095	General	1	
		AI145202 -	g		
		AI145384 '	е	4	
		AI145385	r		
		AI145387 AI145722	r		
		AI145761	y.General		
			,,	190	RIKEN cDNA 2610020J05 gene,
					pseudouridine synthase 1,
989	2059	AI146005	h,General		pseudouridylate synthase 1
1	1				translocase of inner mitochondrial
					membrane 10 homolog (yeast),
990	23224	AI146033	0		translocase of inner mitochondrial
		, 0000	<u> </u>	branched chain keto acid	membrane 9 (yeast) homolog
				dehydrogenase E1, beta	
	İ	ŕ		polypeptide (maple syrup	
	ļ		,	urine disease), branched	
	I	ļ	:	chain ketoacid	•
91	5232	A1168042	h.h.	dehydrogenase E1, beta	
			bb "	polypeptide	
			u		
93			r		
			o,y,General		

17386			HOWOTOGNE VI	ekonaton		Ally, Docket No. 44921-5039000 Doc. No. 1793397.
1998 10984 A1169156 0,u 998 12979 A1169177 e immediate early response clope sequence, Mus mus neonate skin cDNA, enriched library, cloro insert sequence, Mus mus neonate skin cDNA, enriched library, cloro insert sequence, het nuclear ribonucleoprotein C associated with letha A1Pase, H+ transponse (vacuolar proton pun EST, Weakly similar hypothetical protein Weakly similar to NA VACUOLAR ATP SY SUBUNIT S1 PRECED ST. Weakly similar to NA VACUOLAR ATP SY SUBUNIT S1 PRECED ST. Weakly similar to NA VACUOLAR ATP SY SUBUNIT AC45 SPE ST. WEAKLAN ST. WACUOLAR ATP SY SUBUNIT AC45 SPE ST. WEAKLAN ST. WACUOLAR ATP SY SUBUNIT AC45 SPE ST. WEAKLAN ST. WACUOLAR ATP SY SUBUNIT AC45 SPE ST. WEAKLAN ST. WACUOLAR ATP SY SUBUNIT AC45 SPE ST. WEAKLAN ST. WACUOLAR ATP SY SUBUNIT AC45 SPE ST. WEAKLAN ST. WEAKLAN ST. WACUOLAR ATP SY SUBUNIT AC45 SPE ST. WEAKLAN ST. WEAKLAN ST. WACUOLAR ATP SY SUBUNIT AC45 SPE ST. WEAKLAN				Model Gode	Homologous Cene Neme	Homologous Gluster Name
1998 12979 A169176 e	995	17386	Al169144	lo		
12979 Al169177 e immediate early resp		10984	Al169156	o,u		
Homo sapieris clone sequence, Mus ma neonate skin cDNA, enriched library, clor insert sequence, Mus me neonate skin cDNA, enriched library, clor insert sequence, het nuclear ribonucleoprotein C disosciated with lether AFPase, H+ transpo (vacuolar proton pun EST, Weakly similiar to NA VACUOLAR ATP SY SUBUNIT S1 PRECI ATPASE S1 SUBUNI S1 ACCESSORY PR ATPASE AC45 SUB PROTEIN Ronveg sapiens cDNA FLJ12 NT2RM4000820, we VACUOLAR ATP SY SUBUNIT AC45 PRE 35,61,34) 1001 13239 A1169265 s.z 3,61,34) 1002 24162 A1169279 m		8205	Al169176	e		
Homo sapiens cDNA enriched library, cto	998	12979	Al169177			immediate early response 3
VACUOLAR ATP SY SUBUNIT AC45 PRE						Homo sapiens clone 24468 mRNA sequence, Mus musculus 0 day neonate skin cDNA, RIKEN full-length enriched library, clone:4633401122, full insert sequence, heterogeneous nuclear ribonucleoprotein C, heterogeneous nuclear ribonucleoprotein C (C1/C2), hnRNP-associated with lethal yellow ATPase, H+ transporting, lysosomal (vacuolar proton pump), subunit 1, EST, Weakly similar to 154197 hypothetical protein [H.sapiens], ESTs, Weakly similar to VAS1_RAT VACUOLAR ATP SYNTHASE SUBUNIT S1 PRECURSOR (V-ATPASE S1 SUBUNIT) (V-ATPASE S1 ACCESSORY PROTEIN) (V-ATPASE AC45 SUBUNIT) (C7-1 PROTEIN) [R.norvegicus], Homo sapiens cDNA FLJ12563 fis, clone
1002 24162 Al169279 m 1003 16879 Al169284 o Al169284 o ADP-ribosylation fact interacting protein EST, Moderately similar to H3 H. sapiens similar to H33 HUMA H3.3 [H. sapiens], ES similar to H33 HUMA H3.3 [H. sapiens], ES similar to JQ1983 H3 MH921 - mouse [M.m. histone, family 3A, H3 MH921 - mouse [M.m. histone, family 3A		22661	Al169265	s,z		VACUOLAR ATP SYNTHASE SUBUNIT AC45 PRECURSOR (EC
1002 24162 Al169279 m	1001	13239	Al169278	g,j,l,y,z		
1003 16879 Al169284 0 interacting protein EST, Moderately simi histone H3 [H.sapiens similar to H33] HUMA H3.3 [H.sapiens], ES similar to H33] HUMA H3.3 [H.sapiens], ES similar to JQ1983 H3. MH921 - mouse [M.m histone, family 3A, H3 MH921 - mouse [M.m histone, family	1002	24162	Al169279			
histone H3 [H.sapiens similar to H33_HUMA H3.3 [H.sapiens], ES' similar to H33_HUMA H3.3 [H.sapiens], ES' similar to JQ1983 H3. MH921 - mouse [M.m histone, family 3A, H3 histone, family 3A, H3 histone, family 3A, H3 histone, family 3B, H3 histone, fami	1003	16879	Al169284	о ,	,	ADP-ribosylation factor-like 6 interacting protein
1005	1004 2	24213	Al169289 .	p		EST, Moderately similar to 0710252A histone H3 [H.sapiens], ESTs, Highly similar to H33_HUMAN HISTONE H3.3 [H.sapiens], ESTs, Weakly similar to H33_HUMAN HISTONE H3.3 [H.sapiens], ESTs, Weakly similar to JQ1983 H3.3 like histone MH921 - mouse [M.musculus], H3 histone, family 3B, H3 histone, family 3B, H3 histone, family 3B, H3 histone, family 3B, H3 histone, family 3B, H3 histone, family 3B (H3.3B)
1006 5931 Al169324 b 1007 20891 Al169337 d hypothetical protein 1008 11979 Al169365 cc EST, Weakly similar to cytochrome P450 c11 [R.norvegicus], RIKEN 2010301M18 gene, R 2010318C06 gene, RI	1005	13240	Al169311	cc		
1007 20891 Al169337 d hypothetical protein 1008 11979 Al169365 cc EST, Weakly similar to cytochrome P450 c1 [R.norvegicus], RIKEN 2010301M18 gene, R 2010318C06 gene, RI						
1008 11979 Al169365 cc EST, Weakly similar to cytochrome P450 c11 [R.norvegicus], RIKER 2010301M18 gene, R 2010318C06 gene, RI						hypothetical protein
EST, Weakly similar toytochrome P450 c11 [R.norvegicus], RIKEN 2010301M18 gene, R 2010318C06 gene, RI						
2c29, cytochrome P4						EST, Weakly similar to S13101 cytochrome P450 c117 - rat [R.norvegicus], RIKEN cDNA 2010301M18 gene, RIKEN cDNA 2010318C06 gene, RIKEN cDNA 2210009K14 gene, cytochrome P450, 2c29, cytochrome P450, subfamily IIC (mephenytoin 4-hydroxylase),

Sign Depart Sign	TABLE	SE HUMAN	I HOMOLOGUE A	RICOTTATTONIA		:: Ally, Docket No. 44921-5039W
APP-886 Hr transporting, lysosomal (vacuolar proton pump), 42 kDa, ATP-886, Hr transporting, lysosomal (vacuolar proton pump), member 0, 42 kDa, ATP-886, Hr transporting, lysosomal (vacuolar proton pump), member 0, 42 kDa, ATP-886, similar to VAOD, HUMAN VACUOLAR ATP SYNTHASE SUBUNIT (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC36 ACCESSORY PROTEIN) (P39) (H.s.spiens) A169848 0 0		T. PHOS.				Doc. No. 1793397.
APP-886 Hr transporting, lysosomal (vacuolar proton pump), 42 kDa, ATP-886, Hr transporting, lysosomal (vacuolar proton pump), member 0, 42 kDa, ATP-886, Hr transporting, lysosomal (vacuolar proton pump), member 0, 42 kDa, ATP-886, similar to VAOD, HUMAN VACUOLAR ATP SYNTHASE SUBUNIT (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC35 SUBUNIT) (VATPASE AC36 ACCESSORY PROTEIN) (P39) (H.s.spiens) A169848 0 0	809. [D No }	ldeniiibr	GenBenk Ace./ Ref. Seq. (D No.	Model Gode		
1013 18343 Al169655 I.m	1010	20697	_AI169494	∉o,u		ATPase, H+ transporting, lysosomal (vacuolar proton pump), 42 kDa, ATPase, H+ transporting, lysosomal (vacuolar proton pump), member D, ESTS, Moderately similar to VAOD_HUMAN VACUOLAR ATP SYNTHASE SUBUNIT D (V-ATPASE D SUBUNIT) (VACUOLAR PROTON PUMP D SUBUNIT) (V-ATPASE AC39 SUBUNIT) (V-ATPASE 40 KDA ACCESSORY PROTEIN) (P39)
1013 10839						
ATP-binding cassette, sub-family F (GCN20), member 1, ATP-binding cassette, sub-family F (GCN20), member 2, hypothetical protein pro				1	1	
hypothetical protein DKFZp434F1526.1 [H.sapiens], ESTs, Weakly similar to T47164 hypothetical protein DKFZp434F1526.1 [H.sapiens], ESTs, Weakly similar to T47164 hypothetical protein DKFZp434F1526.1 [H.sapiens], hypothetical protein FLJ10889 Gene 33/Mig-6, RIKEN cDNA 1300002F13 gene ESTs, Highly similar to FRHUL ferritin light chain [H.sapiens], ESTs, Moderately similar to FRHUL ferritin light chain [H.sapiens], PRO0470 protein, RIKEN cDNA 4933416E14 gene, ferritin light chain 2, ferritin, light polypeptide polyp						(GCN20), member 1, ATP-binding cassette, sub-family F (GCN20), member 2, hypothetical protein
1016 804	1015	22575	Al169728	r		EST, Highly similar to T47184 hypothetical protein DKFZp434F1526.1 [H.sapiens], ESTs, Weakly similar to T47184 hypothetical protein DKFZp434F1526.1 [H.sapiens], hypothetical protein FLJ10889
Bight chain [H.sapiens], ESTs, Moderately similar to FRHUL ferritin light chain I, ferritin light chain I, ferritin light chain I, ferritin light chain I, springs, PRO0470 protein, RIKEN cDNA 4933416E14 gene, ferritin light chain 2, ferritin, light gene, ferritin light gene, ferritin gene, ferritin gene, ferritin light gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene, ferritin gene	1016	804	Al169756	СС		
1018 3916	1017	8213	A1169883		ferritin light chain 1, ferritin,	light chain [H.sapiens], ESTs, Moderately similar to FRHUL ferritin light chain [H.sapiens], PRO0470 protein, RIKEN cDNA 4933416E14 gene, ferritin light chain 2, ferritin, light
1019 3733				li.bb	ingrit polypeptide	polypeptide
1020	1019					
ESTs, Weakly similar to ZNT4_HUMAN ZINC TRANSPORTER 4 [H.sapiens], RIKEN cDNA 1810059J10 gene, hypothetical protein DKFZp547M236, hypothetical protein DKFZp547M236, hypothetical protein FLJ12496, solute carrier family 30 (zinc transporter), member 1, solute carrier family 30 (zinc transporter), member 4 1022 3547 Al170279 General PDZ and LIM domain 1 (elfin), PDZ and LIM domain 3, PDZ-LIM protein mystique, RIKEN cDNA 1110003801 gene, Rattus norvegicus LIM-domain protein LMP-1 mRNA, complete cds, Z-band alternatively spliced PDZ-motif, actinin alpha 2 associated LIM protein, alpha-actinin-2-associated LIM protein, reversion induced LIM gene 1023 11524 Al170363 e,i 1025 18811 Al170525 i 1026 22524 Al170542 h	1020	14179	Al170224	cc		
ZNT4_HUMAN ZINC TRANSPORTER 4 [H.sapiens], RIKEN cDNA 1810059J10 gene, hypothetical protein DKFZp547M236, hypothetical protein DKFZp547M236, hypothetical protein DKFZp547M236, hypothetical protein DKFZp547M236, hypothetical protein PLJ12496, solute carrier family 30 (zinc transporter), member 1, solute carrier family 30 (zinc transporter), member 4 PDZ and LIM domain 1 (elfin), PDZ and LIM domain 3, PDZ-LIM protein mystique, RIKEN cDNA 1110003801 gene, Rattus norvegicus LIM-domain protein LMP-1 mRNA, complete cds, Z-band alternatively spliced PDZ-motif, actinin alpha 2 associated LIM protein, alpha-actinin-2-associated LIM protein, reversion induced LIM gene 1024 2729 Al170363 e,i 1025 18811 Al170525 i 1026 22524 Al170542 h 1027 1028 1	1021	11406	Al170263	r		interleukin 20 receptor, alpha
and LIM domain 3, PDZ-LIM protein mystique, RIKEN cDNA 1110003B01 gene, Rattus norvegicus LIM-domain protein LMP-1 mRNA, complete cds, Z-band alternatively spliced PDZ-motif, actinin alpha 2 associated LIM protein, alpha-actinin-2-associated LIM protein, alpha-actinin-2-associated LIM protein, reversion induced LIM gene 1024 2729 Al170363 e.i 1025 18811 Al170525 i 1026 22524 Al170542 h	1022	3547	Al170279	General		ZNT4_HUMAN ZINC TRANSPORTER 4 [H.sapiens], RIKEN cDNA 1810059J10 gene, hypothetical protein DKFZp547M236, hypothetical protein FLJ12496, solute carrier family 30 (zinc transporter), member 1, solute carrier family 30 (zinc transporter), member 4
1024 2729 Al170363 e,i 1025 18811 Al170525 i 1026 22524 Al170542 h	4000	4450				and LIM domain 3, PDZ-LIM protein mystique, RIKEN cDNA 1110003B01 gene, Rattus norvegicus LIM-domain protein LMP-1 mRNA, complete cds, Z-band alternatively spliced PDZ-motif, actinin alpha 2 associated LIM protein, alpha-actinin-2-associated LIM protein,
1025 18811 Al170525 i 1026 22524 Al170542 h						reversion induced LIM gene
1026 22524 Al170542 h				e,ı		
				h		
	1027					CGI-10 protein

JABITE 8	RAMIUH 3	HOMOLOGUEA	NOLVALONS -		Ally, Docke No. 44921-5039W Doc. No. 1793397
809.ID No. 🕮	(dentifier	ConBank Ace./ Ref. Seq. ID No.		Homologous Cens Amely Census	Honologous Cluster Name
1028 ,	5968	Al170692	y.aa		GABA(A) receptor-associated protein like 2, RIKEN cDNA 0610012F20 gene, gamma-aminobutyric acid (GABA(A)) receptor-associated prote like 1, ganglioside expression factor 2
1029	9757	Al170693	b		
1030	18905	A1170770	e,s		RIKEN cDNA 1300012C15 gene, RIKEN cDNA 2310076L09 gene, adipose differentiation related protein,
1031	7089	Al171185	c	hyaluronan mediated motility receptor (RHAMM), hyaluronan-mediated motility receptor (RHAMM)	adipose differentiation-related protein Mus musculus 12 days embryo male wolffian duct includes surrounding region cDNA, RIKEN full-length enriched library, clone:6720466F14, full insert sequence, RIKEN cDNA 0610027D24 gene, TRAF4 associated factor 1, hyaluronan mediated motility receptor (RHAMM), hyaluronan- mediated motility receptor (RHAMM)
1033 ⁸	17591	AI171354	b		
1034	13285	Al171361	h		heterogeneous nuclear ribonucleoprotein A0 EST, Moderately similar to
1035 1036	4428 18126	Al171362 Al171369	a w		NUAM_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE 75 KD SUBUNIT PRECURSOR [H.sapiens], NADH dehydrogenase (ubiquinone) Fe-S protein 1 (75kD) (NADH-coenzyme Q reductase)
1037	23253	AI171448	0		RIKEN cDNA 2010107E04 gene, chromosome 14 open reading frame 2 expressed sequence AU043134, expressed sequence AV124504
1038	4584	Al171492	m,General		
1039 1040	11158 15345	AI171542 AI171587	r,s !		EST, Moderately similar to NI2M_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE B22 SUBUNIT [H.sapiens], NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 9 (22kD, B22)
1041	21183 -	AI171676	k		
1042	8215 ,	Al171692	i s		ESTs, Highly similar to FRHUL ferritin light chain [H.sapiens], ESTs, Moderately similar to FRHUL ferritin light chain [H.sapiens], PRO0470 protein, RIKEN cDNA 2010009K05 gene, RIKEN cDNA 4933416E14 gene, cysteine conjugate-beta lyase; cytoplasmic (glutamine transaminase K, kyneurenine aminotransferase), ferritin light chain 2, ferritin, light polypeptide, hypothetical protein 669
	11437	Al171794	i		
	2625	Al171800	cc ,		
	23579	Al171802	V		
1046	11708		l,t		ATP synthase, H+ transporting, mitochondrial F1 complex, epsilon subunit, RIKEN cDNA 2410043G19
	17204	Al171844	s,y,z		gene, expressed sequence AV000645
1048	4420		m		

		HOMOLOGUE A	SMOITATORE		Atty, Doctot No. 44921-5039W Doc. No. 1793397
Sog. (D No	ldenillier	GenBank Acc./ Ref. Seq. ID No.	Model Gode	Considerated and the control of the	Hemologove Gluster Nemo
					DKFZP564F0522 protein, ESTs, Weakly similar to T08675 hypothetica
1049	3266	AI171948	∬,m		protein DKFZp564F0522.1 [H.sapien:
1050 1051	19012 11205	AI172056	It	_	
1052	6057	AI172057 AI172102	a,q,bb b	4	
1052	19128	AI172102	m		
1054	15673	Al172107	Z		KIAA1883 protein, sirtuin (silent matir type information regulation 2, S.cerevisiae, homolog) 2, sirtuin 2 (silent mating type information regulation 2, homolog) 2 (S. cerevisiae)
1055	6630	Al172184	n	3	
1056	11968	Al172208	bb		Alpha-fetoprotein, ESTs, Weakly similar to ALPHA-FETOPROTEIN PRECURSOR [M.musculus], ESTs, Weakly similar to FPHU alpha-fetoprotein precursor [H.sapiens], alpha-fetoprotein, alpha-fetoprotein
1057	6974	AI172263	l,m	1	opino rotoprotomi
1058	23313	AI172271	d	1	
1059 1060	2140 15382	Al172272 Al172302	General		ESTs, Highly similar to JC4577 transcription elongation factor T1 [H.sapiens], expressed sequence Al326274, transcription elongation factor A (SII), 2
1061	18689	AI172329	i,p,General		
1062	17887	Al172414	0	 	
1063	3042	Al172447	General		ESTs, Highly similar to BCL3 [M.musculus], ESTs, Weakly similar to I-kappa B alpha chain [M.musculus], hypothetical protein MGC15396, nuclear factor of kappa light chain gene enhancer in B-cells inhibitor, alpha, nuclear factor of kappa light chain gene enhancer in B-cells inhibitor, beta, nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha, nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha, nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, epsilon, testisspecific ankyrin motif containing protein
					ESTs, Highly similar to ISOCITRATE DEHYDROGENASE [R.norvegicus], Isocitrate dehydrogenase 1, soluble, isocitrate dehydrogenase 1 (NADP+), soluble, isocitrate dehydrogenase 2
064	17291	Al172491	bb		(NADP+), mitochondrial
065	26222		ρ		
066	13095	Al172595	r		
067	8795	AI172618	General		
					BACULOVIRAL IAP REPEAT- CONTAINING PROTEIN 6 (UBIQUITIN-CONJUGATING BIR- DOMAIN ENZYME APOLLON) [H.sapiens], ESTs, Moderately similar to T31067 BIR repeat containing ubiquitin-conjugating enzyme BRUCE mouse [M.musculus], baculoviral IAP repeat-containing 6, hypothetical
].	protein FLJ13855, likely ortholog of mouse ubiquitin-conjugating enzyme

TABLES	R HIVIMAN	HONOROGUEA	SKOTATOKK	7.60	Ally. Docket No. 44921-5039W Doc. No. 1793397.
S 39. (D) No.:		ConBank Ace. Ref. Seq. 10 No.	Model Gode:	Homologous Cene Kama * emek	Homologous Cluster Name
				() () () () () () () () () ()	EST, Highly similar to RASN RAT
					TRANSFORMING PROTEIN P21/N-
					* RAS [R.norvegicus], EST, Weakly
					similar to TVHURR transforming protein R-ras [H.sapiens], Harvey rat
			4	1	sarcoma oncogene, subgroup R.
			1		RIKEN cDNA 2610016H24 gene,
				1	RIKEN cDNA 4930526B11 gene, Ris.
					expressed sequence AI573426,
				,	neuroblastoma RAS viral (v-ras)
					oncogene homolog, neuroblastoma ras
					oncogene, related RAS viral (r-ras)
1070	4445	AI175466	l _x		oncogene homolog, similar to mouse Ras, dexamethasone-induced 1
1070	14445	IX(173400	<u> </u>		ESTs, Weakly similar to NHPX RAT
			1		NHP2/RS6 FAMILY PROTEIN
ŀ					YEL026W HOMOLOG [R.norvegicus],
					RIKEN cDNA 2410130M07 gene, non-
]		1		histone chromosome protein 2 (S.
					cerevisiae)-like 1, nucleolar protein
			1	·	family A, member 2 (H/ACA small
1071	3418	AI175475	m		nucleolar RNPs), sperm specific antigen 1
1071	5416	171173473	1		ESTs, Highly similar to S25432
					translation elongation factor eEF-1
					beta chain [H.sapiens], eukaryotic
1072	18507	AI175551	bb		translation elongation factor 1 beta 2
1073 1074	10217	AI175628	w		
1074	7262 19004	AI175833 AI175875	jj,m,x		
1076	22352	Al175959	I,General		
1077	7022	AI176041	h,n		
					EST, Moderately similar to
					TIG2_HUMAN RETINOIC ACID
			1		RECEPTOR RESPONDER PROTEIN
				-	2 PRECURSOR [H.sapiens], retinoic
1078	21467	AI176061			acid receptor responder (tazarotene induced) 2
1079	18581	AI176160	General	***************************************	Threaceu, 2
1080	14159	AI176169	g		
1081	21742	Al176172	w		
1				FBJ osteosarcoma	
			·	oncogene, v-fos FBJ murine osteosarcoma virat	
1082	10182	AI176185	v	oncogene homolog	
1083	22765	AI176265	General	oncogono nomolog	
				- 1	EST, Moderately similar to T02747
				*	phospholipid-hydroperoxide
		,			glutathione peroxidase [H.sapiens],
				*	EST, Weakly similar to T02747
			,	*	phospholipid-hydroperoxide
]		glutathione peroxidase [H.sapiens], ESTs, Weakly similar to GSHH RAT
				9	PHOSPHOLIPID HYDROPEROXIDE
				•	GLUTATHIONE PEROXIDASE
				; 1	[R.norvegicus], Homo sapiens
					PRO2893 mRNA, complete cds,
					RIKEN cDNA 2310016C16 gene,
					RIKEN cDNA 3110050F08 gene,
				•	glutathione peroxidase 4, glutathione peroxidase 4 (phospholipid
1084	6905 a	AI176275	a :	8	hydroperoxidase)
					Homo sapiens cDNA FLJ12570 fis.
					clone NT2RM4000895, UDP-N-
				4	acteylglucosamine pyrophosphorylase
1085	12999	AI176276	cc -	4	1

22.5		MOMO/OGALE VI	EMONATOM		Aiiy , Dookoi No. 44921-5039W Doo, No. 1793397
	ldentifier	ConBank Aced Ref. Seq. ID No.		Memologous Cene; Namo	Handlogous Gluster Namo
1086	16438	Al176294	e		ESTs, Weakly similar to B Chain B, Crystal Structure Of The D1d2 Sub- Complex From The Human Snrnp Core Domain [H.sapiens], small nuclear ribonucleoprotein D2 polypeptide (16.5kD)
1087	21130	AI176298	у		
1088	3014	Al176362	e]	
1089	15015	AI176363	r	.	
1090	19006	Al176393	X		ESTs, Highly similar to C560_HUMAN SUCCINATE DEHYDROGENASE CYTOCHROME B560 SUBUNIT, MITOCHONDRIAL PRECURSOR [H.sapiens], succinate dehydrogenast complex, subunit C, integral membrane protein, 15kD
1092	12174	AI176435	j,m		
1093	15191	Al176456	b,o,t,v,cc		ESTs, Moderately similar to AF078844 1 hqp0376 protein [H.sapiens], expressed sequence AA409533
1094	24236	Al176473	d,General		ESTs, Highly similar to HS9B RAT HEAT SHOCK PROTEIN HSP 90-BETA [R.norvegicus], Mus musculus, clone IMAGE:3584589, mRNA, partial cds, expressed sequence C81438, heat shock 90kD protein 1, beta, heat shock protein, 84 kDa 1, heat shock
1095	16518	AI176546	v ,		protein, 86 kDa 1
1096	12436	Al176592 Al176610	General General		ESTs, Weakly similar to SYC_HUMAN CYSTEINYL-TRNA SYNTHETASE [H.sapiens], cysteinyl-tRNA synthetase, hypothetical protein FLJ12118
1098	2536	Al176616	I,v,General		
1099	18525	Al176792	U		
1100	23449	AI176828	g		
1101	23299	AI176839	General		
1102 1103	3580 22103	AI176848	e :		
1104	16036	Al176849 Al176855	d,General		
1105	15588	AI176916	General		phosphomannomutase 1
1106	16917	AI176951	t		phosphomarmonutase 1
1107	16124	Al176963	cc		with Glu/Asp-rich carboxy-terminal domain, 2, Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 4, ESTs, Weakly similar to MRG1_HUMAN MSG-RELATED PROTEIN 1 [H.sapiens], expressed sequence AW742964
1108	15146		b,General		
1109 1110	5786 2852	AI177058 AI177059			
1112	3156		g g		
1113			a		EST, Moderately similar to APT RAT ADENINE PHOSPHORIBOSYLTRANSFERASE [R.norvegicus], Mouse adenine phosphoribosyltransferase (APRT), complete cds, adenine phosphoribosyl transferase, adenine phosphoribosyltransferase, expressed sequence C85684

TABUE (e Human	HOND FOGUE W	SKOTATOKK		Ally, Docket No. 44921-5039W0 Doc. No. 1793397 1
Seg. [D No.	reilinecol	CenBenk Acel Rel Seq. (D No.	Model (Cod) #-	Hemologous Ceno Nemo	
1114	13310 24049	Al177119 Al177341	General g.p.s.u		ESTs, Weakly similar to COMPLEMENT C1Q SUBCOMPONENT, C-CHAIN PRECURSOR [M.musculus], Homo sapiens, Similar to complement component 1, q subcomponent, c polypeptide, clone MGC:17279 IMAGE:4212772, mRNA, complete cds, complement component 1, q subcomponent, beta polypeptide, complement component 1, q subcomponent, c polypeptide, expressed sequence Al385742
1116	15964	AI177360	o.General		· · · · · · · · · · · · · · · · · ·
1117	14989	Al177366	u		ESTs, Highly similar to B27079 fibronectin receptor beta chain precursor [H.sapiens], integrin beta 1 (fibronectin receptor beta), integrin beta 2, integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2, MSK12), integrin, beta 2 (antigen CD18 (p95), lymphocyte function-associated antigen 1; macrophage antigen 1 (mac- 1) beta subunit)
1118	7975	Al177374	aa		
1119 🚜	3006	Al177395	k	,	dickkopf (Xenopus laevis) homolog 3, dickkopf (Xenopus laevis) homolog 4, soggy-1 gene
	17570 9521	Al177683 Al177706	r b		ESTs, Highly similar to ROA3_HUMAN HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A3 [H.sapiens], ESTs, Highly similar to S12520 core protein A1 [H.sapiens], ESTs, Weakly similar to ROA2 MOUSE HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEINS A2/B1 [M.musculus], Human DNA sequence from clone 522P13 on chromosome 6p21.31-22.3. Contains a 60S Ribosomal Protein L21 pseudogene and an HNRNP A3 (Heterogenous Nuclear Riboprotein A3, FBRNP) pseudogene. Contains ESTs, STSs and GSSs, RIKEN cDNA 3010025E17 gene, Ras-GTPase-activating protein SH3-domain binding protein, heterogeneous nuclear ribonucleoprotein A1, heterogeneous nuclear ribonucleoprotein A2/B1, hypothetical protein 23851
			}		ESTs Moderately similar to
			g,General		ESTs, Moderately similar to PBEF_HUMAN PRE-B CELL ENHANCING FACTOR PRECURSO [H.sapiens], pre-B-cell colony- enhancing factor
			j,m 1 cc 1		madulator conscribing for the
]	modulator recognition factor I
1125	11791	AI177843	General		sarcoma amplified sequence

TABLE	BE CHUMAN	HOWOTOGNE W	SMOTATOM		Atty. Docket No. 44921-5039W0 Doc. No. 1793397.1
839. (D No. 4	Conditor	Genfent: Acc./ Ref. Seq. ID No.	4. eboo leboM	Homologous Cene Name	Homologous Gluslar Name
					EH-domain containing 3, EH-domain containing 4, ESTs, Highly similar to EP15 MOUSE EPIDERMAL GROWTH FACTOR RECEPTOR SUBSTRATE SUBSTRATE 15 [M.musculus], Homo sapiens cDNA FLJ13682 fis, clone PLACE2000015, weakly similar to EPIDERMAL GROWTH FACTOR RECEPTOR SUBSTRATE SUBSTRATE 15, Mus musculus adult male cecum cDNA, RIKEN full-length enriched library, clone:9130014G17, full insert sequence, epidermal growth factor receptor pathway substrate 15, epidermal growth factor receptor
1126	14484	AI177867	General		substrate EPS15R EST, Weakly similar to TESTIN 2
					[M.musculus], LIM and cysteine-rich domains 1, four and a half LIM domains 2, testis derived transcript, testis derived transcript (3 LIM domains), vascular Rab-GAP/TBC-
1127	5780	A1177869	General		containing
					ESTs, Weakly similar to TGIF MOUSE 5'-TG-3' INTERACTING FACTOR [M.musculus], Homo sapiens TGF beta induced transcription factor 2-like mRNA, partial sequence, RIKEN cDNA 5430405H02 gene, RIKEN cDNA 5730599009 gene, TG interacting factor, TGFB-induced factor (TALE family homeobox), TGFB-induced
1128	19184	Ai178025	General		factor 2 (TALE family homeobox) ESTs, Highly similar to T13963 formin related protein, lymphocyte specific - mouse [M.musculus], ESTs, Moderately similar to T13963 formin related protein, lymphocyte specific - mouse [M.musculus], Homo sapiens mRNA; cDNA DKFZp762B245 (from clone DKFZp762B245); partial cds,
1129	6059	AI178245	c,General		KIAA1902 protein, formin-like
1130 1131	23248 4073	AI178267 AI178272	У		chromosome 1 open reading frame 9
1132	7838	AI178291	е		
1133	18996	Al178326	У		EST, Highly similar to I49523 Mouse primary response gene B94 mRNA, 3'end - mouse [M.musculus], Homo sapiens, clone MGC:16332 IMAGE:3842543, mRNA, complete cds, RIKEN cDNA 1200009106 gene, RIKEN cDNA 1600013K19 gene, similar to S. cerevisiae Sec6p and R. norvegicus rsec6, tumor necrosis
1134	22488	AI178392	b		factor, alpha-induced protein 2
1135 1136	18800 22197	AI178504 AI178527	n,p,aa g,General		
					ESTs, Weakly similar to MCM3_HUMAN DNA REPLICATION LICENSING FACTOR MCM3 [H.sapiens], minichromosome
1137	3401	A1178684	bb		maintenance deficient (S. cerevisiae) 3
1138	17713	AI178700	lm .	1	1

TABLES	e thuman	HOMOLOGUEAL	SMOTATOM		Any. Docket No. 44921-503900 Doc. No. 1793397
80g, ID . No.		Confork Ace./. Ref. Sog. ID No.	Model Gode	Honologous Cene Namo	
1140	23567	AI178746	v,General		
					EST, Moderately similar to HART1 hemoglobin alpha-1 chain - rat [R.norvegicus], EST, Weakly similar to 445964 hemoglobin alpha chain - mouse [M.musculus], ESTs,
	٠				Moderately similar to HART1 hemoglobin alpha-1 chain - rat [R.norvegicus], Hemoglobin, alpha 1, hemoglobin alpha, adult chain 1,
1141	18907	AI178971	L		hemoglobin, alpha 1, hemoglobin, alpha 2
1142	20991	AI178979	C		alpha 2
1143	5887	Al179099	g,t	-	biotinidase, vanin 1, vanin 2, vanin 3
1144	8477	AI179167	b,e,General	1	John Market Z, Value 3
1145	3348	AI179288	u,v	1	
1146	13608	Al179314	e		
1147	8849	Al179315	g,p		1
1148	13611	Al179378	v,General	collagen, type V, alpha 2, procollagen, type V, alpha	EST, Weakly similar to MAST CELL PROTEASE 7 PRECURSOR [M.musculus], ESTs, Weakly similar to MCT7 RAT MAST CELL PROTEASE 7 PRECURSOR [R.norvegicus], RIKEN cDNA 2410039E18 gene, RIKEN cDNA 4933401F05 gene, marapsin, mast cell protease 7, protease, serine, 21 (testisin), protease, serine, 22, protease, serine, 8 (prostasin), tryptase delta 1, tryptase, alpha EST, Highly similar to CA13_HUMAN COLLAGEN ALPHA 1(III)-CHAIN PRECURSOR [H.sapiens], EST, Weakly similar to CA25_HUMAN COLLAGEN ALPHA 2(V) CHAIN PRECURSO [H.sapiens], EST, Weakly similar to 149607 procollagen type V alpha 2 - mouse [M.musculus], RIKEN CDNA 2810002D19 gene, collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant), collagen, type V, alpha 2, hypothetical protein DKFZp434F0318, hypothetical protein MGC12921, procollagen, type III, alpha 1, procollagen, type V, alpha 2,
	15438 13614	Al179399 Al179407	m,x e,t;General	2	procollagen, type XIII, alpha 1
			b,General		
	2768		i,General		<u> </u>
			b,i		
			o,General		
			q,General		
			e		
Î			g,i,p	heme oxygenase (decycling) 1	heme oxygenase (decycling) 1
			k		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			General		
1160	6647		g		
			o,General	hypothetical protein similar to mouse aldehyde reductase 6 (renal), renal-specific oxido-reducatse	

Spa Junction membrane channel protein beta 6, gap junction membrane channel protein beta 6, gap junction protein, beta 6, gap junction protein, beta 2, gab (pencion protein, beta 2, gab (pencion) protein, beta 2, gab (pencion) protein, beta 6, gap junction protein pro	TABLE	a: Human	(HOMOTOGALE V)	ekonatok		Atty, Docket No. 44921-5039WC Doc. No. 1793397.
1162 23989 Al179963 a 3179967 b		Mendiffer	Censank Ace./ Ref. Seq. ID No.	Model Code	Homologous Cene* Name	Homologous Gluster Name
EST, Moderately, smillar to HART1 hemoglobin alpha-1 chain - rat R. norvegicus], ESTs, Moderately smillar to HART1 hemoglobin alpha-1 chain - rat R. norvegicus], ESTs, Moderately smillar to HART1 hemoglobin alpha-1 chain - rat R. norvegicus], ESTs, Moderately smillar to HART1 hemoglobin alpha-1 chain - rat R. norvegicus], RIKEN cDNA 2510042H12 gene, hemoglobin, alpha 2 hemoglobin						protein beta 2, gap junction membrane channel protein beta 6, gap junction protein, beta 2, 26kD (connexin 26), gap junction protein, beta 6 (connexin
1166	1164	1687	Al179971	c	chain 2, hemoglobin, alpha	hemoglobin alpha-1 chain - rat [R.norvegicus], ESTs, Moderately similar to HART1 hemoglobin alpha-1 chain - rat [R.norvegicus], RIKEN CDNA 2510042H12 gene, hemoglobin alpha, adult chain 1, hemoglobin,
1166	1165	22569	AI179979	General		
1168	1166	23514	AI179986	o,General	;	
DnaJ (Hsp40) homolog, subfamily B, member 3, DnaJ (Hsp40) homolog, subfamily B, member 3, DnaJ (Hsp40) homolog, subfamily B, member 6, ESTS, Moderately similar to HSJ2 HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], ESTS, Weakty similar to HSJ2 HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], ESTS, Weakty similar to HSJ2 HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], Homo sapiens, clone IMAGE:3930327, mRNA, partial cds, RIKEN cDNA 2810451A06 gene, expressed sequence AU020082 exkaryotic translation termination factor 1 da	1167	15892	Al179988			
member 3, DnaJ (Hsp40) homolog, subfamily 8, member 6, ESTs, Moderately similar to HSJ2_HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], ESTs, Weakly similar to HSJ2_HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], ESTs, Weakly similar to HSJ2_HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], ESTs, Weakly similar to HSJ2_HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], Homo sapiens, clone IMAGE:3930327, mRNA, partial cds, RIKEN cDNA 2810451A06 gene, expressed sequence AU020082 eukaryotic translation termination factor 1 [H.sapiens], and the sequence AU020082 eukaryotic translation termination factor 1 [H.sapiens], and the sequence AU020082 eukaryotic translation termination factor 1 [H.sapiens], and the sequence AU020082 eukaryotic translation termination factor 1 [H.sapiens], and the sequence factor 1 [H.sapiens], and the sequence factor 1 [H.sapiens], hypothetical protein factor 1 [H.sapiens], hyp	1168	12402	AI180004	g		
1170	1169	5443	AI180165	General	56	member 3, DnaJ (Hsp40) homolog, subfamily B, member 6, ESTs, Moderately similar to HSJ2_HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], ESTs, Weakly similar to HSJ2_HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], Homo sapiens, clone IMAGE:3930327, mRNA, partial cds, RIKEN cDNA 2810451A06 gene, expressed
1171 24028	1470	E404	A1480470	C1		
1172		25		General		ractor 1
STANDER STAN		74		a		
1174 3352 Al180334 m ESTs, Highly similar to NBP_HUMAN NUCLEOTIDE-BINDING PROTEIN [H.sapiens], hypothetical protein FLJ12660, nucleotide binding protein 1 (E.coli MinD like), nucleotide binding protein 2 (E.coli MinD like) EST, Highly similar to T14106 probable GTPase-activating protein SPA-1 - rat [R.norvegicus], ESTs, Highly similar to T14106 probable GTPase-activating protein SPA-1 - rat [R.norvegicus], KIAA0440 protein, RIKEN cDNA 2610511M17 gene, expressed sequence AW213287, signal-induced proliferation associated gene 1 14337 Al180414 c 14337 Al180414 c 14337 Al180414 c 14337 Al180414 c 14337 Al180414 c 14337 Al180414 c 14337 Al180414 c 14337 Al180414 c 1538 Al227667 j.y.z. subfamily D, 1 1640665 gene product, KIAA1821		1		3		KIAA0273 gene product, KIAA1796
ESTs, Highly similar to NBP_HUMAN NUCLEOTIDE-BINDING PROTEIN [H.sapiens], hypothetical protein FLJ12660, nucleotide binding protein 1 (E.coli MinD like), nucleotide binding protein 2 (E.coli MinD like) EST, Highly similar to T14106 probable GTPase-activating protein SPA-1 - rat [R.norvegicus], ESTs, Highly similar to T14106 probable GTPase-activating protein SPA-1 - rat [R.norvegicus], KIAA0440 protein, RIKEN cDNA 2610511M17 gene, expressed sequence AW213287, signal-induced proliferation associated gene 1 1176 14337 Al180414 c gene 1 hypothetical protein, clone 1-53, small inducible cytokine subfamily D (Cys-X3 Cys), member 1 (fractalkine, neurotactin), small inducible cytokine subfamily D, 1 1178 22838 Al227667 aa KIAA0665 gene product, KIAA1821				aa -		
NUCLEOTIDE-BINDING PROTEIN [H.sapiens], hypothetical protein [FLJ12660, nucleotide binding protein 1 [E.coli MinD like), nucleotide binding protein 2 (E.coli MinD like), nucleotide binding protein 2 (E.coli MinD like) EST, Highly similar to T14106 probable GTPase-activating protein SPA-1 - rat [R.norvegicus], ESTs, Highly similar to T14106 probable GTPase-activating protein SPA-1 - rat [R.norvegicus], KIAA0440 protein, RIKEN cDNA 2610511M17 gene, expressed sequence AW213287, signal-induced proliferation associated gene 1 hypothetical protein, clone 1-53, small inducible cytokine subfamily D (Cys-X3 Cys), member 1 (fractalkine, neurotactin), small inducible cytokine subfamily D, 1 1178 22838 Al227667 aa KIAA0665 gene product, KIAA1821	1174	3352	AI180334	m ·		
probable GTPase-activating protein SPA-1 - rat {R.norvegicus}, ESTs, Highly similar to T14106 probable GTPase-activating protein SPA-1 - rat {R.norvegicus}, KIA06440 protein SPA-1 - rat [R.norvegicus], KIA04440 protein, RIKEN cDNA 2610511M17 gene, expressed sequence AW213287, signal-induced proliferation associated gene 1 1176	1175	24368	AI180392	l,m	3	NUCLEOTIDE-BINDING PROTEIN [H.sapiens], hypothetical protein FLJ12660, nucleotide binding protein 1 (E.coli MinD like), nucleotide binding protein 2 (E.coli MinD like)
1177 19080 Al227647 j.y.z neurotactin), small inducible cytokine subfamily D, 1 1178 22838 Al227667 aa KIAA0665 gene product, KIAA1821	1176	.14337 s	Al180414	c .		probable GTPase-activating protein SPA-1 - rat [R.norvegicus], ESTs, Highly similar to T14106 probable GTPase-activating protein SPA-1 - rat [R.norvegicus], KIAA0440 protein, RIKEN cDNA 2610511M17 gene, expressed sequence AW213287, signal-induced proliferation associated gene 1 hypothetical protein, clone 1-53, small inducible cytokine subfamily D (Cys-X3)
1177 19080 Al227647 j,y,z subfamily D, 1 1178 22838 Al227667 aa KIAA0665 gene product, KIAA1821					1	, ,,
KIAA0665 gene product, KIAA1821	1177			j.y.z		
	1178	22838	Al227667	aa		
	1179	6765	Al227761	i,General		KIAA0665 gene product, KIAA1821 protein

TABUE	e Human	HOMOLOGUEA	SKOTATOKK	· ·	ANY, Docket No. 44921-593300 Doc. No. 1793397
Seg. [D :	lieniller	ConBont Aced Rol Son ID No.	Modal Code	Homologous Gene Name	Homelogous Cluster Name
1180 a	24054	AI227867	General		X-linked protein, brain expressed, X-linked 1, hypothetical protein FLJ10097, nerve growth factor receptor (TNFRSF16) associated protein 1
1181 ,	7324	AI227885	[i		
1182	23898	Al227987	d		
4400	1054			peptidylglycine alpha-	peptidylglycine alpha-amidating
1183 1184	1651 14237	AI228068 AI228128	n,w	amidating monooxygenase	monooxygenase
			6		ESTs, Moderately similar to C21I_HUMAN PUTATIVE PROTEIN C21ORF18 [H.sapiens], chromosome
1185 1186	14242 16913	Al228197 Al228236	General	4	21 open reading frame 18
1187	22915	AI228299	r	 	
1188	8917	AI228301	General		
1189	15879	Al228313	r,General	 	1
1190	13727	AI228326	o,General		
1191	6102	AI228335	General		1
1192	13730	A1228356	a		ESTs, Highly similar to S70642 ubiquitin ligase Nedd4 - rat [R.norvegicus], ESTs, Moderately similar to S70642 ubiquitin ligase Nedd4 - rat [R.norvegicus], ESTs, Weakly similar to NED4 MOUSE NEDD-4 PROTEIN [M.musculus], RIKEN cDNA 2600016C11 gene, neural precursor cell expressed, developmentally down-regulated 4, neural precursor cell expressed, developmentally down-regulated gene 48
	13745	Al228494	b,cc		
	4217	A1228587		:	hypothetical protein MGC4614, membrane component, chromosome 17, surface marker 2 (ovarian carcinoma antigen CA125), next to the Brca1, oxidative stress induced like,
	16053	AI228596	S CC		sequestosome 1
	3557	Al228672	e		
	11605	Al228682	e		
	13203	AI228728	r		
		Al228848	g		DEAD/H (Asp-Glu-Ala-Asp/His) box binding protein 1, Protein inhibitor of activated STAT X, protein inhibitor of activated STAT protein PIASy, protein inhibitor of activated STAT3
	5918		r		
1201	8235	Al229154	k		
				vesicle-associated membrane protein 1, vesicle-associated membrane protein 1 (synaptobrevin 1), vesicle-	Rattus norvegicus mRNA for vesicle associated membrane protein 2B, vesicle-associated membrane protein 1, vesicle-associated membrane protein 1 (synaptobrevin 1), vesicle-associated membrane protein 2, vesicle-associated membrane protein 2 (synaptobrevin 2), vesicle-associated membrane protein 5, vesicle-associated membrane protein 5
1202	16203	AI229196		associated membrane protein 2, vesicle- associated membrane protein 2 (synantobrevio 2)	(myobrevin), vesicle-associated membrane protein 8, vesicle- associated membrane protein 8
				protein 2, vesicle-	membrane protein 8, vesicle-

TABLE 8	RIMMAN S	HOMOTOGAE VA	BKOTRATOKE		Aiy. Docket No. 44924-509900 Doc. No. 1793397.
Seg. ID No.	Meniliar	GonBank Acc./ Ref. Seq. ID No.	Model (Code)	Homologous Cane Namo	
1205	4640	Al229404	x,aa		
1206	23563	AI229421			MAP kinase-activated protein kinase 2 mitogen-activated protein kinase- activated protein kinase 3
1207	15426	AI229497	s		NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 10 (22kD, PDSW)
1208	15193	AI229508	bb	1	
4000	40040	1,,,,,,,,,			thymidine kinase 1, thymidine kinase
1209 1210	19243 23078	Al229638 Al229647	x p		1, soluble
1211	3099	A1229680	0 ,	2	NADH dehydrogenase (ubiquinone) Fo S protein 3 (30kD) (NADH-coenzyme Q reductase)
1212	19508	AI229698	bb		
				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EST, Moderately similar to 138369 beta tubulin [H.sapiens], EST, Weakly similar to 138369 beta-tubulin [H.sapiens], EST, Weakly similar to TUBULIN BETA-5 CHAIN [M.musculus], ESTs, Highly similar to A25113 tubulin beta chain 15 - rat [R.norvegicus], FK506-binding protein 1A (12kD), RIKEN cDNA 2310061K05 gene, RIKEN cDNA 2410129E14 gene, tubulin, beta 5,
1213	13977	AI229707	x	5	tubulin, beta polypeptide
1214	23983	Al229708	v	19	quinolinate phosphoribosyltransferase (nicotinate-nucleotide pyrophosphorylase (carboxylating))
1215	2688	Al229793	е		, , , , , , , , , , , , , , , , , , , ,
1216	13874	AI229832	9		
					ESTs, Weakly similar to MOT2 MOUSE MONOCARBOXYLATE TRANSPORTER 2 [M.musculus], monocarboxylate transporter, monocarboxylate transporter 4, solute carrier 16 (monocarboxylic acid transporters), member 8, solute carrier family 16 (monocarboxylic acid transporters), member 3, solute carrier family 16 (monocarboxylic acid transporters), member 7, solute carrier family 16 (monocarboxylic acid
1217 1218	12587 20591	Al229979 Al229993	General .m		transporters), member 8
			a,b,d,General		
				The Company of the Co	EST, Highly similar to CCAA MOUSE VOLTAGE-DEPENDENT P/Q-TYPE CALCIUM CHANNEL ALPHA-1A SUBUNIT [M.musculus], ESTs, Weakly similar to CCAA MOUSE VOLTAGE-DEPENDENT P/Q-TYPE CALCIUM CHANNEL ALPHA-1A SUBUNIT [M.musculus], Homo sapiens mRNA; cDNA DKFZp434M0223 (from clone DKFZp434M0223); partial cds, Musmusculus calcium channel mRNA, complete cds, calcium channel, P/Q type, alpha 1A, calcium channel, voltage-dependent, alpha 1G subunit,
			d d		two-pore channel 1, homolog NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 1, NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 1 (7.5kD, MWFE)

		HOWO! OGNISM			Airy. Docket No. 44921-5039W Doc. No. 1793397.
200. ID No.	Dentifier	Consent Acel Rel Seg Dilo		Handlogove Care Name	Homologous Cluster Name
					ESTs, Highly similar to E2BE RAT TRANSLATION INITIATION FACTOR EIF-2B EPSILON SUBUNIT
					[R.norvegicus], HSPC028 protein,
					RIKEN cDNA 1200015E15 gene, Rattus norvegicus initiation factor eIF-
					2Be mRNA, complete cds, basic
			_		leucine-zipper protein BZAP45, eukaryotic translation initiation factor
					28, subunit 5 (epsilon, 82kD),
1222	3652	AI230113	General		expressed sequence C81315
			•		EST, Weakly similar to ENPL_HUMAN ENDOPLASMIN PRECURSOR
			1		[H.sapiens], ESTs, Highly similar to HS9B RAT HEAT SHOCK PROTEIN
					HSP 90-BETA [R.norvegicus], ESTs,
	-				Weakly similar to ENPL_HUMAN ENDOPLASMIN PRECURSOR
					[H.sapiens], Homo sapiens mRNA;
				1	CDNA DKFZp564F053 (from clone DKFZp564F053), RIKEN cDNA
					1810014B01 gene, RIKEN cDNA
					2410002K23 gene, expressed sequence C81438, heat shock 90kD
					protein 1, beta, heat shock protein, 84
1223	18650	Al230121	aa		kDa 1, tumor rejection antigen (gp96) 1, tumor rejection antigen gp96
1220	10000	A1200121	laa		ESTs, Moderately similar to
					CHD3_HUMAN CHROMODOMAIN HELICASE-DNA-BINDING PROTEIN
					3 [H.sapiens], chromodomain helicase
1224	13025	Al230173	С		DNA binding protein 3
					ESTs, Highly similar to A47327 selenoprotein P precursor [H.sapiens],
1225	4280	AI230247	Z	selenoprotein P, plasma, 1,	selenoprotein P, plasma, 1
1226	18528	AI230284	General		Homo sapiens, clone IMAGE:3845253
1227	7084	AI230362	р	. 9	mRNA, partial cds
1228 1229	20895 12961	AI230549 AI230554	b,n General		
1225	12501	7.112.00.00-7	Cencial	1	EST, Moderately similar to GALECTIN-
					1 [R.norvegicus], Human HL14 gene
			ľ		encoding beta-galactoside-binding lectin, 3' end, clone 2, RIKEN cDNA
			Í		2200008F12 gene, beta-galactoside-
					binding lectin, lectin, galactose binding, soluble 1, lectin, galactoside-
					binding, soluble, 1 (galectin 1), lectin,
1230	15636	Al230616		r	galactoside-binding, soluble, 2 (galectin 2)
1231	4121	Al230647	j,m		
					DNA segment, Chr 17, ERATO Doi 441, expressed, hematological and
1232	14388	AI230702	General		neurological expressed 1
1233	18529	Al230716	x,General		
				ŧ	EST, Weakly similar to JW0105 synaptojanin 2 alpha protein - mouse
					[M.musculus], ESTs, Weakly similar to
					2204390A synaptojanin [R.norvegicus], ESTs, Weakly similar
					to JW0105 synaptojanin 2 alpha
			,		protein - mouse [M.musculus], expressed sequence AA675315,
					inositol polyphosphate-5-phosphatase,
1004	12610	A1020704	C	ļ	75kD, putative phosphatase,
1234	13618	Al230724	General J	1	suppressor of actin 1, synaptojanin 2

			SKOKATOKK		Aliy, Docket No. 44921-503900 Doc. No. 1793397
Seg. [6 No.) dentifier	ConBank Ace/ Ref. Seq. ID No.	Model (Code	Homologous Care Name	Honologous Cluster Name
1236	4731	AI230773	e		
1237	14430	Al230798	c,k,x		
1238	16627	Al230822	∮bb		Alg5, S. cerevisiae, homolog of, dolichyl-phosphate mannosyltransferase polypeptide 1, catalytic subunit
1239		AI231028	General		DNA segment, Chr 10, ERATO Doi 398, expressed, ESTs, Weakly similar to PTNL RAT PROTEIN TYROSINE PHOSPHATASE, NON-RECEPTOR TYPE 21 [R.norvegicus], Homo sapiens, Similar to erythrocyte membrane protein band 4.1-like 3, clone MGC:12343 IMAGE:4044866, mRNA, complete cds, Mus musculus adult male pituitary gland cDNA, RIKEN full-length enriched library, clone:5330430110, full insert sequence, Rattus norvegicus protein tyrosine phosphatase 2E (PTP2E) mRNA, complete cds, erythrocyte membrane protein band 4.1 (elliptocytosis 1, RH-linked), erythrocyte membrane protein band 4.1-like 1, erythrocyte membrane protein band 4.1-like 3, prythrocyte protein band 4.1-like 3, protein tyrosine phosphatase, non-receptor type 21
1240	, 633	AI231127			EST, Highly similar to 60S RIBOSOMAL PROTEIN L23A [R.norvegicus], ESTs, Highly similar to RL2B_HUMAN 60S RIBOSOMAL
1241	20846	Al231140	_		PROTEIN L23A [H.sapiens], ribosoma
1242	6743	Al231219	p d		protein L23a
1244	26292	Al231391			<u> </u>
			k ,		
1245	12343	AI231433	w		
1246	7337	Al231465	aa		1
1248	8004 15171		General j,l g		ESTs, Moderately similar to Z183_HUMAN ZINC FINGER PROTEIN 183 [H.sapiens], zinc finger protein 183 (RING finger, C3HC4 type) BCL2-associated athanogene 3, RIKEN associated athanogene 3, RIKEN CDNA 1600025G07 gene, RIKEN
1250	6193	Al231797	ř – †		T
1252			u		RIKEN cDNA 2810411G23 gene, tumor protein D52-like 1
					EST, Moderately similar to EF1D_HUMAN ELONGATION FACTOR 1-DELTA [H.sapiens], ESTs, Weakly similar to EF1D_HUMAN ELONGATION FACTOR 1-DELTA
1253	24501	A1232006	w,y,bb		[H.sapiens], eukaryotic translation elongation factor 1 delta (guanine nucleotide exchange protein), hypothetical protein FLJ20897

TABLE	RAMUH 38	HOMOFOGAEV	SKÖNKATOKK		Ally, Docket No. 44921-5039W Doc. No. 1793397
	ldenilliter	Condend Aced Raid Seguid No.	Model Cod e	Homologous Cana Nemo	Homologous Cluster Name
1255	19094	Al232021	n,General		ESTs, Highly similar to Human Translation Initiation Factor Eif1, Nmr, 29 Structures [H.sapiens], RIKEN cDNA 1500010M16 gene, RIKEN cDNA 3110001N14 gene, putative translation initiation factor, suppressor of initiator codon mutations, related sequence 1 (S. cerevisiae)
1256	14020	AI232076	u	3	
1257	6726	AI232157	d	3	1
1258	11549	Al232174	l,m	i i	1
1259	23125	Al232266	j,\$	1	
1260	2085	Al232270	bb		,
1261	2913	Al232272	0	i.	
1262	14304	AI232281	g		
1263	15955	AI232294	u,bb,General	-	,
1264	15122	Al232303	у		DKFZP566H073 protein, Homo sapiens chromosome 19, cosmid R31343, RIKEN cDNA 1700065B19 gene, RIKEN cDNA 5730408C10 gene, likely ortholog of mouse g1- related zinc finger protein, ring finger protein 13, zinc finger protein 103
1265	4716	AI232313	y	purinergic receptor P2X, ligand-gated ion channel 4, purinergic receptor P2X, ligand-gated ion channel, 4	receptor P2X, ligand-gated ion
1266	15246	AI232332	t,u		
1267	24321	Al232340	0 8	stromal cell derived factor 1, stromal cell-derived factor 1	stromal cell derived factor 1, stromal cell-derived factor 1
1268	16172	Al232341	d		
1269	11411	AI232346	h		
1270	19287	AI232379	я Г	platelet derived growth flactor receptor, alpha polypeptide, platelet- derived growth factor receptor, alpha polypeptide	*
1271 1272	5601 14051	Al232461 Al232489 *	n,General		Flavin-containing monooxygenase 1, flavin containing monooxygenase 1, flavin containing monooxygenase 2, flavin containing monooxygenase 3, flavin containing monooxygenase 4, hypothetical protein PRO1257
1212	14001	MIZ3Z403 *	I,m	764	COT- M-d
1273 1274	5572 11157	Al232490 Al232494	i,t cc	**************************************	ESTs, Moderately similar to A27340 complement C7 precursor [H.sapiens], complement component 7
1275	8709	A1232534 .	0		DnaJ (Hsp40) homolog, subfamily B, member 3, DnaJ (Hsp40) homolog, subfamily B, member 6, ESTs, Moderately similar to HSJ2_HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], ESTs, Weakly similar to HSJ2_HUMAN DNAJ PROTEIN HOMOLOG 2 [H.sapiens], Homo sapiens, clone IMAGE:3930327, mRNA, partial cds, RIKEN cDNA 2810451A06 gene, expressed sequence AU020082
1276			<u>j.v.y</u>		
1277			e		
1278			w l		

		HOMOTOGAE V			Aity. Dociot No. 44921-5059WC Doc. No. 1795597.
899, ID	ldentifier	Cenbank Aced Ref. Seq. ID No.	Model Code ::	Name::: Cana Homologove Cana	Honologous Civeter Namo
					2,4-dienoyl-CoA reductase 1, mitochondrial, 2,4-dienoyl-CoA reductase 2, peroxisomal, ESTs, Weakly similar to S11021 2,4-dienoyl- CoA reductase [R.norvegicus], FabG (beta-ketoacyl-[acyl-carrier-protein]
			,		reductase, E coli) like, H2-K region expressed gene 6, Homo sapiens AS10 protein mRNA, partial cds, Mus musculus, clone MGC:6971 IMAGE:3154595, mRNA, complete cds, RIKEN cDNA 0610039E24 gene.
1070	17005				RIKEN cDNA 1810026B04 gene, carbonyl reductase, oxidoreductase UCPA, peroxisomal trans 2-enoyl CoA reductase; putative short chain alcohol
1279 1280	17695 15796	Al232784 Al232874	e v		dehydrogenase
1281	12467	Al232924	General		
1282	12873	A1232984	i		ESTs, Highly similar to I49636 DNA-binding protein - mouse [M.musculus], ESTs, Moderately similar to I49636 DNA-binding protein - mouse [M.musculus], ESTs, Weakly similar to OZF_HUMAN ZINC FINGER PROTEIN OZF [H.sapiens], RIKEN cDNA 2310011F05 gene, pancreas zinc finger protein, zinc finger protein 260, zinc finger protein 63, zinc finger protein 63, zinc finger protein 97
1283	5355	AI233031	jr j		
1284	18794	Al233121	c		
4205	2022	A1233147	h a Canaral		DNA segment, Chr 17, human D6S81E 1, ESTs, Highly similar to S33681 translation initiation factor elf- 4A.I [H.sapiens], HLA-B associated transcript 1, Human clone 23933 mRNA sequence, eukaryotic translation initiation factor 4A, isoform 1, mitochondrial DEAD-box polypeptide 28, nuclear RNA helicase,
1285 1286	13823 111967	AI233147 AI233155	b,g,General c,k,General		DECD variant of DEAD box family
1287	11561	Al233182	d ,		1
1288	3471	Al233183	g		putative receptor protein
1289	21948	Al233191	ľ l		The state of the s
1290	13598	Al233194	g.p.y		
1291	15552	Al233195	У		EST, Moderately similar to EGFR_HUMAN EPIDERMAL GROWTH FACTOR RECEPTOR PRECURSOR [H.sapiens], Epidermal growth factor receptor, formerly avian erythroblastic leukemia viral (v-erbB) oncogene homolog (Erbb1), avian erythroblastosis oncogene B 3, epidermal growth factor receptor, epidermal growth factor receptor (avian erythroblastic leukemia viral (v-
1292	4		bb		erb-b) oncogene homolog)
1293 1294		Al233269 Al233365	cc d		
1294	4	AI233365 AI233407	General		
		AI233425			
1295 1296 1297	15906	AI233425	q d		

		HOWOLOGUEVA	SKIOITĀTIOKK		Airy, Dookel No. 44924-503900 Dook No. 1793397
8 09. [D No:	ldentiller	Consent Aced Ref. Seq. 10 No.	Modal Gode	Homologous Gana Namo	Homologous Cluster Name
1299 1300	3075 6046	AI233494 AI233530	u,aa General		oxidase (cytochrome c) assembly 1- like
					EST, Moderately similar to S56108 26S proteasome regulatory complex chain p31 [H.sapiens], proteasome (prosome, macropain) 26S subunit,
1301	18900	AI233570	General		non-ATPase, 8 Homo sapiens, clone MGC:14993
1302	7888	AI233583	General		IMAGE:3613406, mRNA, complete cds, arginyl-tRNA synthetase
1303	16709	AI233602	General	adenosine kinase	adenosine kinase, expressed sequence Al255373 protein phosphatase 1D magnesium-
1304	5163	AI233712	у		dependent, delta isoform coatomer protein complex, subunit
1305	7243	Al233717	General		alpha, embryonic ectoderm development
1306 ::	3816	Al233729	g		Homo sapiens cDNA FLJ10203 fis, clone HEMBA1004930, moderately similar to 26S PROTEASOME SUBUNIT S5B, proteasome (prosome, macropain) 26S subunit, non-ATPase, 5
1307	13023	Al233740	d,h;General		Aldehyde reductase 1 (low Km aldose reductase) (5.8 kb Pstl fragment, probably the functional gene), EST, Highly similar to Aldose Reductase (E.C.1.1.21) [H.sapiens], ESTs, Moderately similar to ALDOSE REDUCTASE [R.norvegicus], ESTs, Moderately similar to ALDOSE REDUCTASE [R.norvegicus], ESTs, Moderately similar to ALDOSE REDUCTASE-RELATED PROTEIN 2 [M.musculus], Homo sapiens, Similar to RIKEN cDNA 1110018J12 gene, clone IMAGE:3865164, mRNA, partial cds, RIKEN cDNA 2310005E10 gene, aldo-keto reductase family 1, member A4 (aldehyde reductase), aldo-keto reductase family 1, member B1 (aldose reductase), aldo-keto reductase family 1, member B10 (aldose reductase), fibroblast growth factor regulated protein
1308		Al233743	g		
					Golgi-associated, gamma-adaptin ear
1309		AI233767	CC		containing, ARF-binding protein 2
1310 1311		AI233771 AI233773	b		
			k,cc	A kinase (PRKA) anchor protein (gravin) 12	
1313	16616		h		
					EST, Moderately similar to CYSR RAT CYSTEINE-RICH PROTEIN 1 [R.norvegicus], ESTs, Weakly similar to CYSR RAT CYSTEINE-RICH PROTEIN 1 [R.norvegicus], ESTs, Weakly similar to S12658 cysteine-rich protein [H.sapiens], cysteine and glycine-rich protein 1, cysteine rich protein, cysteine-rich protein 2, cysteine-rich protein 3, epithelial protein lost in neoplasm beta, thymus
			a,d,General	Marine	LIM protein
1315	7071	Al234162	r		

					000 G - 10 - 10 - 10 - 10 - 10 - 10 - 10
TWELES	ik indinkanni	HOMOLOGUEA	NNON/AMONS		Ally, Docket No. 44921-503900 Doc. No. 1793397
800.ID No.	ldenMiter	GenBank Acel Ref. Seq. ID No.	Model Gode	Hamalogous Core Namo	Homologous Cluster Namo
1316	14677	Al234620	General		
1317	4443	Al234629	fm		1
1318	22453	Al234678	b		
1319	23964	Al234748	t,General		
1320	19581	Al234753	f		,
1321 -	22152	A1234822	o,General	RAS, dexamethasone-induced 1	Harvey rat sarcoma oncogene, subgroup R, RAP1B, member of RAS oncogene family, RAP2B, member of RAS oncogene family, RIKEN cDNA 2610016H24 gene, RIKEN cDNA 4021402C18 gene, RIKEN cDNA 4930526B11 gene, RIKEN cDNA 5830461H18 gene, expressed sequence Al573426, rap2A-like protein, ras-related protein
1322	18942	Al234865	d		
1323	22662	Al234939	aa		ATPase, H+ transporting, lysosomal (vacuolar proton pump), subunit 1, EST, Weakly similar to 154197 hypothetical protein [H.sapiens], ESTs Weakly similar to VAS1_RAT VACUOLAR ATP SYNTHASE SUBUNIT S1 PRECURSOR (V-ATPASE S1 SUBUNIT) (V-ATPASE S1 SUBUNIT) (V-ATPASE AC45 SUBUNIT) (C7-1 PROTEIN) [R.norvegicus], Homo sapiens cDNA FLJ12563 fis, clone NT2RM4000820, weakly similar to VACUOLAR ATP SYNTHASE SUBUNIT AC45 PRECURSOR (EC 3.6.1.34)
1204	2075	A1225047	a Canada		ESTs, Moderately similar to CB80_HUMAN 80 KDA NUCLEAR CAP BINDING PROTEIN [H.sapiens], Homo sapiens cDNA FLJ11599 fis, clone HEMBA1003879, nuclear cap
1324 1325	3875 19479	Al235047 Al235135	o,General o		binding protein subunit 1, 80kD
1326	14906	Al235192	g		ATP-binding cassette, sub-family F (GCN20), member 1, ATP-binding cassette, sub-family F (GCN20), member 2, hypothetical protein FLJ11198
1327	14718	AI235210	е		L
1328	15004	A1235224	b,General		EST, Moderately similar to TIM1 RAT METALLOPROTEINASE INHIBITOR 1 PRECURSOR [R.norvegicus], EST, Weakly similar to TIM1 RAT METALLOPROTEINASE INHIBITOR 1 PRECURSOR [R.norvegicus], tissue inhibitor of metalloproteinase, tissue inhibitor of metalloproteinase 1 (erythroid potentiating activity, collagenase inhibitor)
1329	6632	Al235277	v		
	14722	A1235284	X,Z		ESTs, Highly similar to A60592 T-cell surface glycoprotein E2 precursor [H.sapiens], Homo sapiens cDNA FLJ13471 fis, clone PLACE1003566, antigen identified by monoclonal antibodies 12E7, F21 and O13, hypothetical protein DKFZp761H2024
	1462	AI235585	u,General		
1332	21061	Al235631	l,m j		

TABLE	BE CHUMAN	KOWOrogne V	NEKOTTATIONE		/Aijy, Docket No. 44921-593900 Doc. No. 1793397.
809, ID No. :	relitineti) 	Hemologous Cano Namo	Homologous Gluster Name
1333	14665	A1235646	m	MAD (mothers against decapentaplegic, Drosophila) homolog 4, MAD homolog 4 (Orosophila)	MAD (mothers against decapentaplegic, Drosophila) homolog 4
1334	19940	AI235689	General		
1335	5698	Al235692	u .		
1336	23745	A)235732	k		"ESTs, Weakly similar to LDVR RAT VERY LOW-DENSITY LIPOPROTEIN RECEPTOR PRECURSOR [R.norvegicus], RIKEN cDNA 4933405111 gene, Very low density lipoprotein receptor, nidogen 2, secreted modular calcium-binding protein 1, secreted modular calcium-binding protein 2, very low density lipoprotein receptor
1337	11164	Al235739	General	id	ESTs, Highly similar to A56716 aromatic ester hydrolase [H.sapiens], biphenyl hydrolase-like (serine hydrolase; breast epithelial mucin- associated antigen)
1338	5212	Al235745	d		
1339	14768	Al235912	h		
1340	14776	Al235950	m		
1341	3091	Al236027	n,General		
1342	14861	Al236045	r		
1343	14862	Al236048	e	1	
1344	16943	Al236097	p		integral membrane protein 2 B, integral membrane protein 2B, integral membrane protein 3
1345	8336	Al236101			
1346	23230	Al236146	v		
1347	22855	Al236150	e		Down syndrome critical region gene 5
1348	14594	Al236152	i 1	·····is	Down cynaronio disidal region gone o
1349	18406	Al236168	r		
1350	15051	A1236332	General	: 4	ESTs, Weakly similar to ATDA_HUMAN DIAMINE ACETYLTRANSFERASE [H.sapiens], RIKEN cDNA 2610016A03 gene, RIKEN cDNA 4930404K22 gene, spermidine/spermine N1-acetyl transferase, spermidine/spermine N1- acetyltransferase
1351	19298	A1236338 į	bb	i.	ESTs, Highly similar to NHPX RAT NHP2/RS6 FAMILY PROTEIN YEL026W HOMOLOG [R.norvegicus], RIKEN cDNA 2410130M07 gene, non-histone chromosome protein 2 (S. cerevisiae)-like 1, nucleolar protein family A, member 2 (H/ACA small nucleolar RNPs), sperm specific antigen 1

Bandibipous 6mg Bandibipou	TABLE	S HOMAN	HOMOLOGNEV	: ekoltatokk		
Vision, Drosophila-Jike 4 (Hu antigen D), EST, Highly similar to 2201474A inducible poly(A)-binding protein [H. sapiena], EST, Weakly similar to 2201474A inducible poly(A)-binding protein H. sapiena], EST, Highly similar to 1201474A inducible poly(A)-binding protein H. sapiena], ESTS, Highly similar to HUD RAT PARAMEOPLASTIC ENCEPHALOMYELITIS ANTIGEN HUD HOMOLOG (R. norvegicus), ESTS, Moderately similar to HUD RAT PARAMEOPLASTIC ENCEPHALOMYELITIS ANTIGEN HUD HOMOLOG (R. norvegicus), ESTS, Moderately similar to D. POLYADERITIS ANTIGEN HUD HOMOLOG (R. norvegicus), ESTS, Moderately similar to D. POLYADERITIS ANTIGEN HUD HOMOLOG (R. norvegicus), ESTS, Moderately similar to D. POLYADERITIS ANTIGEN PARAMEOPLASTIC ENCEPHALOMYELITIS ANTIGEN HUD HOMOLOG (R. norvegicus), ESTS, Moderately similar to D. POLYADERITIS ANTIGEN HUD HOMOLOG (R. norvegicus), ESTS, Moderately similar to D. POLYADERITIS ANTIGEN PARAMEOPLASTIC ENCEPHALOMYELITIS ANTIGEN HUD HOMOLOG (R. norvegicus), ESTS, Moderately similar to HUD RAT PARAMEOPLASTIC PARAMEO	Seq. ID No. 10	ldenillier i	Conbank Aced Ref. Seq. 10 No.	Model Gode	Hamalogovs Care Nama emek	##Weeka Line
1352						ELAV (embryonic lethal, abnormal vision, Drosophila)-like 4 (Hu antigen D), EST, Highly similar to 2201474A inducible poly(A)-binding protein [H.sapiens], EST, Weakly similar to 2201474A inducible poly(A)-binding protein [H.sapiens], ESTs, Highly similar to HUD RAT PARANEOPLASTIC ENCEPHALOMYELITIS ANTIGEN HUD HOMOLOG [R.norvegicus], ESTs, Moderately similar to HUD RAT PARANEOPLASTIC ENCEPHALOMYELITIS ANTIGEN HUD HOMOLOG [R.norvegicus], ESTs, Moderately similar to POLYADENYLATE-BINDING PROTEIN 1 [M.musculus], Mus musculus adult male testis cDNA, RIKEN full-length enriched library, clone:4933407N23, full insert sequence, RIKEN cDNA 4932702K14 gene, poly A binding protein, cytoplasmic 1, poly(A)-binding protein, citoplasmic 4 (inducible form), siah binding protein 1; FBP interacting repressor; pyrimidine tract binding
1354 9407 Al236402 aa aa aa aa aa aa aa			2	b	:	
1355 26335			***************************************	f		
1356						
1357						
11445						
S-phase kinase-associated protein 1A (p19A), transcription elongation factor B (SIII), polypeptide 1 (15 kDa),-like, transcription elongation factor B (SIII), polypeptide 1 (15 kDa),-like, transcription elongation factor B (SIII), polypeptide 1-like	1358					
1361 5208 Al236754 g	1359		Al236635	o,aa	ම ර ප	transcription elongation factor B (SIII),
1362 24388 Al236772 e,General EST, Highly similar to HS9B RAT HEAT SHOCK PROTEIN HSP 90-BETA [R.norvegicus], EST, Weakly similar to HHMS84 heat shock protein 84 - mouse [M.musculus], ESTs, Highly similar to T46243 hypothetical protein DKFZp761K0511.1 [H.sapiens], expressed sequence AL022974, expressed sequence C81438, heat shock 90kD protein 1, beta, heat shock protein, 84 kDa 1 1363 15850 Al236795 n,v,w 1364 14800 Al236856 w Human DNA sequence from clone RP5-1057D4 on chromosome 20 Contains a spermidine synthase (SPDSY) pseudogene, a CpG island, ESTs, STSs and GSSs, spermidine synthase hepatitis B virus x-interacting protein (9.6kD)						
EST, Highly similar to HS9B RAT HEAT SHOCK PROTEIN HSP 90- BETA [R.norvegicus], EST, Weakly similar to HHMS84 heat shock protein 84 - mouse [M.musculus], ESTs, Highly similar to T46243 hypothetical protein DKF2p761K0511.1 [H.sapiens], expressed sequence AL022974, expressed sequence C81438, heat shock 90kD protein 1, beta, heat shock protein, 84 kDa 1 1363 14800 Al236856 W Human DNA sequence from clone RP5-1057D4 on chromosome 20 Contains a spermidine synthase (SPDSY) pseudogene, a CpG island, ESTs, STSs and GSSs, spermidine synthase hepatitis B virus x-interacting protein (9.6kD)						chromosome 8 open reading frame 1
14800 Al236856 w Human DNA sequence from clone RP5-1057D4 on chromosome 20 Contains a spermidine synthase (SPDSY) pseudogene, a CpG island, ESTs, STSs and GSSs, spermidine Synthase Synthase Synthase Hepatitis B virus x-interacting protein (9.6kD) (9.6kD)						HEAT SHOCK PROTEIN HSP 90- BETA [R.norvegicus], "EST, Weakly similar to HHMS84 heat shock protein 84 - mouse [M.musculus], ESTs, Highly similar to T46243 hypothetical protein DKFZp761K0511.1 [H.sapiens], expressed sequence AL022974, expressed sequence C81438, heat shock 90kD protein 1,
Human DNA sequence from clone RP5-1057D4 on chromosome 20 Contains a spermidine synthase (SPDSY) pseudogene, a CpG island, ESTs, STSs and GSSs, spermidine synthase hepatitis B virus x-interacting protein (9.6kD)					<u> </u>	ucia, rieat Siluck protein, 64 KDa 1
1367 18151 Al237212 Jo,General (9.6kD)					•	RP5-1057D4 on chromosome 20 Contains a spermidine synthase (SPDSY) pseudogene, a CpG island, ESTs, STSs and GSSs, spermidine synthase
1 (10:010)	1267	10151	A1227040	Consul	•	· • • • • • • • • • • • • • • • • • • •
						(9.6kD)

	9.16.2 A	HQWOLOGNE V			Ally, Docket No. 44921-5089W0 Doc. No. 1798897.1
809.1D No.	ldeniller	ConBank Acel Rol Sog. ID No.	Modal Gode	Homologous Cono	Homologous Cluster Namo
1369 1370	11208 21893	Al237586 Al237713	z i,k,aa	Ti bi	EST, Weakly similar to JC1241 beta- interferon-induced protein - rat [R.norvegicus], ESTs, Moderately similar to JC1241 beta-interferon- induced protein - rat [R.norvegicus], RIKEN cDNA 1110036C17 gene, RIKEN cDNA 4933438K12 gene, interferon induced transmembrane protein 2 (1-8D) KIAA0101 gene product
1371	14842	Al237724	r		
1372	3467	Al237835	General		ESTs, Highly similar to MXI1 RAT MAX INTERACTING PROTEIN 1 (R.norvegicus), MAX dimerization protein, MAX-interacting protein, 1, Max dimerization protein, Max interacting protein 1
1373	25840	Al638972	u		
1374	17108	Al639017	n		EST, Highly similar to S30385 G9a protein [H.sapiens], ESTs, Weakly similar to T17453 ERG-associated protein ESET - mouse [M.musculus], HLA-B associated transcript 8, SET domain, bifurcated 1, expressed sequence C77070, hypothetical protein FLJ12879, suppressor of variegation 3-9 (Drosophila) homolog 2; hypothetical protein FLJ23414
1375	16676	Al639082	, , , , , , , , , , , , , , , , , , ,	mini chromosome maintenance deficient 6 (S. cerevisiae), minichromosome maintenance deficient (mis5, S. pombe) 6	mini chromosome maintenance deficient 6 (S. cerevisiae), minichromosome maintenance
1376	12400	Al639107	c,k,x k	(miss, s. pombe) 6	deficient (mis5, S. pombe) 6
1377	19952	Al639108	q,v		
1379	25907	AI639167	o,w		
1381	18533	Al639231	n .		hypothetical protein, hypothetical protein FLJ20333 ESTs, Moderately similar to dJ63G5.3
1382	18353	Al639233	t,aa	decorin	[H.sapiens], RIKÉN cDNA 1700034K16 gene, RIKEN cDNA 5530600M07 gene, decorin
1384	15330	Al639285	General		
1385	20026	AI639354	g		1
1386	25971	Al639365	r		
1388	19152	AI639387	u,General		EST, Weakly similar to CAQC RAT CALSEQUESTRIN, CARDIAC MUSCLE ISOFORM PRECURSOR [R.norvegicus], calsequestrin 1, calsequestrin 1 (fast-twitch, skeletal muscle), calsequestrin 2, calsequestrin
1390 1392 1394	20082 20056		i,m a,bb,General		2 (cardiac muscle) EST, Moderately similar to A Chain A, Mdm2 Bound To The Transactivation Domain Of P53 (SUB 17-125 [H.sapiens], mouse double minute 2, human homolog of; p53-binding protein, transformed mouse 3T3 cell double minute 2
	4713		q		

TABLE	S: AHWMAN	HOVOROBIE VI	SKONATOKK		Aliy, Docket No. 44921-503900 Doc. No. 1793397
Seq. (D No.	ldeniiiler	Genbenk Acel Ref. Seg. ID No.	Model Gods ?	Homologous Cene 'Name':	Homologous Gluster Name
1396 1397	14332 7602	AJ001044 AJ001929	bb k		EST, Moderately similar to T42215 zonadhesin - mouse [M.musculus], EST, Weakly similar to MUC2_HUMAN MUCIN 2 PRECURSOR [H.sapiens], Homo sapiens SIB 297 intestinal mucin (MUC3) mRNA, partial cds, RIKEN cDNA 3110056H04 gene, RIKEN cDNA 4931407G18 gene, Rattus norvegicus podocalyxin mRNA, complete cds, hepatitis A virus cellular receptor 1, hypothetical protein DKFZp434N185, lymphocyte antigen 64, mucin 1, transmembrane, mucin 2, intestinal/tracheal, zonadhesin
					EST, Weakly similar to CGHU3B collagen alpha 3(IV) chain precursor, long splice form [H.sapiens], EST, Weakly similar to D40750 proline-rich protein PRB1/2S [H.sapiens], RIKEN cDNA 1190004M21 gene, RIKEN cDNA 2410150I18 gene, RIKEN cDNA 6330577E15 gene, expressed sequence Al551093, mitogen-
1398	9867	AJ005424	u		activated protein kinase 7, murine leukemia viral (bmi-1) oncogene homolog, nemo-like kinase, phospholipid scramblase 1
1400	16351 ·	AJ011811	General	claudin 7	ESTs, Weakly similar to CLD7 MOUSE CLAUDIN-7 [M.musculus], ESTs, Weakly similar to CLD7 RAT CLAUDIN 7 [R.norvegicus], claudin 10, claudin 15, claudin 16, claudin 7
1401 -	20116	AJ011969	I,General	growth differentiation factor 15, prostate differentiation factor	
				,	ESTs, Moderately similar to BMCP_HUMAN BRAIN MITOCHONDRIAL CARRIER PROTEIN-1 [H.sapiens], ESTs, Weakly similar to M2OM_HUMAN MITOCHONDRIAL 2-OXOGLUTARATE/MALATE/CARRIER PROTEIN [H.sapiens], ESTs, Weakly similar to brain mitochondrial carrier protein BMCP1 [M.musculus], RIKEN cDNA 1810012H11 gene, expressed sequence AW108044, solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 10, solute carrier family 25 (mitochondrial carrier; dicarboxylate transporter), member 10, solute carrier family 25 (mitochondrial carrier; ornithine transporter), member 15, solute carrier family 25 (mitochondrial carrier; ornithine transporter), member 15, solute carrier family 25 (mitochondrial carrier; oxoglutarate carrier), member
1402	17635 4	AJ223355	v,w		11, uncoupling protein 2, mitochondrial

TABLE	S: IHUMMAN	HOWOLOGAEVA	EKIOTIATOKK		7 # 7411y. Dooleet No. 44921-5 03900 Doc. No. 1793397
Seq. (D. No: ++	ideniiier	ConSont Aced Ref. Seq. ID No.	Model Gode	Homologous Gene di Name	
1403	18686	D00729	q	dodecenoyl-Coenzyme A delta isomerase (3,2 trans enoyl-Coenyme A isomerase), dodecenoyl- Coenzyme A delta isomerase (3,2 trans-enoy Coenzyme A isomerase)	ESTs, Highly similar to D3D2 RAT 3,2 TRANS-ENOYL-COA ISOMERASE, MITOCHONDRIAL PRECURSOR [R.norvegicus], Homo sapiens, Similar to dodecenoyl-Coenzyme A delta isomerase (3,2 trans-enoyl-Coenzyme A isomerase), clone MGC:3903 IMAGE:3630566, mRNA, complete cds, dodecenoyl-Coenzyme A delta isomerase (3,2 trans-enoyl-Coenzyme A isomerase), dodecenoyl-Coenzyme
1404	5049	D10655		Coerizyine A Isomerase)	ESTs, Weakly similar to ODP2 RAT DIHYDROLIPOAMIDE ACETYLTRANSFERASE COMPONENT OF PYRUVATE DEHYDROGENASE COMPLEX [R.norvegicus], Mus musculus, clone IMAGE:3586777, mRNA, partial cds, Pyruvate dehydrogenase complex, lipoyl-containing component X; E3-binding protein, RIKEN cDNA 1600017E01 gene, RIKEN cDNA 4930529008 gene, dihydrolipoamide sacetyltransferase (E2 component of pyruvate dehydrogenase complex), dihydrolipoamide branched chain transacylase (E2 component of branched chain keto acid dehydrogenase complex; maple syrup urine disease), dihydrolipoamide
1405	25257	D13623	ln,w		branched chain transacylase E2
1405	15281	D13623	h	1	
1406	11434	D14014	cc		
1407 1408	1613 1728	D14076	X q		EST, Moderately similar to DYN2 MOUSE DYNAMIN 2 [M.musculus], ESTs, Moderately similar to DYN2 MOUSE DYNAMIN 2 [M.musculus], KIAA0820 protein, dynamin 2
1409	3015	D16554	C,S,V,Z		
1410	472	D26111	d,s,bb		
1412	16233	D29960	li.i		
				proteasome (prosome, macropain) subunit, alpha type 7, proteasome	EST, Highly similar to PROTEASOME SUBUNIT RC6-1 [R.norvegicus], EST, Highly similar to PSA7_HUMAN PROTEASOME SUBUNIT ALPHA TYPE 7 (PROTEASOME SUBUNIT ALPHA TYPE 7 (PROTEASOME SUBUNIT XAPC7) [H.sapiens], ESTs, Highly similar to PROTEASOME SUBUNIT RC6-1 [R.norvegicus], ESTs, Weakly similar to PSA7_HUMAN PROTEASOME SUBUNIT ALPHA TYPE 7 (PROTEASOME SUBUNIT ALPHA TYPE 7 (PROTEASOME SUBUNIT XAPC7) [H.sapiens], Human DNA sequence from clone RP11-180I4 on chromosome 9 Contains a proteasome subunit pseudogene, ESTs, STSs, GSSs and a CpG island, RIKEN cDNA 2410072D24 gene, proteasome (prosome, macropain) subunit, alpha
,				(prosome, macropain)	

		MOMOROGAE V			Aily. Docket No. 44924-50900 Doc. No. 1793397
Seq. (D No: •	ldenMier	Consent Acel Ref. Seq. 10 No.	Model Code .	Homologous Como Namo	Homologous Gluster Name
					PROTEIN-TYROSINE PHOSPHATASE-LIKE N PRECURSOR [H.sapiens], protein tyrosine phosphatase, receptor type, N, protein tyrosine phosphatase,
1415	9135	D45247	y,z şs	proteasome (prosome, macropain) subunit, beta type 5, proteasome (prosome, macropain) subunit, beta type, 5	receptor-type, N EST, Moderately similar to PRCE RA PROTEASOME EPSILON CHAIN PRECURSOR [R.norvegicus], RIKEN cDNA 5830406J20 gene, proteasome (prosome, macropain) subunit, beta type 5, proteasome (prosome, macropain) subunit, beta type, 5
1416	_* 16354	D50564	U		proteasome (prosome, macropain)
1417	21147	D50695	I,m,bb	solute carrier family 1 (neuronal/epithelial high affinity glutamate transporter, system Xag), member 1, solute carrier family 1, member 1	26S subunit, ATPase, 4
1419	826	D82928	f		CDP-diacylglycerolinositol 3- phosphatidyltransferase (phosphatidylinositol synthase)
1420	25306	D84485	lu		(phosphatidylinositor synthase)
1421	18867	D88250	t		MAS2_HUMAN MANNAN-BINDING LECTIN SERINE PROTEASE 2 PRECURSOR [H.sapiens], EST, Weakly similar to JC6554 probable serine proteinase [R.norvegicus], ESTs, Weakly similar to JC6554 probable serine proteinase [R.norvegicus], MASP-2 protein, complement component 1, r subcomponent, complement component 1, s subcomponent, mannan-binding lectin serine protease 1, mannan-binding lectin serine protease 2
423	22543	H31117	r,v,General		
424 425	12360 20514	H31456 ** H31489 **	W		
1425	11358	H31489	h.j	3	DNA segment, Chr 16, Indiana University Medical 21, expressed, ESTs, Highly similar to JC5020 tetratricopeptide repeat protein [H.sapiens], ESTs, Moderately similar to JW0059 mtprd protein - mouse [M.musculus], PRO1880 protein, g1- related zinc finger protein, tetratricopeptide repeat domain, tetratricopeptide repeat domain 3
1427	4360	H31813	bb,General	<u> </u>	DKFZP586B1621 protein
428	9343 ,	H32169	1		EST, Moderately similar to COF1_HUMAN COFILIN, NON- MUSCLE ISOFOR [H.sapiens], cofilin 1 (non-muscle), cofilin 1, non-muscle, cofilin 2 (muscle), cofilin 2, muscle
429			h,w		
		H33636 H34186	h .	*	ESTs, Weakly similar to IF39_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 3 SUBUNIT 9 [H.sapiens]

TABLE	K HUMAN	HOWOFOGUE W	INOTATIONS .		
Seg. 10		Canbank Ace/		Hanologous Gene	
70°	lden il lier	Ref. Seq. ID No.	Model Gode	Mamo :	Komologove Glusier Name
1432	17159	J00797	u,General		ESTs, Highly similar to A23035 tubulin alpha chain [H.sapiens], tubulin alpha 1, tubulin alpha 2, tubulin alpha 3, tubulin alpha 6, tubulin, alpha 2, tubulin, alpha 3, tubulin, alpha, tubulin, alpha 3, tubulin, alpha,
1433	16260	J01878	f	1	Josephine
1434 1435	17284 15017	J02827 J03752	bb	branched chain keto acid dehydrogenase E1, alpha polypeptide (maple syrup urine disease), branched chain ketoacid dehydrogenase E1, alpha polypeptide	
1435	15017	JU3752	П	thyroid hormone receptor	4
1436	44	J03819	p,s	beta, thyroid hormone receptor, beta (avian erythroblastic leukemia viral (v-erb-a) oncogene homolog 2)	
					ESTs, Moderately similar to GLUTATHIONE S-TRANSFERASE YB1 [R.norvegicus], glutathione S- transferase M1, glutathione S-
1437	21014	J03914	e,r,General	transferase, mu 2 steroid 5 alpha-reductase	transferase, mu 1
1438	20429	J05035		1, steroid-5-alpha- reductase, alpha polypeptide 1 (3-oxo-5 alpha-steroid delta 4- dehydrogenase alpha 1)	steroid-5-alpha-reductase, alpha polypeptide 1 (3-oxo-5 alpha-steroid delta 4-dehydrogenase alpha 1)
1430	20423	300000	1	glutamate-cysteine ligase,	glutamate-cysteine ligase, catalytic
1439	1247 ;	J05181	j,l,m,s,y,z	catalytic subunit	subunit
1440 1441	10464 20149		n,u,General q	inositol 1,4,5-triphosphate receptor 1, inositol 1,4,5- triphosphate receptor, type 1	ESTs, Highly similar to A55713 inositol 1,4,5-triphosphate receptor type 1 [H.sapiens], ESTs, Weakly similar to IP3R MOUSE INOSITOL 1,4,5-TRISPHOSPHATE-BINDING PROTEIN TYPE 1 RECEPTOR [M.musculus], expressed sequence AI528790, inositol 1,4,5-triphosphate receptor 1, inositol 1,4,5-triphosphate receptor, type 1
1441	20143	100240	9		
			q		ESTs, Highly similar to ECHP_HUMAN PEROXISOMAL BIFUNCTIONAL ENZYME [H.sapiens], enoyl- Coenzyme A, hydratase/3-hydroxyacyl Coenzyme A dehydrogenase
			W		
			k,x s		
			p ====================================		
	25366	L14003	i i		
1449	109	L14004	с,р		
			General y	phosphoinositide-specific phospholipase C-beta 1, phospholipase C, beta 1	ESTs, Highly similar to KIAA0581 protein [H.sapiens]
	16119	L16532	k	2',3'-cyclic nucleotide 3' phosphodiesterase, cyclic nucleotide phosphodiesterase 1	2',3'-cyclic nucleotide 3' phosphodiesterase, cyclic nucleotide phosphodiesterase 1, hypothetical gene CG018
1453	25377	L25387		phosphofructokinase, platelet	

WO 02/095000 PCT/US02/16173

-263-

		HOMOLOGUEA	r de Partir de la Partir de la Partir de la Partir de la Partir de la Partir de la Partir de la Partir de la P Referencia de la Partir de la Partir de la Partir de la Partir de la Partir de la Partir de la Partir de la Pa		Any, Docket No. 44921-5039WG Doc. No. 1793397.
80g. (D) [76.	ldentifér	GenBenk Ace./ Ref. Seq. ID No.	Model Gode	Hamologovis Cano	Homologous Cheler(Namo
1453	12058	L25387	h	phosphofructokinase,	ESTs, Highly similar to JC2055 6- phosphofructokinase [H.sapiens], ESTs, Weakly similar to JC2055 6- phosphofructokinase [H.sapiens], Mus musculus adult male stomach cDNA, RIKEN full-length enriched library, clone:2210403E17, full insert sequence, expressed sequence AA407869, phosphofructokinase, liver, B-type, phosphofructokinase, muscle, phosphofructokinase, platelet
1455	21146 -	L35558	General	solute carrier family 1 (neuronal/epithelial high affinity glutamate transporter, system Xag), member 1, solute carrier family 1, member 1	
1456	106	L37203	w	Tarrily 1, member 1	
1458	13682	L38482	f,j,k,m,z		
1459	6405	L38615	p ·	glutathione synthetase	
1461	15189	M11794	n,v		
1462	17086	M13011	ļj .		
1464	21053	M15481	o		
1465	25405	M18330	j,l		
1466	25415	M19648	а		
1468	14967	M22366	w .		
1469	20481	M22631	bb		
1471	15048 ☞	M24542	q		UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT, MITOCHONDRIAL PRECURSOR [R.norvegicus], EST, Weakly similar to UCRI_HUMAN UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT, MITOCHONDRIAL PRECURSOR [H.sapiens], ESTs, Moderately similar to UCRI_HUMAN UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT, MITOCHONDRIAL PRECURSOR [H.sapiens], Human DNA sequence from clone RP1-228J4 on chromosome 6 Contains a pseudogene similar to UQCRFS1 (ubiquinol-cytochrome c reductase, Rieske iron-sulfur polypeptide 1), ESTs, an STS and GSSs, RIKEN cDNA 4430402G14 gene, expressed sequence Al875505, ubiquinol- cytochrome c reductase, Rieske iron- sulfur polypeptide 1
			*	cytochrome P450, subfamily IV B, polypeptide 1, cytochrome P450,	Mus musculus, Similar to cytochrome P450, 4a10, clone MGC:25972 IMAGE:4240359, mRNA, complete cds, RIKEN cDNA A230105L22 gene, cytochrome P450, 4a10, cytochrome P450, 4a14, cytochrome P450,
1472	20921	M29853	m	1	subfamily IVA, polypeptide 11
	1224	M31931	u .		cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide
			u q	3	13
	15580		9 9		
1717	. 5555		ч	1	

TABLE (BE THUMPAN	HOWO FOGUE VI	RIOTATIONS		A ll y, Docket No. 44921-503900 Doc. No. 1793397
309. (D) Vo.	dentifier	Confinit Acel Rai Sag. (D No.	Model Gode :	Homologous Cone Name	Homologous Gluster Name
	A common mes unit i broth i broth				EST, Moderately similar to 60S RIBOSOMAL PROTEIN L35
					[R.norvegicus], EST, Moderately similar to G01477 ribosomal protein L35 [H.sapiens], EST, Weakly similar
					to 60S RIBOSOMAL PROTEIN L35 [R.norvegicus], ESTs, Highly similar
				The state of the s	G01477 ribosomal protein L35 [H.sapiens], Human DNA sequence
					from clone RP1-34P24 on chromosome 22 Contains a
					pseudogene similar to ribosomal protein L35, ESTs, STSs and GSSs, RIKEN cDNA 2410039E09 gene.
175	17211	M34331	g,n,q,v		ribosomal protein L35 Homo sapiens clone HQ0582,
				fibrinogen, A alpha	expressed sequence Al303526, fibrinogen, A alpha polypeptide,
176	20699	M35601	b,x,bb	polypeptide	fibrinogen, gamma polypeptide Homo sapiens clone HQ0582,
476 ·	20700	M35601	b,t,bb	fibrinogen, A alpha	expressed sequence Al303526, fibrinogen, A alpha polypeptide, fibrinogen, gamma polypeptide
	20,00	11133001		рогурерное	H.sapiens DMA, DMB, HLA-Z1, IPP2 LMP2, TAP1, LMP7, TAP2, DOB,
177	9223	M36151	o ,		DQB2 and RING8, 9, 13 and 14 genes, expressed sequence Al84586
79	1585	M57728	j,m,y		Homo sapiens mRNA; cDNA
					DKFZp434M2227 (from clone DKFZp434M2227), Homo sapiens prostate-specific membrane antigen PSM mRNA, exon 6 alternative splice variant, partial cds, RIKEN cDNA
					2610028K12 gene, folate hydrolase, transferrin receptor, transferrin receptor (p90, CD71), transferrin
480 481	24844 25057	M58040 M58495	c h	<u> </u>	receptor 2
101	23037	M36493	4	tropomyosin 1 (alpha),	ESTs, Moderately similar to alpha- tropomyosin slow [M.musculus],
82 83	457 1223	M60666 M75281	d,General f	tropomyosin 1, alpha	tropomyosin 4
83	1223	M/5281			ATP-binding cassette, sub-family B (MDR/TAP), member 1, ATP-binding
					cassette, sub-family B (MDR/TAP), member 10, ATP-binding cassette, su family B (MDR/TAP), member 8,:EST Highly similar to MDR3 MOUSE MULTIDRUG RESISTANCE PROTEII
			Y A	ATP-binding cassette, sub- family B (MDR/TAP), member 1, ATP-binding	3 [M.musculus], EST, Weakly similar to MDR1 RAT MULTIDRUG RESISTANCE PROTEIN 1 [R.norvegicus], ESTs, Weakly similar to MDR1 MOUSE MULTIDRUG
84	5733	M81855	i,k,aa	cassette, sub-family B (MDR/TAP), member 1B	RESISTANCE PROTEIN 1 [M.musculus]
85	4198	M83143	m		ESTs, Highly similar to A41734 beta- galactoside alpha-2,6-sialyltransferase [H.sapiens]
_]	4400				ESTs, Highly similar to A41734 beta- galactoside alpha-2,6-sialyltransferase
85	4199	M83143	m .		[H.sapiens]
86	24651	M83678	k,x,z		RAB13, member RAS oncogene family, RIKEN cDNA 0610007N03 gene, expressed sequence AW10775-

TABLE	e thanvax	HOWOTOGAIS VA			Ally, Docket No. 44921-5939WO Doc. No. 1793397 1
Xo 339.ID	lden ill ier	Consonk Aced Rof. Seq. 10 No.	Model Gode :	Homologovs Come Name	Honologous Cluster Name
1487 1488	1430 25467	M84648 M93297	General	dopa decarboxylase, dopa decarboxylase (aromatic L- amino acid decarboxylase)	EST, Highly similar to AROMATIC-L-AMINO-ACID DECARBOXYLASE [R.norvegicus], EST, Moderately similar to AROMATIC-L-AMINO-ACID DECARBOXYLASE [R.norvegicus], Mus musculus 10 days embryo cDNA, RIKEN full-length enriched library, clone:2610109O21, full insert sequence, dopa decarboxylase, dopa decarboxylase (aromatic L-amino acid decarboxylase)
				:	ESTs, Highly similar to NTG3 MOUSE SODIUM- AND CHLORIDE-
					DEPENDENT GABA TRANSPORTER 3 [M.musculus], ESTs, Weakly similar to NTG3_HUMAN SODIUM- AND CHLORIDE-DEPENDENT GABA TRANSPORTER 3 [H.sapiens], expressed sequence AA589632, solute carrier family 6 (neurotransmitter transporter, GABA),
1489	729	M95762	a,y		member 13 DNA segment, Chr 9, ERATO Doi 25.
1490	23698	NM 012489	q		expressed, Homo sapiens clone 23623 mRNA, partial cds, Homo sapiens, Similar to Acetyl-CoA acyltransferase, 3-oxo acyl-CoA thiolase A, peroxisomal, clone MGC:18173 IMAGE:4155289, mRNA, complete cds, Homo sapiens, Similar to acetyl-Coenzyme A acyltransferase 1 (peroxisomal 3-oxoacyl-Coenzyme A thiolase), clone MGC:23127 IMAGE:4908159, mRNA, complete cds, RIKEN cDNA 0610011L04 gene, acetyl-Coenzyme A acyltransferase 1 (peroxisomal 3-oxoacyl-Coenzyme A thiolase), expressed sequence Al255831, expressed sequence Al255837, t-complex protein 1, related sequence 1
1450	23030 %	1410, 012409	4		DNA segment, Chr 9, ERATO Doi 25, expressed, Homo sapiens clone 23623
1490	23699	NM_012489	q		mRNA, partial cds, Homo sapiens, Similar to Acetyl-CoA acyltransferase, 3-oxo acyl-CoA thiolase A, peroxisomal, clone MGC:18173 IMAGE:4155289, mRNA, complete cds, Homo sapiens, Similar to acetyl-Coenzyme A acyltransferase 1 (peroxisomal 3-oxoacyl-Coenzyme A thiolase), clone MGC:23127 IMAGE:4908159, mRNA, complete cds, RIKEN cDNA 0610011L04 gene, acetyl-Coenzyme A acyltransferase 1 (peroxisomal 3-oxoacyl-Coenzyme A thiolase), expressed sequence A1255831, expressed sequence A1265397, t-complex protein 1, related sequence 1

TABLE	RAMIDHI BE	HOMOTOGALE VI	REMOTRATIONS		Atty. Doctot No. 44924-5089WC Doc. No. 1793397
8 09 (D). No 1	lden ti ffer	Genearly Acc./ Ref. Seq. ID No.	Modal Godo	Homologous Gene	Homologous Cluster Name
,1491	7062	NM_012495	q	aldolase 1, A isoform, aldolase A, fructose- bisphosphate	EST, Moderately similar to ADHUA fructose-bisphosphate aldolase [H.sapiens], EST, Weakly similar to ADHUA fructose-bisphosphate aldolase [H.sapiens], EST, Weakly similar to 139435 fructose-bisphosphate aldolase [H.sapiens], ESTs, Moderately similar to aldolase A [M.musculus], Homo sapiens, aldolase 1, A isoform, clone MGC:18171 IMAGE:4155253, mRNA, complete cds, RIKEN cDNA 4933425L11 gene, aldolase 1, A isoform, aldolase 3, C isoform, aldolase A, fructose-bisphosphate
			,	aldo-keto reductase family 1, member B1 (aldose reductase), aldo-keto reductase family 1, member B3 (aldose	
1492	15511	NM_012498	u	reductase)	
	7407			benzodiazapine receptor (peripheral), benzodiazepine receptor,	Human DNA sequence from clone 34B21 on chromosome 6p12.1-21.1. Contains part of a gene for a novel protein with ZU5 domain similar to part of Tight Junction Protein ZO1 (TJP1) and UNC5 Homologs, the gene for a novel BZRP (peripheral benzodiazapine receptor (MBR,PBR, PBKS, IBP, Isoquinoline-binding protein)) LIKE protein, the gene for a novel protein similar to part of APOBEC1 (Phorbolin 1, Apolipoprotein B mRNA editing protein), and the NFYA gene for nuclear transcription factor Y, alpha (CCAAT-Binding transcription factor subunit B, CBF-B, CAAT-Box DNA binding protein subunit A). Contains ESTs, STSs, GSSs, two putative CpG islands and a ca repeat polymorphism, RIKEN cDNA 2510027D20 gene, benzodiazapine receptor (peripheral), benzodiazepine
1494	7427	NM_012515	General	peripheral cholinergic receptor,	receptor, peripheral cholinergic receptor, muscarinic 1,
1495	24433	NM_012527	İ	muscarinic 3, cholinergic receptor, muscarinic 3, cardiac	CNS, cholinergic receptor, muscarinic 3, cholinergic receptor, muscarinic 3, cardiac
1406	4467	NM 012520	4	granting kinese h'-	EST, Moderately similar to CREATINE KINASE, B CHAIN [R.norvegicus], EST, Weakly similar to KIHUCB creatine kinase [H.sapiens], creatine
1496					kinase, brain DNA segment, Chr 3, ERATO Doi 555, expressed, EST, Highly similar to 1012298A factor VIIIC [H.sapiens], ESTs, Weakly similar to CERU MOUSE CERULOPLASMIN PRECURSOR [M.musculus], ESTs, Weakly similar to CERU RAT CERULOPLASMIN PRECURSOR [R.norvegicus], ESTs, Weakly similar to KUHU ferroxidase [H.sapiens], Hermansky-Pudlak syndrome 3, ceruloplasmin, ceruloplasmin

TABLE	8: HUMAN	HOMOROGUE A	SNOTATONS		. Aliy. Dodket No. 44921-503944
Seq. (ID		Garbank (Ace./) Ref. Seq. 1D No.		Homologous Gene	Doc. No. 1793397.
NO:	s naevimev	1231° 2364 III (1391	Model Gode	Mame +	Homologous Cluster Name ESTs, Highly similar to A31759
					peptidyl-dipeptidase A [H.sapiens], ESTs, Highly similar to JC2038
					peptidyl-dipeptidase A [R.norvegicus],
				1	Mus musculus adult male testis cDNA, RIKEN full-length enriched library,
				angiotensin I converting	clone:4933424D04, full insert
				enzyme (peptidyl- dipeptidase A) 1,	sequence, RIKEN cDNA 2010305L05 gene, angiotensin I converting enzyme
1	1			angiotensin converting	(peptidyl-dipeptidase A) 1, angiotensin
1498	225	NM_012544	X,Z	enzyme	converting enzyme EST, Highly similar to AROMATIC-L-
l		***************************************			AMINO-ACID DECARBOXYLASE
					[R.norvegicus], EST, Moderately similar to AROMATIC-L-AMINO-ACID
					DECARBOXYLASE [R.norvegicus],
					Mus musculus 10 days embryo cDNA, RIKEN full-length enriched library.
					clone:2610109O21, full insert
			•	dopa decarboxylase, dopa	sequence, dopa decarboxylase, dopa decarboxylase (aromatic L-amino acid
1499	1431	NM_012545	General	amino acid decarboxylase)	decarboxylase)
	1	:			ESTs, Weakly similar to I53869 zinc finger protein - mouse [M.musculus],
					early growth response 1, repressor of
1500	23868	NM_012551	i,m,v,General	early growth response 1	GATA, testis zinc finger protein ESTs, Weakly similar to I53869 zinc
					finger protein - mouse [M.musculus],
1500	23872	NM_012551	l,v,cc,General	early growth response 1	early growth response 1, repressor of GATA, testis zinc finger protein
					ESTs, Weakly similar to I53869 zinc
					finger protein - mouse [M.musculus], early growth response 1, repressor of
1500	23869	NM_012551	v;General	early growth response 1	GATA, testis zinc finger protein
					EST, Moderately similar to ALPHA ENOLASE [R.norvegicus], EST,
					Weakly similar to A29170
					phosphopyruvate hydratase [H.sapiens], Homo sapiens cDNA
					FLJ12774 fis, clone NT2RP2001663,
					moderately similar to ENOLASE (EC 4.2.1.11), enolase 1, (alpha), enolase
					1, alpha non-neuron, enolase alpha,
1501	19407	NM 012554	z ,	enolase 1, (alpha), enolase 1, alpha non-neuron	lung-specific, expressed sequence Al427012
					EST, Moderately similar to ALPHA
					ENOLASE [R.norvegicus], EST, Weakly similar to A29170
					phosphopyruvate hydratase
	Į				[H.sapiens], Homo sapiens cDNA FLJ12774 fis, clone NT2RP2001663,
•		1			moderately similar to ENOLASE (EC
			2		4.2.1.11), enolase 1, (alpha), enolase 1, alpha non-neuron, enolase alpha,
1501	19408	NM 012554		enolase 1, (alpha), enolase	lung-specific, expressed sequence
1301	13400	14141 U 12004	n,s,y,z		Al427012 E26 avian leukemia oncogene 1, 5'
					domain, ESTs, Moderately similar to
				1	FLI1 MOUSE RETROVIRAL INTEGRATION SITE PROTEIN FLI-1
		1	Í	E26 avian leukemia	[M.musculus], FEV protein, Rattus
			į		norvegicus ETS domain transcription factor Pet-1 mRNA, complete cds, v-
1502	21836	NM 012555	, 1	virus E26 oncogene	ets avian erythroblastosis virus E26
1002	Z 1030	NM_012555	ا	homolog 1	oncogene homolog 1

TABLE	Ge THUMAN	<u> Liónorogne</u> VI	EMOITATOM		Aip. Dooket No. 44921-503900 Dog. No. 1793397.
Seg. ID No. 🏢	(Genillier)	GenBank Ass./ Ref. Seq. ID No.	Model Gode	Homologous Gane Name	
1503 1504	. 16895 . 25317	NM_012558 NM_012559	.g.s ∮bb		EST, Weakly similar to FRUCTOSE- 1,6-BISPHOSPHATASE ISOZYME 2 [M.musculus], fructose bisphosphatase 1, fructose bisphosphatase 2, fructose 1,6-bisphosphatase 1, fructose-1,6- bisphosphatase 2
1304	23317	14W_012559	00	4	EST, Moderately similar to FGHUGB
1504	6477	NM_012559	b,bb	fibrinogen, gamma polypeptide	fibrinogen gamma-B chain precursor [H.sapiens], EST, Moderately similar to Recombinant Human Gamma-Fibrinogen Carboxyl Terminal Fragment [H.sapiens], ESTs, Weakly similar to FIBG RAT FIBRINOGEN GAMMA-A/-B-CHAIN PRECURSOR [R.norvegicus], RIKEN-cDNA 1110007F23 gene, expressed sequence Al303526, fibrinogen, gamma polypeptide, fibrinogen-like 1, ficolin A, ficolin B.
				fibrinogen, gamma	EST, Moderately similar to FGHUGB fibrinogen gamma-B chain precursor [H.sapiens], EST, Moderately similar to Recombinant Human Gamma-Fibrinogen Carboxyl Terminal Fragment [H.sapiens], ESTs, Weakly similar to FIBG RAT FIBRINOGEN GAMMA-A/-B CHAIN PRECURSOR [R.norvegicus], RIKEN cDNA 1110007F23 gene, expressed sequence Al303526, fibrinogen, gamma polypeptide, fibrinogen-like 1,
1504	6478	NM_012559	bb ,	polypeptide	ficolin A, ficolin B follistatin, follistatin-like 3, follistatin-like 3 (secreted glycoprotein),
					transmembrane protein with EGF-like
1505	11731	NM_012561	k .	follistatin group specific component,	and two follistatin-like domains 1
				group-specific component	
1507	4254	NM_012564	a ,	(vitamin D binding protein)	
1508	16026	NM_012578	r ,	H1 histone family, member 0	H1 histone family, member 0
1508			_	H1 histone family, member	
1308	16024	NM_012578	ı	0 H1 histone family, member	H1 histone family, member 0
1508	16025	NM_012578	r	0	H1 histone family, member 0
1509	16080	NM_012580	g,m	heme oxygenase (decycling) 1	heme oxygenase (decycling) 1
1510			bb	insulin-like growth factor binding protein 3	insulin-like growth factor binding protein 3, protease, serine, 11 (Igf binding)
1511	4450	NM_012592	bb	isovaleryl Coenzyme A dehydrogenase, isovaleryl coenzyme A dehydrogenase	RIKEN cDNA 1300003009 gene, RIKEN cDNA 2310016C19 gene, acetyl-Coenzyme A dehydrogenase, short chain, isovaleryl Coenzyme A dehydrogenase, isovaleryl coenzyme A dehydrogenase
1511	4451	NM_012592 al	,	dehydrogenase, isovaleryl coenzyme A	RIKEN cDNA 1300003009 gene, RIKEN cDNA 2310016C19 gene, acetyl-Coenzyme A dehydrogenase, short chain, isovaleryl Coenzyme A dehydrogenase, isovaleryl coenzyme A dehydrogenase

		HONO FOGUE VI			Aily, Docket No. 44921-50390 Doc. No. 1793597
800, ID No	ldentifier	ConBank Acel Ref. Seq. ID No.	Model Gode	Homologous Gins Kams	Honologous Cluster Namo
					RIKEN cDNA 1300003009 gene,
				isovaleryl-Coenzyme A	RIKEN cDNA 2310016C19 gene, acetyl-Coenzyme A dehydrogenase.
				dehydrogenase, isovaleryl	
1511	4452	NM 012592	bb	coenzyme A	dehydrogenase, isovaleryl coenzyme
1311	14402	114W_012592	100	dehydrogenase kallikrein 1,	A dehydrogenase kallikrein 1, renal/pancreas/salivary,
				renal/pancreas/salivary,	kallikrein 21, kallikrein 24, kallikrein 2
1512	17198	NM_012593	а,х	kallikrein 6	kallikrein 5
				kallikrein 1, renal/pancreas/salivary,	kallikrein 1, renal/pancreas/salivary, kallikrein 21, kallikrein 24, kallikrein 2
1512	17197	NM_012593	х	kallikrein 6	kallikrein 5
	1			malic enzyme 1, NADP(+)-	
1513	18749	NM_012600	a,h	dependent, cytosolic, malic enzyme, supernatant	1
1010	10743	1411_012000	4,11	myelocytomatosis	
				oncogene, v-myc avian	
1511	2020	040000	0	myelocytomatosis viral	
1514	2628	NM_012603	General	oncogene homolog myelocytomatosis	PIKEN COMA 2000002KGZ cos
				oncogene, v-myc avian	RIKEN cDNA 2900002K07 gene, myelocytomatosis oncogene, v-myc
			_	myelocytomatosis viral	avian myelocytomatosis viral
1514	2629	NM_012603	x,General	oncogene homolog	oncogene homolog
					endothelin converting enzyme-like 1, expressed sequence AW322500, me
					transforming oncogene-like 1.
	1			membrane metallo	membrane metallo endopeptidase.
	1			endopeptidase, membrane	membrane metallo-endopeptidase
				metallo-endopeptidase (neutral endopeptidase,	(neutral endopeptidase, enkephalinase, CALLA, CD10),
				enkephalinase, CALLA.	membrane metallo-endopeptidase-like
1515	16849	NM_012608	n,o,q	(CD10)	2
		*		serine (or cysteine)	
				proteinase inhibitor, clade E (nexin, plasminogen	serine (or cysteine) proteinase
				activator inhibitor type 1),	inhibitor, clade E (nexin, plasminogen
1517	15540	NM_012620	General	member 1	activator inhibitor type 1), member 1
		ï		l l	cytokine receptor-like factor 1,
					interleukin 13 receptor, alpha 2, interleukin 5 receptor, alpha, prolactin
					receptor, prolactin receptor related
1518	24568	NM_012630	General	prolactin receptor	sequence 1
			·	ē	cytokine receptor-like factor 1,
				4	interleukin 13 receptor, alpha 2, interleukin 5 receptor, alpha, prolactin
				,	receptor, prolactin receptor related
518	24566	NM_012630	General	prolactin receptor	sequence 1
				prion protein, prion protein (p27-30) (Creutzfeld-Jakob	
			*	" ',	prion protein, prion protein (p27-30)
				Strausler-Scheinker	(Creutzfeld-Jakob disease, Gerstmann
E10	10552	NIN 040004). •-	1. 7	Strausler-Scheinker syndrome, fatal
1519	18553	NM_012631	k .		familial insomnia) ESTs, Highly similar to TPHUN1
		1			protein-tyrosine-phosphatase
					[H.sapiens], protein tyrosine
520	1844	NM_012637	General		phosphatase, non-receptor type 1
]				expressed sequence D19352, renin,
521	24668	NM_012642	•		renin 1 structural, renin 2 tandem duplication of Ren1
522	18632	NM_012645	1	,	
523	25435	NM_012647			
524	9423	NM_012649		syndecan 4, syndecan 4 (amphiglycan, ryudocan)	syndecan 4, syndecan 4 (amphiglycan

TABLE	SE HUMAN	N'HOWOLOGAE V	BROTESTORE		Ally, Docket No. 44921-5039
Seq. ID No.	ldentifie	ConBonk Acel Roll Scq. ID No.	Model Gode	Hemologous Como Namo	Doc. No. 1798397. Homologous Auster Name
					ESTs, Weakly similar to NAH1 MOUSE SODIUM/HYDROGEN EXCHANGER 1 [M.musculus], Homo sapiens mRNA; cDNA DKFZp434D0818 (from clone DKFZp434D0818), RIKEN cDNA
					0610040A22 gene, RIKEN cDNA 6430709P13 gene, expressed sequence Al182282, solute carrier
				solute carrier family 9 (sodium/hydrogen exchanger), isoform 3, solute carrier family 9 (sodium/hydrogen	family 9 (sodium/hydrogen exchanger) isoform 3, solute carrier family 9 (sodium/hydrogen exchanger), isoform 6, solute carrier family 9 (sodium/hydrogen exchanger),
1525	24496	NM_012654	n .	exchanger), member 3	member 1 DNA segment, Chr 14, University of
					California at Los Angeles 3, EST, Moderately similar to A41386 clusterin precursor [H.sapiens], ESTs, Moderately similar to A41386 clusterin precursor [H.sapiens], clusterin, clusterin (complement lysis inhibitor, SP-40,40, sulfated glycoprotein 2, testosterone-repressed prostate
1526	7101	NM_012679	x,bb,General		message 2, apolipoprotein J), expressed sequence Al893575
1527	24707	NM_012693	i		cytochrome P450, 2a12, cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 13, cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 7, pseudogene 1, cytochrome P450, subfamily IIA (phenobarbital-inducible), polypeptide 7, pseudogene 2
1528	1850	NM_012696		kininogen	EST, Weakly similar to KNG_MOUSE KININOGEN PRECURSOR [CONTAINS: BRADYKININ]
			P	Nilli logeli	[M.musculus], kininogen EST, Weakly similar to KNG_MOUSE KININOGEN PRECURSOR [CONTAINS: BRADYKININ]
1528	1854	NM_012696	t e	kininogen	[M.musculus], kininogen EST, Weakly similar to OCN2 MOUSE ORGANIC CATION/CARNITINE TRANSPORTER 2 [M.musculus], ESTs, Highly similar to OCN2_HUMAN ORGANIC CATION/CARNITINE TRANSPORTER 2 [H.sapiens], solute
1529	1603	NM_012697 ,	General		carrier family 22 (organic cation transporter), member 1, solute carrier family 22 (organic cation transporter), member 4, solute carrier family 22 (organic cation transporter), member 5, solute carrier family 22 (organic cation transporter), member 9
	2				ESTs, Highly similar to HXK1 RAT HEXOKINASE, TYPE I [R.norvegicus], hexokinase 1, hypothetical protein
1530	1372	NM_012734	u .	hexokinase 1	FLJ22761 expressed sequence C79630,
1531 *	1478	NM_012744	ob,General	4	methylcrotonoyl-Coenzyme A carboxylase 1 (alpha), pyruvate carboxylase, pyruvate decarboxylase

		KONO TO GAS VI			P. (Aliy. Docko: No. 4/1921-518900 Doc. No. 17913397.
Seq.(ID No.	ldentifier	ConBont Acel Ref. Seq. ID No.	Model Gode	Homologous Comp	Homologous Cluster Name
					Signal transducer and activator of transcription 1, signal transducer and activator of transcription 1, signal transducer and activator of transcription 1, 91kD, signal transducer and activator of
					transcription 3, signal transducer and activator of transcription 3 (acute-
1532 1533	343 8829	NM_012747 NM_012749	h,t General	-	phase response factor)
1	1	1107 012740	Concrai	CD24 antigen (small cell	CD24 antigen (small cell lung
				lung carcinoma cluster 4	carcinoma cluster 4 antigen), CD24a
1534	20828	NM_012752	General	antigen), CD24a antigen	antigen
				CD24 antigen (small cell lung carcinoma cluster 4	CD24 antigen (small cell lung carcinoma cluster 4 antigen), CD24a
1534	20829	NM 012752	i,General	antigen), CD24a antigen	jantigen
				CD24 antigen (small cell	CD24 antigen (small cell lung
1524	20020	NIM 012752	Conorr'	lung carcinoma cluster 4	carcinoma cluster 4 antigen), CD24a
1534	20830	NM_012752	i;General	Jantigen), CD24a antigen	antigen
1535	15174	NM 012756	b		ESTs, Highly similar to 1312358A IGF III receptor [H.sapiens], expressed sequence Al661837, insulin-like growth factor 2 receptor
1					EST, Weakly similar to ZF37 RAT
	1				ZINC FINGER PROTEIN 37 (ZFP-37)
					[R.norvegicus], ESTs, Weakly similar
				:	to S59069 Z13 protein - mouse
l					[M.musculus], Homo sapiens chromosome 19, BAC 273239 (CIT-B-
					320G13), Homo sapiens, clone
				1	MGC:23189 IMAGE:4854518, mRNA,
					complete cds, RIKEN cDNA
l				· ·	2410081M15 gene, RIKEN cDNA
					2610019F01 gene, RIKEN cDNA 2810011C24 gene, hypothetical
	-			*	protein FLJ12488, hypothetical zinc
1	1				finger protein MGC2396, zinc finger
					protein 37, zinc finger protein
1536	21685	NM_012760	j,m,n		homologous to Zfp37 in mouse
					CARD only protein, ESTs, Moderately similar to A56084 interleukin-1beta
					converting enzyme beta isozyme
					[H.sapiens], ESTs, Weakly similar to
			,		interleukin-1beta converting enzyme
					gamma isozyme [H.sapiens], Homo
			-	j	sapiens mRNA; cDNA DKFZp586A181 (from clone DKFZp586A181); partial
				Ĭ	cds, ICEBERG caspase-1 inhibitor,
					caspase 1, caspase 1, apoptosis-
4527	10000	NII 040700			related cysteine protease (interleukin
1537	18068	NM_012762	τ		1, beta, convertase)
					ESTs, Weakly similar to ANPA MOUSE ATRIAL NATRIURETIC
					PEPTIDE RECEPTOR A
					PRECURSOR [M.musculus],
					guanylate cyclase 1, soluble, alpha 3,
					guanylate cyclase 1, soluble, beta 2,
1538	1246	NM_012770	a,General		guanylate cyclase 1, soluble, beta 3, natriuretic peptide receptor 1
					G protein-coupled receptor kinase 2,
					groucho gene related (Drosophila), G
			ļ		protein-coupled receptor kinase 5, G
					protein-coupled receptor kinase 6, adrenergic, beta, receptor kinase 1,
1539	1348	NM_012776			rhodopsin kinase
			1		

นังยก		IHOMOLOGUEA			
Sog.¶ No.÷	D dendifter	GonBank Acel Rol, Sog. ID No.	Modal (600a	CACO EVOQOIOMOH Nemo: 4:	Honologous Gluster Name
	3322				ESTs, Moderately similar to DYRK RAT DUAL-SPECIFICITY TYROSINE- (Y)-PHOSPHORYLATION REGULATED KINASE [R.norvegicus], ESTs, Weakly similar to DYRK MOUSE DUAL-SPECIFICITY TYROSINE-(Y)-PHOSPHORYLATION REGULATED KINASE [M.musculus], Homo sapiens chromosome 19, CIT- HSP BAC 470n8, Mus musculus, clone MGC:6699 IMAGE:3584001, mRNA, complete cds, dual-specificity tyrosine- (Y)-phosphorylation regulated kinase 1A, dual-specificity tyrosine-(Y)-
,				phosphorylation regulated kinase 1A, dual-specificity tyrosine-(Y)- phosphorylation regulated	phosphorylation regulated kinase 1a, dual-specificity tyrosine-(Y)- phosphorylation regulated kinase 1b, dual-specificity tyrosine-(Y)- phosphorylation regulated kinase 2,
1540	18135	NM_012791	w	kinase 1a	kinase 2 GAMT_HUMAN GUANIDINOACETATE N-
1541	16947	NM 012793	p,bb	guanidinoacetate N- methyltransferase, guanidinoacetate methyltransferase	METHYLTRANSFERASE [H.sapiens], Homo sapiens, clone MGC:14390 IMAGE:4300887, mRNA, complete cds, guanidinoacetate N- methyltransferase, guanidinoacetate methyltransferase
					ESTs, Highly similar to GTT2 RAT GLUTATHIONE S-TRANSFERASE YRS-YRS [R.norvegicus], Homo sapiens mRNA; cDNA DKFZp762N226 (from clone DKFZp762N226), expressed sequence Al266894,
1542	960	NM 012796	ļu ,	glutathione S-transferase theta 2, glutathione S- transferase, theta 2	glutathione S-transferase theta 2, glutathione S-transferase, theta 2, hypothetical protein
				mal, T-cell differentiation protein, myelin and lymphocyte protein; T-cell	BENE protein, Mus musculus, Similar to BENE protein, clone MGC:19097 IMAGE:4205488, mRNA, complete cds, RIKEN cDNA 2700018N07 gene, expressed sequence Al461653, mal, T-cell differentiation protein, mal, T-cell differentiation protein 2, myelin and lymphocyte protein; T-cell
1543	260	NM_012798	f,u ş	differentiation protein	differentiation protein B-factor, properdin, DKFZP586H2123
1544	3556	NM_012803 s	,d	protein C, protein C (inactivator of coagulation factors Va and VIIIa)	protein, ESTs, Weakly similar to PRTC RAT VITAMIN-K DEPENDENT PROTEIN C PRECURSOR {R.norvegicus}, protein C, protein C (inactivator of coagulation factors Va and VIIIa)
					ATP-binding cassette, sub-family D (ALD), member 1, ATP-binding cassette, sub-family D (ALD), member 2, ATP-binding cassette, sub-family D (ALD), member 3, ESTs, Weakly similar to ABD3 RAT ATP-BINDING CASSETTE, SUB-FAMILY D,
1545	21729	NM_012804	q	family D (ALD), member 3	MEMBER 3 [R.norvegicus] alpha-methylacyl-CoA racemase.
1546			General	insulin-like growth factor	hypothetical protein FLJ11808 insulin-like growth factor binding
1547	24895	NM_012817	General *	binding protein 5	protein 5

TABLE	Se (XUMAN	HOWO FOO GIVE VI	NOTATIONS	in the same of the same of the same of the same of the same of the same of the same of the same of the same of	A114y. Dockot No. 44921-5039111 Doc. No. 17933977.
399. ID	ldentifier	Coneal: Ace/ Ref. Seq. ID No.	Model Gode	Hamologous Cenno	Homologous Gluster Name
<u>1548</u>	18109	NM_012823	u,General		EST, Weakly similar to ANXA_HUMAN ANNEXIN XI [H.sapiens], annexin A10, annexin A3
				ATP-hinding cassatto, sub	ATP-binding cassette, sub-family C (CFTR/MRP), member 10, ATP-binding cassette, sub-family C (CFTR/MRP), member 1a, ATP-binding cassette, sub-family C (CFTR/MRP), member 2, ATP-binding cassette, sub-family C (CFTR/MRP), member 4, ATP-binding cassette, sub-family C (CFTR/MRP), member 6, ESTs, Weakly similar to A40303 cystic fibrosis transmembrane conductance
1549	373 ,	NM_012833	h,l,q,General	family C (CFTR/MRP), member 2	regulator - mouse [M.musculus], expressed sequence Al132311
1550	2855	NM_012838	е	cystatin B, cystatin B (stefin B)	cystatin B, cystatin B (stefin B), expressed sequence AA960480
				cytochrome c, cytochrome	ESTs, Highly similar to 630485A cytochrome c [H.sapiens], ESTs, Weakly similar to CYTOCHROME-C, SOMATIC [M.musculus], Homo sapiens pseudogene for cytochrome c-like protein, clone pHGC4E1, Human DNA sequence from clone RP11-169017 on chromosome 13 Contains ESTs, GSSs, STSs and four CpG islands. Contains a novel protein similar to cytochrome c, part of a novel gene similar to TPTE encoding a transmembrane phosphatase with tensin homology and the ADPRTL1 gene encoding ADP-ribosyltransferase (NAD+; poly (ADP-ribose) polymerase) like protein 1 (vault protein, KIAA0177), cytochrome c, cytochrome
1551	11136	<u>NM_</u> 012839 ,	s is	c, somatic	c, somatic EST, Moderately similar to EPIDERMAL GROWTH FACTOR PRECURSOR [M.musculus], ESTs, Moderately similar to EPIDERMAL GROWTH FACTOR PRECURSOR [M.musculus], ESTs, Weakly similar to EGRT epidermal growth factor precursor - rat [R.norvegicus], Homo
1552	20885	NM_012842	j	(beta-urogastrone)	sapieris mRNA; cDNA DKFZp43400213 (from clone DKFZp43400213); partial cds, epidermal growth factor, epidermal growth factor (beta-urogastrone), nidogen 2
ء 1552	20884	NM 012842		epidermal growth factor, epidermal growth factor	EST, Moderately similar to EPIDERMAL GROWTH FACTOR PRECURSOR [M.musculus], ESTs, Moderately similar to EPIDERMAL GROWTH FACTOR PRECURSOR [M.musculus], ESTs, Weakly similar to EGRT epidermal growth factor precursor - rat [R.norvegicus], Homo sapiens mRNA; cDNA DKFZp43400213 (from clone DKFZp43400213); partial cds, epidermal growth factor, epidermal growth factor (beta-urogastrone), nidogen 2

		HOWO COGNE (V			Atty. Docket No. 44921-5033W0 Doc. No. 11793397. (
Seq. ID No.	ldentliter	GenBenk Ace./ Ref. Seq. ID No.	Model Gode	Homologous Conellar Marica	enell relevie evogolonotl
1553	18770	NM_012857	re	lysosomal membrane glycoprotein 1, lysosomal- associated membrane protein 1	CD68 antigen, ESTs, Weakly similar to LMP1 RAT LYSOSOME-ASSOCIATED MEMBRANE GLYCOPROTEIN 1 PRECURSOR [R.norvegicus], lysosomal membrane glycoprotein 1, lysosomal-associated membrane protein 1, similar to S68401 (cattle) glucose induced gene
				0-6-methylguanine-DNA methyltransferase, O-6- methylguanine-DNA	ESTs, Highly similar to 1207289A reverse transcriptase related protein [H.saplens]. ESTs, Highly similar to S21348 probable pol polyprotein-related protein 4 - rat [R.norvegicus], ESTs, Moderately similar to GNMSLL retrovirus-related reverse transcriptase homolog - mouse retrotransposon [M.musculus], ESTs, Weakly similar to 1207289A reverse transcriptase related protein [H.sapiens], ESTs, Weakly similar to B34087 hypothetical protein [H.sapiens], Homo sapiens CDNA FLJ12202 fis, clone MAMMA1000908, Mus musculus, Similar to L1 repeat, Tf subfamily, member 30, clone MGC:7372 IMAGE:3487559, mRNA, complete cds, RIKEN cDNA 1700082M22 gene, T lymphoma oncogene, expressed sequence Al267024, hypothetical protein FLJ21032, pheromone receptor
1554	20674	NM_012861	i 8	methyltransferase matrix Gla protein, matrix gamma-carboxyglutamate	V3R4 MATRIX GLA-PROTEIN PRECURSOR [H.sapiens], matrix Gla protein, matrix gamma-
1555	24617	NM_012862 NM_012870	la,r,General	tumor necrosis factor receptor superfamily, member 11b	carboxyglutamate (gla) protein Nerve growth factor receptor, fast, RIKEN cDNA 2610311809 gene, nerve growth factor receptor, nerve growth factor receptor (TNFR superfamily, member 16), tumor necrosis factor receptor superfamily, member 11b (osteoprotegerin), tumor necrosis factor receptor superfamily, member 21
1557	20945		a,v		EST, Moderately similar to 60S RIBOSOMAL PROTEIN L39 [R.norvegicus], ESTs, Highly similar to 60S RIBOSOMAL PROTEIN L39 [R.norvegicus], ESTs, Highly similar to 602654 ribosomal protein L39 [H.sapiens], ESTs, Moderately similar to G02654 ribosomal protein L39 [H.sapiens], RIKEN cDNA 2810465016 gene, RIKEN cDNA 4930517K11 gene, ribosomal protein L39, ribosomal protein L39-like 1

TABLE	er indway	HOMOLOGUE AI	MOTATIONS		Ally. Doctol No. 44221-503000 Doc. No. 1793397.
809. ID Ko		Concent Ace./ Ref. Seq. 10 No.	Model Gode	Homologous Cana Nama	Komologous Gluster Namo
					ESTs, Highly similar to A31318 glucose transporter-like protein [H.sapiens], ESTs, Weakly similar to GLUCOSE TRANSPORTER TYPE 2, LIVER [R.norvegicus], ESTs, Weakly
					similar to S05319 glucose transport protein, hepatic - mouse [M.musculus], solute carrier family 2 (facilitated glucose transporter), member 10,
				solute carrier family 2 (facilitated glucose	solute carrier family 2 (facilitated glucose transporter), member 2, solute carrier family 2, (facilitated glucose
1558	15872 495	NM_012879 NM_012880	o,r z	transporter), member 2 superoxide dismutase 3, extracellular	transporter) member 8 RIKEN cDNA 1700105P06 gene, superoxide dismutase 3, extracellular
1559	494	NM_012880	c	superoxide dismutase 3, extracellular	RIKEN cDNA 1700105P06 gene, superoxide dismutase 3, extracellular
		,		secreted phosphoprotein 1 secreted phosphoprotein 1 (osteopontin, bone sialoprotein I, early T-	
1560 1562	23651 19477	NM_012881 NM_012891	d,u,General q	lymphocyte activation 1)	
				aminolevulinate, delta-,	
1563	18564	NM_012899	v;General	dehydratase	aminolevulinate, delta-, dehydratase EST, Weakly similar to A Chain A, Nmr Solution Structure Of Domain 1 Of
1564	7197	NM_012904	f,r,cc,General	annexin A1	Human Annexin I (SUB 41-113 [H.sapiens], annexin A1
1564	7196	NM_012904	v,cc,General	annexin A1	
1565	20202	NM_012909	b,r	aquaporin 2, aquaporin 2 (collecting duct)	aquaporin 2, aquaporin 2 (collecting duct), aquaporin 6, aquaporin 6, kidney specific
1566	16581			100 mg c. 20,	Mus musculus retinal cone arrestin 3 (Arr3) mRNA, complete cds, RIKEN cDNA 1200006117 gene, arrestin, beta 2, expressed sequence Al326910,
1300	316961	NM_012911 -	c,j		retinal S-antigen Mus musculus retinal cone arrestin 3 (Arr3) mRNA, complete cds, RIKEN cDNA 1200006i17 gene, arrestin, beta
1566	16582	NM_012911	c		2, expressed sequence Al326910, retinal S-antigen
					ESTs, Highly similar to 1604249C transcription factor ATF3 [H.sapiens], ESTs, Weakly similar to ATF3 RAT CYCLIC-AMP-DEPENDENT TRANSCRIPTION FACTOR ATF-3 [R.norvegicus], Jun dimerization protein 2, activating transcription factor
1567	24431	NM_012912	General	activating transcription factor 3	3, basic leucine zipper transcription factor, ATF-like
					ATPase, Na+/K+ transporting, beta 3 polypeptide, ESTs, Highly similar to G02485 Na+/K+-exchanging ATPase
1568	18118	NM_012913		polypeptide	[H.sapiens], expressed sequence Al664000
				· ·	ATPase inhibitor, ATPase inhibitor precursor, ESTs, Moderately similar to ATPASE INHIBITOR, MITOCHONDRIAL PRECURSOR [R.norvegicus], Mus musculus 10 days
1569	6108	NM_012915	n]		embryo cDNA, RIKEN full-length enriched library, clone:2610204M17, full insert sequence

TABLE	BE CHUMAN	MOMOROGAIS VA	SKOTEATOKE		Ally, Docket No. 44921-5089WC
Seq. (D		GonBank Ace./:		Homologous Cono	<u> </u>
No.	refillmebl	Ref. Seq. ID No.	Model Gode :	Namo	Homologous Cluster Name
1570	20757	NM_012923	c,i,aa	cyclin G, cyclin G1	cyclin G, cyclin G1, cyclin G2, cyclin I
1570	20755	NM_012923	li	cyclin G, cyclin G1	cyclin G, cyclin G1, cyclin G2, cyclin I
1571	2830	NM_012925	ſ	CD59 antigen p18-20 (antigen identified by monoclonal antibodies 16.3A5, EJ16, EJ30, EL32 and G344), CD59a antigen	CD59 antigen p18-20 (antigen identified by monoclonal antibodies 16.3A5, EJ16, EJ30, EL32 and G344), CD59a antigen, ESTs, Weakly similar to CD59 RAT CD59 GLYCOPROTEIN PRECURSOR [R.norvegicus]
1571	2831	NM_012925	, f	CD59 antigen p18-20 (antigen identified by monoclonal antibodies 16.3A5, EJ16, EJ30, EL32 and G344), CD59a antigen	CD59 antigen p18-20 (antigen identified by monoclonal antibodies 16.3A5, EJ16, EJ30, EL32 and G344), CD59 antigen, ESTs, Weakly similar to CD59 RAT CD59 GLYCOPROTEIN PRECURSOR [R.norvegicus]
				carnitine palmitoyltransferase 2, carnitine	EST, Moderately similar to CPT2 RAT CARNITINE O-PALMITOYLTRANSFERASE II, MITOCHONDRIAL PRECURSOR [R.norvegicus], carnitine palmitoyltransferase 2, carnitine palmitoyltransferase II, expressed
1572	1977	NM_012930	q ja	palmitoyltransferase II	sequence Al323697 CD2-associated protein, HEF like
1573	18694	NM_012931	j.l.m.z		Protein, Homo sapiens cDNA FLJ14854 fis, clone PLACE1000972, breast cancer anti-estrogen resistance 1, enhancer of filamentation 1 (cas-like docking; Crk-associated substrate related), neural precursor cell expressed, developmentally down- regulated gene 9, v-crk-associated tyrosine kinase substrate
1574	13723		n	crystallin, alpha B	
1575 1575	9109 19398		j,y,z	cathepsin H	ESTs, Highly similar to KHHUH cathepsin H [H.sapiens], ESTs, Weakly similar to CATHEPSIN H PRECURSOR [R.norvegicus], Homo sapiens cDNA: FLJ22499 fis, clone HRC11250, highly similar to HSCATHH Human mRNA for cathepsin H (EC 3.4.22.16), cathepsin H, cathepsin W, cathepsin W (lymphopain)
1070	13330	14101_012939		diphtheria toxin receptor	
1576	223	NM_012945		(heparin-binding epidermal growth factor-like growth factor), heparin binding epidermal growth factor- like growth factor	diphtheria toxin receptor (heparin- binding epidermal growth factor-like growth factor), expressed sequence AW047313, heparin binding epidermal growth factor-like growth factor
1577	15058	NM_012950		coagulation factor II	ESTs, Weakly similar to GPRY_MOUSE PROBABLE G PROTEIN-COUPLED RECEPTOR GPR34 [M.musculus], G protein- coupled receptor 41, G protein- coupled receptor 43, Rattus norvegicus protease activated receptor 3 mRNA, complete cds, coagulation factor II (thrombin) receptor

TABUE	a: HUMAX	HOMOLOGUE A	RNOTIATIONS		Ally. Docket No. 44921-5933W Doc. No. 1793397.
809, ID No.	ldentitler	GenBenk Acc. Reil Seq. ID No.		Homologous Cone Name	Lianologous Gluster Name
			2		EST, Moderately similar to A Chain A, Crystal Structure Of Hmg1 Domain A Bound To A Cisplatin- Modified Dna Duplex [R.norvegicus], EST, Weakly similar to A Chain A, Crystal Structure Of Hmg1 Domain A Bound To A
					Cisplatin- Modified Dna Duplex [R.norvegicus], ESTs, Highly similar to S02826 nonhistone chromosomal protein HMG-1 [H.sapiens], ESTs, Moderately similar to HIGH MOBILITY GROUP PROTEIN HMG1
				high mobility group box 1,	[[M.musculus], RIKEN cDNA 4932431P20 gene, high mobility group box 1, high mobility group box 3, high- mobility group (nonhistone chromosomal) protein 1, high-mobility group (nonhistone chromosomal) protein 1-like 10, high-mobility group
1579	19111	NM_012963	g	(nonhistone chromosomal) protein 1	(nonhistone chromosomal) protein 1- like 3
					Mus musculus 12 days embryo male wolffian duct includes surrounding region cDNA, RIKEN full-length enriched library, clone:6720466F14, full insert sequence, RIKEN cDNA
1580	19374	NM 012964	l _x	hyaluronan mediated motility receptor (RHAMM), hyaluronan-mediated	0610027D24 gene, TRAF4 associated factor 1, hyaluronan mediated motility receptor (RHAMM), hyaluronan-
1300	19974	140 012304	(motility receptor (RHAMM)	mediated motility receptor (RHAMM) Homo sapiens mRNA; cDNA DKFZp434E0516 (from clone DKFZp434E0516), intercellular
1581	2554	NIM 042067		intercellular adhesion molecule, intercellular adhesion molecule 1 (CD54), human rhinovirus	adhesion molecule, intercellular adhesion molecule 1 (CD54), human rhinovirus receptor, intercellular adhesion molecule 3, intercellular
1301	2554	NM_012967		receptor	adhesion molecule 5, telencephalin Homo sapiens mRNA; cDNA DKFZp434E0516 (from clone DKFZp434E0516), intercellular
			6	intercellular adhesion molecule, intercellular adhesion molecule 1 (CD54), human rhinovirus	adhesion molecule, intercellular adhesion molecule 1 (CD54), human rhinovirus receptor, intercellular adhesion molecule 3, intercellular
1581	2555	NM_012967 #	t,cc,General	receptor potassium voltage-gated channel, Isk-related family, member 1, potassium voltage-gated channel, Isk-	adhesion molecule 5, telencephalin potassium voltage-gated channel, Isk- related family, member 1, potassium
1582	24528	NM_012973 s	С	related subfamily, member	voltage-gated channel, Isk-related subfamily, member 1
]	ESTs, Highly similar to LEG9 RAT GALECTIN-9 [R.norvegicus], ESTs, Highly similar to LEG9_HUMAN GALECTIN-9 [H.sapiens], ESTs, Weakly similar to LEG9 RAT GALECTIN-9 [R.norvegicus], expressed sequence Al265545, lectin,
1583	956	NM_012976	c	*	galactose binding, soluble 12, lectin, galactose binding, soluble 9, lectin, galactoside-binding, soluble, 9 (galectin 9)
1584 ;				nucleoporin 50kD,	nucleoporin 50kD, nucleoprotein 50

TABLE	SE CHOUNTAIN	I HOWOLOGAIS V	EKIOTRATOKK		Alty, Doctor No. 44921-303900 Doc, No. 1793397.
Seq. (D No.) (Identifier	Cenfent Acc./ Ref. Seq. ID No.	Model Gode 4	Kemelogous Ceme	Homologous Gluster Namo
1585	_* 17393	,NM_012992	d	nucleophosmin (nucleolar phosphoprotein B23, numatrin), nucleophosmin	ESTs, Moderately similar to NPM_HUMAN NUCLEOPHOSMIN [H.sapiens], ESTs, Weakly similar to NPM_HUMAN NUCLEOPHOSMIN [H.sapiens], nucleophosmin (nucleolar phosphoprotein B23, numatrin), nucleophosmin 1, nucleophosmin/vucleoplasmin 3, nucleoplasmin 3
1586	23544	NM_013013	s	prosaposin, prosaposin (variant Gaucher disease and variant metachromatic leukodystrophy)	ESTs, Weakly similar to 1504251A sphingolipid activator [H.sapiens], RIKEN cDNA 2310020A21 gene, prosaposin, prosaposin (variant Gaucher disease and variant metachromatic leukodystrophy)
1587	1588	NM_013026	k	syndecan 1	syndecan 1
1588	17894	NM_013027	m	selenoprotein W, 1, selenoprotein W, muscle 1	ESTs, Weakly similar to SELW MOUSE SELENOPROTEIN W [M.musculus], selenoprotein W, 1, selenoprotein W, muscle 1
1589	18300	NM_013030	s,v,General		ESTs, Weakly similar to NPT2 RAT RENAL SODIUM-DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 [R.norvegicus], ESTs, Weakly similar to NPT2 HUMAN RENAL SODIUM-DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 [H.sapiens], Homo sapiens, Similar to solute carrier family 34 (sodium phosphate), member 1, clone MGC:18179 IMAGE:4155326, mRNA, complete cds, Solute carrier family 17 (sodium/hydrogen exchanger), member 2, expressed sequence Al649385, solute carrier family 34 (sodium phosphate), member 2
				solute carrier family 34	ESTs, Weakly similar to NPT2 RAT RENAL SODIUM-DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 [R. norvegicus], ESTs, Weakly similar to NPT2_HUMAN RENAL SODIUM-DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 [H. sapiens], Homo sapiens, Similar to solute carrier family 34 (sodium phosphate), member 1, clone MGC:18179 IMAGE:4155326, mRNA, complete cds, Rattus norvegicus mRNA for NaPi-2 alpha, complete cds, expressed sequence Al649385, solute carrier family 34 (sodium phosphate), member 1, solute carrier family 34 (sodium phosphate),
1589	18076	NM_013030	g,s,z	l' ' ' '	member 2

		HONOPOGNE V	NOTATIONS :		Airy, Dockot No. 44921-508900 Doc. No. 1798397.1
809 (D) 10.	igentitier Egentitier	ConBank Acel Roll Seg. ID No.	Model Code	Honologous Cane : : Name : :	Homologous Cluster Name
1590	49079	NIM 012020		solute carrier family 34 (sodium phosphate),	ESTs, Weakly similar to NPT2 RAT RENAL SODIUM-DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 [R.norvegicus], ESTs, Weakly similar to NPT2_HUMAN RENAL SODIUM-DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 [H.sapiens], Homo sapiens, Similar to solute carrier family 34 (sodium phosphate), member 1, clone MGC:18179 IMAGE:4155326, mRNA, complete cds, Rattus norvegicus mRNA for NaPi-2 alpha, complete cds, Solute carrier family 17 (sodium/hydrogen exchanger), member 2, expressed sequence Al649385, solute carrier family 34 (sodium phosphate), member 1, solute carrier family 34 (sodium phosphate),
1589	18078 ⊸	NM_013030	s	member 1	member 2 ESTs, Weakly similar to NPT2 RAT
1589	18077	NM_013030	e,s,z	solute carrier family 34 (sodium phosphate), member 1	RENAL SODIUM-DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 [R.norvegicus], ESTs, Weakly similar to NPT2_HUMAN RENAL SODIUM- DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 [H.sapiens], Homo sapiens, Similar to solute carrier family 34 (sodium phosphate), member 1, clone MGC:18179 IMAGE:4155326, mRNA, complete cds, Rattus norvegicus mRNA for NaPi-2 alpha, complete cds, expressed sequence Al649385, solute carrier family 34 (sodium phosphate), member 1, solute carrier family 34 (sodium phosphate), member 2
4504	720	NM 042040		ATP-binding cassette, subfamily C (CFTR/MRP),	clone:5330439B14, full insert
1591	730	NM_013040	W	member 9	sequence
1592	17401 .	NM_013043	i,o,General	transforming growth factor beta 1 induced transcript 4, transforming growth factor beta-stimulated protein TSC-22	ESTs, Moderately similar to DIP_HUMAN DIP PROTEIN [H.sapiens], delta sleep inducing peptide, immunoreactor, glucocorticoid-induced leucine zipper, transforming growth factor beta 1 induced transcript 4, transforming growth factor beta-stimulated protein TSC-22
1593 🌡	16684	NM_013052	General	tyrosine 3- monooxygenase/tryptopha n 5-monooxygenase activation protein, eta polypeptide	3-monooxgenase/tryptophan 5- monooxgenase activation protein, gamma polypeptide, tyrosine 3- monooxygenase/tryptophan 5- monooxygenase activation protein, eta polypeptide

TABUE	8: HUMAN	KOWOTOGAIS W	SKIOTTATIONS		
806. [D No.		Consent Aced Rol Seg. 10 No.	Model Gode	Homologous Cone Name	Homologous Cluster Keme
					RIKEN cDNA 2700028P07 gene,
					tyrosine 3-monooxygenase/tryptopha
1594	14424	NIM 042052			5-monooxygenase activation protein,
1394	14421	NM_013053	∮u	4	theta polypeptide
					inhibitor of DNA binding 3, inhibitor of
1595	15254	NM 013058	k	1	DNA binding 3, dominant negative helix-loop-helix protein
	1		 	†	alkaline phosphatase,
1596	14997	NM_013059	s,z	-	liver/bone/kidney
	1				alkaline phosphatase,
1596	14996	NM_013059	General	4	liver/bone/kidney
1597	25676	NM_013069	aa		
		1		1	CD74 antigen (invariant polypeptide o
					major histocompatibility complex, clas
					Il antigen-associated), la-associated
					invariant chain, KIAA0275 gene
			1		product, sparc/osteonectin, cwcv and
					kazal-like domains proteoglycan (testican), sparc/osteonectin, cwcv an
					kazal-like domains proteoglycan 1,
			•		sparc/osteonectin, cwcv and kazal-like
1597	16924	NM_013069	0]	domains proteoglycan 2
	1				Dystrophin, dystrophin (muscular
		·]		dystrophy, Duchenne and Becker
					types), includes DXS142, DXS164,
					DXS206, DXS230, DXS239, DXS268,
	1			1	DXS269, DXS270, DXS272,
					dystrophin, muscular dystrophy,
	1			utrophin, utrophin	dystrophin-related protein 2 A-form
1598	24748	NM_013070	h,q		splice variant, utrophin, utrophin (homologous to dystrophin)
	1		11,4	(nonologous to dystrophin	syndecan 2, syndecan 2 (heparan
			•	1	sulfate proteoglycan 1, cell surface-
1599	1529	NM_013082	d,General	j	associated, fibroglycan)
					tumor necrosis factor receptor
					superfamily, member 12, tumor
					necrosis factor receptor superfamily,
					member 12 (translocating chain-
					association membrane protein), tumor
				•	necrosis factor receptor superfamily,
	1				member 1A, tumor necrosis factor
					receptor superfamily, member 1a, tumor necrosis factor receptor
					superfamily, member 1a-like 1, tumor
					necrosis factor receptor superfamily,
600	1521	NM_013091	j,l,z,General		member 1a-like 2
				hemoglobin alpha, adult	
			*	chain 2, hemoglobin, alpha	
601			c,aa °	1	
601	26150	NM_013096	c,i		
	1			hemoglobin alpha, adult	
601	1,500	NIM 042000	_	chain 2, hemoglobin, alpha	
601	1688	NM_013096	p	1	507 14-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3
					EST, Moderately similar to HART1
		l			hemoglobin alpha-1 chain - rat
		ļ			[R.norvegicus], ESTs, Moderately similar to HART1 hemoglobin alpha-1
		-			chain - rat [R.norvegicus], RIKEN
		İ	ļ	hemoglobin alpha, adult	cDNA 2510042H12 gene, hemoglobin
		J		• • •	alpha, adult chain 1, hemoglobin.
601	1689	NM_013096	с,р	1	alpha 1, hemoglobin, alpha 2

		HOWOLOGNEV	Hitter of Alleria		
Seg. ID: No. :	ldentifien	ConBenk Acel Ref. Seg. ID No.	Modal Godi	Hamologous Gene Name	Momologovis Gluster (Yame
1601	1684	NM_013096	c,s,aa	hemoglobin alpha, adult chain 2, hemoglobin, alpha	EST, Moderately similar to HART1 hemoglobin alpha-1 chain - rat [R.norvegicus], ESTs, Moderately similar to HART1 hemoglobin alpha-1 chain - rat [R.norvegicus], RIKEN cDNA 2510042H12 gene, hemoglobin alpha, adult chain 1, hemoglobin, alpha 1, hemoglobin, alpha 2
1602	20886	NM_013097	u,x,bb	*	
1602	20887	NM 013097	u,x,bb		ESTs, Weakly similar to DRN1 RAT DEOXYRIBONUCLEASE I PRECURSOR [R.norvegicus], Mus musculus DNasel precursor mRNA, complete cds, RIKEN cDNA 4733401H14 gene, deoxyribonuclease I, expressed sequence Al788650
1603	1321	NM_013098 4	c		ESTs, Weakly similar to G6PT RAT GLUCOSE-6-PHOSPHATASE [R.norvegicus], Homo sapiens, clone IMAGE:3050476, mRNA, partial cds, RIKEN cDNA 0710001K01 gene, expressed sequence AW545836, glucose-6-phosphatase, catalytic, glucose-6-phosphatase, catalytic (glycogen storage disease type I, von Gierke disease), glucose-6-phosphatase, catalytic, related sequence, islet-specific glucose-6-phosphatase catalytic subunit-related protein
			,		ESTs, Moderately similar to 16134554 FK506 binding protein FKBP [H.sapiens], FK506 binding protein 1a (12 kDa), FK506 binding protein 1b (12.6 kDa), FK506 binding protein 2 (13 kDa), FK506 binding protein 4 (59 kDa), FK506 binding protein 5 (51
1604	15296 ,	NM_013102	l,m	protein 1A (12kD)	kDa), FK506-binding protein 1A (12kD) ATPase, Na+/K+ transporting, beta 1
1606	23709	NM_013113	o,s,z,aa	Į.	polypeptide ATPase, Na+/K+ transporting, beta 1
1606	23711	×	P		polypeptide ATPase, Na+/K+ transporting, beta 1
	23710		s	d	polypeptide guanylate cyclase activator 18 (retina), guanylate cyclase activator 2 (guanylin 2, intestinal, heatstable), guanylate
1609	870	NM_013130	u h u.General	annexin A5	cyclase activator 2A (guanylin) MAD (mothers against decapentaplegic, Drosophila) homolog 1, MAD (mothers against decapentaplegic, Drosophila) homolog 5, MAD (mothers against decapentaplegic, Drosophila) homolog g annexin A5
			-,		3-hydroxy-3-methylglutaryl-Coenzyme
1611	650	NM_013134 *	h .		A reductase, ESTs, Moderately similar to hydroxymethylglutaryl-CoA reductase [M.musculus], SREBP CLEAVAGE-ACTIVATING PROTEIN

TABLE	KAMUH 3	HOMOLOGAE VI	SKOTTATIONS		Aily, Docket No. 44921-5039W Doc. No. 1793397.
Seq. [D No.	Menillier	Gensenk Acc./ Ref. Seq. ID No.	Model Gode	Homologous Conc Name	Homologous Clusier Name
4644	054				3-hydroxy-3-methylglutaryl-Coenzyme A reductase, ESTs, Moderately similar to hydroxymethylglutaryl-CoA reductase [M.musculus], SREBP
1611	651	NM_013134	lh.j.l		CLEAVAGE-ACTIVATING PROTEIN ESTs, Moderately similar to INOSITO
					1,4,5-TRISPHOSPHATE-BINDING PROTEIN TYPE 1 RECEPTOR [M.musculus], Mus musculus, Similar
				,	to Purkinje cell protein 1, clone MGC:11943 IMAGE:3600031, mRNA, complete cds, RIKEN cDNA
				inositol 1,4,5-triphosphate	9330127120 gene, inositol 1,4,5- triphosphate receptor 1, inositol 1,4,5- triphosphate receptor 2, inositol 1,4,5-
1612	1712	NM_013138	General		triphosphate receptor 2, mostioi 1,4,5- triphosphate receptor 5, inositol 1,4,5- triphosphate receptor, type 3
1613	16982	NM 013144	o,v,General		insulin-like growth factor binding protein 1, protease, serine, 11 (IGF binding)
1614	21683			CCAAT/enhancer binding	CCAAT/enhancer binding protein (C/EBP), delta
<u> </u>		NM_013154	t,cc,General	protein (C/EBP), delta CCAAT/enhancer binding	CCAAT/enhancer binding protein
1614	21682	NM_013154	cc ,	protein (C/EBP), delta	(C/EBP), delta ESTs, Weakly similar to CATHEPSIN L PRECURSOR [M.musculus], RIKEN cDNA 2310051M13 gene, RIKEN
					cDNA 4930486L24 gene, cathepsin 7, cathepsin F, cathepsin L, cathepsin
1615 1615	3431 25567	NM_013156 NM_013156	b,g,n v.General	cathepsin L	L2, cathepsin O
		-		14 14 18	ESTs, Weakly similar to CATHEPSIN L PRECURSOR [M.musculus], RIKEN cDNA 2310051M13 gene, RIKEN cDNA 4930486L24 gene, cathepsin 7, cathepsin F, cathepsin L, cathepsin
1615	3430	NM_013156	General :	cathepsin L	L2, cathepsin O RIKEN cDNA 4833415K22 gene,
1616	1309	NM_013159	w		expressed sequence AA675336, insulin degrading enzyme, insulin- degrading enzyme
		7		**************************************	RIKEN cDNA 4833415K22 gene, expressed sequence AA675336, insulin degrading enzyme, insulin-
1616	1310	NM_013159	w "		degrading enzyme
1617	21722	NM 012174	***		TGF beta 2 protein, transforming growth factor, beta 2, transforming
1617	21/23 "	NM_013174	W id		growth factor, beta 3 EST, Moderately similar to CAMP- DEPENDENT PROTEIN KINASE TYPE I-ALPHA REGULATORY CHAIN
,					[R.norvegicus], protein kinase, cAMP dependent regulatory, type 1, alpha, protein kinase, cAMP dependent regulatory, type I beta, protein kinase,
1618	1314	NM_013181	m		cAMP-dependent, regulatory, type I, alpha (tissue specific extinguisher 1)
1619	17357	NM_013183	p,bb,General	beta	expressed sequence C87576, meprin 1 beta, meprin A, beta
				,	Mus musculus adult male stomach cDNA, RIKEN full-length enriched library, clone:2210403E17, full insert sequence, expressed sequence
					AA407869, phosphofructokinase, liver, phosphofructokinase, liver, B-type,
1620	1300	NM_013190	у	į	phosphofructokinase, muscle

新聞機		MAN HOMOFOGNE	EMOTATOMA !	And the second s	Alty, Docket No. 44921-5939WG Doc. No. 1793397.
	. 10 (10)	CenBenk Ac Mor Row Seg. 10 G	ed Note Gode	Hamologous Geno Name :	Homologous Cluster Name
1621	116448	NM_013197	С		EST, Highly similar to HEM0 RAT 5- AMINOLEVULINIC ACID SYNTHASE, ERYTHROID-SPECIFIC, MITOCHONDRIAL PRECURSOR [R.norvegicus], ESTs, Highly similar to SYHUAE 5-aminolevulinate synthase [H.sapiens], aminolevulinate, delta-, synthase 2 (sideroblastic/hypochromic anemia), aminolevulinic acid synthase 1, aminolevulinic acid synthase 2, erythroid, glycine C-acetyltransferase (2-amino-3-ketobutyrate coenzyme A ligase), glycine C-acetyltransferase (2-amino-3-ketobutyrate-coenzyme A ligase)
* 1622 * 1623	20856	NM_013200 NM_013214	Ь	carnitine palmitoyltransferase 1, muscle, carnitine palmitoyltransferase I, muscle	ESTs, Moderately similar to CPTM RAT CARNITINE O-PALMITOYLTRANSFERASE I, MITOCHONDRIAL MUSCLE ISOFORM [R.norvegicus], ESTs, Weakly similar to CPT1 MOUSE CARNITINE O-PALMITOYLTRANSFERASE I, MITOCHONDRIAL LIVER ISOFORM [M.musculus], carnitine palmitoyltransferase 1, liver, carnitine palmitoyltransferase 1, muscle, carnitine palmitoyltransferase 1, muscle
1023	, 331	NW_013214			ESTs, Highly similar to AR72_HUMAN AFLATOXIN B1 ALDEHYDE REDUCTASE 1 (AFB1-AR 1) (ALDOKETOREDUCTASE 7) [H.sapiens], ESTs, Moderately similar to AFAR RAT AFLATOXIN B1 ALDEHYDE REDUCTASE [R.norvegicus], RIKEN cDNA 0610025K21 gene, Rattus norvegicus aiar mRNA for androgen-inducible aldehyde reductase, complete cds, aldo-keto reductase family 7, member A2 (aflatoxin aldehyde reductase), aldo-keto reductase family 7, member aldoketo reductase family 7, member
1624	20864	NM_013215	g,n,y		A3 (aflatoxin aldehyde reductase) ESTs, Moderately similar to T30989 serine/threonine protein kinase NIK - mouse [M.musculus], Mus musculus, Similar to zinc finger protein 347, clone MGC:18913 IMAGE:4242025, mRNA, complete cds, RIKEN cDNA 1500031A17 gene, mitogen-activated protein kinase kinase kinase kinase 4, mitogen-activated protein kinase kinase kinase kinase 6, myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4, syntaxin
1625 1626	1396	NM_013217	v	growth factor, erv1 (S. cerevisiae)-like (augmenter of liver regeneration)	binding protein 4 ESTs, Highly similar to ALR RAT AUGMENTER OF LIVER REGENERATION [R.norvegicus], growth factor, ev1 (S. cerevisiae)-like [augmenter of liver regeneration]

TABLE	SP. HUMAN	HOWOLOGAEVA	NOTATIONS		Any. Docket No. 4/924-5039
Seq. ID No.	ldentifier	Confent Acel Ref. Sco. 10 Vo.	Modal Godini:	Homologous Gana	Dos. No. 1793397 (Homologous Gluster Name
. 16 2 7	*815 ·	NM_013224	w		ESTs, Highly similar to RS26_HUMAN 40S RIBOSOMAL PROTEIN S26 [H.sapiens], Homo sapiens, clone IMAGE:4100953, mRNA, Human DNA sequence from PAC 384D21 on chromosome X contains ribosomal protein S26 pseudogene, STS, polymerase (RNA) II (DNA directed) polypeptide D, ribosomal protein S26
1628	18305	NM_013226	V		ESTs. Highly similar to ACDM MOUSE
1000	04070	NIM 04000	!	acetyl-Coenzyme A dehydrogenase, medium chain, acyl-Coenzyme A dehydrogenase, C-4 to C-	
1629	21078	NM_016986	ld	12 straight chain	chain, expressed sequence Al987948 ESTs, Weakly similar to PPAL RAT
		7			LYSOSOMAL ACID PHOSPHATASE PRECURSOR [R.norvegicus], acid phosphatase 2, lysosomal, acid phosphatase 6, lysophosphatidic, acid
1630	24649	NM_016988	v	acid phosphatase 2, lysosomal	phosphatase, prostate, acid phosphatase, testicular
1631 a	15239	NM_016989	q,w		EST, Weakly similar to RL15 RAT 60S RIBOSOMAL PROTEIN L15 [R.norvegicus], ESTs, Highly similar to RL15_HUMAN 60S RIBOSOMAL PROTEIN L15 [H.sapiens], ESTs, Moderately similar to RL15 RAT 60S RIBOSOMAL PROTEIN L15 [R.norvegicus], RIKEN cDNA 2510008H07 gene, ribosomal protein L15
1632	45	NIM 01600E	*	calcium-sensing receptor, calcium-sensing receptor (hypocalciuric hypercalcemia 1, severe neonatal	EST, Weakly similar to EXTRACELLULAR CALCIUM- SENSING RECEPTOR PRECURSOR [R.norvegicus], ESTs, Weakly similar to CASR_HUMAN EXTRACELLULAR CALCIUM-SENSING RECEPTOR PRECURSOR [H.sapiens], ESTs, Weakly similar to JC7160 metabotropic glutamate receptor subtype 3 precursor - mouse [M.musculus], G protein coupled receptor, family C, group 1, member A, G protein coupled receptor, family C, group 1, member C, calcium-sensing receptor (hypocalciuric hypercalcemia 1, severe neonatal hyperparathyroidism), vomeronasal 2, receptor, 11,
1632	45	NM_016996	General 1	hyperparathyroidism)	vomeronasal 2, receptor, 12 Mus musculus, Similar to cytochrome
1633 🐧	20714	NM_016999		1, cytochrome P450,	INUS MUSCUIUS, SIIIIIIAI to cytocriorine P450, 4a10, clone MGC:25972 IMAGE:4240359, mRNA, complete cds, RIKEN cDNA A230105L22 gene, cytochrome P450, 4a10, cytochrome P450, 4a14, cytochrome P450, subfamily IVA, polypeptide 11

TABLES	B. HUMAN	HOMOROGALEV	: EKIOTATOKK		VAN Y, Docket No. 44 92 1-503000 Doc. No. 17793997.
Seq. (D): No.		ConBank Ace./ Ref. Seq. ID No.	Model Gode	Kennologove Cennol Kennologove Cennol Kennologove Cennol	Lionalogous Cluster Name
1633	20713	NM_016999	t	cytochrome P450, subfamily IV B, polypeptide 1, cytochrome P450, subfamily IVB, polypeptide	Mus musculus, Similar to cytochrome P450, 4a10, clone MGC:25972 IMAGE:4240359, mRNA, complete cds, RIKEN cDNA A230105L22 gene, cytochrome P450, 4a10, cytochrome
1633	20711	NM_016999	q,t	1, cytochrome P450,	Mus musculus, Similar to cytochrome P450, 4a10, clone MGC:25972 IMAGE:4240359, mRNA, complete cds, RIKEN cDNA A230105L22 gene, cytochrome P450, 4a10, cytochrome P450, 4a14, cytochrome P450, subfamily IVA, polypeptide 11
1633	20715	NM_016999	şq,t	1, cytochrome P450,	Mus musculus, Similar to cytochrome P450, 4a10, clone MGC:25972 IMAGE:4240359, mRNA, complete cds, RIKEN cDNA A230105L22 gene, cytochrome P450, 4a10, cytochrome P450, 4a14, cytochrome P450, subfamily IVA, polypeptide 11
1634	1698	NM_017000	e,n,p,General	diaphorase (NADH/NADPH) (cytochrome b-5 reductase), diaphorase 4 (NADH/NADPH)	ESTs, Weakly similar to DHQU RAT NAD(P)H DEHYDROGENASE [R.norvegicus], NAD(P)H menadione oxidoreductase 2, dioxin inducible, NAD(P)H menadione oxidoreductase 2, dioxin-inducible, diaphorase (NADH/NADPH) (cytochrome b-5 reductase), diaphorase 4 (NADH/NADPH)
1635	1399	NM 017006	h,n,General	glucose-6-phosphate dehydrogenase, glucose-6- phosphate dehydrogenase X-linked	glucose-6-phosphate dehydrogenase, glucose-6-phosphate dehydrogenase 2, glucose-6-phosphate dehydrogenase X-linked, hexose-6- phosphate dehydrogenase (glucose 1-
	7000		II,II,General	glutathione S-transferase A2, glutathione S-	dehydrogenase) glutathione S-transferase A2, glutathione S-transferase, alpha 2
1637	18989	NM_017013	n	glutathione S-transferase M2 (muscle), glutathione S	(Yc2) ESTs, Moderately similar to GLUTATHIONE S-TRANSFERASE YB1 [R.norvegicus], glutathione S- transferase M1, glutathione S-
		NM_017014	e,f e,General	glutathione S-transferase M2 (muscle), glutathione S-transferase, mu 2	transferase, mu 1 ESTs, Moderately similar to GLUTATHIONE S-TRANSFERASE YB1 [R.norvegicus], glutathione S- transferase M1, glutathione S- transferase, mu 1
1639	11836	NM_017023	b	potassium inwardly- rectifying channel,	EST, Weakly similar to IRKF MOUSE ATP-SENSITIVE INWARD RECTIFIER POTASSIUM CHANNEL 15 [M.musculus], potassium inwardly-rectifying channel, subfamily J, member 1, potassium inwardly-rectifying channel, subfamily J, member 10, potassium inwardly-rectifying channel, subfamily J, member 10, potassium inwardly-rectifying channel, subfamily J, member 15

TABLE	OKAMUTA SE	<u>Homoroghis</u> VI	NNOTATIONS :		Any. Docton No. 44921-5039WG Doc. No. 1793397
Seq.(ID) No.	ldentilier	Confort Acel Ref. Seq. 10.No.	Model Goder :	Honologous Gono Namo : An	Homologous Cluster Name
1639 1639	5475 25546	NM_017023 NM_017023	Ь	potassium inwardly- rectifying channel, subfamily J, member 1	EST, Weakly similar to IRKF MOUSE ATP-SENSITIVE INWARD RECTIFIER POTASSIUM CHANNEL 15 [M.musculus], potassium inwardly-rectifying channel, subfamily J, member 1, potassium inwardly-rectifying channel, subfamily J, member 10, potassium inwardly-rectifying channel, subfamily J, member 15
1639	25546	NM_01/023	b,bb		SSTo Highly similar to DENIN AN
			·	lactate dehydrogenase 1, A chain, lactate	ESTs, Highly similar to DEHULM L-lactate dehydrogenase [H.sapiens], ESTs, Moderately similar to DEHULM L-lactate dehydrogenase [H.sapiens], ESTs, Moderately similar to L-LACTATE DEHYDROGENASE M CHAIN [R.norvegicus], ESTs, Weakly similar to DEMSLM L-lactate dehydrogenase [M.musculus], Homo sapiens, Similar to lactate dehydrogenase 1, A chain, clone MGC:23940 IMAGE:3935569, mRNA, complete cds, expressed sequence Al326310, lactate dehydrogenase 1, A chain, lactate dehydrogenase A,
1640	17807	NM_017025	i,General	dehydrogenase A	lactate dehydrogenase C
1641	24597	NM_017040	U	protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform, protein phosphatase 2a, catalytic subunit, beta isoform	Mus musculus adult female placenta cDNA, RIKEN full-length enriched library, clone:1600017J22, full insert sequence, RIKEN cDNA 2310003C10 gene, expressed sequence Al115466, protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform, protein phosphatase 2a, catalytic subunit, beta isoform, protein phosphatase 4, catalytic subunit
1642	24696	NM 017048		solute carrier family 4 (anion exchanger), member 2, solute carrier family 4, anion exchanger, member 2 (erythrocyte membrane protein band 3-	ESTs, Moderately similar to A25104 band 3 protein, nonerythroid [H.sapiens], Human DNA sequence from clone RP4-79416 on chromosome 20 Contains a gene for a putative oncogene protein, parts of 2 novel genes, ESTs, STSs, GSSs and CpG islands, solute carrier family 4 (anion exchanger), member 2, solute carrier family 4, anion exchanger, member 2 (erythrocyte membrane protein band 3-like 1), solute carrier family 4, sodium bicarbonate cotransporter, member 4, solute carrier family 4, sodium bicarbonate cotransporter, member 9, solute carrier family 4, sodium bicarbonate transporter-like, member 11

TABLE	e amanyan	HOMOFOGALEVA	SKIOTATIOKK	e-Property of the Control of the Con	Airy. Docket No. 44921-316977. Doc. No. 1793697.
809. ID No) 	Consink Ace./ Ref. Soq. ID No.	Model Gode	Honologous Cene Name	Homologous Cluster Name
					EST, Highly similar to B3A3 RAT ANION EXCHANGE PROTEIN 3
					[R.norvegicus], ESTs, Weakly similar
					to I38496 anion exchanger 3 brain isoform [H.sapiens], Human DNA
					sequence from clone RP4-79416 on
]					chromosome 20 Contains a gene for a
					putative oncogene protein, parts of 2 novel genes, ESTs, STSs, GSSs and
					CpG islands, solute carrier family 4
					(anion exchanger), member 3, solute carrier family 4, anion exchanger.
					member 3, solute carrier family 4,
1643	24695	NM 017049	l _u		sodium bicarbonate transporter-like, member 11
1					ESTs, Moderately similar to
				aumaraulda diamutaa 4	SUPEROXIDE DISMUTASE
				superoxide dismutase 1, soluble, superoxide	[M.musculus], copper chaperone for superoxide dismutase, superoxide
				dismutase 1, soluble	dismutase 1, soluble, superoxide
1644	20876	NM 017050	j,n,z	(amyotrophic lateral sclerosis 1 (adult))	dismutase 1, soluble (amyotrophic lateral sclerosis 1 (adult))
	1		y.·.u=	BCL2-associated X	interal scierosis i (addit))
1645	910	NM 017059	f,i,m	protein, Bcl2-associated X protein	
10.10	1	7407 017009	1,1,111	BCL2-associated X	associated X protein
1645	012	NIN 047050		protein, Bcl2-associated X	BCL2-associated X protein, Bcl2-
1645	912	NM_017059	<u> </u>	protein	associated X protein ESTs, Moderately similar to
1					LYOX HUMAN PROTEIN-LYSINE 6-
					OXIDASE PRECURSOR [H.sapiens],
					ESTs, Moderately similar to PROTEIN- LYSINE 6-OXIDASE PRECURSOR
					[R.norvegicus], hypothetical protein
					FLJ21889, lysyl oxidase, lysyl oxidase- like, lysyl oxidase-like 1, lysyl oxidase-
1646	1946	NM_017061	h	lysyl oxidase	like 2
					ESTs, Moderately similar to
					LYOX_HUMAN PROTEIN-LYSINE 6- OXIDASE PRECURSOR [H.sapiens],
					ESTs, Moderately similar to PROTEIN-
					LYSINE 6-OXIDASE PRECURSOR [R.norvegicus], hypothetical protein
					FLJ21889, lysyl oxidase, lysyl oxidase-
1646	1942	NM_017061	,General	lysyl oxidase	like, lysyl oxidase-like 1, lysyl oxidase- like 2
			.,	17 og i Oxidase	ESTs, Moderately similar to
					LYOX_HUMAN PROTEIN-LYSINE 6-
					OXIDASE PRECURSOR [H.sapiens], ESTs, Moderately similar to PROTEIN-
					LYSINE 6-OXIDASE PRECURSOR
					[R.norvegicus], hypothetical protein FLJ21889, lysyl oxidase, lysyl oxidase-
		1			like, lysyl oxidase-like 1, lysyl oxidase-
1646	1943	NM_017061 t			like 2
					EST, Moderately similar to JH0385 midkine precursor [H.sapiens], EST,
i				i	Weakly similar to PTN MOUSE
					PLEIOTROPHIN PRECURSOR [R.norvegicus], midkine, midkine
		1		pleiotrophin, pleiotrophin	(neurite growth-promoting factor 2),
				(heparin binding growth	pleiotrophin, pleiotrophin (heparin binding growth factor 8, neurite growth-

		HOMOLOGAEVA	SKOTATOKK		Airy. Docket No. 44921-5039W Doc. No. 1793397.
829, [D No.) [den iii er	ConBank Acel Rel Sog ID No.	Model Gode	Homologous Cane Namo	Homologous Cluster Namo
				lysosomal membrane glycoprotein 2, lysosomal- associated membrane	CD68 antigen, ESTs, Highly similar to LMP2 RAT LYSOSOME-ASSOCIATED MEMBRANE GLYCOPROTEIN 2 PRECURSOR [R.norvegicus], ESTs, Weakly similar to A48042 lysosomal membrane glycoprotein lamp-2 homolog [H.sapiens], lysosomal membrane glycoprotein 2, lysosomal-associated
1648	6654	NM_017068	w	protein 2 glutamate-ammonia ligase	membrane protein 2
1649	11153	NM_017073	s	(glutamine synthase), glutamine synthetase	glutamate-ammonia ligase (glutamine synthase), glutamine synthetase
1650	1923	NM 017076	General		DNA segment, Chr 7, ERATO Doi 458, expressed, RIKEN cDNA 2610301819 gene, RIKEN cDNA 3830421F03 gene, poliovirus receptor, poliovirus receptor-related 2 (herpesvirus entry mediator B), poliovirus receptor-related 3, poliovirus sensitivity, tumor-
1000		11M_017070	Octional		associated antigen 1 CD1B antigen, b polypeptide, CD1D antigen, d polypeptide, CD1E antigen, e polypeptide, CD1d1 antigen, CD1d2
1651	1523	NM_017079	S		antigen DNA segment, Chr 14, University of
1652	23660	NM 017080	 S	hydroxysteroid (11-beta) dehydrogenase 1, hydroxysteroid 11-beta dehydrogenase 1	California at Los Angeles 2, ESTs, Weakly similar to CORTICOSTEROID 11-BETA-DEHYDROGENASE, ISOZYME 1 [R.norvegicus], expressed sequence C79874, hydroxysteroid (11-beta) dehydrogenase 1, hydroxysteroid 11-beta dehydrogenase 11, retinal shortchain dehydrogenase/reductase retSDR2
				hydroxysteroid (11-beta) dehydrogenase 2, hydroxysteroid 11-beta	Mus musculus, Similar to hydroxysteroid 11-beta dehydrogenase 2, clone MGC:25647 IMAGE:4235545, mRNA, complete cds, hydroxysteroid (11-beta)
1653	275 +	NM_017081	b,d,General	dehydrogenase 2	dehydrogenase 2 RIKEN cDNA 2310037/18 gene.
1654	16211 *	NM_017082	j,s.z	glycoprotein)	(uromucoid, Tamm-Horsfall glycoprotein), zona pellucida glycoprotein 1
1655	1552	NM_017084	<u> </u>	glycine N- methyltransferase	glycine N-methyltransferase
1655	1550	NM_017084	у	glycine N- methyltransferase	glycine N-methyltransferase
1656	22552	NM_017087	a,k,x	1	ESTs, Weakly similar to BONE/CARTILAGE PROTEOGLYCAN I PRECURSOR [R.norvegicus], ESTs, Weakly similar to PGS1_HUMAN BONE/CARTILAGE PROTEOGLYCAN I PRECURSOR [H.sapiens], asporin, asporin (LRR class 1), biglycan, opticin

		HONOROGAEVA			AMY, Docket No. 44921-5039W0 Doc. No. 1793397. 1
Seq. ID: No.	Identifier	ConBank (Acc) Ref. Seq. (D No.	Model Gode ":	Homologous Gano Name y	Homologius Cluster Name
				guanylate cyclase 1,	ESTs, Weakly similar to ANPA MOUSE ATRIAL NATRIURETIC PEPTIDE RECEPTOR A PRECURSOR [M.musculus], ESTs, Weakly similar to GUANYLATE CYCLASE SOLUBLE, ALPHA-1 CHAIN [R.norvegicus], guanylate cyclase 1, soluble, alpha 2, guanylate cyclase 1, soluble, alpha 3, guanylate cyclase 1, soluble, beta 3, natriuretic peptide receptor 1, soluble guanylyl
1657	8888	NM_017090	m	soluble, alpha 3	cyclase alpha2 subunit
1658	10887	NM_017094	a,General	growth hormone receptor	growth hormone receptor
				peptidylprolyl isomerase A, peptidylprolyl isomerase A	ESTs, Highly similar to A Chain A, Cyclophilin A [H.sapiens], ESTs, Weakly similar to PEPTIDYL-PROLYL CIS-TRANS ISOMERASE A [R.norvegicus], KIAA1228 protein, RIKEN cDNA 2310076N22 gene, RIKEN cDNA 4930520F12 gene, expressed sequence AI256741, expressed sequence AW457192, peptidylprolyl isomerase A, peptidylprolyl isomerase A (cyclophilin A), peptidylprolyl isomerase E
1659	4393	NM_017101	a,y	(cyclophilin A)	(cyclophilin E)
					blood-brain barrier specific anion transporter, solute carrier family (organic anion transporter) member 10, solute carrier family 21 (organic anion transporter), member 1, solute carrier family 21 (organic anion transporter), member 10, solute carrier family 21 (organic anion transporter), member 14, solute carrier family 21 (organic anion transporter), member 14, solute carrier family 21 (organic anion transporter), member 3, solute carrier family 21 (organic anion
				solute carrier family 21	transporter), member 6, solute carrier
				(organic anion transporter),	family 21 (organic anion transporter),
1660		NM_017111	d	member 1	member 8
1661		NM_017113	е	granulin	granulin
1661	20746	NM_017113	а	granulin	granulin
1662 .	1375	NM 017122	w		DNA segment, Chr 15, ERATO Doi 412, expressed, ESTs, Highly similar to HIPP RAT NEURON SPECIFIC CALCIUM-BINDING PROTEIN HIPPOCALCIN [R.norvegicus], ESTs, Highly similar to VIS3 MOUSE VISININ LIKE PROTEIN 3 [M.musculus], hippocalcin, hippocalcin-like 1, hypothetical protein El 120481
1002 4	1010	V17 122	w .	hippocalcin	hypothetical protein FLJ20481 CD37 antigen, EST, Highly similar to A47629 cell surface glycoprotein CD37 [H.sapiens], Mus musculus, Similar to CD37 antigen, clone MGC:7983
					IMAGE:3585492, mRNA, complete
1663	12903	NM_017124	k a	CD37 antigen	cds, oculospanin

TABLE	3: THUMAN	HOMOROGUEA	. Skionatoki		Affy. Docket No. 44921-503977 Doc. No. 1793397
866° (ID)	ldenlijer		Model Gode	Homologous Care. Name	Homologous Gluster Nemo
					EST, Moderately similar to 40S RIBOSOMAL PROTEIN SA
İ					[R.norvegicus], ESTs, Highly similar to
					A31233 ribosomal protein RS.40K,
1					cytosolic [H.sapiens], ESTs, Highly similar to A56880 laminin receptor,
					67K [H.sapiens], ESTs, Moderately
1					similar to A29395 ribosomal protein
					RS.40K - mouse [M.musculus], ESTs,
					Weakly similar to 1405340A protein 40kD [M.musculus], Homo sapiens
		1			laminin receptor-like protein LAMRL5
1004				laminin receptor 1 (67kD,	mRNA, complete cds, laminin receptor
1664	24885	NM_017138	r	ribosomal protein SA)	1 (67kD, ribosomal protein SA)
					EST, Moderately similar to 40S RIBOSOMAL PROTEIN SA
l					[R.norvegicus], ESTs, Highly similar to
					A31233 ribosomal protein RS.40K,
					cytosolic [H.sapiens], ESTs, Highly
					similar to A56880 laminin receptor, 67K [H.sapiens], ESTs, Moderately
					similar to A29395 ribosomal protein
			'		RS.40K - mouse [M.musculus], ESTs,
					Weakly similar to 1405340A protein
İ					40kD [M.musculus], Homo sapiens
			ı	laminin receptor 1 (67kD,	laminin receptor-like protein LAMRL5 mRNA, complete cds, laminin receptor
1664	24886	NM_017138	d,q	ribosomal protein SA)	1 (67kD, ribosomal protein SA)
					EST, Moderately similar to
					COF1_HUMAN COFILIN, NON-
					MUSCLE ISOFOR [H.sapiens], ESTs, Highly similar to DEST HUMAN
		·			DESTRIN [H.sapiens], ESTs.
					Moderately similar to COF1 RAT
					COFILIN, NON-MUSCLE ISOFORM
					[R.norvegicus], ESTs, Moderately similar to COF1_HUMAN COFILIN,
					NON-MUSCLE ISOFOR [H.sapiens]
			1		cofilin 1 (non-muscle), cofilin 1, non-
1665	15363	NM_017147		cofilin 1 (non-muscle),	muscle, cofilin 2 (muscle), cofilin 2,
.000	1.5555	14141	n,u	cofilin 1, non-muscle	muscle, destrin EST, Moderately similar to CYSR RAT
				•	CYSTEINE-RICH PROTEIN 1
					[R.norvegicus], ESTs, Weakly similar
		ļ			to CYSR RAT CYSTEINE-RICH
		l		,	PROTEIN 1 [R.norvegicus], ESTs,
		l			Weakly similar to S12658 cysteine-rich protein [H.sapiens], cysteine and
				8	glycine-rich protein 1, cysteine rich
				•	protein, cysteine-rich protein 2,
		I		8	cysteine-rich protein 3, epithelial protein lost in neoplasm beta, thymus

TABLE	ge ihannan	HOVO CONEY	SKIOITATIONS		Ally, Docket No. 44921-5939W Doc. No. 1793397.
809. ID No. ::	ldentiliter	Genfink Age./ Ref. Seq. 10 No.	Model Gode	Hemologous Cane Name	Womologous Gluster Name
					EST, Moderately similar to 60S RIBOSOMAL PROTEIN L29 [R.norvegicus], EST, Weakly similar to S65784 ribosomal protein L29,
			,		cytosolic [H.sapiens], ESTs, Highly similar to S65784 ribosomal protein L29, cytosolic [H.sapiens], ESTs, Weakly similar to 60S RIBOSOMAL
					PROTEIN L29 [M.musculus], Human DNA sequence from clone RP4- 595K12 on chromosome 1p31.2-31.3
					Contains a pseudogene similar to 60S RPL29 (ribosomal protein L29 (cell surface heparin binding protein HIP)), a chromosome 1 specific mRNA
1667	5351	NM_017150	q	ribosomal protein L29	(KIAA0499), a novel mRNA (KIAA0433), ESTs, STSs, GSSs and a CpG Island, ribosomal protein L29
					EST, Moderately similar to R3HU15 ribosomal protein S15, cytosolic [H.sapiens], EST, Weakly similar to 405 RIBOSOMAL PROTEIN S15
1668	45054	ADA 047454			[R.norvegicus], ESTs, Highly similar to R3HU15 ribosomal protein S15, cytosolic [H.sapiens], Homo sapiens, clone IMAGE:4479080, mRNA, partial
1008	16954	NM_017151	a,n ;	ribosomal protein S15	cds, ribosomal protein S15 EST, Weakly similar to 40S RIBOSOMAL PROTEIN S17 [M.musculus], ESTs, Highly similar to
		đ	,		R4HU17 ribosomal protein S17, cytosolic [H.sapiens], ESTs, Moderately similar to R4HU17 ribosomal protein S17, cytosolic
1669	21643	NM_017152 .	g ,	ribosomal protein S17	[H.sapiens], ribosomal protein \$17 EST, Weakly similar to RS3A MOUSE 40S RIBOSOMAL PROTEIN S3A [M.musculus], ESTs, Highly similar to
1670	1694	NM_017153	a,q	ribosomal protein S3A, ribosomal protein S3a	JC4662 ribosomal protein S3a, cytosolic [H.sapiens], ribosomal protein S3A, ribosomal protein S3a EST, Moderately similar to R3HU6
				,	ribosomal protein S6, cytosolic {H.sapiens], EST, Weakly similar to 40S RIBOSOMAL PROTEIN S6
					[R.norvegicus], ESTs, Moderately similar to 40S RIBOSOMAL PROTEIN S6 [M.musculus], Homo sapiens cDNA: FLJ23534 fis, clone LNG06974,
1671 -	17104	NM_017160	bb,General ,	ribosomal protein S6	highly similar to HUMRPS6A Human ribosomal protein S6 mRNA, RIKEN cDNA 5830405M20 gene, ribosomal protein S6
					EST, Moderately similar to R3HU6 ribosomal protein S6, cytosolic [H.sapiens], EST, Weakly similar to 40S RIBOSOMAL PROTEIN S6
					[R.norvegicus], ESTs, Moderately similar to 40S RIBOSOMAL PROTEIN S6 [M.musculus], Homo sapiens cDNA: FLJ23534 fis, clone ŁNG06974,
1671 g	17106	NM_017160	u	ribosomal protein S6	highly similar to HUMRPS6A Human ribosomal protein S6 mRNA, RIKEN cDNA 5830405M20 gene, ribosomal protein S6

TABLE	3: IHUMAN	HOMOTOGATE VI	SKIOTKATIONS:		Aliy. Podkel No. 44921-5039W
Seq.(ID) No:	[den ffit er	ConBark Ace./ Ref. Seq. ID No.	Model Code	Homologous Gane	Dog. Mo. 1799997. (
birth control of the					FEST, Moderately similar to R3HU6 ribosomal protein S6, cytosolic [H.sapiens], EST, Weakly similar to 40S RIBOSOMAL PROTEIN S6 [R.norvegicus], ESTs, Moderately similar to 40S RIBOSOMAL PROTEIN S6 [M.musculus], Homo sapiens cDNA: FLJ23534 fis, clone LNG06974, highly similar to HUMRPS6A Human ribosomal protein S6 mRNA, RIKEN CDNA 5830405M20 gene, ribosomal
1671	17107	NM_017160	d,e	ribosomal protein S6	protein S6 EST, Moderately similar to T02747
				glutathione peroxidase 4, glutathione peroxidase 4 (phospholipid	phospholipid-hydroperoxide glutathione peroxidase [H.sapiens], EST, Weakly similar to T02747 phospholipid-hydroperoxide glutathione peroxidase [H.sapiens], ESTs, Weakly similar to GSHH RAT PHOSPHOLIPID HYDROPEROXIDE GLUTATHIONE PEROXIDASE [R.norvegicus], Homo sapiens PRO2893 mRNA, complete cds, RIKEN cDNA 2310016C16 gene, RIKEN cDNA 3110050F08 gene, glutathione peroxidase 4, glutathione peroxidase 4 (phospholipid
1672	17686	NM_017165	n,q	hydroperoxidase)	hydroperoxidase)
1673	20702	NM 017166	c	leukemia-associated gene, stathmin 1/oncoprotein 18	1 -
				choline kinase-like, choline/ethanolamine	gene, stathmin 1/oncoprotein 18 EST, Weakly similar to KICE MOUSE CHOLINE/ETHANOLAMINE KINASE [M.musculus], ESTs, Weakly similar to KICE RAT CHOLINE/ETHANOLAMINE KINASE [R.norvegicus], Homo sapiens, Similar to hypothetical protein FLJ10761, clone MGC:19512 IMAGE:4329734, mRNA, complete cds, Mus musculus mRNA for choline/ethanolamine kinase, complete cds, RIKEN cDNA 4930555L11 gene, choline kinase-like, choline/ethanolamine kinase, ethanolamine kinase, hypothetical
1674	3513	NM_017177	r	kinase	protein FLJ10761 ESTs, Weakly similar to S58222 PQ-
1675	19031			T-cell death associated gene, pleckstrin homology- like domain, family A,	rich protein [H.sapiens], MARCKS-like protein, Mus musculus 8 days embryo cDNA, RIKEN full-length enriched library, clone:5730519L10, full insert sequence, Myristoylated alanine-rich protein kinase C substrate, myristoylated alanine rich protein kinase C substrate, myristoylated alanine-rich protein kinase C substrate (MARCKS, 80K-L), pleckstrin homology-like domain, family A, member 1, pleckstrin homology-like domain, family A, member 3, tumor suppressing subtransferable candidate

TABLES	e eroman	HOMOLOGUEA	SKOUKA <mark>TO</mark> KK		Aily. Doolet No. 44921-500900 Dog. No. 1798397
Seq. (D) No.	(dentifier	GanBank Ace./ Ref. Seq. 10 No.	Model Gode	Homologous Cama Name	Homologous Gluster Namo
	icanina.	Kes 3345 IP NOS		Manual	EST, Moderately similar to HMG2 RAT HIGH MOBILITY GROUP PROTEIN HMG2 [R.norvegicus], EST, Weakly similar to HMG2 RAT HIGH MOBILITY GROUP PROTEIN HMG2 [R.norvegicus], ESTs, Weakly similar to 2001363A high mobility group protein 2 [H.sapiens], ESTs, Weakly similar to HMG2 RAT HIGH MOBILITY GROUP PROTEIN HMG2 [R.norvegicus], Human DNA sequence from clone RP3-527B10 on chromosome 6q25.1-25.3 Contains a pseudogene similar to HMG (high mobility group) protein, STSs and GSSs, Human DNA sequence from clone RP5-1007G16 on chromosome 1p34.2-35.3. Contains part of the gene for a novel CUB and Sushi (SCR repeat) domain protein, a novel highmobility group (nonhistone chromosomal) protein 2 (HMG2) like protein (pseudo) gene, a heat shock 60kD protein 1 (chaperonin) (HSPD1)
					pseudogene, ESTs, STSs and GSSs, RIKEN cDNA 2610021J01 gene, expressed sequence Al326135,
1676	15437 <i>"</i>	NM_017187			expressed sequence C80539, high mobility group box 2, high-mobility group (nonhistone chromosomal)
			X.2		protein 2 EST, Moderately similar to HMG2 RAT HIGH MOBILITY GROUP PROTEIN HMG2 [R.norvegicus], EST, Weakly similar to HMG2 RAT HIGH MOBILITY GROUP PROTEIN HMG2 [R.norvegicus], ESTs, Weakly similar to 2001363A high mobility group protein 2 [H.sapiens], ESTs, Weakly similar to HMG2 RAT HIGH MOBILITY GROUP PROTEIN HMG2 [R.norvegicus], Human DNA sequence from clone RP3-527B10 on chromosome 6q25.1-25.3 Contains a pseudogene similar to HMG (high mobility group) protein, STSs and GSSs, Human DNA sequence from clone RP5-1007G16 on chromosome 1p34.2-35.3. Contains part of the gene for a novel CUB and Sushi (SCR repeat) domain protein, a novel high-
1676	15433	NM_017187 *	y		mobility group (nonhistone chromosomal) protein 2 (HMG2) like protein (pseudo) gene, a heat shock 60kD protein 1 (chaperonin) (HSPD1) pseudogene, ESTs, STSs and GSSs, RIKEN cDNA 2610021J01 gene, expressed sequence Al326135, expressed sequence C80539, high mobility group box 2, high-mobility group fonnhistone chromosomal) protein 2

TABLE	3: [HUMMAN	NOMOROGAE VI	SKOTKATOKE	¥##;	Ally, Docket No. 4492A-5039W Doc. No. 1793397, 1
Soq. (D) No.		ConBent: Ace./ Ref. Scopib No.		Homologous Cane	Homologous Gluster Kame
					EST, Moderately similar to HMG2 RAT HIGH MOBILITY GROUP PROTEIN HMG2 [R.norvegicus], EST, Weakly similar to HMG2 RAT HIGH MOBILITY GROUP PROTEIN HMG2
					[R.norvegicus], ESTs, Weakly similar to 2001363A high mobility group protein 2 [H.sapiens], ESTs, Weakly similar to HMG2 RAT HIGH MOBILITY GROUP PROTEIN HMG2
					[R.norvegicus], Human DNA sequence from clone RP3-527B10 on chromosome 6q25.1-25.3 Contains a pseudogene similar to HMG (high
					mobility group) protein, STSs and GSSs, Human DNA sequence from clone RP5-1007G16 on chromosome 1p34.2-35.3. Contains part of the gene
					for a novel CUB and Sushi (SCR repeat) domain protein, a novel high-mobility group (nonhistone chromosomal) protein 2 (HMG2) like
					protein (pseudo) gene, a heat shock 60kD protein 1 (chaperonin) (HSPD1) pseudogene, ESTs, STSs and GSSs, RIKEN cDNA 2610021J01 gene,
1070	45404				expressed sequence Al326135, expressed sequence C80539, high mobility group box 2, high-mobility group (nonhistone chromosomal)
1676	15434	NM_017187	x,z		protein 2 CD33 antigen, CD33 antigen (gp67), ESTs, Weakly similar to MYELIN- ASSOCIATED GLYCOPROTEIN
1677	24437	NM_017190	p *	malignancy-associated protein, myelin-associated glycoprotein	PRECURSOR [R.norvegicus], Homo sapiens HSPC078 mRNA, partial cds, myelin associated glycoprotein, myelin- associated glycoprotein
			•	L-kynurenine/alpha- aminoadipate	ESTs, Weakly similar to S48737 kynurenine aminotransferase - rat [R.norvegicus], cysteine conjugate- beta lyase; cytoplasmic (glutamine
1678	1542	NM_017193	j,l,m,z	aminotransferase, kynurenine aminotransferase II	transaminase K, kyneurenine aminotransferase), hypothetical protein 669 EST, Weakly similar to COX4_HUMAN
			·		CYTOCHROME'C OXIDASE POLYPEPTIDE IV PRECURSO [H.sapiens], cytochrome c oxidase subunit IV, cytochrome c oxidase subunit IV isoform 2, cytochrome c
1679	14695	NM 017202	q,s	9	oxidase subunit IV isoform 2 precursor, cytochrome c oxidase, subunit IVa, cytochrome c oxidase, subunit IVb, expressed sequence AL024441
				,	EST, Weakly similar to COX4_HUMAN CYTOCHROME C OXIDASE POLYPEPTIDE IV PRECURSO [H.sapiens], cytochrome c oxidase
				c.	subunit IV, cytochrome c oxidase subunit IV isoform 2, cytochrome c oxidase subunit IV isoform 2 precursor, cytochrome c oxidase,
1679 <i>,</i>	14694	NM_017202	s,z		subunit IVa, cytochrome c oxidase, subunit IVb, expressed sequence AL024441

TABLES	s HUMAN	H <u>O</u> MOFOGAEV	EKIÖITATIOKI		Air, Docket No. 44921-5039WG Doc. No. 1793997.
Seq.JD No.14	ldenlifter	ConBank Acel Ref. Seq. (D No.		Homologous Cone Namo	Homologeus Cluster Name
				outer dense fiber of sperm	ESTs, Highly similar to T09400 outer dense fiber protein 2 - mouse [M.musculus], KIAA1229 protein, Myosin heavy chain 11, Myosin, heavy polypeptide 9, non-muscle, expressed sequence C80049, myosin, heavy polypeptide 9, non-muscle, outer
1680	1428	NM 017213	m	tails 2, outer dense fibre of sperm tails 2	
1000	11420	NW_017213		solute carrier family 3 (cystine, dibasic and neutral amino acid transporters, activator of	ESTs, Moderately similar to 1914205A AA transporter [H.sapiens], putative L-type neutral amino acid transporter, solute carrier family 3 (activators of dibasic and neutral amino acid transport), member 2, solute carrier family 3 (cystine, dibasic and neutral amino acid transporters, activator of cystine, dibasic and neutral amino acid
1681	1622	NM_017216	g,j,s,z	family 3, member 1	transport), member 1, solute carrier family 3, member 1
1682	13642	NM_017220	v		
1683	1510	NM_017224	W General		EST, Moderately similar to JC4884 organic cation transporter protein 2 - rat [R.norvegicus], EST, Weakly similar to OCN2 MOUSE ORGANIC CATION/CARNITINE TRANSPORTER 2 [M.musculus], ESTs, Highly similar to OCN2 HUMAN ORGANIC CATION/CARNITINE TRANSPORTER 2 [H.sapiens], ESTs, Highly similar to Organic cation transporter [H.sapiens], solute carrier family 22 (organic cation transporter), member 1, solute carrier family 22 (organic cation transporter), member 4, solute carrier family 22 (organic cation transporter), member 5, solute carrier family 22, member 9, solute carrier family 22, member 9, solute carrier family 22, member 3 ESTs, Moderately similar to DRPL RAT ATROPHIN-1 [R.norvegicus], ESTs, Weakly similar to G01763
1684 *	1811	NM_017228	j,l,m,z		atrophin-1 [H.sapiens], Homo sapiens, clone IMAGE:4153246, mRNA, partial cds, RIKEN cDNA 2310009E07 gene, RIKEN cDNA 2810012K09 gene, arginine-glutamic acid dipeptide (RE) repeats, dentatorubral pallidoluysian atrophy, dentatorubral-pallidoluysian atrophy (atrophin-1), expressed sequence C78339, formin EST, Weakly similar to EFHU2 translation elongation factor eEF-2 [H.sapiens], ESTs, Highly similar to ELONGATION FACTOR 2 [R.norvegicus], ESTs, Weakly similar to ELONGATION FACTOR 2 [R.norvegicus], G1 to phase transition 1, G1 to phase transition 2, RIKEN cDNA 4930594C11 gene, U5 snRNP-
1686 ,	17563	NM_017245	3	eukaryotic translation	specific protein, 116 kD, eukaryotic translation elongation factor 1 alpha 1, eukaryotic translation elongation factor 2, expressed sequence AI451340, hypothetical protein FLJ21661

PABLE	KIAMIMAN 3	HOMOLOGUEA	NNOTATIONS		Ally, Docket No. 44921-5039W0 Dock No. 1793397, 1
609. [D No. :	lden(lilletr	GenBank Acc./ Ref. Seq. (D No.)	Model Code	Homologous Cana Name	Homologovs Cluster Venno
					ESTs, Highly similar to ROA1 RAT HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 [R.norvegicus], ESTs, Moderately similar to Up1, The Two Rna-Recognition Motif Domain Of Hnrnp A1 (SUB 3-184 [H.sapiens], ESTs, Weakly similar to ROA1 RAT HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 [R.norvegicus], ESTs, Weakly similar to heterogeneous ribonuclear particle protein A1 [H.sapiens], Human DNA sequence from clone RP11-51N22 on chromosome 13 Contains ESTs, STSs and GSSs. Contains an HNRPA1
				heterogeneous nuclear	(heterogeneous nuclear Pitonucleoprotein A1) pseudogene, RIKEN cDNA 4930547K05 gene, heterogeneous nuclear
1687	17502	NM_017248	ļr	ribonucleoprotein A1	ribonucleoprotein A1 ESTs, Highly similar to ROA1 RAT
1687	17501	NM_017248	x	heterogeneous nuclear ribonucleoprotein A1	HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 [R.norvegicus], ESTs, Moderately similar to Up1, The Two Rna- Recognition Motif Domain Of Hnmp A1 (SUB 3-184 [H.sapiens], ESTs, Weakly similar to ROA1 RAT HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 [R.norvegicus], ESTs, Weakly similar to heterogeneous ribonuclear particle protein A1 [H.sapiens], Human DNA sequence from clone RP11-51N22 on chromosome 13 Contains ESTs, STSs and GSSs. Contains an HNRPA1 (heterogeneous nuclear ribonucleoprotein A1) pseudogene, RIKEN cDNA 4930547K05 gene, heterogeneous nuclear ribonucleoprotein A1 B-cell translocation gene 1, anti- proliferative, ESTs, Weakly similar to BTG1 RAT BTG1 PROTEIN
1688	19	NM 017258	v General	B-cell translocation gene 1,	[R.norvegicus], transducer of ERBB2, 1, transducer of ERBB2, 2, transducer of ErbB-2.1
1689			i,v,cc;General		B-cell translocation gene 2, anti- proliferative, B-cell translocation gene 3, B-cell translocation gene 4, BTG family, member 2, BTG family, member 3, BTG family, member 4, ESTs, Highly similar to BTG2_HUMAN BTG2 PROTEIN PRECURSOR [H.sapiens] B-cell translocation gene 2, anti-
1689 .	15301	NM_017259		anti-proliferative, BTG	proliferative, B-cell translocation gene 3, B-cell translocation gene 4, BTG family, member 2, BTG family, member 3, BTG family, member 4, ESTs, Highly similar to BTG2_HUMAN BTG2 PROTEIN PRECURSOR [H.sapiens]

TABLES		HOWOTOGAE W			(AYY), Docket No. 44921-5039W0 Doc. No. 1793397. 1
Seq. (D No.	Identifier	ConBank Ace./ Ref. Seq. ID No.	Model Gode	Honologous Cons Name	Honologous Auster Namo
1689	. 15299	NM 017259	l,y,cc,General	B-cell translocation gene 2, anti-proliferative, BTG family, member 2	B-cell translocation gene 2, anti- proliferative, B-cell translocation gene 3, B-cell translocation gene 4, BTG family, member 2, BTG family, member 3, BTG family, member 4, ESTs, Highly similar to BTG2_HUMAN BTG2_PROTEIN PRECURSOR [H.sapiens]
				protease (prosome, macropain) 28 subunit, alpha, proteasome (prosome, macropain) activator subunit 1 (PA28	EST, Moderately similar to A Chain A, Proteasome Activator Reg(Alpha) (SUB 4-63 [H.sapiens], proteasome (prosome, macropain) activator
1690	15224	NM_017264	d	proteasome (prosome, macropain) subunit, alpha	subunit 1 (PA28 alpha) multicatalytic endopeptidase complex [H.sapiens], ESTs, Highly similar to PRC8 MOUSE PROTEASOME COMPONENT C8 [M.musculus], ESTs, Highly similar to PROTEASOME COMPONENT C8 [R.norvegicus], ESTs, Weakly similar to SNHUC8 multicatalytic endopeptidase complex [H.sapiens], proteasome (prosome, macropain) subunit, alpha type 3, proteasome
1691	3987	NM_017280	bb '	(prosome, macropain) subunit, alpha type, 3	(prosome, macropain) subunit, alpha type, 3
1692	1447	NM 017281		proteasome (prosome, macropain) subunit, alpha type 4, proteasome (prosome, macropain) subunit, alpha type, 4	EST, Weakly similar to SNHUC9 multicatalytic endopeptidase complex [H.sapiens], proteasome (prosome, macropain) subunit, alpha type 4, proteasome (prosome, macropain) subunit, alpha type, 4
				proteasome (prosome, macropain) subunit, alpha type 6, proteasome (prosome, macropain)	ESTs, Weakly similar to PRCI_HUMAN PROTEASOME IOTA CHAIN [R.norvegicus], proteasome (prosome, macropain) subunit, alpha type 6, proteasome (prosome,
1693	15535	NM_017283	s,bb	subunit, alpha type, 6 ATPase, Ca++ transporting, cardiac	macropain) subunit, alpha type, 6
1694	12349	NM_017290	General	muscle, slow twitch 2	EST, Highly similar to CCAD MOUSE VOLTAGE-DEPENDENT L-TYPE CALCIUM CHANNEL ALPHA-1D SUBUNIT [M.musculus], EST, Moderately similar to CCAD MOUSE VOLTAGE-DEPENDENT L-TYPE CALCIUM CHANNEL ALPHA-1D SUBUNIT [M.musculus], EST, Moderately similar to CCAD RAT VOLTAGE-DEPENDENT L-TYPE CALCIUM CHANNEL ALPHA-1D SUBUNIT [R.norvegicus], RIKEN cDNA 8430418G19 gene, calcium channe, voltage-dependent, alpha 1F subunit, calcium channel, voltage-dependent, L type, alpha 1D subunit,
1695	15819	NM_017298	, ,	calcium channel, voltage- dependent, L type, alpha 1D subunit	calcium channel, voltage-dependent, alpha 1F subunit, polycystic kidney disease 2-like 2

TABLE 8	KAMMAN	HOMOFOGNE VIV	: eköltatoki		Atty, Docket No. 44921-503900 Doc. No. 1793397.
Seg. ID No.	ldentifer	GenBenk Aced Ref. Seq. ID No.	Model (Code	Homologous Gano Namo	Homologous Cluster Namo
1696	23825	NM_017299	v	solute carrier family 19 (folate transporter), member 1, solute carrier family 19 (sodium/hydrogen exchanger), member 1	expressed sequence AW322295, solute carrier family 19 (folate transporter), member 1, solute carrier family 19 (sodium/hydrogen exchanger), member 1, solute carrier family 19 (sodium/hydrogen exchanger), member 3, solute carrier family 19 (thiamine transporter), member 2, solute carrier family 19, member 3
				solute carrier family 19 (folate transporter), member 1, solute carrier family 19 (sodium/hydrogen	expressed sequence AW322295, solute carrier family 19 (folate transporter), member 1, solute carrier family 19 (sodium/hydrogen exchanger), member 1, solute carrier family 19 (sodium/hydrogen exchanger), member 3, solute carrier family 19 (thiamine transporter), member 2, solute carrier family 19,
1696	23826	NM_017299	v	exchanger), member 1 glutamate-cysteine ligase,	member 3 ESTs, Highly similar to GSH0_HUMAN GLUTAMATECYSTEINE LIGASE REGULATORY SUBUNIT [H.sapiens],
1697 1698	14003 26109	NM_017305 NM_017306	j,l,m,y,z q,s	modifier subunit, glutamate cysteine ligase, modifier subunit	glutamate-cysteine ligase, modifier subunit, glutamate-cysteine ligase, modifier subunit
1698	18687	NM 017306	q,t	Coenzyme A delta	ESTs, Highly similar to D3D2 RAT 3,2- TRANS-ENOYL-COA ISOMERASE, MITOCHONDRIAL PRECURSOR [R.norvegicus], Homo sapiens, Similar to dodecenoyl-Coenzyme A delta isomerase (3,2 trans-enoyl-Coenzyme A isomerase), clone MGC:3903 IMAGE:3630566, mRNA, complete cds, dodecenoyl-Coenzyme A delta isomerase (3,2 trans-enoyl-Coenzyme A isomerase), dodecenoyl-Coenzyme A delta isomerase (3,2 trans-enoyl- Coenzyme A isomerase)
:				is and the second secon	EST, Moderately similar to S12583 polyubiquitin 4 - mouse [M.musculus], EST, Weakly similar to JE0190 polyubiquitin unit [H.sapiens], Homo sapiens UBBP2 pseudogene for ubiquitin UBB, RIKEN cDNA 2700054004 gene, expressed sequence Al194771, expressed sequence AL033289, ubiquitin B,
1699 ,	18142 1894	NM_017314 NM_017320	g,s,aa t		ubiquitin C cathepsin S
		y	6	calmodulin 2, calmodulin 2 (phosphorylase kinase,	Calmodulin 1 (phosphorylase kinase, delta), Calmodulin III, ESTs, Highly similar to A Chain A, Calmodulin Complexed With Calmodulin-Binding Peptide From Smooth Muscle Myosin Light Chain Kinase (SUB 2-148 [H.sapiens], R.norvegicus CaMII retropseudogene (clone lambda SC27), RIKEN cDNA 2310068022 gene, calmodulin 1, calmodulin 1 (phosphorylase kinase, delta), calmodulin 2, calmodulin 2 (phosphorylase kinase, delta),
1701	20809	NM 017326	u j	delta)	calmodulin 3, calmodulin-like 3

nier Gera		HOWOLOGAE VI			Ally, Docket No. 44921-5039WC Doc. No. 1793397-1
Seq. (D)	ldenillier	GonBank Aced Ref. Seq. ID No.		Homologous Com Name	Homologous Civeter Name
					ESTs, Highly similar to ACYL-COENZYME A OXIDASE, PEROXISOMAL [R.norvegicus], ESTs, Highly similar to CAOP_HUMAN ACYL-COENZYME A OXIDASE, PEROXISOMAL [H.sapiens], RIKEN cDNA 1300003009 gene, RIKEN cDNA 2310016C19 gene, acetyl- Coenzyme A dehydrogenase, short chain, acyl-Coenzyme A oxidase 2, branched chain, isovaleryl coenzyme
1703	16148	NM_017340	q,s		A dehydrogenase ESTs, Highly similar to ACYL-
					COENZYME A OXIDASE, PEROXISOMAL [R.norvegicus], ESTs, Highly similar to CAOP_HUMAN ACYL- COENZYME A OXIDASE, PEROXISOMAL [H.sapiens], RIKEN cDNA 1300003009 gene, RIKEN cDNA 2310016C19 gene, acetyl- Coenzyme A dehydrogenase, short chain, acyl-Coenzyme A oxidase 2,
1703	16150	NM 017340	a		branched chain, isovaleryl coenzyme A dehydrogenase
					ESTs, Weakly similar to MOHULP myosin regulatory light chain, placental [H.sapiens], RIKEN cDNA 2900073G15 gene, expressed sequence C77744, myosin, light polypeptide, regulatory, non-
1704	20849	NM_017343	r,u,General	8	sarcomeric (20kD)
					ESTs, Weakly similar to MOHULP myosin regulatory light chain, placental [H.sapiens], RIKEN cDNA 2900073G15 gene, expressed sequence C77744, myosin, light polypeptide, regulatory, non-
1704	20848	NM_017343	b,General	b	sarcomeric (20kD)
1705	606	NM 017350	b.	15 *** ***	GPI-anchored metastasis-associated protein homolog, metastasis-associated GPI-anchored protein, plasminogen activator, urokinase receptor, urokinase plasminogen activator receptor
1706	1581	NM_017365	General ,	PDZ and LIM domain 1 (elfin)	ESTs, Weakly similar to LIM PROTEIN CLP36 [R.norvegicus], PDZ and LIM domain 1 (elfin), PDZ and LIM domain 3, PDZ-LIM protein mystique, RIKEN cDNA 1110003B01 gene, Rattus norvegicus LIM-domain protein LMP-1 mRNA, complete cds, Z-band alternatively spliced PDZ-motif, actinin alpha 2 associated LIM protein, alpha-actinin-2-associated LIM protein, reversion induced LIM gene ESTs, Moderately similar to alpha-
		040404		tropomyosin 1 (alpha),	tropomyosin slow [M.musculus],
1707	455	NM_019131	X	tropomyosin 1, alpha	tropomyosin 4 ESTs, Moderately similar to alpha-
1707	456	NM_019131 ,	y,z	tropomyosin 1 (alpha), tropomyosin 1, alpha	tropomyosin slow [M.musculus], tropomyosin 4

TABUE 8	KINDON I	HOMOLOGUEAN	EXIOTATIONS		Ally. Docket No. 44921-503900 Doc. No. 1793397.
833, ID No.	ldenillier	Consolia Acel Rol Sog ID No.	Model Gode	Homologous Gene Name :	Homologous Cluster Name
					EST, Weakly similar to NKC2_HUMAI BUMETANIDE-SENSITIVE SODIUM- (POTASSIUM)-CHLORIDE COTRANSPORTER 2 (KIDNEY- SPECIFIC NA-K-CL SYMPORTER)
				50	[H.sapiens], expressed sequence [Al788571, hypothetical protein
	:			solute carrier family 12 (sodium/potassium/chlorid e transporters), member 1, solute carrier family 12,	FLJ23188, solute carrier family 12 (sodium/potassium/chloride transporters), member 1, solute carrie family 12, member 1, solute carrier
1708 .	4532	NM_019134	b	member 1	family 12, member 2
				1	ESTs, Moderately similar to SNG1 RAT SYNAPTOGYRIN 1 [R.norvegicus], synaptogyrin 1,
1709	1608	NM_019166	j,y,z	synaptogyrin 1	synaptogyrin 3, synaptogyrin 4
			ń	synuclein, alpha, synuclein, alpha (non A4 component of amyloid	synuclein, alpha, synuclein, alpha (noi A4 component of amyloid precursor),
1710 -	7489	NM_019169	c,General	precursor)	synuclein, beta, synuclein, gamma
					ESTs, Weakly similar to JC5284 carbonyl reductase (NADPH) (EC 1.1.1.184), inducible - rat [R.norvegicus], Homo sapiens, clone MGC:23280 IMAGE:4637504, mRNA, complete cds, RIKEN cDNA 1110001J05 gene, RIKEN cDNA 9430059D04 gene, carbonyl reductase 1, carbonyl reductase 3, expressed
1711	17066	NM_019170	P	***	sequence C81353 ESTs, Weakly similar to CARBONIC ANHYDRASE IV PRECURSOR [R.norvegicus], carbonic anhydrase 15, carbonic anhydrase 4, carbonic
			٠.	carbonic anhydrase 4,	anhydrase IV, carbonic anhydrase
1712	23924	NM_019174	bb	carbonic anhydrase IV	XIV, expressed sequence AW456718 ADP-ribosylation factor-like 4, ADP- ribosylation factor-like 7, ADP- ribosylation-like 4, ESTs, Weakly similar to ARL4 MOUSE ADP- RIBOSYLATION FACTOR-LIKE PROTEIN 4 [M.musculus], Mus musculus, Similar to ADP-ribosylation-
1713	24019	NM_019186	t	ADP-ribosylation factor-like 4, ADP-ribosylation-like 4	like 4, clone MGC:5774 IMAGE:3599701, mRNA, complete cd
			٠٥	CD47 antigen (Rh-related antigen, integrin- associated signal transducer), integrin-	
1714	22063	NM_019195	d :	associated protein	ESTs, Weakly similar to GRG MOUSE
1715	2079	NM_019220	j,k,z	-	GRG PROTEIN [R.norvegicus], amino terminal enhancer of split

TABLES	E (XIWIMENX)	<u>Homorogne</u> Vi	exouration		Ally. Docket No. 44921-503900 Doc. No. 1793397.
Seq. (D) No.	Identifier	Consent Acel Ref Seg. 10 No.	Model Gode	Homologous Ceme Name	Homologous Gluster Neinc
	loavina.	Ker Sed-Im Nos	 Modelikeode⇒∞	Rame	EST, Moderately similar to T31429 K-Cl cotransport protein KCC1, furosemide-sensitive - rat [R.norvegicus], EST, Weakly similar to T31429 K-Cl cotransport protein KCC1, furosemide-sensitive - rat [R.norvegicus], ESTs, Highly similar to T17275 hypothetical protein DKFZp434D2135.1 [H.sapiens], Mus musculus strain ILS K-Cl cotransporter (Slc12a5) mRNA, complete cds, Rattus norvegicus ccc6 mRNA for cation-chloride cotransporter 6, complete cds, expressed sequence AW546649, solute carrier family 12 (potassium/chloride transporters),
			,	solute carrier family 12 (potassium/chloride transporters), member 4,	member 4, solute carrier family 12 (potassium/chloride transporters), member 6, solute carrier family 12 (potassium/chloride transporters), member 7, solute carrier family 12, member 2, solute carrier family 12,
1716 ×	16284 "	NM_019229	l,m	solute carrier family 12, member 4	member 4, solute carrier family 12, member 7
			5	small inducible cytokine subfamily A (Cys-Cys), member 20, small inducible cytokine	small inducible cytokine subfamily A (Cys-Cys), member 20, small inducible
1717	985 ,	NM_019233	b,cc	subfamily A20	cytokine subfamily A20 EST, Weakly similar to PCO1_HUMAN
1718	15503	NM_019237	k,x	procollagen C- endopeptidase enhancer, procollagen C-proteinase enhancer protein	PROCOLLAGEN C-PROTEINASE ENHANCER PROTEIN PRECURSOR [H.sapiens], Homo sapiens cDNA FLJ12558 fis, clone NT2RM4000787, Mus musculus CSMD1 (Csmd1) mRNA, complete cds, RIKEN cDNA 2400001018 gene, expressed sequence Al043106, membrane-type frizzled-related protein, procollagen C- endopeptidase enhancer, procollagen C-endopeptidase enhancer 2, procollagen C-proteinase enhancer protein
				procollagen C- endopeptidase enhancer, procollagen C-proteinase	EST, Weakly similar to PCO1_HUMAN PROCOLLAGEN C-PROTEINASE ENHANCER PROTEIN PRECURSOR [H.sapiens], Homo sapiens cDNA FLJ12558 fis, clone NT2RM4000787, Mus musculus CSMD1 (Csmd1) mRNA, complete cds, RIKEN cDNA 2400001O18 gene, expressed sequence Al043106, membrane-type frizzled-related protein, procollagen C-endopeptidase enhancer, procollagen C-endopeptidase enhancer 2, procollagen C-proteinase enhancer
1718	15504	NM_019237	k,x ,	enhancer protein	protein ESTs, Weakly similar to INTERFERON
		-	,	interferon-related	RELATED PROTEIN PC4 [R.norvegicus], interferon-related developmental regulator 1, interferon-
1719	17908	NM_019242	l,v,cc,General	developmental regulator 1	related developmental regulator 2
1720	11218	NM_019247	c ;	paired-like homeodomain transcription factor 3	paired-like nomeodomain transcription factor 1, paired-like homeodomain transcription factor 2, paired-like homeodomain transcription factor 3

L			#QWQTOGNEW;	SKIODIANTONI		Aity, Dooket No. 449 2 4-5039000 Dos. No. 1 793897.1
	30g. (D) 10.	ldentifier:	CenBank Ace/ Ref. Seq. ID No.	Model Gode 6	Homologue Comp Name	Homologovs Gluster Name
	721	15259	NM 019259	d,f	complement component 1, q subcomponent binding protein	DNA segment, Chr 11, Wayne State University 182, expressed, complement component 1, q subcomponent binding protein, expressed sequence AA986492
	-			,	complement component 1, q subcomponent, beta	C1q-related factor, Homo sapiens, Similar to complement component 1, q subcomponent, c polypeptide, clone MGC:17279 IMAGE:4212772, mRNA, complete cds, complement component 1, q subcomponent, beta polypeptide, complement component 1, q subcomponent, c polypeptide,
	1722	21443	NM_019262	aa;General	polypeptide	expressed sequence Al385742
					complement component 1,	C1q-related factor, Homo sapiens, Similar to complement component 1, q subcomponent, c polypeptide, clone MGC:17279 IMAGE:4212772, mRNA, complete cds, complement component 1, q subcomponent, beta polypeptide, complement component 1, q
		04444	NIA 040262	t Conoral	q subcomponent, beta polypeptide	subcomponent, c polypeptide, expressed sequence Al385742
	1722	21444	NM_019262	t,General	sodium channel, voltage gated, type VIII, alpha polypeptide, sodium channel, voltage-gated, type VIII, alpha polypeptide	ESTs, Highly similar to voltage gated Na channel Scn8a [M.musculus], Mus musculus adult male hypothalamus cDNA, RIKEN full-length enriched library, clone:A230108N10, full insert sequence, hypothetical protein MGC15619, sodium channel, voltage gated, type VIII, alpha polypeptide, sodium channel, voltage-gated, type II, alpha 2 polypeptide, sodium channel, voltage-gated, type III, alpha polypeptide, sodium channel, voltage-gated, type VIII, alpha polypeptide, sodium channel, voltage-gated, type VIII, alpha polypeptide
	1724	1145	NM 019280	w	gap junction membrane channel protein alpha 5, gap junction protein, alpha 5, 40kD (connexin 40)	
					alcohol dehydrogenase 1, complex, alcohol dehydrogenase 1A (class	ESTs, Weakly similar to ADHA MOUSE ALCOHOL DEHYDROGENASE A CHAIN [M.musculus], alcohol dehydrogenase 1A (class I), alpha polypeptide, alcohol dehydrogenase 1B (class I), beta polypeptide, expressed sequence Al194826, nuclear receptor binding
**************************************	1725 _{- 18}	22220	NM_019286 ∞	C A	I), alpha polypeptide	factor 1 EST, Highly similar to AR41_HUMAN ARP2/3 COMPLEX 41 KDA SUBUNIT [H.sapiens], ESTs, Moderately similar to AR41_HUMAN ARP2/3 COMPLEX 41 KDA SUBUNIT [H.sapiens], actin related protein 2/3 complex, subunit 1A (41 kD), actin related protein 2/3 complex, subunit 1A (41 kDa), actin related protein 2/3 complex, subunit 1B (41 kDa), expressed sequence AA408064, suppressor of profilin/p41
Į.	1726 🚌	10015	NM_019289	l,m,t,x,General		of actin-related complex 2/3

TABLE 8	e Human	HOWO TO GATE (VI	Monations		A11y. Docket No. 44921-5939WO Doc. No. 1793397.1
809. ID No.	(dentifier	Cenbent Acel Ref. Seq. ID No.	Model Godo	Klomologous Cana Nama	Honologous Chater Name
					EST, Highly similar to AR41_HUMAN ARP2/3 COMPLEX 41 KDA SUBUNIT
	•				[H.sapiens], ESTs, Moderately similar to AR41_HUMAN ARP2/3 COMPLEX
				:	41 KDA SUBUNIT [H.sapiens], actin related protein 2/3 complex, subunit
				•	1A (41 kD), actin related protein 2/3 complex, subunit 1A (41 kDa), actin
					related protein 2/3 complex, subunit
					1B (41 kDa), expressed sequence AA408064, suppressor of profilin/p41
1726	10016	NM_019289	bb,General		of actin-related complex 2/3
					RIKEN cDNA 2310015O17 gene,
					RIKEN cDNA 4933411O17 gene, cell division cycle 2 homolog A (S. pombe),
	,				cell division cycle 2, G1 to S and G2 to M, cyclin-dependent kinase-like 1
					(CDC2-related kinase), cyclin-
					dependent kinase-like 2 (CDC2-related kinase), cyclin-dependent kinase-like
					3, expressed sequence Al852479,
1727	21651	NM_019296	c,f,x		serine/threonine kinase NKIATRE beta
					CUB and Sushi multiple domains 1, ESTs, Highly similar to I73012
		a			complement C3b/C4b receptor,
		v		,	membrane-bound form precursor [H.sapiens], ESTs, Weakly similar to
	[· ·		JC2054 complement regulatory
					protein, 512 antigen precursor - rat
					[R.norvegicus], Mus musculus 8 days embryo cDNA, RIKEN full-length
					enriched library, clone:5730478H20,
				,	full insert sequence, complement component (3b/4b) receptor 1,
					including Knops blood group system,
					complement receptor related protein, decay accelerating factor 1, decay
				:	accelerating factor 2, membrane
1728	20751	NM_019301	s		cofactor protein
				·	ESTs, Moderately similar to PC4180 thiazide-sensitive sodium-chloride
			,		cotransporter [H.sapiens], ESTs,
				s	Moderately similar to thiazide-sensitive Na-CI cotransporter [M.musculus],
					ESTs, Weakly similar to
					BUMETANIDE-SENSITIVE SODIUM-
				,	(POTASSIUM)-CHLORIDE COTRANSPORTER 2 [M.musculus],
				solute carrier family 12	expressed sequence Al788571, solute
				(sodium/chloride transporters), member 3,	carrier family 12 (sodium/chloride transporters), member 3, solute carrier
				solute carrier family 12,	family 12, member 1, solute carrier
1729	645	NM_019345	bb	member 3	family 12, member 3
1730	1301	NM_019349	ĮC ,	l	1

TABLE	REMINAN	Komorogás vi	SKOKATOKE		Aliy. Docket No. 4492 4-5039WC Doc. No. 1793897 1
80g. [D No.	ldeniiier	CenBenk Acel Ref. Seq. ID No.	Model (600)	Homologous Gano Kema	Homologous Gluster Name
1731	3776	NM 019354	a,u		ESTs, Moderately similar to BMCP_HUMAN BRAIN MITOCHONDRIAL CARRIER PROTEIN-1 [H.sapiens], RIKEN cDNA 3632410G24 gene, RIKEN cDNA 4933433D23 gene, expressed sequence AW108044, solute carrier family 25 (mitochondrial carrier, brain), member 14, solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 10, solute carrier family 25 (mitochondrial carrier; ornithine transporter), member 15, uncoupling protein 2 (mitochondrial, proton carrier), uncoupling protein 2, mitochondrial
1732	4592	NM 019356	General		RIKEN cDNA 0910001023 gene, eukaryotic translation initiation factor 2, subunit 1 (alpha, 35kD), eukaryotic translation initiation factor 2A
1733	1324	NM 019371	w		EGL nine (C.elegans) homolog 1, EGL nine (C.elegans) homolog 2, EGL nine (C.elegans) homolog 3, EGL nine homolog 3 (C. elegans), ESTs, Moderately similar to A53770 growth factor-responsive protein, vascular smooth muscle - rat [R.norvegicus], ESTs, Weakly similar to A53770 growth factor-responsive protein, vascular smooth muscle - rat [R.norvegicus], SCAN domain-containing 2
1734	19577	NM_019377	e	tyrosine 3- monooxgenase/tryptophan 5-monooxgenase activation protein, beta polypeptide, tyrosine 3- monooxygenase/tryptopha n 5-monooxygenase activation protein, beta polypeptide	
1735	24626	*	S 8	testis enhanced gene transcript, testis enhanced gene transcript (BAX inhibitor 1)	CGI-119 protein, RIKEN cDNA 5031406P05 gene, testis enhanced gene transcript (BAX inhibitor 1)
1736	744	NM 019622	p		ESTs, Highly similar to T42716 ankyrin 3, splice form 4 - mouse [M.musculus], ESTs, Moderately similar to A55575 ankyrin 3, iong splice form [H.sapiens], ESTs, Weakly similar to T42716 ankyrin 3, splice form 4 - mouse [M.musculus], RIKEN cDNA 2310026G15 gene, RIKEN cDNA 4833425P12 gene, RIKEN cDNA 4930400E23 gene, RIKEN cDNA C430011H06 gene, ankyrin 3, node of Ranvier (ankyrin G), hypothetical protein FLJ20189, phospholipase A2, group VI (cytosolic, calcium-independent), proteasome (prosome, macropain) 26S subunit, non-ATPase, 10

MBUE 8	e haman	HOMOFOGREVE	. EKIOTIATOKE		Ally, Dockel No. 44921-5039WG
899. ID No.	ldenMer	ConDent: Acel Ref. Seq. (D Mo.	Model Godes	Honologous Cone Name	Homologous Cluster Name
					EST, Weakly similar to CPF1 RAT CYTOCHROME P450 4F1 (R.norvegicus), ESTs, Weakly similar to S45702 leukotriene-B4 20-monooxygenase [H.sapiens], Mus musculus, Similar to RIKEN cDNA 1810054N16 gene, clone MGC:7384
					IMAGE:3487830, mRNA, complete cds, RIKEN cDNA 2310021J05 gene, cytochrome P450 isoform 4F12, cytochrome P450, subfamily IV B, polypeptide 1, cytochrome P450, subfamily IVF, polypeptide 11, cytochrome P450, subfamily IVF, polypeptide 2, cytochrome P450,
1737	20716	NM_019623 ,	c		subfamily IVF, polypeptide 8, expressed sequence Al787289
				lectin, galactose binding, soluble 1, lectin,	EST, Moderately similar to 1713410A beta galactoside soluble lectin [H.sapiens], EST, Moderately similar to GALECTIN-1 [R.norvegicus], Human HL14 gene encoding beta-galactoside-binding lectin, 3' end, clone 2, RIKEN cDNA 2200008F12 gene, Rattus norvegicus mRNA for galectin-2 related protein, complete cds, lectin, galactose binding, soluble 1, lectin, galactoside-binding, soluble, 1
1738	20709	NM_019904 .	x	galactoside-binding, soluble, 1 (galectin 1)	(galectin 1), lectin, galactoside-binding, soluble, 2 (galectin 2) ESTs, Highly similar to (S)-2-
					HYDROXY-ACID OXIDASE, PEROXISOMAL [R.norvegicus], ESTs, Highly similar to LUHU36 annexin II [H.sapiens], RIKEN cDNA 1110003P15 gene, RIKEN cDNA B430311C09 gene, annexin A2, annexin A2 pseudogene 2, caspase recruitment domain family, member 6, expressed sequence AW215814, hydroxyacid oxidase (alvcolate
1739 s	574	NM 019905	u;General	hydroxyacid oxidase (glycolate oxidase) 3, hydroxyacid oxidase 3 (medium-chain)	oxidase) 3, hydroxyacid oxidase 1, liver, hydroxyacid oxidase 2 (long chain), nucleolar protein 3 (apoptosis repressor with CARD domain)
				hypothetical protein similar to mouse aldehyde reductase 6 (renal), renal-	
1740	9096	NM_019908	<u>j</u>	specific oxido-reducatse	parathyroid hormone receptor,
1741	20457	NM_020073	i,General		parathyroid hormone receptor 1 parathyroid hormone receptor,
1741	20458	NM_020073	General		parathyroid hormone receptor 1 parathyroid hormone receptor,
1741	20460	NM_020073	General		parathyroid hormone receptor 1 DNA segment, Chr 12, ERATO Doi
1742	18713	NM_020075	r	initiation factor 5	549, expressed, KIAA1856 protein, eukaryotic translation initiation factor 5 DNA segment, Chr 12, ERATO Doi
1742	18715	NM_020075		initiation factor 5	549, expressed, KIAA1856 protein, eukaryotic translation initiation factor 5 3-hydroxyanthranilate 3,4-
1743	20493	NM_020076	ρ		dioxygenase, RIKEN cDNA 0610007K21 gene, RIKEN cDNA 0610012J07 gene

TABLE	R HUMAN	HOMOLOGUEÁ	SKIOTEATOKE		Aity, Dodiet No. 44921-5039Wo Dog. No. 1793397.1
809.ID 10.00	ldentiller	Ceneark Aced Rof. Seq. ID No.	Modal (90da	Hamologous Gane Name	
					angiotensin I converting enzyme (peptidyl-dipeptidase A) 2, kidney-
1744	16375	NM 020976	l ia		specific membrane protein
					EST, Highly similar to THYMOSIN
		1			BETA-10 [R.norvegicus], ESTs, Highly
					similar to TYB4 MOUSE THYMOSIN BETA-4 [M.musculus], expressed
					sequence AW544206, thymosin, beta
1745	20816	NM_021261	k,General		10, thymosin, beta 4, X chromosome
					EST, Weakly similar to 60S
ļ					RIBOSOMAL PROTEIN L35A
					[R.norvegicus], EST, Weakly similar to R35A MOUSE 60S RIBOSOMAL
					PROTEIN L35A [M.musculus], EST,
					Weakly similar to R5HU35 ribosomal
					protein L35a [H.sapiens], Homo
					sapiens cDNA FLJ11509 fis, clone
					HEMBA1002166, RIKEN cDNA 2810431L15 gene, ribosomal protein
					L35a, uncharacterized hypothalamus
1746	15335	NM_021264	а	ribosomal protein L35a	protein HSMNP1
4747	40700	NA 004570		transforming growth factor,	` }
1747	18729	NM_021578	k,z	beta 1	transforming growth factor, beta 1 EST, Weakly similar to TGFB HUMAN
					LATENT TRANSFORMING GROWTH
					FACTOR BETA BINDING PROTEIN 1
					PRECURSOR [H.sapiens], ESTs,
					Weakly similar to TGFB RAT LATENT
	'			· ·	TRANSFORMING GROWTH FACTOR BETA BINDING PROTEIN 1
					PRECURSOR [R.norvegicus], RIKEN
		,		1,8	cDNA 2310046A13 gene, hypothetical
					protein MGC13010, latent transforming
		,		 	growth factor beta binding protein 1,
			;	latent transforming growth factor beta binding protein	latent transforming growth factor beta binding protein 2, latent transforming
1748	19060	NM 021587	cc	1	growth factor beta binding protein 3
1749	17324	NM_021593	o,General		
				19	ESTs, Moderately similar to TYPE I
				deiodinase, iodothyronine,	IODOTHYRONINE DEIODINASE [R.norvegicus], deiodinase,
1750	19679	NM 021653	General	type I	lodothyronine, type I
) d	ESTs, Moderately similar to TYPE I
					IODOTHYRONINE DEIODINASE
4750	10070	NIN 024652	0	deiodinase, iodothyronine,	
1750 .	19678	NM_021653	a,v,General	type I	iodothyronine, type I potassium channel, subfamily K.
					member 1 (TWIK-1), potassium
					channel, subfamily K, member 3
					(TASK-1), potassium channel,
					subfamily K, member 6 (TWIK-2),
1751	10666	NIM 021600	u Conoral	8	potassium channel, subfamily K,
1751	19665	NM_021688	u,General		member 7

TABLE	Se CHVIMAN	HOWOLOGAEVA	EKOTATOK		Anny, Docket No. 44924-503970 Doc. No. 1793397.
Seq. (ID No:	ldentifier	GraBank Ass./ Ref. Seq. 10 No.	Model Gods	Homologous Cane Name	Honologous Glustor Name
No.	K ligentiner	Kela Segaldinos	Modelicode	(Namo)	EST, Highly similar to GUANINE NUCLEOTIDE RELEASING PROTEIN [R. norvegicus]. EST, Weakly similar to 2009427A guanine nucleotide-releasing protein [H. sapiens], ESTs, Highly similar to 2009427A guanine nucleotide-releasing protein [H. sapiens], ESTs, Weakly similar to S28407 guanine nucleotide-exchange activator CDC25 homolog - mouse [M.musculus], RAS protein-specific guanine nucleotide-releasing factor 1, RAS protein-specific guanine nucleotide-releasing factor 2, RIKEN cDNA 4921528G01 gene, Rap1 guanine-nucleotide-exchange factor
					directly activated by cAMP, Rattus norvegicus strain Wistar RAS guanine nucleotide-releasing factor 1 (Rasgrf1) mRNA, partial cds, guanine nucleotide- releasing factor 2 (specific for crk proto
1752	19667	NM_021690	<u>m</u>		oncogene) ESTs, Highly similar to THYA_HUMAN
			-1	prothymosin alpha, prothymosin, alpha (gene	PROTHYMOSIN ALPHA [H.sapiens], RIKEN cDNA 2610009E16 gene, prothymosin a14, prothymosin alpha, prothymosin, alpha (gene sequence
1754	22916	NM_021740	a	sequence 28)	28)
1755	19710	NIM 024744			CD14 antigen, ESTs, Weakly similar to CD14 RAT MONOCYTE DIFFERENTIATION ANTIGEN CD14
1733	119710	NM_021744	*		PRECURSOR [R.norvegicus] CD14 antigen, ESTs, Weakly similar to CD14 RAT MONOCYTE
1755	19711	NM 021744	t .		DIFFERENTIATION ANTIGEN CD14 PRECURSOR [R.norvegicus]
1756	19712	NM 021745	r	4	EST, Weakly similar to 138975 nuclear orphan receptor LXR-alpha [H.sapiens], ESTs, Moderately similar to JC4014 steroid hormone-nuclear receptor NER [H.sapiens], expressed sequence Al957360, nuclear receptor subfamily 1, group H, member 3, nuclear receptor subfamily 1, group H, member 4
1757	1962	NM_021750	j,k,y,z	3	
1757	19824	NM 021750	a,bb		Homo sapiens, clone MGC:18185 IMAGE:4155381, mRNA, complete cds, KIAA0251 hypothetical protein, RIKEN cDNA 1110027M19 gene, cysteine sulfinic acid decarboxylase- related protein 2, glutamic acid decarboxylase 2
1758	25198	NM_021754	h .		
1758	20035 *	NM 021754	b,n,s,v,General		DKFZP566J153 protein, ESTs, Moderately similar to T17299 hypothetical protein DKFZp564H2171.1 [H.sapiens], nucleolar protein NOP5/NOP58

TABLE 8	E THUMAN	HOMOLOGUEA	SKIOITATOKU		Atty. Docket No. 4/1921-611391// Doc. No. 1793397.1
	Meniller M	Ganbank (Acc.// Ref. Seq. 10 No.	Model Gode	Homologous Gana Name	Hamalagaus Cluster Name
				pleiotropic regulator 1 (PRL1, Arabidopsis homolog), pleiotropic	EST, Weakly similar to LIS1 MOUSE PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT [R.norvegicus], ESTs, Weakly similar to LIS1 MOUSE PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT [R.norvegicus], Homo sapiens mRNA for FLJ00083 protein, partial cds, WD repeat domain 5, f-box and WD-40 domain protein 2, hypothetical protein, platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta), platelet-activating factor acetylhydrolase, isoform 1b, beta1 subunit, platelet-activating factor acetylhydrolase, isoform 1b, alpha
1759	20090	NM 021757	m		subunit (45kD), recombination protein
1760	17885	NM_021765	aa		ESTs, Weakly similar to COPP RAT COATOMER BETA' SUBUNIT [R.norvegicus], Mus musculus, Similar to RIKEN cDNA 1500041N16 gene, clone MGC:12066 IMAGE:3708188, mRNA, complete cds, RIKEN cDNA 2510040D07 gene, coatomer protein complex, subunit beta 2 (beta prime), expressed sequence AA408785, expressed sequence AI256832, expressed sequence C77982, glutamate rich WD repeat protein GRWD, platelet-activating factor acetylhydrolase, isoform 1b, beta1 subunit
1762	20161	NM 021836	cc,General		Jun-B oncogene, jun B proto-
702	20101	11117 OE 1030	oc. Sure (a)		oncogene DKFZP586N1922 protein, ESTs, Moderately similar to S22695 restin [H.sapiens], ESTs, Weakly similar to T42734 cytoplasmic linker protein CLIP-115 - rat [R.norvegicus], RIKEN cDNA 1500005P14 gene, RIKEN cDNA 4631429H07 gene, RIKEN cDNA 5830409B12 gene, cytoplasmic linker 2, hypothetical protein FLJ20364, restin (Reed-Steinberg cell- espressed intermediate filament- associated protein), restin (Reed- Steinberg cell-expressed intermediate
1764	1203	NM_021997	k,z }	·	filament-associated protein) EST, Moderately similar to PLM RAT PHOSPHOLEMMAN PRECURSOR [R.norvegicus], EST, Weakly similar to PLM_HUMAN PHOSPHOLEMMAN PRECURSOR [H.sapiens], FXYD domain-containing ion transport regulator 1, FXYD domain-containing ion transport regulator 1 (phospholemman), FXYD domain- containing ion transport regulator 3, FXYD domain-containing ion transport regulator 4, FXYD domain-containing ion transport regulator 6, FXYD domain-containing ion transport
1765	23151	NM 022005	b š	FXYD domain-containing	regulator 7, hypothetical protein MGC13186

TABLES	KIMMON 8	HOMOROGUEAN	INOTATIONS		Atty, Doctot No. 44921-5039W0 Doc. No. 1793397.1
Seq. ID. No.	ldeniliter	ConBenk Asc./ Ref. Seq. ID No.	Model Gode	Homologous Gene Name	Emekk televiði evogolomokk
					EST, Moderately similar to HXK3_HUMAN HEXOKINASE TYPE
					III [H.sapiens], EST, Weakly similar to HXK2 MOUSE HEXOKINASE TYPE II
		:			[M.musculus], ESTs, Moderately similar to HXK2 MOUSE HEXOKINASE TYPE II [M.musculus],
					ESTs, Weakly similar to HXK2 MOUSE HEXOKINASE TYPE II
1767	17101 -	NM_022179	bb		[M.musculus], hexokinase 2, hexokinase 3 (white cell)
					EST, Moderately similar to HXK3_HUMAN HEXOKINASE TYPE
					III (H.sapiens), EST, Weakly similar to HXK2 MOUSE HEXOKINASE TYPE II
					[M.musculus], ESTs, Moderately similar to HXK2 MOUSE HEXOKINASE TYPE II [M.musculus],
					ESTs, Weakly similar to HXK2 MOUSE HEXOKINASE TYPE II
1767	17100	NM_022179	bb		[M.musculus], hexokinase 2, hexokinase 3 (white cell)
4700	00007				expressed sequence AA986699, hepatic nuclear factor 4, hepatocyte
1768	20257	NM_022180	w,General		nuclear factor 4, alpha expressed sequence AA986699, hepatic nuclear factor 4, hepatocyte
1768 1768	25699 10860	NM_022180 NM_022180	j p		nuclear factor 4, alpha
	,,,,,,				ESTs, Moderately similar to A40493 DNA topoisomerase [H.sapiens],
					ESTs. Moderately similar to TP2A MOUSE DNA TOPOISOMERASE II,
			9	topoisomerase (DNA) II	ALPHA [M.musculus], topoisomerase (DNA) II alpha, topoisomerase (DNA) II
1769	23780	NM_022183	k,x	alpha, topoisomerase (DNA) II alpha (170kD)	beta, topoisomerase (DNA) II beta (180kD) expressed sequence Al790318,
1770	20312	NM 022224	o		expressed sequence Al/30570, phosphotriesterase related
					WNT1 inducible signaling pathway protein 1, WNT1 inducible signaling
			_		pathway protein 2, WNT1 inducible signaling pathway protein 3,
1771	6585	NM_022266	d,p,cc		connective tissue growth factor ESTs, Highly similar to A23035 tubulin alpha chain [H.sapiens], tubulin alpha
					1, tubulin alpha 2, tubulin alpha 3, tubulin alpha 6, tubulin, alpha 2,
1772	17161	NM 022298	i,v,cc,General		tubulin, alpha 3, tubulin, alpha, ubiquitous
					ESTs, Highly similar to A23035 tubulin alpha chain [H.sapiens], tubulin alpha
,					1, tubulin alpha 2, tubulin alpha 3, tubulin alpha 6, tubulin, alpha 2,
1772	17162	NM_022298	u		tubulin, alpha 3, tubulin, alpha, ubiquitous ESTs, Highly similar to A23035 tubulin
					alpha chain [H.sapiens], tubulin alpha 1, tubulin alpha 2, tubulin alpha 3,
					tubulin alpha 6, tubulin, alpha 2, tubulin, alpha 3, tubulin, alpha,
1772	17160	NM_022298	u		ubiquitous

		HOMOFOGNE V			Ally. Docket No. 44921-503900 Doc. No. 1793897
No. 1	ldentitier	Consent Acel Ref. Seq. 10 No.	Model Code	Homologous Gans	Hamologous Cluster Memo
				4	ESTs, Highly similar to A23035 tubulii alpha chain [H.sapiens], tubulin alpha 1, tubulin alpha 2, tubulin alpha 3, tubulin alpha 6, tubulin, alpha 2,
1772	17158	NM_022298	q		tubulin, alpha 3, tubulin, alpha, ubiquitous
1773	11454	NM_022381	i,aa,General	ė	EST, Moderately similar to E Chain E Human Pcn [H.sapiens], proliferating cell nuclear antigen
1773	11455	NM 022381	I,General	9	EST, Moderately similar to E Chain E. Human Pcn [H.sapiens], proliferating cell nuclear antigen
1774	13480	NM_022390	s		RIKEN cDNA 2610008L04 gene, quinoid dihydropteridine reductase
1775	15184	NM_022391	z	pituitary tumor- transforming 1	EST, Highly similar to ISI1_HUMAN
		,			INSULIN-INDUCED PROTEIN 1 [H.sapiens], ESTs, Highly similar to INSULIN-INDUCED GROWTH RESPONSE PROTEIN CL-6 [R.norvegicus], Mus musculus, clone MGC:18904 IMAGE:4240711, mRNA,
1776	22413	NM_022392	h .		complete cds, insulin induced gene 1, insulin induced protein 2 EST, Highly similar to ISI1_HUMAN
1776	22414	NM 022392	n	,	INSULIN-INDUCED PROTEIN 1 [H.sapiens], ESTs, Highly similar to INSULIN-INDUCED GROWTH RESPONSE PROTEIN CL-6 [R.norvegicus], Mus musculus, clone MGC:18904 IMAGE:4240711, mRNA, complete cds, insulin induced gene 1,
					insulin induced protein 2 C-type (calcium dependent, carbohydrate recognition domain) lectin, superfamily member 10, 'C-type (calcium dependent, carbohydrate recognition domain) lectin, superfamily member 6, 'C-type (calcium dependent carbohydrate-recognition domain) lectin, superfamily member 6, 'CD72 antigen, Mus musculus Ly-49Q mRNA for NK receptor Ly-49Q, complete cds Mus musculus, Similar to macrophage galactose N-acetyl-galactosamine specific lectin, clone MGC:25983 IMAGE:4456238, mRNA, complete cds, RIKEN cDNA 4930572L20 gene, asialoglycoprotein receptor 1, macrophage lectin 2 (calcium
1777	22499	NM_022393	t		dependent) ESTs, Weakly similar to CALRETICULIN PRECURSOR [R.norvegicus], Homo sapiens, Similar to RIKEN cDNA 1700031L01 gene, clone MgC:26577 IMAGE:4822010, mRNA, complete cds, RIKEN cDNA
1779	24537	NM_022399	e		1700031L01 gene, RIKEN cDNA 6330586l20 gene, calreticulin

TABLE	BE CHUMAN	HOWOFOGREV	SKIOTEATOKE		Ally. Docket No. 44921-5030000 Doc. No. 1793307. 1
80g, [D No. : ; '	(Contiller	Condent Aced. Rol. Sog. 10 No.	Modal Gode	Homologous Care; Name	Homologous Chister Namo
					ESTs, Weakly similar to CALRETICULIN PRECURSOR [R.norvegicus], Homo sapiens, Similar to RIKEN cDNA 1700031L01 gene, clone MGC:26577 IMAGE:4822010, mRNA, complete cds, RIKEN cDNA 1700031L01 gene, RIKEN cDNA
1779	24539	NM_022399	У		6330586120 gene, calreticulin ESTs, Highly similar to 139161 dystonin isoform 2 [H.sapiens], ESTs, Weakly similar to T42725 actin binding protein ACF7, neural isoform 1 - mouse (fragment) [M.musculus], Leman coiled-coil protein, actin- crosslinking protein 7, expressed sequence AA591047, expressed sequence AW554249, plectin 1, intermediate filament binding protein,
1780	1141	NM_022401	o,General		500kD, serologically defined colon cancer antigen 8
					EST, Highly similar to R5HUP0 acidic ribosomal protein P0, cytosolic [H.sapiens], EST, Moderately similar to RLA0 RAT 60S ACIDIC RIBOSOMAL PROTEIN P0 [R.norvegicus], ESTs, Highly similar to R5HUP0 acidic ribosomal protein P0, cytosolic [H.sapiens], ESTs, Highly similar to RLA0 MOUSE 60S ACIDIC RIBOSOMAL PROTEIN P0 [M.musculus], RIKEN cDNA 2610012022 gene, acidic ribosomal phosphoprotein P0, hypothetical protein IMAGE3455200, ribosomal
1781	1069	NM_022402	9		protein, large, P0 ESTs, Highly similar to FRHUL ferritin
.1782	8211 』	NM_022500	j.n,s	ferritin light chain 1, ferritin, light polypeptide	light chain [H.sapiens], ESTs, Moderately similar to FRHUL ferritin light chain [H.sapiens], PRO0470 protein, RIKEN cDNA 4933416E14 gene, ferritin light chain 2, ferritin, light polypeptide
1782	8212	NM_022500	n,s k	ferritin light chain 1, ferritin, light polypeptide	ESTs, Highly similar to FRHUL ferritin light chain [H.sapiens], ESTs, Moderately similar to FRHUL ferritin light chain [H.sapiens], PRO0470 protein, RIKEN cDNA 4933416E14 gene, ferritin light chain 2, ferritin, light polypeptide
1783 **			, S	cytochrome c oxidase subunit VIIa polypeptide 3 (liver), cytochrome c	EST, Moderately similar to OSHU7L cytochrome-c oxidase [H.sapiens], cytochrome c oxidase subunit VIIa polypeptide 2 (liver), cytochrome c oxidase, subunit VIIa 1, cytochrome c oxidase, subunit VIIa 3
1784					ribosomal protein L36 [H.sapiens], EST, Moderately similar to T08720 ribosomal protein L36 [H.sapiens], ESTs, Weakly similar to RL36_HUMAN 60S RIBOSOMAL PROTEIN L36 [H.sapiens], RIKEN cDNA 1110038G14 gene, ribosomal protein L36

					Ally. Docket No. 44921-509900 Doc. No. 1793397.
Seg. [D . No	ldentifer	Genbank Assel Ref. Seq. ID No.	Modal Gode	Kama Kamalagous Cana	Homologous Gluster Namo
	,				ESTs, Weakly similar to SMN1_HUMAN SURVIVAL MOTOR NEURON PROTEIN 1 [H.sapiens], RIKEN cDNA 2410004J23 gene, expressed sequence AI849087, expressed sequence AW122398, splicing factor 30, survival of motor neuron-related, survival motor neuron, survival motor neuron pseudogene, survival of motor neuron 1, telomeric, survival of motor neuron 2,
₹ 178 5	1611	NM_022509			centromeric ESTs, Weakly similar to acyl-CoA dehydrogenase [R.norvegicus], RiKEN cDNA 1300003009 gene, RIKEN cDNA 2310016C19 gene, acetyl- Coenzyme A dehydrogenase, short chain, acyl-Coenzyme A dehydrogenase family, member 8, acyl Coenzyme A dehydrogenase, C-2 to C 3 short chain, hypothetical protein FLJ12592, hypothetical protein MGC5601, isovaleryl coenzyme A
1786	2236	NM_022512	y,z		dehydrogenase EST, Weakly similar to 60S
1787	3026	NM 022514	la		RIBOSOMAL PROTEIN L27 [R.norvegicus], EST, Weakly similar to S43505 ribosomal protein L27, cytosolic [H.sapiens], ribosomal protein L27
1787	3027	NM_022514	a,q,r,aa		EST, Weakly similar to 60S RIBOSOMAL PROTEIN L27 [R.norvegicus], EST, Weakly similar to S43505 ribosomal protein L27, cytosolic [H.sapiens], ribosomal protein L27
1788 <i>a</i>	2696 ⊰	NM_022515	a,d	,	ESTs, Highly similar to RL24_HUMAN 60S RIBOSOMAL PROTEIN L24 [H.sapiens], RIKEN cDNA 0610008L05 gene, ribosomal protein L24
1788 3	2697	NM_022515	n,w,aa	:	ESTs, Highly similar to RL24_HUMAN 60S RIBOSOMAL PROTEIN L24 [H.sapiens], RIKEN cDNA 0610008L05 gene, ribosomal protein L24
1789 4	3900	NM_022516	h	binding protein,	ESTs, Moderately similar to S15552 polypyrimidine tract-binding protein 1 - rat [R.norvegicus], ESTs, Weakly similar to S15552 polypyrimidine tract-binding protein 1 - rat [R.norvegicus], RIKEN cDNA 2810036L13 gene, expressed sequence AW107884, heterogeneous nuclear ribonucleoprotein L, neural polypyrimidine tract binding protein, polypyrimidine tract binding protein, polypyrimidine tract binding protein 2 ADP-ribosylation factor 1, ADP-ribosylation factor 4, ADP-ribosylation factor 5, Similar to DKFZP727C091 protein, clone MGC:10677 IMAGE:3948445, mRNA,

TABLE	e HUMAN	HONOLOGNE (A	SKOTATOKS	a to the second	Aily. Docket No. 44921-51199W Doc. No. 1793697.
Seg. [D No.	ldenliller	Gendenk/Acc/ Ref. Seg. 10 No.	Model Gode /	Homologous Gono Namah	
					ESTs, Highly similar to ORNITHINE AMINOTRANSFERASE PRECURSOR [R.norvegicus], RIKEN cDNA 1300019H02 gene, RIKEN cDNA 2900006B13 gene, hypothetical protein MGC15875, omithine
1791	4242	NM_022521	<u> </u> c		aminotransferase, omithine aminotransferase (gyrate atrophy) CD151 antigen, Homo sapiens cDNA
					FLJ14609 fis, clone NT2RP1000944, RIKEN cDNA 1110014F12 gene, RIKEN cDNA 1110031P12 gene, RIKEN cDNA 2700063A19 gene, transmembrane 4 superfamily member (tetraspan NET-2), transmembrane 4
1792	4412	NM_022523	0	1	superfamily member 6 ESTs, Weakly similar to A55046
					plasmolipin - rat [R.norvegicus], ESTs, Weakly similar to PLLP_HUMAN PLASMOLIPIN [H.sapiens], Homo sapiens cDNA FLJ14787 fis, clone NT2RP4000878, highly similar to MYELOID UPREGULATED PROTEIN, Mus musculus, Similar to BENE protein, clone MGC:19097 IMAGE:4205488, mRNA, complete cds, RIKEN cDNA 2700018N07 gene, expressed sequence Al461653, myelin and lymphocyte protein; T-cell
1793	6641	NM_022533	General		differentiation protein, plasmolipin ESTs, Moderately similar to A Chain A
					Cyclophilin B Complexed With [H.sapiens], RIKEN cDNA 1110060010 gene, RIKEN cDNA 3732410E19 gene, RIKEN cDNA 4833408F11 gene, expressed sequence AA408962, expressed sequence AA553318, peptidylprolyl isomerase B, peptidylprolyl isomerase
1794	8097 8597	NM_022536	a		B (cyclophilin B)
1795 1795	8598 ·	NM_022538 NM_022538	c,r,u u		
			-		"EST, Highly similar to IM8B_MOUSE MITOCHONDRIAL IMPORT INNER MEMBRANE TRANSLOCASE SUBUNIT TIM8 B (DEAFNESS DYSTONIA PROTEIN 2 HOMOLOG) [R.norvegicus], translocase of inner mitochondrial membrane 8 (yeast) homolog B, translocase of inner mitochondrial membrane 8 homolog b
1796	9296	NM_022541	0		(yeast)
	7			ornithine decarboxylase	ESTs, Weakly similar to A Chain A, Crystal Structure Ornithine Decarboxylase From Mouse, Truncated 37 Residues From The C- Terminus, To 1.6 Angstrom Resolution [M.musculus], ESTs, Weakly similar to ORNITHINE DECARBOXYLASE [R.norvegicus], Ornitine decarboxylase, ornithine decarboxylase 1, ornithine decarboxylase antizyme inhibitor, ornithine decarboxylase, structural,
1797	21063	NM_022585	h 🏻	antizyme inhibitor	ornithine decarboxylase-like protein

TABLES	e (HUMAN)	HOMOLOGUEA	MOTATIONS :		Ally, Dockst No. 44921-5039W Doc. No. 1793897
Seg. ID : No.	Menililer	GenBenk Ace./ Ref. Seq. ID No.	Modd Gode	Homologous Gene Name	Homologous Gluster Name
1799	20781	NIM 022504			apoptotic protease activating factor, telomerase associated protein 1, telomerase-associated protein 1
1799	20761	NM_022591	<u>Z</u>		RIKEN cDNA 4933401119 gene, hypothetical protein DKFZp434L1717, transketolase, transketolase (Wernick Korsakoff syndrome), transketolase
1800 s	20803	NM_022592	n		like 1
				enoyl Coenzyme A hydratase 1, peroxisomal, enoyl coenzyme A	AU RNA-binding protein/encyl- coenzyme A hydratase, EST, Weakly similar to ECH1_HUMAN DELTA3,5- DELTA2,4-DIENOYL-COA ISOMERASE PRECURSO [H.sapiens], RIKEN cDNA 2610009M20 gene, encyl-Coenzyme A hydratase 1, peroxisomal, encyl coenzyme A hydratase 1, peroxisomal
1801	20925	NM_022594	9	hydratase 1, peroxisomal	expressed sequence AA617331 cathepsin B, lipocalin 7,
1802	20944	NM_022597	aa		tubulointerstitial nephritis antigen
					EST, Highly similar to OM25_RAT MITOCHONDRIAL OUTER MEMBRANE PROTEIN 25 (NPW16) [R.norvegicus], EST, Weakly similar to OM25_RAT MITOCHONDRIAL OUTER MEMBRANE PROTEIN 25 (NPW16) [R.norvegicus], Erbb2 interacting protein, discs, large homolog 4 (Drosophila), expressed sequence Al118201, hypothetical
1803	21024 .	NM_022599 .e	o,General	z z	protein FLJ11271, synaptojanin 2 binding protein
1804 *	2250	, NM 022643	General		H2B histone family, member D, H2B histone family, member G, H2B histone family, member K, RIKEN cDNA 2610022J01 gene, expressed sequence Al413321, expressed sequence R74621
				\$3 19 19 19 19 19 19 19 19 19 19 19 19 19	EST, Moderately similar to 40S RIBOSOMAL PROTEIN S14 [R.norvegicus], EST, Weakly similar to A25220 ribosomal protein S14, cytosolic [H.sapiens], EST, Weakly similar to JE0129 ribosomal protein S14 - mouse [M.musculus], ESTs, Highly similar to A25220 ribosomal protein S14, cytosolic [H.sapiens],
1805	17567	NM_022672	a,y	ribosomal,protein S14	ribosomal protein S14 EST, Weakly similar to histone
1806	17661	NM_022674	bb	H2A histone family, member Z	H2A.F/Z variant [H.sapiens], ESTs, Highly similar to HISTONE H2A.Z [R.norvegicus], H2A histone family, member Z, RIKEN cDNA C530002L11 gene, histone H2A.F/Z variant
1807	24563	NM 022676	1	protein phosphatase 1, regulatory (inhibitor) subunit 1A	EST, Weakly similar to IPP1_HUMAN PROTEIN PHOSPHATASE INHIBITOR 1 [H.sapiens], ESTs, Weakly similar to IPP1_HUMAN PROTEIN PHOSPHATASE INHIBITOR 1 [H.sapiens], RIKEN cDNA 4930579P15 gene, protein phosphatase 1, regulatory (inhibitor) subunit 1A, protein phosphatase 1, regulatory (inhibitor) subunit 1B (dopamine and cAMP regulated phosphoprotein, DARPP-32)

TABLE	& AHUMAN	<u>Homoróganev</u>	SKOLKATOKK		Ally. Doctot No. 44921-5939W Doc. No. 1793397.
809, ID No.	refillmetal	Conferm's Accell Rail Seq. 1D No.	Model Gode	Hamologous Gana Nama	Homologous Gluster Name
,1807 1808	24564 20506	NM_022676 NM_022686	b,x	protein phosphatase 1, regulatory (inhibitor) subunit 1A	EST, Weakly similar to IPP1_HUMAN PROTEIN PHOSPHATASE INHIBITOR 1 [H.sapiens], ESTs, Weakly similar to IPP1_HUMAN PROTEIN PHOSPHATASE INHIBITOR 1 [H.sapiens], RIKEN CDNA 4930579P15 gene, protein phosphatase 1, regulatory (inhibitor) subunit 1A, protein phosphatase 1, regulatory (inhibitor) subunit 1B (dopamine and cAMP regulated phosphoprotein, DARPP-32)
1809	20508	NM 022688	ig		
1810	17586	NM_022694	k		EBNA-2 co-activator (100kD), ESTs, Moderately similar to 138968 100 kDa [coactivator [H.sapiens]
					DNA segment, Chr 7, Wayne State University 21, expressed, EST, Highly similar to S55915 ribosomal protein L28 [H.saplens], ESTs, Highly similar
1811	17730	NM_022697	a		to S55915 ribosomal protein L28 [H.sapiens], ribosomal protein L28 DNA segment, Chr 7, Wayne State University 21, expressed, EST, Highly
1811	17729	NM 022697	q		similar to S55915 ribosomal protein L28 [H.sapiens], ESTs, Highly similar to S55915 ribosomal protein L28 [H.sapiens], ribosomal protein L28
				crp-ductin, deleted in	CD163 antigen, ESTs, Highly similar to I38005 M130 antigen precursor, splice form 4 [H.sapiens], KIAA1822 protein, apoptosis inhibitory 6, crp-ductin, deleted in malignant brain tumors 1, lectin, galactoside-binding, soluble, 3 binding protein, macrophage scavenger receptor 2, peptidylprolyl
1812	127	NM_022849	t h	malignant brain tumors 1	isomerase C-associated protein EST, Weakly similar to KC13 RAT CASEIN KINASE I, GAMMA 3 ISOFORM [R.norvegicus], ESTs, Highly similar to KC13 RAT CASEIN KINASE I, GAMMA 3 ISOFORM [R.norvegicus], ESTs, Weakly similar to casein kinase [M.musculus], RIKEN cDNA 2610208K14 gene, RIKEN cDNA 3300002K07 gene, casein kinase 1, alpha 1, casein kinase 1, delta, casein kinase 1, qamma 3
					ESTS, Highly similar to FXD3_HUMAN FORKHEAD BOX PROTEIN D3 [H.sapiens], ESTS, Weakly similar to FXD3_HUMAN FORKHEAD BOX PROTEIN D3 [H.sapiens], ESTS, Weakly similar to HFH1 RAT HEPATOCYTE NUCLEAR FACTOR 3 FORKHEAD HOMOLOG 1 [R.norvegicus], HNF-3/forkhead homolog 1 like, expressed sequence Al385632, forkhead box D1, forkhead box D2, forkhead box D3, winged
1814 ,	152	NM_022858	<u></u>	3	helix/forkhead transcription factor
1816	18101	NM 022948	z		

		(;OVOROGAEV)			Ally, Docket No. 44921-5033W Doc. No. 1793397.1
Scq. [D No.	ldentitier	GenBank Acc./ Ref. Seq. ID No.	Model Gode ·	Homologous Como Namge	Homologous Cluster Name
					CAT56 protein, EST, Highly similar to CA13_HUMAN COLLAGEN ALPHA 1(III) CHAIN PRECURSOR [H.sapiens], EST, Weakly similar to A28996 proline-rich protein M14 precursor - mouse [M.musculus], EST, Weakly similar to JE0291 FB19 protein [H.sapiens], collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant), procollagen, type III, alpha 1, proline rich protein,
1817	21491	NM_022951	w		proline rich protein 2, protein phosphatase 1, regulatory subunit 10
					ESTs, Moderately similar to S57219 phosphatidylinositol 3-kinase [H.sapiens], FK506 binding protein 12-rapamycin associated protein 1, Homo sapiens cDNA FLJ12591 fis, clone NT2RM4001313, moderately similar to PHOSPHATIDYLINOSITOL 3-KINASE VPS34-LIKE (EC 2.7.1.137), Homo sapiens cDNA FLJ14331 fis, clone PLACE4000320, RIKEN cDNA 2410099E07 gene, phosphatidylinositol 3-kinase catalytic delta polypeptide, phosphoinositide-3-kinase, class 3, rapamycin and FKBP12 target-1
1818	15742	NM_022958	У		protein ELAV (embryonic lethal, abnormal
1819	9286	NM_023027	t,w		vision, Drosophila)-like 4 (Hu antigen D), ESTs, Highly similar to HUD RAT PARANEOPLASTIC ENCEPHALOMYELITIS ANTIGEN HUD HOMOLOG [R.norvegicus], ESTs, Moderately similar to HUD RAT PARANEOPLASTIC ENCEPHALOMYELITIS ANTIGEN HUD HOMOLOG [R.norvegicus], ESTs, Moderately similar to POLYADENYLATE-BINDING PROTEIN 1 [M.musculus], Mus musculus adult male testis cDNA, RIKEN full-length enriched library, clone:4933407N23, full insert sequence, RIKEN cDNA 4932702K14 gene, poly A binding protein, cytoplasmic 1
10.0	1	02002.	5,11		RIKEN cDNA 2610208K14 gene,
1820	23215	NM_023102 ,	z	s ,	VRK3 for vaccinia related kinase 3, casein kinase 1, alpha 1, casein kinase 1, delta, casein kinase 1, epsilon, casein kinase 1, gamma 2
1821		NM_024125	cc,General	CCAAT/enhancer binding protein (C/EBP), beta	CCAAT/enhancer binding protein (C/EBP), beta
1821			cc,General	CCAAT/enhancer binding protein (C/EBP), beta	CCAAT/enhancer binding protein (C/EBP), beta
				growth arrest and DNA- damage-inducible 45 alpha, growth arrest and DNA-damage-inducible,	growth arrest and DNA-damage- inducible 45 alpha, growth arrest and DNA-damage-inducible 45 beta, growth arrest and DNA-damage-
1822	353	NM_024127	i,n,General	alpha	inducible, alpha

		HOWOROGALEN	- 15 pt - 12 p		* Ally, Docket No. 44921-503900 Doc. No. 1793397.1
Seq. ID No.	ldenillier	Genbank Acel Ref. Seq. ID No.	Wogal Goda	Homologous Come Name	Homologous Gluster Name
				growth arrest and DNA- damage-inducible 45 alpha, growth arrest and DNA-damage-inducible,	growth arrest and DNA-damage- inducible 45 alpha, growth arrest and DNA-damage-inducible 45 beta, growth arrest and DNA-damage-
1822	354	NM_024127	i,n,General	alpha growth arrest and DNA-	inducible, alpha growth arrest and DNA-damage-
1822	352	NM_024127	h,General	damage-inducible 45 alpha, growth arrest and DNA-damage-inducible, alpha	inducible 45 alpha, growth arrest and DNA-damage-inducible 45 beta, growth arrest and DNA-damage-inducible, alpha
4000	47007			D-dopachrome	D-dopachrome tautomerase,
1823	17227	NM_024131	X	tautomerase DNA-damage inducible	expressed sequence C78655 DNA-damage inducible transcript 3, EST, Moderately similar to GA15_HUMAN GROWTH ARREST AND DNA-DAMAGE-INDUCIBLE
1824	1598	NIM 024424	,	transcript 3, DNA-damage-	PROTEIN GADD153 [H.sapiens],
1825	1162	NM_024134 NM_024153	d	inducible transcript 3	myozenin ferredoxin reductase
1826	7863	NM_024156	c	· ·	ATPase, H+ transporting, lysosomal (vacuolar proton pump) 16kD, ATPase, H+ transporting, lysosomal (vacuolar proton pump) 21kD, ESTs, Weakly similar to VACUOLAR ATP SYNTHASE 16 KD PROTEOLIPID SUBUNIT [R.norvegicus], Mus musculus, Similar to ATPase, H+ transporting, lysosomal (vacuolar proton pump) 21kD, clone MGC:6568 IMAGE:2812497, mRNA, complete cds EST, Weakly similar to A29154
1827	22079 .	NM_024157	x		complement factor I [H.sapiens], I factor (complement), RIKEN cDNA 1300008A22 gene, complement component factor i, protease, serine, 7 (enterokinase), suppression of tumorigenicity 14 (colon carcinoma), transmembrane protease, serine 2
1828 .	16476	NM_024162	General	fatty acid binding protein 3, muscle and heart, fatty acid binding protein 3, muscle and heart	EST, Moderately similar to FABH MOUSE FATTY ACID-BINDING PROTEIN, HEART [M.musculus], ESTs, Highly similar to PC4011 fatty acid-binding protein - mouse [M.musculus], fatty acid binding protein 3, muscle and heart, fatty acid binding protein 3, muscle and heart (mammary-derived growth inhibitor), fatty acid binding protein 3, pseudogene 2 EST, Moderately similar to A27077
1829	17765 ,	NM_024351 s	b,s,v "		ES1, Moderately similar to A27077 dnaK-type molecular chaperone [H.sapiens], EST, Weakly similar to A27077 dnaK-type molecular chaperone [H.sapiens], EST, Weakly similar to A45935 dnaK-type molecular chaperone hsc70 - mouse [M.musculus], heat shock 70kD protein 8, hypothetical protein MGC4859 similar to HSPA8

TABLE	r (Human)	HOWOROGALEVI	SKOTTATION!		Ally. Docket No. 44921-5039W0 Doc. No. 17933977
Scq. [D No.	l@em\lffter	Ganbank Ass./ Ref. Seq. (D No.	Model Gode	Homologous Cent; Namo	
1830	18879	NM 024360	h		bHLH factor Hes4, basic helix-loop- helix domain containing, class B, 2, basic helix-loop-helix domain containing, class B, 3, hairy (Drosophila)-homolog, hairy and enhancer of split 1, (Drosophila), hairy and enhancer of split 6, (Drosophila), hairy/enhancer-of-split related with YRPW motif 1, hairy/enhancer-of-split related with YRPW motif 2, likely ortholog of mouse Hes6 neuronal differentiation gene
	,			HMT1 (hnRNP methyltransferase, S. cerevisiae)-like 2, heterogeneous nuclear ribonucleoproteins methyltransferase-like 2	ANM1_HUMAN PROTEIN ARGININE N-METHYLTRANSFERASE 1 [H.sapiens], EST, Weakly similar to ANM1_HUMAN PROTEIN ARGININE N-METHYLTRANSFERASE 1 [H.sapiens], ESTs, Moderately similar to ANM1_MOUSE PROTEIN ARGININE N-METHYLTRANSFERASE 1 [M.musculus], HMT1 (hnRNP methyltransferase, S. cerevisiae)-like 2, HMT1 (hnRNP methyltransferase, S. cerevisiae)-like 3, Homo sapiens cDNA: FLJ23133 fis, clone LNG08560, RIKEN cDNA 2410018A17 gene, coactivator-associated arginine methyltransferase-1, expressed sequence AW214366, heterogeneous nuclear ribonucleoproteins methyltransferase-like 2 (S. cerevisiae), heterogeneous nuclear ribonucleoproteins methyltransferase-like 2 (S. cerevisiae), heterogeneous nuclear ribonucleoproteins methyltransferase-like 2 (S. cerevisiae), related sequence, hypothetical protein
1831	20772	NM_024363	X	(S. cerevisiae)	FLJ10559 3-hydroxy-3-methylglutaryl-Coenzyme A lyase, 3-hydroxymethyl-3-
1832	2812	NM_024386	С	inc.	methylglutaryl-Coenzyme A lyase (hydroxymethylglutaricaciduria), Homo sapiens clone 24959 mRNA sequence, partial cds, hypothetical protein
1833	335	NM_024387	j.y	i i	RIKEN cDNA 2700048O17 gene, heme oxygenase (decycling) 2
1834	21	NM_024388	cc ,		nuclear receptor subfamily 4, group A, member 1
1834 1	22	NM_024388	cc		nuclear receptor subfamily 4, group A, member 1

VABUE (3 HUMAN	(LOWOROGALS VI	NNOTATIONS:		AMy. Docket No. 44921-5999 Doc. No. 17999
8eq.(10	ia.	GenBenk Acad: Ref. Seq. 10 No.	Maran dada	Homologous Cana Nama	Homologous Cluster Namo
NO.	locellume.	Mar-Sad-Injury	Integral Gode	Kame	Homo sapiens cDNA FLJ13261 fis.
					clone OVARC1000885, weakly sim
					to OXIDOREDUCTASE UCPA (EC
			1), Human DNA sequence from clo
					1068E13 on chromosome 20p11.2
					12.3. Contains two putative novel
					genes, the gene for a novel protein similar to bovine SCP2 (Sterol-Cari
					Protein 2) and part of HSD1784
				·	(hydroxysteroid (17-beta)
					dehydrogenase 4), an EEF1A1
					(eukaryotic translation elongation
			1		factor 1 alpha 1) pseudogene, EST
					STSs and GSSs, RIKEN cDNA
	ļ				1110029G07 gene, RIKEN cDNA
					1700010M22 gene, RIKEN cDNA 1810026B04 gene, RIKEN cDNA
	l				2610207116 gene, expressed
		4			sequence AW208803, hydroxystero
					(17-beta) dehydrogenase 4,
			1		hydroxysteroid 17-beta
					dehydrogenase 4, hypothetical prot
					MGC10940, oxidoreductase UCPA
026	0020	NIM 024202			retinal short-chain
836	9929	NM_024392	1		dehydrogenase/reductase 1
,	1				ATP-binding cassette, sub-family A (ABC1), member 2, ATP-binding
					cassette, sub-family A (ABC1).
					member 3, ATP-binding cassette, s
		,			family A (ABC1), member 4, ATP-
					binding cassette, sub-family A (ABC
					member 7, ATP-binding cassette, s
					family A (ABC1), member 8, ESTs,
					Weakly similar to ABC2 MOUSE AT BINDING CASSETTE
					TRANSPORTER 2 [M.musculus],
					Homo sapiens mRNA for KIAA1888
					protein, partial cds, hypothetical
					protein FLJ14297, hypothetical prot
837	3582	NM_024396	aa ,		PRO2543
		Î			DNA segment, Chr 9, ERATO Doi 8
					expressed, Homo sapiens aconitase
					precursor (ACON) mRNA, nuclear gene encoding mitochondrial protein
			1		partial cds, RIKEN cDNA 50314090
	']			gene, aconitase 1, aconitase 1,
					soluble, aconitase 2, mitochondrial,
					iron-responsive element-binding
838	19993	NM_024398	e,p,s,aa		protein
		1	1		Homo sapiens, RIKEN cDNA
					10610006H10 gene, clone MGC:1726 IMAGE:4155233, mRNA, complete
					cds, Homo sapiens, Similar to RIKE
					cDNA 0610006H10 gene, clone
					MGC:9740 IMAGE:3853707, mRNA
					complete cds, aspartoacylase
839	10789	NM 024399	o l		(aminoacylase 2, Canavan disease)

TABLE 8	RIUMAN)	HOMOLOGUEA	SKOTKATOKK		Ally, Dockel No. 44921-5039W0 Doc. No. 1793397. 1
Seq. ID No.	ldentiller	ConBank Ace./ Ref. Seq. ID No.	Modal Goda	Homologous Cano Namo	Handlogojis Glusta Name
,				d d d	ESTs, Weakly similar to T47158 hypothetical protein DKFZp762C1110.1 [H.sapiens], Mus musculus papilin mRNA, complete cds, Mus musculus, Similar to a disintegrin and metalloproteinase with thrombospondin motifs 1 (ADAMTS-1), clone IMAGE:3491991, mRNA, partial cds, RIKEN cDNA 6720426B09 gene, RIKEN cDNA A930008K15 gene, a disintegrin-like and metalloprotease (reprolysin type) with thrombospondin
				-	type 1 motif, 1, a disintegrin-like and metalloprotease (reprolysin type) with thrombospondin type 1 motif, 4, a disintegrin-like and metalloprotease (reprolysin type) with thrombospondin type 1 motif, 8, a disintegrin-like and metalloprotease (reprolysin type) with
1840 :	22626	NM_024400	cc,General	§	thrombospondin type 1 motif, 9 EST, Weakly similar to ATF4_HUMAN CYCLIC-AMP-DEPENDENT
					TRANSCRIPTION FACTOR ATF-4 [H.sapiens], activating transcription factor 4 (tax-responsive enhancer element B67), activating transcription
1841	13633	NM_024403	g;General	38 \$	factor 5 EST, Weakly similar to ATF4_HUMAN
4044	42624	NIA 024403	a Connect		CYCLIC-AMP-DEPENDENT TRANSCRIPTION FACTOR ATF-4 [H.sapiens], activating transcription factor 4 (tax-responsive enhancer element B67), activating transcription factor 5
1841	13634	NM_024403	g,General		ESTs, Moderately similar to HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN C [R.norvegicus], ESTs, Weakly similar to A44192 heterogeneous nuclear ribonucleoprotein C-like protein [H.sapiens], Mus musculus high- glycine/tyrosine protein type I-E5 mRNA, complete cds, expressed sequence C85084, heterogeneous nuclear ribonucleoprotein A/B, heterogeneous nuclear ribonucleoprotein D, heterogeneous nuclear ribonucleoprotein D (AU-rich
1842	23367	NM_024404	b,General	aminolevulinate, delta-,	element RNA-binding protein 1, 37kD) EST, Weakly similar to SYHUAL 5- aminolevulinate synthase [H.sapiens], ESTs, Moderately similar to 5- AMINOLEVULINIC ACID SYNTHASE MITOCHONDRIAL PRECURSOR, NONSPECIFIC [R.norvegicus], aminolevulinate, delta-, synthase 1, aminolevulinic acid synthase 1, aminolevulinic acid synthase 2, erythroid, serine palmitoyltransferase, long chain base subunit 1, serine
1843	21038	NM_024484	h	synthase 1, aminolevulinic acid synthase 1	palmitoyltransferase, long chain base subunit 2

TABUE 8	i Human	HOWOTOGALS W	, SKOTKATOKI		Atty. Docket No. 44921-5039W0 Doc. No. 1793397.1
Sog. [D. Ko. 4		GenBent: (Acc.) Ref. Geo. (D. No.	Model Gode	Homologous Cono Namo	Homologous Clusier Nemo
					GSHG_MOUSE GLUTATHIONE PEROXIDASE-GASTROINTESTINAL (GSHPX-GI) [M.musculus], ESTs, Weakly similar to GSHC RAT GLUTATHIONE PEROXIDASE [R.norvegicus], glutathione peroxidase
1844	1853	NM_030826	S	glutathione peroxidase 1	glutathione peroxidase 2 (gastrointestinal)
				low density lipoprotein receptor-related protein 2, glow density lipoprotein-	EST, Highly similar to LRP2 RAT LOW-DENSITY LIPOPROTEIN RECEPTOR-RELATED PROTEIN 2 PRECURSOR [R.norvegicus], EST, Moderately similar to S25111 alpha-2-macroglobulin receptor precursor -mouse [M.musculus], ESTs, Highly similar to S02392 alpha-2-macroglobulin receptor precursor [H.sapiens], ESTs, Highly similar to S25111 alpha-2-macroglobulin receptor precursor - mouse [M.musculus], ESTs, Weakly similar to I53413 calcium sensor protein [H.sapiens], expressed sequence C79313, low density lipoprotein receptor-related protein 1, low density lipoprotein receptor-related protein 2, low density lipoprotein receptor-related protein 1, low density lipoprotein receptor-related protein 1, low density lipoprotein-rel
1845 -	15111	NM_030827 i	e,General	related protein 2	lipoprotein-related protein 2 EST, Highly similar to LRP2 RAT LOW-
1845	15112	NM 030827	y , z	low density lipoprotein receptor-related protein 2, low density lipoprotein- related protein 2	EST, Highly similar to LRP2 RAT LOW-DENSITY LIPOPROTEIN RECEPTOR-RELATED PROTEIN 2 PRECURSOR [R.norvegicus], EST, Moderately similar to S25111 alpha-2-macroglobulin receptor precursor -mouse [M.musculus], ESTs, Highly similar to S02392 alpha-2-macroglobulin receptor precursor [H.sapiens], ESTs, Highly similar to S25111 alpha-2-macroglobulin receptor precursor - mouse [M.musculus], ESTs, Weakly similar to IS3413 calcium sensor protein [H.sapiens], expressed sequence C79313, low density lipoprotein receptor-related protein 1, low density lipoprotein receptor-related protein 2, low density lipoprotein-related protein 1B (deleted in tumors), low density lipoprotein-related protein 1

		HONOrogne (4)	BKOTATOKI		Aiiy. Dockei No. 44921-5039W0 Doc. No. 1793397 1
Klo. ; Seq. [D	identitier	GarBank (Acc./) Rdf. Sag. ID No.	Model Gode :	Homologous Gana Name	Homologous Cluster Namo
				low density lipoprotein	EST, Highly similar to LRP2 RAT LOW-DENSITY LIPOPROTEIN RECEPTOR-RELATED PROTEIN 2 PRECURSOR [R.norvegicus], EST, Moderately similar to S25111 alpha-2-macroglobulin receptor precursor -mouse [M.musculus], ESTs, Highly similar to S02392 alpha-2-macroglobulin receptor precursor [H.sapiens], ESTs, Highly similar to S25111 alpha-2-macroglobulin receptor precursor -mouse [M.musculus], ESTs, Weakly similar to I53413 calcium sensor protein [H.sapiens], expressed sequence C79313, low density lipoprotein receptor-related protein 1, low density lipoprotein receptor-related protein 2,
, 1845	15110	NM 030827	General	receptor-related protein 2, low density lipoprotein- related protein 2	low density lipoprotein-related protein 1B (deleted in tumors), low density lipoprotein-related protein 2
1043	13110	1447 030027	General	related protein 2	solute carrier family 21 (organic anion transporter), member 1, solute carrier family 21 (organic anion transporter), member 10, solute carrier family 21 (organic anion transporter), member 14, solute carrier family 21 (organic anion transporter), member 3, solute carrier family 21 (organic anion transporter), member 3, solute carrier family 21 (organic anion
1846	808 &	NM_030837 ,	k,m		transporter), member 6
					ESTs, Weakly similar to 165309 autoantigen p69 - rat [R.norvegicus], Homo sapiens ALS2CR15 mRNA, partial cds, RIKEN cDNA 1700030B17 gene, islet cell autoantigen 1 (69kD),
1847	4057	NM_030844 *	k		islet cell autoantigen 1, 69 kDa GRO1 oncogene, GRO2 oncogene,
				in the second se	Rattus norvegicus CXC chemokine RTCK1 (Rtck1) mRNA, complete cds, interleukin 8, platelet factor 4, pro- platelet basic protein, pro-platelet basic protein (includes platelet basic protein, beta-thromboglobulin, connective tissue-activating peptide III,
1848 .	1221	NM_030845	t		neutrophil-activating peptide-2) ESTs, Weakly similar to PERIPHERAL
1849 🕈	21509	NM_030847	x	9 19 19	MYELIN PROTEIN 22 [R.norvegicus], Peripheral myelin protein, epithelial membrane protein 3, peripheral myelin protein 22, peripheral myelin protein, 22 kDa
			, in the second	pyruvate dehydrogenase 2, pyruvate dehydrogenase	EST, Highly similar to PDK2 RAT [R.norvegicus], expressed sequence Al035637, pyruvate dehydrogenase 2, pyruvate dehydrogenase kinase,
1850	1928	NM_030872 ,	v	kinase, isoenżyme 2	isoenzyme 2 EST, Weakly similar to A Chain A, Human Platelet Profilin Complexed With The L-Pro10 Peptide (SUB 3-140 [H.sapiens], ESTs, Weakly similar to profilin [R.norvegicus], RIKEN cDNA
1851 «	17342	NM_030873	u ,	*	1700012P12 gene, profilin, profilin 1, profilin 2

WO 02/095000

TABLES	e Human	HONOROGAIS W	EKIÖ TTÄTTÖKI		Ally, Docker No. 44921-5039WC Doc. No. 1793397.1
8:09. ID No.	idenWer	ConBank Ace./ Ref. Seq. ID No.	Model Gode	Hemologous Cene Name	Homologous Cluster Name
1852	24648	NM 030985	u		G protein-coupled receptor 15, G- protein coupled receptor SALPR; somatostatin and angiotensin-like peptide receptor, angiotensin receptor 1, expressed sequence Al551199
1852	25453	NM 030985	General		
1602	2000	Nin_000300	GUNDA		ESTs, Weakly similar to GBB1 RAT GUANINE NUCLEOTIDE-BINDING PROTEIN G(I)/G(S)/G(T) BETA SUBUNIT 1 [R.norvegicus], Mus musculus, clone MGC:7934 IMAGE:3583848, mRNA, complete cds, RIKEN cDNA 5930415H02 gene, constitutive photomorphogenic protein 1 (Arabidopsis), guanine nucleotide binding protein (G protein), beta polypeptide 1, guanine nucleotide binding protein beta subunit 4, guanine nucleotide binding protein beta subunit 4, guanine nucleotide binding protein, beta 1, guanine nucleotide binding protein,
1853	21802	NM 030987	h	***	beta 4, similar to constitutive photomorphogenic protein 1 (Arabidopsis)
				**************************************	EST, Weakly similar to ALCOHOL DEHYDROGENASE [R. norvegicus], RIKEN cDNA 2310005E10 gene, aldo- keto reductase family 1, member A1 (aldehyde reductase), aldo-keto reductase family 1, member A4 (aldehyde reductase), aldo-keto
1854	23109	NM_031000	f,s,z		reductase family 1, member E1 4-aminobutyrate aminotransferase,
1855 3	134	NM 031003	a,u		RIKEN cDNA 1300019H02 gene, RIKEN cDNA 2900006B13 gene, ornithine aminotransferase
1856	25461	NM 031009	0		
1857	1845	NM 031010	t	3	ARACHIDONATE 12- LIPOXYGENASE [R.norvegicus], arachidonate 12-lipoxygenase, arachidonate 12-lipoxygenase pseudogene 2, arachidonate 15- lipoxygenase, expressed sequence AW259591
1857	25517	NM 031010	c,t	.e	ARACHIDONATE 12- LIPOXYGENASE [R.norvegicus], arachidonate 12-lipoxygenase, arachidonate 12-lipoxygenase pseudogene 2, arachidonate 15- lipoxygenase, expressed sequence AW259591
1858	16562	NM 031020	f	9 4	ESTs, Weakly similar to MK14 RAT MITOGEN-ACTIVATED PROTEIN KINASE 14 [R.norvegicus], mitogen activated protein kinase 14, mitogen-activated protein kinase 11, mitogen-activated protein kinase 14
1859	1480	NM_031021	ſ	· · · · · · · · · · · · · · · · · · ·	casein kinase 2, beta polypeptide, casein kinase II, beta subunit

TABLE	RAMWAN 38	HOMOLOGUE AI	INOTATIONS		Aug. Doctol No. 44921-5939WO Doc. No. 1793397.1
839, ID No.	ndentifier	Conbank Ace <i>l</i> Ref. Seq. ID No.	Model (90de) •	Homologous Como Nemo	Homologovs Glusler Name
					ESTs, Moderately similar to T30989 serine/threonine protein kinase NIK - mouse [M.musculus], RIKEN cDNA 1500031A17 gene, drebrin 1, drebrin-
					like, hypothetical protein FLJ13154, mitogen-activated protein kinase kinase kinase 4, mitogen-
1860	1719	NM_031024	n	drebrin 1	activated protein kinase
					DnaJ (Hsp40) homolog, subfamily B,
					member 6, EST, Moderately similar to NEK1 MOUSE SERINE/THREONINE- PROTEIN KINASE NEK1
		4			[M.musculus], EST, Moderately similar to T31096 cyclin G-associated kinase GAK - rat [R.norvegicus], EST, Weakly
					similar to T31096 cyclin G-associated kinase GAK - rat [R.norvegicus], ESTs, Moderately similar to NEK1 MOUSE
					SERINE/THREONINE-PROTEIN KINASE NEK1 [M.musculus],
					KIAA1048 protein, Mus musculus, Similar to cyclin G associated kinase, clone IMAGE:3487931, mRNA, partial
					cds, NIMA (never in mitosis gene a)- related expressed kinase 1, RIKEN cDNA 4632401F23 gene, cyclin G
1861	1350	NM_031030	h a		associated kinase, hypothetical protein DKFZp434P0116, serine/threonine kinase 16
1001	1000				ESTs, Highly similar to GLYCINE AMIDINOTRANSFERASE
4000	46775	NIM 024024	Conomi		PRECURSOR [R.norvegicus], RIKEN cDNA 1810003P21 gene, glycine amidinotransferase (L-arginine:glycine amidinotransferase)
1862	16775	NM_031031	General	, si	ESTs, Highly similar to GB12 RAT GUANINE NUCLEOTIDE-BINDING
				k Vi	PROTEIN, ALPHA-12 SUBUNIT [R.norvegicus], guanine nucleotide binding protein (G protein) alpha 12,
		,		,	guanine nucleotide binding protein (G protein), alpha 13, guanine nucleotide binding protein, alpha 12, guanine
1863	691	NM_031034	w	3	nucleotide binding protein, alpha 13 guanine nucleotide binding protein (G protein), alpha inhibiting activity
				4	polypeptide 2, guanine nucleotide binding protein, alpha inhibiting 2,
1864	15886	NM_031035	Z	*	guanine nucleotide binding protein, alpha inhibiting 3 Homo sapiens, Similar to histamine N-
					methyltransferase, clone MGC:14500 IMAGE:4249496, mRNA, complete cds, expressed sequence Al788969,
1866	3608	NM_031044	k,General	*	histamine N-methyltransferase Homo sapiens, Similar to histamine N-
				8	methyltransferase, clone MGC:14500 IMAGE:4249496, mRNA, complete cds, expressed sequence Al788969,
1866	3610	NM_031044	d,General	**	histamine N-methyltransferase

TABLE 8	E THUMEN	<u> Homoroans</u> W	INOTATIONS -		Any, Docken No. 44921-5039WC Doc. No. 1793397. 1
Sog.ID No.	ldentifer	Genfenk Acel Ref. Seg. ID No.	4: cbo9 (EboM	Homologous Como Namo	Homologous Gluster Name
				- 6 - 7 - 7	EST, Highly similar to C Chain C, Macrophage Migration Inhibitory Factor [H.sapiens], EST, Moderately similar to C Chain C, Macrophage Migration Inhibitory Factor [H.sapiens], EST, Moderately similar to MIF RAT MACROPHAGE MIGRATION INHIBITORY FACTOR [R.norvegicus], macrophage migration inhibitory factor,
1867	15137	NM_031051	s .	3	macrophage migration inhibitory factor (glycosylation-inhibiting factor)
1868	514	NM_031056	General		matrix metalloproteinase 14 (membrane-inserted), matrix metalloproteinase 19, vitronectin
					RIKEN cDNA 1110038I05 gene, aldehyde dehydrogenase family 1, subfamily A4, expressed sequence AI427784, hypothetical protein FLJ23189, methylmalonate-
1869	17269	NM_031057	General		semialdehyde dehydrogenase EST, Moderately similar to R10A MOUSE 60S RIBOSOMAL PROTEIN L10A [M.musculus], EST, Weakly similar to 60S RIBOSOMAL PROTEIN L10A [R.norvegicus], ESTs, Highly similar to R10A_HUMAN 60S RIBOSOMAL PROTEIN L10A [H.sapiens], ribosomal protein L10A,
1870	11849	NM_031065	a	nucleoporin 98,	ribosomal protein L10a EST, Highly similar to NU98 RAT NUCLEAR PORE COMPLEX PROTEIN NUP98 [R.norvegicus], ESTs, Weakly similar to NU98 RAT NUCLEAR PORE COMPLEX PROTEIN NUP98 [R.norvegicus], RIKEN cDNA 0610038H21 gene, RIKEN cDNA 4930432K09 gene, RIKEN cDNA 5430432N15 gene, melanoma antigen, family D, 3, nucleoporin 98kD, plasma membrane
1871	1855	NM_031074 ,	h	nucleoporin 98kD	associated protein, S3-12, trophinin phosphatidylinositol 3-kinase, catalytic, alpha polypeptide, phosphatidylinositol 4-kinase, catalytic, beta polypeptide, phosphoinositide-3-kinase, catalytic,
1872 g	4683	NM_031083 ,	d .		gamma polypeptide EST, Weakly similar to RALA MOUSE RAS-RELATED PROTEIN RAL-A [M.musculus], Homo sapiens cDNA: FLJ23197 fis, clone REC00917, RIKEN cDNA 1110065D03 gene, v-ral simian leukemia viral oncogene homolog A (ras related), v-ral simian leukemia viral oncogene homolog B
1873 s	15202 15201		а а,п		(ras related) EST, Weakly similar to RALA MOUSE RAS-RELATED PROTEIN RAL-A [M.musculus], Homo sapiens cDNA: FLJ23197 fis, clone REC00917, RIKEN cDNA 1110065D03 gene, v-ral simian leukemia viral oncogene homolog A (ras related), v-ral simian leukemia viral oncogene homolog B (ras related)

TABLES	e Chawan	HOWOLOGALE VI	SKONATOK		Ally. Docket No. 44921-5039WC Doc. No. 1793397 1
Seq. ID No.	(dentifer	GanBank/Ace/ Ref. Seq. 10 No.	Model Gode	Homologous Gene Name	Hamologous Cluster Keime
					ESTs, Weakly similar to S55912 ribosomal protein L5, cytosolic
1874	12639	NM_031099	aa		[H.sapiens], ribosomal protein L5
N	1				EST, Moderately similar to 60S RIBOSOMAL PROTEIN L10
					[M.musculus], EST, Moderately similar
					to 60S RIBOSOMAL PROTEIN L10
					[R.norvegicus], ESTs, Highly similar to
					A42735 ribosomal protein L10, cytosolic [H.sapiens], Homo sapiens,
					Similar to ribosomal protein L10, clone
					MGC:22634 IMAGE:3935452, mRNA,
				,	complete cds, Human DNA sequence from clone RP3-334F4 on
					chromosome 6 Contains ESTs, STSs
					and GSSs. Contains a LAMR1 (laminin
	1				receptor 1, ribosomal protein SA) pseudogene and an RPL10 (ribosomal
					protein L10) pseudogene, Mouse 24.6
					kda protein mRNA, complete cds,
1875	20812	NM_031100	a		ribosomal protein L10 ESTs, Weakly similar to 60S
					RIBOSOMAL PROTEIN L19
					[R.norvegicus], Homo sapiens mRNA; *
					cDNA DKFZp434D115 (from clone DKFZp434D115), ribosomal protein
1876	16938	NM_031103	w .		L19
4					ESTs, Highly similar to JC2120 heparin-binding protein 15 [H.sapiens], JESTs, Moderately similar to RL22 RAT
				.es	60S RIBOSOMAL PROTEIN L22 [R.norvegicus], Homo sapiens mRNA;
					CDNA DKFZp586E0524 (from clone
				,	DKFZp586E0524), Human DNA seguence from clone 581F12 on
				d	chromosome Xq21. Contains
				1	Eukaryotic Translation Initiation Factor EIF3 P35 Subunit and 60S Ribosomal
				.0	protein L22 pseudogenes. Contains
					ESTs, RIKEN cDNA 2700038K18
				v	gene, RIKEN cDNA 3110001N18
1877	19268	NM 031104	a		gene, expressed sequence AU041196, ribosomal protein L22
	1				EST, Weakly similar to RS9 RAT 40S
ļ				,	RIBOSOMAL PROTEIN S9
				3	[R.norvegicus], EST, Weakly similar to S55917 ribosomal protein S9, cytosolic
					[H.sapiens], Homo sapiens, clone
				100	IMAGE:4500773, mRNA, partial cds,
					RIKEN cDNA 3010033P07 gene, expressed sequence AL022771,
]			*	expressed sequence AL022771, expressed sequence AL022885,
					mitochondrial ribosomal protein S4,
1878	16929	NM_031108	g		ribosomal protein S9
]		EST, Weakly similar to 40S RIBOSOMAL PROTEIN S11
			,		[R.norvegicus], Homo sapiens mRNA;
					cDNA DKFZp434A0326 (from clone
				;	DKFZp434A0326), Human DNA sequence from clone RP5-1060K6 on
				•	chromosome 20p12.1-13. Contains an
					RPS11 (40S ribosomal protein S11)
					pseudogene, ESTs, STSs and GSSs, RAD21 homolog (S. pombe),

TABLE	KAMMUH 3	(Koworosais स	RIOTESTON		Ally, Dockel No. 44921-303900 Doc. No. 1793397.1
899. [D.	් මේක්ෂීම්ක	GonBonk Aced Ref. Seq. 10 No.	Model Gode	Homologovis Cano Name	Hamologous Gluster Hemo
					EST, Moderately similar to 40S RIBOSOMAL PROTEIN S21 [R.norvegicus], Human DNA sequence from clone RP5-1116H23 on chromosome 20 Contains a novel gene, a 40S ribosomal protein S21 pseudogene, 2 CpG islands; ESTs, STSs and GSSs, RIKEN CDNA 1810049N11 gene, RIKEN cDNA
1880 ,	19162	NM_031111	aa		2410030A14 gene, ribosomal protein S21
,				, s	EST, Moderately similar to 40S RIBOSOMAL PROTEIN S21 [R.norvegicus], Human DNA sequence from clone RP5-1116H23 on chromosome 20 Contains a novel gene, a 40S ribosomal protein S21 pseudogene, 2 CpG islands, ESTs, STSs and GSSs, RIKEN cDNA 1810049N11 gene, RIKEN cDNA 2410030A14 gene, ribosomal protein
1880	19161	NM_031111	a,bb		S21 EST, Highly similar to 40S
					RIBOSOMAL PROTEIN S24 [R.norvegicus], ÆST, Weakly similar to JH0213 ribosomal protein S24, cytosolic [H.sapiens], ÆST, Weakly similar to RS24_HUMAN 40S RIBOSOMAL PROTEIN S24 [M.musculus], ESTs, Highly similar to JH0213 ribosomal protein S24, cytosolic [H.sapiens], ESTs, Weakly similar to RS24_HUMAN 40S RIBOSOMAL PROTEIN S24
1881 "	24615	NM_031112	a,y		[H.sapiens], ribosomal protein S24 EST, Moderately similar to S12583 polyubiquitin 4 - mouse [M.musculus], EST, Moderately similar to ubiquitin / ribosomal protein S27a [R.norvegicus], EST, Weakly similar to R27A_HUMAN 40S RIBOSOMAL PROTEIN S27A (SUB 77-156 [H.sapiens], Homo sapiens cDNA FLJ11603 fis, clone HEMBA1003926, RIKEN cDNA 0610006J14 gene, expressed sequence Al132487, ribosomal protein
1882	20839	NM_031113 »	a,q	S100 calcium binding protein A10 (calgizzarin), S100 calcium-binding protein A10 (annexin II ligand, calpactin I, light	Sequence Analysis in Joseph Potential Potential Sequence And Potential Research Potential
1883	19040	NM_031114	l,m,General	polypeptide (p11))	(calgizzarin) ESTs, Highly similar to 2111411A secretin receptor [H.sapiens], ESTs, Weakly similar to vasoactive intestinal polypeptide 1 [M.musculus], adenylate cyclase activating polypeptide 1 receptor 1, secretin receptor,
1884	16349	NM_031115	u _	,	vasoactive intestinal peptide receptor 1

TABLES	E CHUMAN	HOMOFOGRIE VIX	EXOTATOX		Any, Docket No. 44921-5039W0 Doc. No. 1793397.1
හිලෑ ID :	ldentilier	GenGenk Acel Ref. See, ID No.	Modal Godo	Homologous Cana Nama	Homologous Cluster Namo
				,	ESTs, Highly similar to SUOX RAT SULFITE OXIDASE PRECURSOR [R.norvegicus], RIKEN cDNA 0610009N12 gene, RIKEN cDNA 1810044O22 gene, RIKEN cDNA
1885	14970	NM_031127	General		2810034J18 gene, fatty acid desaturase 2, sulfite oxidase
			ત્વે	thyroid hormone receptor alpha, thyroid hormone receptor, alpha (avian erythroblastic leukemia viral (v-erb-a) oncogene	EST, Weakly similar to A30893 thyroid, hormone receptor alpha, splice form 2 [H.sapiens], expressed sequence AW259572, expressed sequence R75201, thyroid hormone receptor, alpha (avian erythroblastic leukemia
1886	1814	NM_031134	n,q ,	homolog)	viral (v-erb-a) oncogene homolog) Kruppel-like factor 15 (kidney), Kruppel
1887	13359	NM 031135	General		like factor 9, RIKEN cDNA 4930480I16 gene, TGFB inducible early growth response, basic transcription element binding protein 1, trans-acting transcription factor 3, trans-acting transcription factor 6
1888	15052	NM_031136	a	**************************************	ESTs, Highly similar to A38682 thymosin beta-4 [H.sapiens], ESTs, Highly similar to TYB4 MOUSE THYMOSIN BETA-4 [M.musculus], ESTs, Highly similar to TYB4_HUMAN THYMOSIN BETA-4 [H.sapiens], Human interferon-inducible mRNA (cDNA 6-26), expressed sequence AW544206, thymosin, beta 10, thymosin, beta 4, X chromosome, thymosin, beta 4, Y chromosome
1888	19359	NM_031136	а		COT Madamatah similar ta A25074
,				6	EST, Moderately similar to A25074 vimentin (H.sapiens), EST, Weakly similar to A25074 vimentin (H.sapiens), ESTs, Moderately similar to VIME RAT VIMENTIN (R.norvegicus), ESTs, Weakly similar to A25074 vimentin (H.sapiens), ESTs, Weakly similar to VIME RAT VIMENTIN (R.norvegicus),
1889	15185	NM_031140	General		vimentin
			4		EST, Weakly similar to ACTB_HUMANACTIN, CYTOPLASMIC 1 [R.norvegicus], ESTs, Highly similar to ATHUB actin beta [H.sapiens], ESTs, Weakly similar to ACTB_HUMAN ACTIN, CYTOPLASMIC 1 [R.norvegicus], Homo sapiens FKSG30 (FKSG30) mRNA, complete cds, RIKEN cDNA 1700052K15 gene, RIKEN cDNA 1700051J02 gene, actin, beta, actin-like 7a, actin-related protein
1890 «	21625	NM_031144	a,e		3-beta, melanoma X-actin
1891	238	NM_031152	bb		CATX-8 protein, ESTs, Weakly similar to R11A_HUMAN RAS-RELATED PROTEIN RAB-11A [R.norvegicus], RAB, member of RAS oncogene family like 2A, RAB11A, member RAS oncogene family, RAB11a, member RAS oncogene family, RAB25, member RAS oncogene family, RAB25, member RAS oncogene family, RIKEN cDNA 2700023P08 gene

TABLE	Se Himimax	HOMOLOGUEA	* SKOTATOKK		Airy. Docket No. 44921-5000000 2. 17933971 No. 100
809. ID No.	ldanWar	Consont Aced Ref. Seq. ID No.	Model Gode (Homologous Cone Name	Homologous Cluster Nemo
1891	240	NM 031152	bb		CATX-8 protein, ESTs, Weakly similar to R11A_HUMAN RAS-RELATED PROTEIN RAB-11A [R.norvegicus], RAB, member of RAS oncogene family like 2A, RAB11A, member RAS oncogene family, RAB11a, member RAS oncogene family, RAB25, member RAS oncogene family, RIKEN cDNA 2700023P08 gene
					EST, Moderately similar to UB5B_HUMAN UBIQUITIN-CONJUGATING ENZYME E2-17 KD 2 [R.norvegicus], ESTs, Moderately similar to I95365 ubiquitin conjugating enzyme [H.sapiens], ESTs, Moderately similar to UB5B_HUMAN UBIQUITIN-CONJUGATING ENZYME E2-17 KD 2 [M.musculus], RIKEN cDNA 1100001F19 gene, RIKEN cDNA 2700084L22 gene, Rattus norvegicus clone ubc2e ubiquitin conjugating enzyme (E217kB) mRNA, complete cds, expressed sequence AL022654, ubiquitin-conjugating enzyme E2D 1 (homologous to yeast UBC4/5), ubiquitin-conjugating enzyme E2D 2 (homologous to yeast UBC4/5), ubiquitin-conjugating enzyme E2D 2 (homologous to yeast UBC4/5), ubiquitin-conjugating enzyme E2D 2 (homologous to yeast UBC4/5), ubiquitin-conjugating enzyme E2D 2
1892	15277 A	NM_031237	9		(homologous to yeast UBC4/5) ESTs, Weakly similar to
1893	18083	NM_031315	, a		YZ28_HUMAN HYPOTHETICAL PROTEIN ZAP128 [H.sapiens], Mus musculus, Similar to cytosolic acyl- CoA thioesterase 1, clone MGC:27572 IMAGE:4485973, mRNA, complete cds

TABLE	OF CHUMAN	HONOLOGNEVI	SMOTATIONS		Atty. Docket No. 44921-5189WG Doc. No. 1793897 (
Scq. ID No.	ideniii in i	Condenk (Acc./ Ref. Seq. ID No.	Model Gode	Homologous Gano Name	Homologous Cluster Name;
					PTE2_HUMAN PEROXISOMAL ACYLCOENZYME A THIOESTER HYDROLASE 2 (PEROXISOMAL LONG-CHAIN ACYL-COA THIOESTERASE 2) (ZAP128) [H.sapiens], ESTs, Moderately similar to JE0267 long-chain fatty-acyl-CoA hydrolase (EC 3.1.2) peroxisome proliferator-inducible - rat [R.norvegicus], ESTs, Moderately similar to PTE2_HUMAN PEROXISOMAL ACYL-COENZYME A THIOESTER HYDROLASE 2 (PEROXISOMAL LONG-CHAIN ACYL-COA THIOESTERASE 2) (ZAP128) [H.sapiens], ESTs, Weakly similar to PTE2_HUMAN PEROXISOMAL ACYL-COENZYME A THIOESTER HYDROLASE 2 (PEROXISOMAL LONG-CHAIN ACYL-COA THIOESTERASE 2) (ZAP128) [H.sapiens], ESTs, Weakly similar to YZ28_HUMAN HYPOTHETICAL PROTEIN ZAP128 [H.sapiens], Mus musculus, Similar to cytosolic acyl-
				cytosolic acyl-CoA thioesterase 1,	CoA thioesterase 1, clone MGC:27572 IMAGE:4485973, mRNA, complete cds, RIKEN cDNA 4632408A20 gene,
1893	1858	NM_031315	g .	peroxisomal long-chain acyl-coA thioesterase	cytosolic acyl-CoA thioesterase 1, expressed sequence AW108394, peroxisomal long-chain acyl-coA
1894	15663	NM 031318	General		t-complex testis expressed 1, t- complex-associated-testis-expressed 1 like 1
				***************************************	ESTs, Moderately similar to I38134 prolyl oligopeptidase [H.sapiens],
1895	1422 18597	NM_031324 NM_031325	bb,General g,bb		prolyl endopeptidase UDP-glucose dehydrogenase
			i.cc.General		ESTs, Moderately similar to CYR6 MOUSE CYR61 PROTEIN PRECURSOR [M.musculus], cysteine rich protein 61, cysteine-rich,
	11259		,	heterogeneous nuclear	angiogenic inducer, 61 ESTs, Highly similar to WZHURS argininosuccinate lyase [H.sapiens], ESTs, Weakly similar to 1601424A argininosuccinate lyase [R.norvegicus], Homo sapiens cDNA FLJ14312 fis, clone PLACE3000322, Musashi-1 homolog (Drosophila), RIKEN cDNA 2510006M18 gene, RIKEN cDNA 4933434H11 gene, argininosuccinate lyase, heterogeneous nuclear ribonucleoprotein A/B, heterogeneous
1898	4235	NM_031330	General .	ribonucleoprotein A/B	nuclear ribonucleoprotein D-like EST, Weakly similar to PSD4 HUMAN
1899	18375	NM_031331	l,m		26S PROTEASOME REGULATORY SUBUNIT S5A [H.sapiens], ESTs, Moderately similar to PSD4_HUMAN 26S PROTEASOME REGULATORY SUBUNIT S5A [H.sapiens], proteasome (prosome, macropain) 26S subunit, non-ATPase, 4

TABLE	BE HUMAN	HOMOLOGUEA	RIGHTATIONS		Aity. Dockot No. 44921-5039WG Doc. No. 1793397.1
899. (D	(Identifier	Consont Acel Ref. Seq. 10 No.	Model Gode	Hamalogous Gene Namo	Homologous Gluster Klamë
1900	3519	NM_031334	cc	cadherin 1, cadherin 1, type 1, E-cadherin (epithelial)	ESTs, Weakly similar to 149556 cadherin-11 - mouse [M.musculus], RIKEN cDNA 2610005L07 gene, cadherin 1, type 1, E-cadherin (epithelial), cadherin 6, cadherin 6, type 2, K-cadherin (fetal kidney)
1901	20698	NM_031357	b		
1903	634 25525	NM_031509 NM_031509	n n		*EST, Moderately similar to GTC MOUSE GLUTATHIONE S- TRANSFERASE YC [M.musculus], glutathione S-transferase A3, glutathione S-transferase, alpha 3
1903	25069	NM_031509	b,n,w	 	+
1903	635	NM_031509	z.		"EST, Moderately similar to GTC MOUSE GLUTATHIONE S- TRANSFERASE YC [M.musculus], glutathione S-transferase A3, glutathione S-transferase, alpha 3
:1904	848	NNA 004547	2 24 24	met proto-oncogene, met proto-oncogene (hepatocyte growth factor	EST, Highly similar to RON_HUMAN MACROPHAGE-STIMULATING PROTEIN RECEPTOR PRECURSOR [H.sapiens], ESTs, Highly similar to TVHUME hepatocyte growth factor receptor precursor [H.sapiens], Mus musculus D86 mRNA, complete cds, Rattus norvegicus ryk mRNA for tyrosine kinase-related protein, partial cds, macrophage stimulating 1 receptor (c-met-related tyrosine kinase), met proto-oncogene, met proto-oncogene (hepatocyte growth
		NM_031517	<u> </u>	receptor)	factor receptor) RIKEN cDNA 0610007D04 gene, kallikrein 1, renal/pancreas/salivary, kallikrein 5, kallikrein 9, nerve growth factor, alpha, nerve growth factor,
1905	1872	NM_031523	a		gamma EST, Moderately similar to epidermal growth factor binding protein type 1 [M.musculus], EST, Weakly similar to pre-pro-protein for kallikrein
1905	16245		a,d,u	4	[H.sapiens] EST, Moderately similar to epidermal growth factor binding protein type 1 [M.musculus], EST, Weakly similar to pre-pro-protein for kallikrein
1905	16244	NM_031523	a		[H.sapiens]
1906 ₃	9370	NM_031527		protein phosphatase 1,	EST, Weakly similar to JN0723 phosphoprotein phosphatase [H.sapiens], protein phosphatase 1, catalytic subunit, alpha isoform EST, Weakly similar to SY02 RAT SMALL INDUCIBLE CYTOKINE A2 PRECURSOR [R.norvegicus],
1907 =	20448	NM_031530 🗼		small inducible cytokine A2, small inducible cytokine A2 (monocyte chemotactic protein 1, homologous to mouse Sig- ie)	expressed sequence Al323594, expressed sequence AW987545, small inducible cytokine A2, small inducible cytokine A7 (monocyte chemotactic protein 3), small inducible cytokine subfamily A (Cys-Cys), member 17

A2, small inducible cytokine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, small inducible cytoxine A24, spall a14, spall						AMY, Docket No. 44921-5039006 Doc. No. 1703397.1
SMALL INDUCIBLE CYTOKINE A2 PRECURSOR (R. nonvegicus), expressed sequence A1323594, expressed seque	Seq. [D] No. : : :	(dentifier	GonBank Aced Ref. Seq. ID No.	Modal Godo	Honologous Cane Name	
SETS, Moderately similar to UDP- GLUCURONOSYLTARNSFERASE 285 PRECURSOR, MICROSOMAL Mumsculus ESTS, Weakly similar to UDB7 HUMAN UDF- GLUCURONOSYLTARNSFERASE 287 PRECURSOR, MICROSOMAL Haspiens ESTS, Weakly similar to UDB7 HUMAN UDF- GLUCURONOSYLTARNSFERASE 287 PRECURSOR, MICROSOMAL Haspiens RikKen cDNA 0610033E06 gene Global 16033E0 gene Global 16033E0 gene Global 16048					A2, small inducible cytokine A2 (monocyte chemotactic protein 1,	SMALL INDUCIBLE CYTOKINE A2 PRECURSOR [R.norvegicus], expressed sequence Al323594, expressed sequence AW987545, small inducible cytokine A2, small inducible cytokine A24, small inducible cytokine A27 (monocyte chemotactic protein 3),
285 PRECURSOR, MICROSOMAL Musculus, ESTs, Weakly similar to UDB7, HUMAN UDP- GLUCURONOSYLTRANSFERASE 287 PRECURSOR, MICROSOMAL [H.sapiens], ESTS, Weakly similar to UDBH, HUMAN UDP- GLUCURONOSYLTRANSFERASE 287 PRECURSOR, MICROSOMAL [H.sapiens], ESTS, Weakly similar to UDBH, HUMAN UDP- GLUCURONOSYLTRANSFERASE 2817 PRECURSOR, MICROSOMAL [H.sapiens], EKRN cDNA 0610033E06 gene, UDP glycosyltransferase 2 family, polypeptide 817, UDP- glucuronosyltransferase 2 family, polypeptide 917, UDP- glucuronosyltransferase 2 family, member 5, expressed sequence AA986709 GD36 antigen (collagen type I receptor, like 1, CD36 antigen (collagen type I receptor, like 1, CD36 antigen (collagen type I receptor, like 1, CD36 antigen (collagen type I receptor, like 1, CD36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 1, ED36 antigen (collagen type I receptor, like 2, ESTS, Weakly milater to LOS6 antigen type I receptor, like 2, ESTS, Weakly milater to LOS6 antigen type I receptor, like 2, ESTS, Weakly milater to LOS6 antigen type I receptor, like 2, ESTS, Weakly milater to LOS6 antigen type I receptor, like 2, ESTS, Weakly milater to LOS6 antigen type I receptor, like 2, ESTS, Weakly milater to LOS6 antigen	1907	20449	NM_031530	General	je)	
1908 14633 NM_031533 u AA986709 CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 2, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 2, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 2, CD36 antigen (collagen type II sectors)-like 2, CD36 antigen (collagen type II receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type II receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type II receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type II receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type II receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I in receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I in receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I in receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I in receptor, like 1, CD36 antigen (collagen type I in receptor, like 2, CD36 antigen (collagen type I in receptor, like 2, CD36 antigen (collagen type I in receptor, like 2, CD36 antigen (collagen type I in receptor, like 2, CD36 antigen (collagen type I in the ceptor and seven receptor class B I to receptor, like 2, CD36 antigen (collagen type I in the ceptor class B I to receptor (collagen type I in the ceptor class B I to receptor class B I to receptor c						GLUCURONOSYLTRANSFERASE 2B5 PRECURSOR, MICROSOMAL [M.musculus], ESTs, Weakly similar to UDB7_HUMAN UDP- GLUCURONOSYLTRANSFERASE 2B7 PRECURSOR, MICROSOMAL [H.sapiens], ESTs, Weakly similar to UDBH_HUMAN UDP- GLUCURONOSYLTRANSFERASE 2B17 PRECURSOR, MICROSOMAL [H.sapiens], RIKEN cDNA 0610033E06 gene, UDP glycosyltransferase 2 family, polypeptide B17, UDP-
receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 2, ESTs, Weakly similar to JC5533 scavenger receptor class B type I type I receptor, thrombospondin receptor-like 2, ESTs, Weakly similar to JC5533 scavenger receptor class B type I precursor - rat IR.norvegicusJ, Homo sapiens scavenger receptor class B type III SR-BIII mRNA, partial cds, scavenger receptor class B type III SR-BIII mRNA, partial cds, scavenger receptor class B1 (cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) (cytochrome P450, 2e1, ethanol inducible) (cytochrome P450, 2e1, ethanol inducible) (cytochrome P450, 2e1, ethanol-inducible) (cytochrome P450, 2e1, ethanol-inducible) (cytochrome P450, 2e1, ethanol-inducible) (cytochrome P450, 2e1, ethanol-inducible) (cytochrome P450, 2e1, ethanol-inducible) (cytochrome P450, 2e1, ethanol-inducible) (cytochrome P450, subfamily IIE (ethanol-inducible) (cytochrome P450, 2e1, ethanol-inducible) (cytochrome P450, 2e1	1908	14633	NM 031533	u		
cytochrome P450, 2e1, ethanol inducible, cytochrome P450, 2e1, ethanol inducible, cytochrome P450, 2e1, ethanol inducible, cytochrome P450, 2e1, ethanol inducible, cytochrome P450, 2e1, ethanol inducible) 1910 4010 NM 031543 c,q inducible) 1910 4010 NM 031543 c,q inducible) 1910 4012 NM 031543 q inducible, cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1910 4012 NM 031543 q inducible) 1911 28 NM 031546 General regucalcin (senescence marker protein-30) 1911 28 NM 031546 General regucalcin (senescence marker protein-30) 1912 24640 NM 031548 h,cc alpha polypeptide 1913 17149 NM 031549 x transgelin transgelin 1914 17149 NM 031549 x transgelin 1915 cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1916 cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1916 cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1916 cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1916 cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1916 cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1916 cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1916 cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1916 cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1916 cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1916 cytochrome P450, 2e1, ethanol-inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1917 cytochrome P450, 2e1, ethanol-inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1918 cytochrome P450, 2e1, ethanol-inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1918 cytochrome P450, subfamily IIE (ethanol-inducible) 1919 cytochro					type I receptor, thrombospondin receptor)-	receptor, thrombospondin receptor)-like 1, CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 2, ESTs, Weakly similar to JC5533 scavenger receptor class B type I precursor - rat [R.norvegicus], Homo sapiens scavenger receptor class B
ethanol inducible, cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1910	1909 4	16048	NM_031541	f		scavenger receptor class B1
ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible, cytochrome P450, subfamily IIE (ethanol-inducible, cytochrome P450, subfamily IIE (ethanol-inducible) 1910	1910 .	4011	NM_031543	c,q	ethanol inducible, cytochrome P450, subfamily IIE (ethanol- inducible)	inducible, cytochrome P450, subfamily
cytochrome P450, 2e1, ethanol inducible, cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol-inducible) cytochrome P450, subfamily IIE (ethanol-inducible) IIE (ethanol-inducible) 1910 4012 NM_031543 q inducible) IIE (ethanol-inducible) 1911 28 NM_031546 General protein-30) regucalcin (senescence marker protein-30) expressed sequence AW742291, sodium channel, nonvoltage-gated 1 alpha, sodium channel, nonvoltage-gated 1, delta, sodium channel, nonvoltage-gated 1, delta, sodium channel, nonvoltage-gated, type I, alpha polypeptide polypeptide 1912 24640 NM_031548 h,cc alpha polypeptide polypeptide 1913 17149 NM_031549 x transgelin transgelin	1910 .	4010 ⊶	NM_031543	c,q	ethanol inducible, cytochrome P450, subfamily IIE (ethanol-	inducible, cytochrome P450, subfamily
(senescence marker protein-30) Sodium channel, nonvoltage-gated 1 alpha, sodium channel, nonvoltage-gated 1 alpha, sodium channel, nonvoltage-gated 1, delta, sodium channel, nonvoltage-gated 1, delta, sodium channel, nonvoltage-gated 1, delta, sodium channel, nonvoltage-gated 1, delta, sodium channel, nonvoltage-gated 1, delta, sodium channel, nonvoltage-gated, type I, alpha polypeptide polypeptide 1912 24640 NM_031548 h,cc alpha polypeptide polypeptide 17149 NM_031549 x transgelin transgelin	1910 .			*	cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily IIE (ethanol- inducible)	cytochrome P450, 2e1, ethanol inducible, cytochrome P450, subfamily
expressed sequence AW742291, sodium channel, nonvoltage-gated 1 alpha, sodium channel, nonvoltage-gated 1 alpha, sodium channel, nonvoltage-gated 1, delta, sodium channel, nonvoltage-gated, type I, alpha polypeptide 1912 24640 NM_031548 h.cc alpha polypeptide polypeptide 1913 17149 NM_031549 x transgelin expressed sequence AW742291, sodium channel, nonvoltage-gated 1 alpha, sodium channel, nonvoltage-gated 1, delta, sodium channel, nonvoltage-gated, type I, alpha polypeptide	1011	28	NM 031546	General	(senescence marker	, , , , ,
1913 17149 NM_031549 x transgelin transgelin	1912	24640	NM_031548		sodium channel, nonvoltage-gated 1 alpha, sodium channel, nonvoltage-gated, type I, alpha polypeptide	expressed sequence AW742291, sodium channel, nonvoltage-gated 1 alpha, sodium channel, nonvoltage-gated 1, delta, sodium channel, nonvoltage-gated, type I, alpha polypeptide
	1913 1913	17149	NM_031549	X .	transgelin	

TABLE	BE (HUMAN)	HOMOLOGUE A)	EXOTATOR		Ally, Docket No. 44921-503900 Doc. No. 1793397.
839. [D No.	i ieiiimebil	GenBank Acc./ Ref. Seq. ID No.		Homologous Cene Name	Homologous Gluster Nemo
1914	13105	NM 031552	w	adducin 3.(gamma)	ESTs, Moderately similar to ADDG_MOUSE GAMMA ADDUCIN (ADDUCIN-LIKE PROTEIN 70) [M.musculus], adducin 3 (gamma)
					ESTs, Weakly similar to CPT1 MOUSE CARNITINE O-PALMITOYLTRANSFERASE I, MITOCHONDRIAL LIVER ISOFORM [M.musculus], ESTs, Weakly similar to 159351 carnitine O-palmitoyltransferase [H.sapiens], ESTs, Weakly similar to MITOCHONDRIAL CARNITINE O-
:			,	carnitine palmitoyltransferase 1, liver, carnitine	PALMITOYLTRANSFERASE I, LIVER ISOFORM [R.norvegicus], carnitine palmitoyltransferase 1, liver, carnitine palmitoyltransferase 1, muscle,
1915	15411	NM_031559 .	d,r	palmitoyltransferase I, liver Y box protein 1, nuclease sensitive element binding	carnitine palmitoyltransferase I, liver ESTs, Highly similar to I39382 Y box- binding protein 1 - human [H.sapiens],
1916	16164	NM_031563	a.y	protein 1	RIKEN cDNA 1700102N10 gene EST, Moderately similar to 40S RIBOSOMAL PROTEIN S7
,					[R.norvegicus], EST, Weakly similar to 40S RIBOSOMAL PROTEIN S7 [R.norvegicus], EST, Weakly similar to RS7_HUMAN 40S RIBOSOMAL PROTEIN S7 [M.musculus], ESTs, Highly similar to JC4388 ribosomal protein S7, cytosolic [H.sapiens], ESTs, Highly similar to RS7_HUMAN 40S RIBOSOMAL PROTEIN S7 [H.sapiens], nuclear factor of kappa
1917	9621	NM_031570	bb "	ribosomal protein S7	light polypeptide gene enhancer in B- cells inhibitor-like 2, ribosomal protein S7
					EST, Moderately similar to 40S RIBOSOMAL PROTEIN S7 [R.norvegicus], EST, Weakly similar to 40S RIBOSOMAL PROTEIN S7 [R.norvegicus], EST, Weakly similar to RS7_HUMAN 40S RIBOSOMAL PROTEIN S7 [M.musculus], ESTS, Highly similar to JC4388 ribosomal protein S7, cytosolic [H.sapiens], ESTS, Highly similar to RS7_HUMAN 40S RIBOSOMAL PROTEIN S7 [H.sapiens], nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor-like 2, ribosomal protein
1917 :	9620	NM_031570	w,bb _	ribosomal protein S7	S7 ESTs, Moderately similar to
1918	546	NM_031573		phosphorylase kinase gamma, phosphorylase kinase, gamma 1 (muscle) ;	ESTS, Moderately similar to KPBG_HUMAN PHOSPHORYLASE B-KINASE GAMMA-CATALYTIC CHAIN, SKELETAL MUSCLE ISOFORM [H.sapiens], ESTS, Moderately similar to PHOSPHORYLASE B KINASE GAMMA-CATALYTIC CHAIN, SKELETAL MUSCLE ISOFORM [R.norvegicus], RIKEN cDNA 1500017l02 gene, endoplasmic reticulum (ER) to nucleus signalling 2, phosphorylase kinase gamma, phosphorylase kinase, gamma 1 (muscle)

839, ID (Xo.)	ldeniller	ConBank Aced		1000	Doc. No. 1793397.1
		War grade in the	Woodal Google	Homologous Cone Name	Howelogous Clusier Name
					ESTs, Highly similar to A Chain A, Crystal Structure Of The Fmn-Binding Domain Of Human Cytochrome P450 Reductase At 1.93a Resolution (SUB 61-241 [H.sapiens], NADPH-
				PASO (outophromo)	dependent FMN and FAD containing oxidoreductase, P450 (cytochrome) oxidoreductase, RIKEN cDNA
1919	1921	NM_031576	f	P450 (cytochrome) oxidoreductase	4930447P04 gene, hypothetical protein FLJ10900
				4	ESTs, Highly similar to A-Chain A, Crystal Structure Of The Fmn-Binding Domain Of Human Cytochrome P450 Reductase At 1.93a Resolution (SUB 61-241 [H.sapiens], NADPH- dependent FMN and FAD containing
			,	P450 (cytochrome)	oxidoreductase, P450-(cytochrome) oxidoreductase, RIKEN cDNA 4930447P04 gene, hypothetical
1919	1920	NM_031576	r	oxidoreductase	protein FLJ10900 protein tyrosine phosphatase 4a1,
			-1	protein tyrosine	protein tyrosine phosphatase 4a2, protein tyrosine phosphatase type IVA, member 1, protein tyrosine
1920 ,2	24219	NM_031579	i;General	phosphatase 4a1, protein tyrosine phosphatase type IVA, member 1	phosphatase type IVA, member 2, protein tyrosine phosphatase type IVA, member 3
				a a	EST, Moderately similar to JC4884 organic cation transporter protein 2 - rat [R.norvegicus], EST, Weakly similar to OCN2 MOUSE ORGANIC CATION/CANITINE TRANSPORTER 2 [M.musculus], ESTs, Highly similar to OCN2 HUMAN ORGANIC
				9 9	CATION/CARNITINE TRANSPORTER 2 [H.sapiens], ESTs, Highly similar to organic cation transporter [H.sapiens], organic cationic transporter-like 1, solute carrier family 22 (organic cation
				*	transporter), member 1, solute carrier family 22 (organic cation transporter), member 4, solute carrier family 22 (organic cation transporter), member
				solute carrier family 22 (organic cation	5, solute carrier family 22 (organic cation transporter), member 9, solute
1921 7	770	NM_031584 ,	k,x	J.	carrier family 22, member 3 ESTs, Highly similar to NRG2_MOUSE PRO-NEUREGULIN-2 PRECURSOR (PRO-NRG2) [CONTAINS:
					NEUREGULIN-2 (NRG-2) (DIVERGENT OF NEUREGULIN 1) (DON-1)] [M.musculus], ESTs, Weakly similar to NRG2 MOUSE PRO-
1922 1	18008	NM_031588	cc		NEUREGULIN-2 PRECURSOR (PRO- NRG2) [CONTAINS: NEUREGULIN-2 (NRG-2) (DIVERGENT OF NEUREGULIN 1) (DON-1)] [M.musculus], neuregulin 1

TABLE	BE CHOMMAN	HOMOTOGALE VI	SKIOITATOKE		Alty, Docket No. 44921-5039W
509. [D	Maniffra .	Gipent Ace/ Rei Seg ID No:	Medal Gada	Homologous Cana	Doc. No. 1793397.1 Hamalogous Cluster Name
	10030000031	lware cach in wee		Morning Secretary and Va	ESTs, Highly similar to NRG2_MOUSE PRO-NEUREGULIN-2 PRECURSOR
					(PRO-NRG2) [CONTAINS: NEUREGULIN-2 (NRG-2) (DIVERGENT OF NEUREGULIN 1)
				And the second s	(DON-1)] [M.musculus], ESTs, Weakly similar to NRG2_MOUSE PRO-
				The state of the s	NEUREGULIN-2 PRECURSOR (PRONRG2) [CONTAINS: NEUREGULIN-2]
1922	18005	NM 031588	h		(NRG-2) (DIVERGENT OF NEUREGULIN 1) (DON-1)]
1322	16005	14141_031366	111	:	[M.musculus], neuregulin 1 ESTs, Highly similar to NRG2_MOUSE
					PRO-NEUREGULIN-2 PRECURSOR (PRO-NRG2) [CONTAINS:
		•			NEUREGULIN-2 (NRG-2) (DIVERGENT OF NEUREGULIN 1)
					(DON-1)] [M.musculus], ESTs, Weakly similar to NRG2_MOUSE PRO-
					NEUREGULIN-2 PRECURSOR (PRO- NRG2) [CONTAINS: NEUREGULIN-2 (NRG-2) (DIVERGENT OF
1922	18011	NM_031588	cc.General		NEUREGULIN 1) (DON-1)] [M.musculus], neuregulin 1
1022	10011	71117_001000	oo,comora.		EST, Moderately similar to PRSA RAT- 26S PROTEASE REGULATORY
					SUBUNIT 6A [R.norvegicus], EST, Weakly similar to PRS4 MOUSE 26S
					PROTEASE REGULATORY SUBUNIT 4 [M.musculus], EST, Weakly similar
				4	to PRSA RAT 26S PROTEASE REGULATORY SUBUNIT 6A
				a	[R.norvegicus], ESTs, Moderately
				,	REGULATORY SUBUNIT 6A [R.norvegicus], expressed sequence
			,	proteasome (prosome,	Al325227, protease (prosome, macropain) 26S subunit, ATPase 1,
			ø	macropain) 26S subunit, ATPase 3, proteasome	proteasome (prosome, macropain) 26S subunit, ATPase 3, proteasome
1923	1584	NM 031595	* k *	(prosome, macropain) 26S subunit, ATPase, 3	(prosome, macropain) 26S subunit, ATPase, 3
,020	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			00001111,7111,000,0	Mus musculus adult male small intestine cDNA, RIKEN full-length
				_	enriched library, clone:2010001F03, full insert sequence, glutathione
			_		reductase 1, thioredoxin reductase 1, thioredoxin reductase 2, thioredoxin
1924	24235	NM_031614	v	thioredoxin reductase 1	reductase beta Mus musculus adult male small
					intestine cDNA, RIKEN full-length enriched library, clone:2010001F03,
				9	full insert sequence, glutathione reductase 1, thioredoxin reductase 1,
1924	24234	NM 031614	General	thioredoxin reductase 1	thioredoxin reductase 1, thioredoxin reductase beta
1344 6	24204	14 US 10 14	Celleral	unoredoxin reductase (EST, Moderately similar to A56043
					steroid hormone receptor-like protein RLD-1 - rat [R.norvegicus], expressed
				nuclear recentor subfacilit	sequence AU018371, nuclear receptor subfamily 1, group H, member 3,
1925	1639	NM_031627		nuclear receptor subfamily 1, group H, member 3	nuclear receptor subfamily 1, group H, member 4

		Hömorognev			A11y. Docket No. 44921-5939W Doc. No. 1793397.1
Seq. ID No.	Mendifer	ConBank Ace. Ref. Soq. (D No	Model Gode	Homologous Cene Name	Homologous Aveler Namo
				,	EST, Moderately similar to CPBP RAT CORE PROMOTER ELEMENT-BINDING PROTEIN [R.norvegicus], ESTs, Moderately similar to CPBP RAT CORE PROMOTER ELEMENT-BINDING PROTEIN [R.norvegicus], Kruppel-like factor 3 (basic), Kruppellike factor 5, Kruppel-like factor 7
1926	1727	NM_031642	m,General	core promoter element binding protein	(ubiquitous), core promoter element binding protein
				mitogen activated protein kinase kinase 2, mitogen- activated protein kinase	ESTs, Highly similar to MPK1 MOUSE DUAL SPECIFICITY MITOGEN-ACTIVATED PROTEIN KINASE KINASE 1 [M.musculus], ESTs, Moderately similar to MPK1_HUMAN DUAL SPECIFICITY MITOGEN-ACTIVATED PROTEIN KINASE KINASE 1 [H.sapiens], Mus musculus 12 days embryo head cDNA, RIKEN full-length enriched library, clone:3000002B10, full insert sequence, mitogen activated protein kinase kinase 1, mitogen activated protein kinase kinase 3, mitogen activated protein kinase kinase 7, mitogen-activated protein kinase kinase 7, mitogen-activated protein kinase kinase 8, mitogen-activated protein kinase kinase 8, mitogen-activated protein kinase kinase 8, mitogen-activated protein kinase kinase 9, mitogen-activated protein kinase kinase 1, mitogen-activated kinase 1, mitogen-activated kinase 1, mitogen-activated kinase 1, mitogen-activated kinase 1, mitogen-a
1927	20766	NM_031643	у	activated protein kinase kinase 2	kinase 1, mitogen-activated protein kinase kinase 7
1929	1993	NM_031655	k,l,m,General	latexin, latexin protein	latexin, latexin protein, retinoic acid receptor responder (tazarotene induced) 1 Human DNA sequence from clone RP5-822J19 on chromosome 20. Contains an alpha-endosulfine pseudogene, STSs and GSSs, cyclic
1930	2057	NM 031660	e		AMP phosphoprotein, 19 kD, cyclic AMP phosphoprotein, 19kD, endosulfine alpha
1931	15039	NM_031672	k,General	solute carrier family 15 (H+/peptide transporter), member 2	EST, Moderately similar to PET2 RAT OLIGOPEPTIDE TRANSPORTER, KIDNEY ISOFORM [R.norvegicus], EST, Moderately similar to PET2_HUMAN OLIGOPEPTIDE TRANSPORTER, KIDNEY ISOFORM [H.sapiens], expressed sequence C78862, solute carrier family 15 (H+/peptide transporter), member 2 2-4-dienoyl-Coenzyme A reductase 2, peroxisomal, ESTs, Weakly similar to HCD2 RAT 3-HYDROXYACYL-COA DEHYDROGENASE TYPE II [R.norvegicus], H2-K region expressed gene 6, hydroxyacyl-Coenzyme A dehydrogenase, type II, hydroxyprostaglandin dehydrogenase 15 (NAD), hydroxysteroid (17-beta) dehydrogenase 10, hypothetical
1932	15175	NM 031682	bb		protein FLJ14431, retinal short-chain dehydrogenase/reductase retSDR3
1933		NM_031685	v :	golgi SNAP receptor complex member 2	golgi SNAP receptor complex member 2

TABLE	S: CHUMAN	HOMOROGAEV	- SKOTATOKK		. , Ally, Dooke l No. 44 92 4-503900 , No. 1793397
Seg. (D No.	(dentifier	Conson's Aced Rai Seq. ID No.	Model <u>Godo</u> !	Homologous Cano Namo	Homologous Cluster Name
				ubiquitin A-52 residue ribosomal protein fusion	EST, Moderately similar to 165237 ubiquitin/ribosomal protein L40 - rat [R.norvegicus], Homo sapiens ubiquitin-like fusion protein mRNA, complete cds, RIKEN cDNA 0610006J14 gene, Rattus norvegicus RSD-7 mRNA, complete cds, ubiquitin A-52 residue ribosomal protein fusion
1934	19727	NM_031687	a,q,s	product 1	product 1 ESTs, Weakly similar to A39484
1935	20404	NM_031700	j,r,y	claudin 3	androgen-withdrawal apoptosis protein RVP1, prostatic - rat [R.norvegicus], claudin 12, claudin 3, expressed sequence Al182374
1935	20405	NIM 021700		Aloudin 2	ESTs, Weakly similar to A39484 androgen-withdrawal apoptosis protein RVP1, prostatic - rat [R.norvegicus], claudin 12, claudin 3, expressed
1935	811	NM_031700	o,r General	claudin 3	PRO0195 protein, collapsin response mediator protein 5, collapsin response mediator protein-5; CRMP3-associated molecule, dihydropyrimidinase-like 2, dihydropyrimidinase-related protein
1936	812	NM_031705	o.v,bb,General	dihydropyrimidinase	PRO0195 protein, collapsin response mediator protein 5, collapsin response mediator protein-5; CRMP3-associated molecule, dihydropyrimidinase, dihydropyrimidinase-like 2, dihydropyrimidinase-related protein
1937	16204	NM 031706	q,bb	·	EST, Moderately similar to RS8_HUMAN 40S RIBOSOMAL PROTEIN S [H.sapiens], EST, Weakly similar to 40S RIBOSOMAL PROTEIN S8 [M.musculus], EST, Weakly similar to 40S RIBOSOMAL PROTEIN S8 [R.norvegicus], ESTs, Moderately similar to RS8_HUMAN 40S RIBOSOMAL PROTEIN S [H.sapiens], RIKEN cDNA 1110008P08 gene, ribosomal protein S8
			, , , , , , , , , , , , , , , , , , ,	4 4	EST, Moderately similar to RSB_HUMAN 40S RIBOSOMAL PROTEIN S [H.sapiens], EST, Weakly similar to 40S RIBOSOMAL PROTEIN S8 [M.musculus], EST, Weakly similar to 40S RIBOSOMAL PROTEIN S8 [R.norvegicus], ESTs, Moderately similar to RS8_HUMAN 40S RIBOSOMAL PROTEIN S [H.sapiens],
1937	16205	NM_031706	a,y	×	RIKEN cDNA 1110008P08 gene, ribosomal protein S8
				3	ESTs, Weakly similar to G100_HUMAN 110 KDA CELL MEMBRANE GLYCOPROTEIN [H.sapiens], cell membrane
1938	24081	NM_031708	m į		glycoprotein, 110000M(r) (surface antigen) ESTs, Highly similar to R3HU12
1939 ,	16918	NM_031709 4	a,q ,		ribosomal protein S12, cytosolic [H.sapiens], mitochondrial ribosomal protein L50, ribosomal protein S12

TABUE	e Human	HOWOLOGNE AN	INOTATIONS	· Argenta (1905)	Ally. Dockol No. 44921-5039WC Doc. No. 1793397.1
899. ID No	ldentifier	Genbank Acc./ Ref. Seq. ID No.	Modal Godo	Homologous Gene Name	Homologous Quetar Walne
					ESTs, Weakly similar to T30259 multiple PDZ domain protein - mouse [M.musculus], ESTs, Weakly similar to T46612 multi PDZ domain protein 1 - rat [R.norvegicus], PDZ domain containing 1, channel-interacting PDZ domain protein, hypothetical protein FLJ22756, multiple PDZ domain protein, semaF cytoplasmic domain associated protein 3, solute carrier family 9 (sodium/hydrogen exchanger), isoform 3 regulatory factor 1, solute
1940	1081 a	NM_031712	General	PDZ domain containing 1	carrier family 9 (sodium/hydrogen exchanger), isoform 3 regulatory factor 2, syntaxin binding protein 4
,					ESTs, Highly similar to S71429 phosphofructokinase, muscle - rat [R.norvegicus], Mus musculus adult male stomach cDNA, RIKEN full-length enriched library, clone:2210403£17, full insert sequence, expressed
1941 4	1340 .	NM_031715	b,n,u,cc,General	phosphofructokinase, muscle	sequence AA407869, phosphofructokinase, liver, B-type, phosphofructokinase, muscle
1942 .	23884	NM_031731 *	i.s	aldehyde dehydrogenase 3 family, member A2, aldehyde dehydrogenase family 3, subfamily A2	ESTs, Weakly similar to DHA4 RAT FATTY ALDEHYDE DEHYDROGENASE [R.norvegicus], RIKEN cDNA 1700001N19 gene, RIKEN cDNA 1700055N04 gene, aldehyde dehydrogenase 3 family, member A2, aldehyde dehydrogenase family 3, subfamily A2, expressed sequence Al848594
				UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 6, UDP-	ESTs, Highly similar to N-ACETYLLACTOSAMINE SYNTHASE [M.musculus], UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 1, UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 2, UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 3, UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 4, UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 5, UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 5, UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 6, UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase,
1943	10241	NM_031740	d	polypeptide 6	polypeptide 3 Mus musculus, clone MGC:8298 IMAGE:3593581, mRNA, complete
1944	1214	NM_031741	j	(facilitated glucose transporter), member 5, solute carrier family 2 (facilitated glucose/fructose	cds, glucose transporter protein 11, solute carrier family 2 (facilitated glucose transporter), member 5, solute carrier family 2 (facilitated glucose transporter), member 9, solute carrier family 2 (facilitated glucose/fructose transporter), member 5

VABUE.	er Human	HOMOLOGALE VI	SKIOTEATIONS		- Anny. Docket No. 44921-5039000 - Doc. No. 1793397.
Seq. ID No.:	(denomier	Condenk Acel Roll Seq. 10 No.	Model Gode	Homologous Gane Name	Homelegous Gluster Name
1944	1215	NM_031741	r	solute carrier family 2 (facilitated glucose transporter), member 5, solute carrier family 2 (facilitated glucose/fructose transporter), member 5	Mus musculus, clone MGC:8298 IMAGE:3593581, mRNA, complete cds, glucose transporter protein 11, solute carrier farmily 2 (facilitated glucose transporter), member 5, solute carrier family 2 (facilitated glucose transporter), member 9, solute carrier family 2 (facilitated glucose/fructose transporter), member 5
1945	20724	NM 031753	h		ESTs, Highly similar to C166_HUMAN CD166 ANTIGEN PRECURSOR [H.sapiens], Lutheran blood group (Auberger b antigen included), activated leucocyte cell adhesion molecule, activated leukocyte cell adhesion molecule, advanced glycosylation end product-specific receptor, melanoma cell adhesion molecule
1545	20124	001700	<u>"</u>		PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT (R. norvegicus), ESTs, Weakly similar to LIS1 MOUSE PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT (R. norvegicus), ESTs, Weakly similar to LIS1_HUMAN PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT (R. norvegicus), ESTs, Weakly similar to LIS1_HUMAN PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT (H. sapiens), F-box protein FBW7, KIAA0007 protein, U3 snoRNP- associated 55-kDa protein, f-box and WD-40 domain protein 2, platelet- activating factor acetylhydrolase, isoform 1b, beta1 subunit, platelet- activating factor acetylhydrolase,
1946	20753		h	9	isoform lb, alpha subunit (45kD) EST, Weakly similar to LIS1 MOUSE PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT [R.norvegicus], 'ESTs, Weakly similar to LIS1 MOUSE PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT [R.norvegicus], ESTs, Weakly similar to LIS1_HUMAN PLATELET-ACTIVATING FACTOR ACETYLHYDROLASE IB ALPHA SUBUNIT [H.sapiens], 'F-box protein FBW7, KIAA0007 protein, U3 snoRNP- associated 55-kDa protein, 1-box and WD-40 domain protein 2, platelet- activating factor acetylhydrolase, isoform 1b, beta1 subunit, platelet- activating factor acetylhydrolase,
1946	20752		y	Rab acceptor 1	isoform lb, alpha subunit (45kD)
1947 1948 1948	14184	NM_031776	p t,General d,o,t,General	(prenylated)	guanine deaminase

TABLE 8	k Kuman	HONOROGAIS VA	EKOTATOKI		Aity. Docket No. 44921-5039000 Doc. No. 1793397 1
Scg. (D No.	(dentifier	GenBank Acc./ Ref. Seq. 10 No.	Model (300)	Homologous Conce Namo	Honologous Guster Name
					ESTs, Highly similar to NFL2 RAT NUCLEAR FACTOR ERYTHROID 2 RELATED FACTOR 2 [R.norvegicus], ESTs, Weakly similar to NFL2 RAT NUCLEAR FACTOR ERYTHROID 2 RELATED FACTOR 2 [R.norvegicus], nuclear factor (erythroid-derived 2)-like
1949 *	1169	NM_031789	c		2, nuclear, factor, erythroid derived 2, like 2
1950	16155	NM_031810	d,z	1	defensin beta 1, defensin beta 2, defensin, beta 1
1950	16156	NM_031810	d		defensin beta 1, defensin beta 2, defensin, beta 1
					EST, Weakly similar to T42627 ADP- ribosylation factor-directed GTPase activating protein, isoform a - mouse [M.musculus], ESTs, Highly similar to T42627 ADP-ribosylation factor- directed GTPase activating protein, isoform a - mouse [M.musculus], G protein-coupled receptor kinase- interactor 1, G protein-coupled receptor kinase-interactor 2, Homo sapiens p95 paxillin-kinase linker mRNA, complete cds, RIKEN cDNA
1951	17194	NM_031814	z	G protein-coupled receptor kinase-interactor 1	1700030C10 gene, development and differentiation enhancing
1952 4	17535	NM_031816	bb		ESTs, Weakly similar to GBLP_HUMAN GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT-LIKE PROTEIN 12.3 [R.norvegicus], Homo sapiens cDNA: FLJ21913 fis, clone HEP03888, Homo sapiens, clone IMAGE:3502107, mRNA, partial cds, RAE1 (RNA export 1, S.pombe) homolog, WD repeat domain 10, expressed sequence AI173248, expressed sequence AI504353, guanine nucleotide binding protein (G protein), beta polypeptide 2-like 1, guanine nucleotide binding protein, beta 2, related sequence 1, retinoblastoma binding protein 7, transducin (beta)-like 2
1953	2655	NM 031821	i,l,m,aa	e e	ESTs, Highly similar to A57286 probable serine/threonine protein kinase [M.musculus], ESTs, Highly similar to SNK_RAT SERINE/THREONINE-PROTEIN KINASE SNK (SERUM INDUCIBLE KINASE) [R.norvegicus], ESTs, Weakly similar to SNK_RAT SERINE/THREONINE-PROTEIN KINASE SNK (SERUM INDUCIBLE KINASE) [R.norvegicus], cytokine- inducible kinase, serine/threonine kinase 18, serum-inducible kinase, tousled-like kinase 2 (Arabidopsis)
	10167	NM_031830	i :		flotillin 1, flotillin 2 EST, Weakly similar to X-Ray Crystal
1955 ;	22321	NM_031832	o,t,u,General	lectin, galactose binding, soluble 3, lectin, galactoside-binding,	Carbohydrate Recognition Domain [H.sapiens], galectin-related inter-fiber protein

TABLE	B: HUMAN	HOMOLOGAE VI	ROTATIONS		Ally, Dockel No. 44921-503900 Doc. No. 1793397
839, 10 No.:	ldeniller	Consont Ace./ Ref. Seq. 10 No.	Model Gode	Hamalogous Cono Namo	Homologous Cluster Name
					expressed sequence Al266890, expressed sequence Al853643, sulfotransferase family 1A, phenol-preferring, member 1, sulfotransferase family 4A, member 1, sulfotransferase family, cytosolic, 1A, phenol-preferring, member 1, sulfotransferase family, cytosolic, 1A, phenol-preferring, member 2, sulfotransferase family, cytosolic, 1A, phenol-preferring,
1956	4748	NM_031834	e,t		member 3 expressed sequence Al266890,
					expressed sequence Al250690, expressed sequence Al250693, sulfotransferase family 1A, phenol-preferring, member 1, sulfotransferase family 4A, member 1, sulfotransferase family, cytosolic, 1A, phenol-preferring, member 1, sulfotransferase family, cytosolic, 1A, phenol-preferring, member 2, sulfotransferase family, cytosolic, 1A, phenol-preferring,
1956	4749	NM_031834	e,t		member 3
			,		ESTs, Weakly similar to AGT2 RAT ALANINE-GLYOXYLATE AMINOTRANSFERASE 2 PRECURSOR [R.norvegicus], RIKEN cDNA 1300019H02 gene, RIKEN cDNA 2900006B13 gene, alanine-glyoxylate aminotransferase 2, alanine-glyoxylate aminotransferase 2-like 1,
1957	7914	NM_031835	е		ornithine aminotransferase
1958	8385	NM_031836	h		c-fos induced growth factor (vascular endothelial growth factor D), vascular endothelial growth factor, vascular endothelial growth factor B
1958	8384	NM_031836	h		ic-fos induced growth factor (vascular endothelial growth factor D), vascular endothelial growth factor, vascular endothelial growth factor B
1959	10268	NM 031838	a		EST, Highly similar to 40S RIBOSOMAL PROTEIN S2 [M.musculus], EST, Highly similar to 40S RIBOSOMAL PROTEIN S2 [R.norvegicus], EST, Moderately similar to S08228 ribosomal protein S2, cytosolic [H.saplens], EST, Weakly similar to S08228 ribosomal protein S2, cytosolic [H.saplens], ESTs, Highly similar to RS2_HUMAN 40S RIBOSOMAL PROTEIN S2 [H.saplens], ESTs, Moderately similar to 40S RIBOSOMAL PROTEIN S2 [M.musculus], repeat family 3 gene, ribosomal protein S2

TABLE	KAMUUH K	HOMOTOGATEV	Motations		Aily. Docket No. 44921-5039W Doc. No. 1793497
Seg. ID No.	refillitebl	Genfenk Ace <i>l</i> Ref. Seq. ID No.	Model Gode	Homologous Conc Namo	Homologous Cluster Name
					EST, Highly similar to 40S RIBOSOMAL PROTEIN S2 [M.musculus], EST, Highly similar to 40S RIBOSOMAL PROTEIN S2 [R.norvegicus], EST, Moderately similar to S08228 ribosomal protein S2, cytosolic [H.sapiens], EST, Weak
					similar to S08228 ribosomal protein S2, cytosolic [H.sapiens], ESTs, High similar to RS2_HUMAN 40S RIBOSOMAL PROTEIN S2
					[H.sapiens], ESTs, Moderately similar to 40S RIBOSOMAL PROTEIN S2 [M.musculus], repeat family 3 gene,
1959	10269	NM_031838	88		ribosomal protein S2 EST, Highly similar to 40S RIBOSOMAL PROTEIN S2 [M.musculus], EST, Highly similar to 40S RIBOSOMAL PROTEIN S2
					[R.norvegicus], EST, Moderately similar to S08228 ribosomal protein S2, cytosolic [H.sapiens], EST, Weakl similar to S08228 ribosomal protein S2, cytosolic [H.sapiens], ESTs, Highl similar to RS2_HUMAN 40S RIBOSOMAL PROTEIN S2
1959	10267	NM 031838	n,aa		[H.sapiens], ESTs, Moderately similar to 40S RIBOSOMAL PROTEIN S2 [M.musculus], repeat family 3 gene, ribosomal protein S2
					expressed sequence AU022220, hypothetical protein FLJ21032, stearoyi-CoA desaturase (delta-9- desaturase), stearoyi-Coenzyme A desaturase 1, stearoyi-Coenzyme A desaturase 2, stearoyi-coenzyme A
1960	15077	NM_031841	b		desaturase 3
1961	16726	NM_031855	×	ketohexokinase, ketohexokinase (fructokinase)	ketohexokinase, ketohexokinase (fructokinase)
1962	25802	NM 031969	а	calmodulin 1, calmodulin 1 (phosphorylase kinase, delta)	
				4	Calmodulin III, ESTs, Highly similar to A Chain A, Calmodulin Complexed With Calmodulin-Binding Peptide From Smooth Muscle Myosin Light Chain Kinase (SUB 2-148 [H.sapiens], R.norvegicus CaMII retropseudogene (clone lambda SC27), RIKEN cDNA 2310068022 gene, calmodulin, calmodulin 1, calmodulin 1 (phosphorylase kinase, delta).
1962 .	19191	NM_031969	c	calmodulin 1, calmodulin 1 (phosphorylase kinase, delta)	calmodulin 2, calmodulin 2 (phosphorylase kinase, delta), calmodulin 3, calmodulin-like 3

TABLE S	r (Human)	HOVOLOGAEVA	SKOTATOKK		Ally. Docket No. 44921-503900 Doc. No. 1793397.1
Seq. ID		GenBank Accil		ence evogolomoli	
No.	Identifier	Ref. Seq. ID No.	Model Gode	Mame >	Homologous Gluster Name
			1		Calmodulin III, ESTs, Highly similar to
1			1		A Chain A, Calmodulin Complexed
1	l				With Calmodulin-Binding Peptide From
		1		1	Smooth Muscle Myosin Light Chain
	l				Kinase (SUB 2-148 [H.sapiens],
1	-				R.norvegicus CaMII retropseudogene
1					(clone lambda SC27), RIKEN cDNA
					2310068O22 gene, calmodulin, calmodulin 1, calmodulin 1
					(phosphorylase kinase, delta),
1				calmodulin 1, calmodulin 1	
	[(phosphorylase kinase,	(phosphorylase kinase, delta),
1962	19195	NM_031969	Jr ,	delta)	calmodulin 3, calmodulin-like 3
,		}			Calmodulin III, ESTs, Highly similar to
1					A Chain A, Calmodulin Complexed
]	1	,	With Calmodulin-Binding Peptide From
1		•	1		Smooth Muscle Myosin Light Chain
					Kinase (SUB 2-148 [H.sapiens],
					R.norvegicus CaMII retropseudogene
					(clone lambda SC27), RIKEN cDNA 2310068O22 gene, calmodulin,
			1		calmodulin 1, calmodulin 1
					(phosphorylase kinase, delta),
			4	calmodulin 1, calmodulin 1	calmodulin 2, calmodulin 2
				(phosphorylase kinase,	(phosphorylase kinase, delta),
1962	19190	NM_031969	p s	delta)	calmodulin 3, calmodulin-like 3
		,			EST, Weakly similar to HHHU27 heat
					shock protein 27 [H.sapiens], ESTs,
					Moderately similar to HHHU27 heat
					shock protein 27 [H.sapiens],
1963	17734	NM_031970	v,General		crystallin, alpha C, heat shock 27kD
-300		1111_001010	11,000 lotal		protein 1, heat shock 27kD protein 3 ESTs, Weakly similar to BCHUIA S-
				· ·	100 protein alpha chain [H.sapiens],
					ESTs, Weakly similar to S10A MOUSE
					S-100 PROTEIN, ALPHA CHAIN
				•	[M.musculus], Homo sapiens cDNA
		:		ķ	FLJ10018 fis, clone HEMBA1000531,
					RIKEN cDNA B230217N24 gene,
				,	S100 calcium binding protein A1, S100
		,		,	calcium binding protein A11, S100
				i i	calcium-binding protein A1, S100
				,	calcium-binding protein A11
]				heat shock 70kD protein	(calgizzarin), S100 calcium-binding protein P, expressed sequence
			1	1B, heat shock protein, 70	Al266795, heat shock 70kD protein
1964	1475	NM_031971	v ,	kDa 1	1A, heat shock 70kD protein 1B
1		-	Ĩ		proteasome (prosome, macropain)
1965	15470	NM_031978	f		26S subunit, non-ATPase, 1
	1				ESTs, Moderately similar to
				calbindin 1, (28kD),	CALBINDIN [M.musculus], calbindin 1,
1966	18502	NM_031984	C	calbindin-28K ,	(28kD), calbindin-28K

TABUE &	NAMUH S	rioworognis (x	· SKOTATOKI		Atty. Docket No. 44921-5039W0 Doc. No. 1793897 1
Seq.(10) No.	leten Witer	GonBank Acc./ Ref. Seq. (D) No.		Homologous Gano Namo	Honologous Glusta Namo
·					ESTs, Highly similar to APB1 RAT AMYLOID BETA A4 PRECURSOR PROTEIN-BINDING FAMILY A MEMBER 1 [R. norvegicus], Mus musculus, Similar to hypothetical protein, clone MGC:11704 IMAGE:3964815, mRNA, complete cds, RIKEN cDNA 2310008D10 gene, amyloid beta (A4) precursor protein-binding, family A, APBA1: amyloid beta (A4) precursor protein-binding, family A, member 1 (X11), amyloid beta (A4) precursor protein-binding, family A, member 1 (X11), amyloid beta (A4) precursor protein-binding, family A, member 3, syndecan binding protein, syndecan binding protein, syndecan binding protein
1967	19768	NM_031986	v,aa,General		(syntenin), syntenin-2 protein ESTs, Weakly similar to T42724 p190-B protein - mouse [M.musculus], PTPL1-associated RhoGAP 1, RIKEN cDNA 1700026N20 gene, RIKEN cDNA 1700112L09 gene, chimerin (chimaerin) 2, minor histocompatibility antigen HA-1, oligophrenin 1, rho
1968	723	NM_032084	n		GTPase activating protein 5
1969	17935	NM_032615	a .	membrane interacting protein of RGS16	hypothetical protein FLJ20207, membrane interacting protein of RGS16
1970	16831	NM_033095	n		
1971	25468	NM_033234	C,Z		
1971	25469	NM_033234	С]	
1971	17832	NM_033234	с,р	hemoglobin beta chain complex, hemoglobin, beta	
1971	17829	NM 033234	c,z	hemoglobin beta chain complex, hemoglobin, beta	
				Total State of the	ESTs, Highly similar to LDHH_HUMAN L-LACTATE DEHYDROGENASE H CHAIN [H.sapiens], Lactate dehydrogenease B, RIKEN cDNA 1700124B08 gene, lactate dehydrogenase 2, B chain, lactate dehydrogenase B, malate dehydrogenase 1, NAD (soluble),
1972	4723	NM_033235	Z		malate dehydrogenase, soluble
3				glyoxylase 2, hydroxyacyl	Mus musculus, Similar to hydroxyacyl glutathione hydrolase, clone MGC:6697 IMAGE:3583919, mRNA, complete cds, RIKEN cDNA 1500017E18 gene, RIKEN cDNA 2810014I23 gene, RIKEN cDNA C330022E15 gene, hydroxyacyl glutathione hydrolase, hypothetical protein MGC2605, protein expressed
1973	1409	NM_033349	p,General	glutathione hydrolase	in thyroid

WO 02/095000

TABLE	S: (HUMAN	HOMOFOGREV	SKIOTEATOKK		Ally. Docket No. 44924-503900 Doc. No. 1771237
Seq. (D. No.	Mentiffer	ConBank Aced Ref. Seq. 1D No.	Model Gode	Hamologous Ceno Namo	Dos. No. 1793397. Homologous Gluster Name
					ESTs, Weakly similar to T30259 multiple PDZ domain protein - mouse [M.musculus], ESTs, Weakly similar to T46612 multi PDZ domain protein 1 - rat [R.norvegicus], PDZ domain containing 1, channel-interacting PDZ domain protein, hypothetical protein FLJ22756, multiple PDZ domain protein, semaF cytoplasmic domain protein, semaF cytoplasmic domain associated protein 3, solute carrier family 9 (sodium/hydrogen exchanger) isoform 3 regulatory factor 1, solute carrier family 9 (sodium/hydrogen
1974	19998	NM 033352	General	PDZ domain containing 1	exchanger), isoform 3 regulatory factor
		- WI _ 000002	Seriera	T 02 domain containing 1	2, syntaxin binding protein 4 ESTs, Moderately similar to S47073 finger protein HZF2, Krueppel-related [H.sapiens], ESTs, Moderately similar to T12489 hypothetical protein DKFZp572P0920.1 [H.sapiens], ESTs, Weakly similar to TC17 MOUSE TRANSCRIPTION FACTOR 17 [M.musculus], ESTs, Weakly similar to Z184_HUMAN ZINC FINGER PROTEIN 184 [H.sapiens], expressed sequence Al875089, transcription
1975	1410	NM_052798	d	zinc finger protein 354A	factor 17, transcription factor 17-like 1, transcription factor 17-like 2
1976	15028	NM_052809	f	cysteine dioxygenase 1, cytosolic, cysteine dioxygenase, type I	RIKEN cDNA 2900092E17 gene, cysteine dioxygenase 1, cytosolic, cysteine dioxygenase, type I
1977	5176	NM_053297	U	pyruvate kinase 3, pyruvate kinase, muscle	
1978	7660 ·	NM_053299	i	diubiquitin, ubiquitin D	EST, Moderately similar to S12583 polyubiquitin 4 - mouse [M.musculus], Homo sapiens UBBP2 pseudogene for ubiquitin UBB, RIKEN cDNA 270054004 gene, diubiquitin, expressed sequence Al194771, expressed sequence AL033289, ubiquitin B, ubiquitin C
1070	5117	NM 052340	5	Homer, neuronal immediate early gene, 3, homer, neuronal immediate	CAT56 protein, EST, Weakly similar to A28996 proline-rich protein M14 precursor - mouse [M.musculus], EST, Weakly similar to JE0291 FB19 protein [H.sapiens], Homer, neuronal immediate early gene, 1B, RuvB-like protein 1, homer, neuronal immediate early gene, 1, homer, neuronal immediate early gene, 2, proline rich protein, proline rich protein, proline rich protein 2, protein
1979	5117	NM_053310		early gene, 3 dynein, cytoplasmic, light chain 1, dynein,	phosphatase 1, regulatory subunit 10 ESTs, Moderately similar to protein inhibitor of nitric oxide synthase [M.musculus], RIKEN cDNA 6720463E02 gene, Rattus norvegicus dynein light chain-2 (Dlc2) mRNA, complete cds, dynein, cytoplasmic,
1981	17473	NM_053319	a,v	cytoplasmic, light polypeptide	light chain 1, dynein, cytoplasmic, light polypeptide
1982	25480	NM_053329	İ	insulin-like growth factor binding protein, acid labile subunit	

TABLE	e (huiman)	HOWO TO GATE V	SKONATOKE		Ally. Docket No. 44924-5739WG Doc. No. 1779337.
Seg. ID No.	ldeniiier	GenBenk (Acc.) Ref. Seq. 10 No.	Model Code	Homologous Gene Name	Honologous Gluster Name
					ESTs, Weakly similar to ALS RAT INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN COMPLEX ACID LABILE CHAIN PRECURSOR [R. Got26 insulin-like growth factor binding complex acid labile chain - mouse [M.musculus], ESTs, Weakly similar to membrane glycoprotein [M.musculus], KIAA0644 gene product, glycoprotein 1a, alpha polypeptide, hypothetical protein FLJ20156, insulin-like growth factor
				insulin-like growth factor binding protein, acid labile	binding protein, acid labile subunit, nogo receptor, reticulon 4 receptor, toll like receptor 6, tumor endothelial
1982	21977	NM_053329	y	subunit	marker 5 precursor EST, Moderately similar to 2113200B ribosomal protein L21 [H.sapiens], EST, Moderately similar to RL21 MOUSE 60S RIBOSOMAL PROTEIN L21 [M.musculus], EST, Weakly similar to 2113200B ribosomal protein L21 [H.sapiens], EST, Weakly similar to RL21 MOUSE 60S RIBOSOMAL PROTEIN L21 [M.musculus], EST, Weakly similar to RL21 HUMAN 60S RIBOSOMAL PROTEIN L21 [H.sapiens], ESTs, Moderately similar to RL21 RAT 60S RIBOSOMAL PROTEIN L21 [R.norvegicus], RIKEN PROTEIN L21 [R.norvegicus], RIKEN
1983	14926	NM_053330	f	ribosomal protein L21	cDNA 2700085M18 gene, ribosomal protein L21
1983	14929	NM_053330	e,General	ribosomal protein L21	EST, Moderately similar to 2113200B ribosomal protein L21 [H.sapiens], EST, Moderately similar to RL21 MOUSE 60S RIBOSOMAL PROTEIN L21 [M.musculus], EST, Weakly similar to 2113200B ribosomal protein L21 [H.sapiens], EST, Weakly similar to RL21 MOUSE 60S RIBOSOMAL PROTEIN L21 [M.musculus], EST, Weakly similar to RL21-HUMAN 60S RIBOSOMAL PROTEIN L21 [H.sapiens], ESTs, Moderately similar to RL21 RAT 60S RIBOSOMAL PROTEIN L21 [H.sapiens], ESTs, Moderately similar to RL21 RAT 60S RIBOSOMAL PROTEIN L21 [R.norvegicus], RIKEN cDNA 2700085M18 gene, ribosomal protein L21
1984 _a	16407	NM_053332 _		cubilin (intrinsic factor-	DNA segment, Chr 2, Wayne State University 88, expressed, EST, Weakly similar to T09456 intrinsic factor-B12 receptor Cubilin precursor [H.sapiens], ESTs, Moderately similar to T09456 intrinsic factor-B12 receptor Cubilin precursor [H.sapiens], Homo sapiens cDNA FLJ12558 fis, clone NT2RM4000787, bone morphogenetic protein 1, cubilin (intrinsic factor- cobalamin receptor), expressed sequence AL022750, platelet-derived growth factor, C polypeptide, tolloid- like, tolloid-like 2, tumor necrosis factor induced protein 6, tumor necrosis factor, alpha-induced protein 6

TABLE		HOMOFOGAE VA	ENDITATIONIX		Anny, Docker No. 44921-5033 Doc. No. 1793997.
839, ID.	licianmar	Confident Aced	Metal Gera	Homologous Cone Name	Handlegous Gluster Name
1985	15790			chromosome 19 open reading frame 3, regulator of G-protein signaling 19	chromosome 19 open reading frame 3
1903	15790	NM_053341	.j,x	interacting protein 1	hypothetical protein FLJ20075 ESTs, Weakly similar to CGHU2S collagen alpha 2(I) chain precursor [H.sapiens], KIAA1026 protein, RIKEN cDNA 1110030G05 gene, RIKEN cDNA 9030409G11 gene, collagen,
				,	type I, alpha 1, collagen, type I, alpha 2, collagen, type II, alpha 1 (primary osteoarthritis, spondyloepiphyseal dysplasia, congenital), hypothetical protein FLJ20654, nischarin,
			1	collagen, type I, alpha 2,	procollagen, type I, alpha 1, procollagen, type I, alpha 2,
1986	6154 9215	NM_053356 NM_053374	lp i	procollagen, type I, alpha 2	procollagen, type II, alpha 1 interleukin 18 binding protein
1907	3213	14W_03374			Intereukin 18 binding protein ESTs, Weakly similar to NPT2 RAT RENAL SODIUM-DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 [R.norvegicus], ESTs, Weakly similar to NPT2_HUMAN RENAL SODIUM- DEPENDENT PHOSPHATE TRANSPORT PROTEIN 2 {H.sapiens], Homo sapiens, Similar to solute-carrier family 34 (sodium phosphate), member 1, clone MGC:18179 IMAGE:4155326, mRNA, complete cds, Rattus norvegicus mRNA for NaPi-2 alpha, complete cds, Solute carrier family 17 (sodium/hydrogen exchanger), member 2, expressed sequence AI649385, solute carrier family 34
				· 6	(sodium phosphate), member 1, solute carrier family 34 (sodium phosphate),
	6416	NM_053380	General	small muscle protein, X-	member 2
1990	2242	NM_053433			small muscle protein, X-linked ESTs, Highly similar to FMO3_HUMAN DIMETHYLANILINE MONOOXYGENASE [H.sapiens], Flavin-containing monooxygenase 1, Homo sapiens DNA sequence from PAC 127D3 on chromosome 1q23-25. Contains FMO2 and FMO3 genes for Flavin-containing Monooxygenase 2 and Flavin-containing Monooxygenase 3 (Dimethylaniline Monooxygenase (N-Oxide 3, EC1.14.13.8, Dimethylaniline Oxidase 3, FMO II, FMO 3), and a gene for another, unknown, Flavin- containing Monooxygenase family protein. Contains ESTs and GSSs, flavin containing monooxygenase 1, flavin containing monooxygenase 2, flavin containing monooxygenase 3, hypothetical protein PRO1257
1990	2242	NM_053433	n,General	c c	hypothetical protein PRO1257 RIKEN cDNA 1700065B19 gene,
1991	5561 -	NM_053438	y	1	RIKEN cDNA 5730408C10 gene, zinc slinger protein 103, zinc finger protein homologous to Zfp103 in mouse

TABUE:	OR CHUUMAN	(HOWO FOGUE VI	SKOJEATOKE		- Ally. Dockel No. 44924-5039W6 Doc. No. 1793397.
Seg. ID No. 2	ldenlijjer	CenBank Aced Ref. Seg. ID No.	Modal Good	Homologous Gans	Homologous Glusier Namo
4000	14070				ESTs, Highly similar to RAB7 RAT RAS-RELATED PROTEIN RAB-7 [R.norvegicus], RAB7, member RAS oncogene family, RAN, member RAS oncogene family, RIKEN cDNA
1992	14670	NM_053439	n,General	stathmin-like 2,	1700009N14 gene stathmin-like 2, stathmin-like 4,
1993	17102	NM_053440	w .	superiorcervical ganglia, neural specific 10	superiorcervical ganglia, neural specific 10
		·			ESTs, Weakly similar to 1615347A ras p21 GTPase activating protein [M.musculus], KIAA1938 protein, Musmusculus, Similar to RAS p21 protein activator, clone MGC:7759 IMAGE:3498774, mRNA, complete cds, RAS protein activator like 2, Rattus norvegicus DOC2/DAB2 interactive protein mRNA, complete
1994	24762	NM_053442	General		cds, expressed sequence BB079060, hypothetical protein FLJ21438
					ESTs, Moderately similar to RGS8 RAT REGULATOR OF G-PROTEIN SIGNALING 8 [R.norvegicus], regulator of G-protein signaling 18, regulator of G-protein signaling 2, regulator of G-protein signaling 8, regulator of G-protein signalling 13, regulator of G-protein signalling 2, 24kD, regulator of G-protein signalling
1995	8085	NM_053453	General		NEFA precursor, expressed sequence
1996 /	4622	NM_053463	d		Al607786, nucleobindin, nucleobindin 1, nucleobindin 2
		·	- 15.	cytochrome c oxidase subunit IV isoform 2, cytochrome c oxidase,	EST, Weakly similar to COX4_HUMAN CYTOCHROME C OXIDASE POLYPEPTIDE IV PRECURSO [H.sapiens], cytochrome c oxidase subunit IV, cytochrome c oxidase subunit IV isoform 2, cytochrome c oxidase, subunit IV, cytochrome c oxidase, subunit IVa, cytochrome c oxidase, subunit IVa, cytochrome c oxidase, subunit IVb, expressed
1997	21866	NM_053472	р	subunit IVb	sequence AL024441
1998 ,	9573	NM_053475	h ;		protein tyrosine phosphatase 4a1, protein tyrosine phosphatase 4a2, protein tyrosine phosphatase type IVA, member 1, protein tyrosine phosphatase type IVA, member 2, protein tyrosine phosphatase type IVA, member 3
1999	16137	NM 053480	,		DNA polymerase alpha 2, 68 kDa, Mus musculus, Similar to DNA polymerase alpha 2, 68 kDa, clone MGC:11533 IMAGE:3602559, mRNA, complete cds, expressed sequence Al573378, polymerase (DNA-directed), alpha
1333	10137 ,	, ∪оръсс∪_шии	((70kD) ESTs, Weakly similar to A Chain A, Importin Alpha, Mouse [M.musculus], expressed sequence AW146299, karyopherin (importin) alpha 2, karyopherin alpha 2 (RAG cohort 1,
2000	15556	NM_053483	<u> </u>		importin alpha 1) EST, Moderately similar to
2001	16394	NM_053485 {	General	,	CALCYCLIN [R.norvegicus], S100 calcium-binding protein A6 (calcyclin), calcium binding protein A6 (calcyclin)

	\$ 100	Control of the second lines of the second	SKOTATIOKE.		Ally. Docket No. 44921-503977 Doc. No. 1793397.
Seq. ID No.	ldenWier	Consonk Aced Ref. Seq. 10 No.	Model Gode	Homologous Geno Neme	
2002	4290	NM 053487			peroxisomal biogenesis factor 11A,
2002	14230	4 NM_033467	J.y		peroxisomal biogenesis factor 11B EST, Moderately similar to
					Y025_HUMAN HYPOTHETICAL
					PROTEIN KIAA0025 [H.sapiens],
					RIKEN cDNA 5031400M07 gene,
					homocysteine-inducible, endoplasmic
			1		reticulum stress-inducible, ubiquitin-
2004	18826	NM_053523	d	in the state of th	like domain member 1, hypothetical protein FLJ22313
					DEAD/H (Asp-Glu-Ala-Asp/His) box
					polypeptide, Y chromosome, DNA
					segment, Chr 1, Pasteur Institute 1,
					ESTs, Moderately similar to
					DDXY_HUMAN DEAD BOX PROTEIN 3, Y-CHROMOSOMAL [H.sapiens],
					KIAA0801 gene product, RNA
					helicase, Rattus norvegicus RNA
					helicase with arginine-serine-rich
					domain mRNA, complete cds,
					expressed sequence Al324246,
2005	7764	NM_053525 #	aa		expressed sequence Al325430, expressed sequence C86129
					Lysosomal-associated multispanning
					membrane protein-5, lysosomal-
2006	14199 1058	NM_053538	<u>c</u>		associated protein transmembrane 5
2007	1036	NM_053539	c,d		511
					DNA segment, Chr 17, human D6S81E 1, EST, Weakly similar to
					HE47 RAT PROBABLE ATP-
]	DEPENDENT RNA HELICASE P47
				,	[R.norvegicus], HLA-B associated
					transcript 1, KIAA0111 gene product,
	,			Y	Mus musculus, clone MGC:6664 IMAGE:3498954, mRNA, complete
		*		.:	cds, RIKEN cDNA 2610307C23 gene,
				į,	eukaryotic translation initiation factor
					4A, isoform 2, eukaryotic translation
					initiation factor 4A1, eukaryotic
					translation initiation factor 4A2, nuclear RNA helicase, DECD variant of DEAD
2008	4327	NM_053563	General		box family
					ESTs, Weakly similar to JE0096
				7	myocilin - mouse [M.musculus], Homo
]			sapiens NOE3-4 (NOE3) mRNA,
			,		complete cds, alternatively spliced, expressed sequence AW742568.
İ					olfactomedin related ER localized
2009	1342	NM_053573	<u>n</u>		protein
4	1		-	4	ESTs, Moderately similar to
1		J	1	anti-oxidant protein 2 (non-	AOP2_HUMAN ANTIOXIDANT
Ī				selenium glutathione peroxidase, acidic calcium-	PROTEIN 2 [H.sapiens], anti-oxidant
- 1				independent	protein 2 (non-selenium glutathione peroxidase, acidic calcium-
				1. 1	independent phospholipase A2).
2010	19254	NM_053576	1,S ×		peroxiredoxin 5
1		1			ESTs, Moderately similar to
	1			4	AOP2_HUMAN ANTIOXIDANT
ŀ	1				PROTEIN 2 [H.sapiens], anti-oxidant protein 2 (non-selenium glutathione
			ĕ		protein 2 (non-selenium giutatnione peroxidase, acidic calcium-
	1	1	18		independent phospholipase A2).
2010 🚦	19253	NM_053576	p.	· · · · · · · · · · · · · · · · · · ·	peroxiredoxin 5

TABLE	s Chaman) Honorogae V	SKONATOKK		Atty. Docket No. 44921-5000000 Doc. No. 1793397.
839, [[]) (deptiliter	GenBank Acel Ref. Seq. ID No.	Model Gode :	Homologous Cane Kana	Hemologous Cluster Name
2011	3049	1NM_053582	p,cc,General		ESTs, Highly similar to JC7189 tubulointerstitial nephritis antigen [H.sapiens], P3ECSL, cathepsin B, lipocalin 7, tubulointerstitial nephritis antigen
2011	₃ 3050	NM_053582	o,General		ESTs, Highly similar to JC7189 tubulointerstitial nephritis antigen [H.sapiens], P3ECSL, cathepsin B, lipocalin 7, tubulointerstitial nephritis antigen
2012	21423	NM_053586	js,y		EST, Moderately similar to CYTOCHROME C OXIDASE POLYPEPTIDE VB PRECURSOR [R.norvegicus], cytochrome c oxidase subunit Vb, cytochrome c oxidase, subunit Vb
2013	21445	NM_053587	t,v		
					ESTs, Weakly similar to MDP1 MOUSE MICROSOMAL DIPEPTIDASE PRECURSOR [M.musculus], ESTs, Weakly similar to S33757 membrane dipeptidase [M.musculus], RIKEN cDNA 1700018F16 gene, dipeptidase 1 (renal), putative dipeptidase, putative
2014	20871	NM_053591	<u>j.l</u>		metallopeptidase (family M19) ESTs, Weakly similar to MDP1 MOUSE MICROSOMAL DIPEPTIDASE PRECURSOR
		3			[M.musculus], ESTs, Weakly similar to \$33757 membrane dipeptidase [M.musculus], RIKEN cDNA 1700018F16 gene, dipeptidase 1 (renal), putative dipeptidase, putative
2014	20870	NM_053591	<u> </u>		metallopeptidase (family M19) protein tyrosine phosphatase, receptor
2015	21709		d k		type, R KIAA0604 gene product, endothelin converting enzyme 1, endothelin converting enzyme-like 1, expressed sequence AW322500, expressed quence BB127715, mel transforming oncogene-like 1, membrane metallo endopeptidase
2016	21708	NM_053596 ":	z		KIAA0604 gene product, endothelin converting enzyme 1, endothelin converting enzyme-like 1, expressed sequence AW322500, expressed sequence BB127715, mel transforming oncogene-like 1, membrane metallo endopeptidase
2017	1597	NM_053611		nuclear proten 1, p8 protein (candidate of metastasis 1)	ESTs, Weakly similar to Gene product with similarity to Rat P8.[H.sapiens]
2018	5565	NM_053618	General General	Bardet-Biedl syndrome 2, Bardet-Biedl syndrome 2 (human)	
2019	. 13004	NM_053623 t		fatty acid-Coenzyme A ligase, long chain 4, fatty- acid-Coenzyme A ligase, long-chain 4	

TABLE	SE HUMAN) HOWO HOGAE VI	SKIOTKATIONS		Ally, Dockel No. 44924-5039W0 Doc. No. 1793397.1
Seq. [D No.		ConBent: Aced Ref. Seq. ID No.	Model Gode	Homologovs Gene Name	Hemologous Eusta Nama
					D-amino acid oxidase, D-amino-acid oxidase, D-aspartate oxidase, EST, Weakly similar to OXDA RAT D- AMINO ACID OXIDASE [R.norvegicus], ESTs, Highly similar to
					OXDA RAT D-AMINO ACID OXIDASE [R.norvegicus], RIKEN cDNA 5330420D20 gene, RIKEN cDNA
2020	1127	NM_053626	9	beta-carotene 15, 15'- dioxygenase, beta-	5730402C02 gene EST, Moderately similar to 0806162D protein COII [M.musculus], EST,
2021	18644	NM_053648	n	carotene 15,15'- dioxygenase	Weakly similar to 810024D cytochrome oxidase II [H.sapiens]
					c-fos induced growth factor, c-fos induced growth factor (vascular endothelial growth factor D), vascular endothelial growth factor, vascular endothelial growth factor B, vascular
2022	21637	NM_053653	p .		endothelial growth factor C ESTs, Highly similar to CG1C RAT
					G1/S-SPECIFIC CYCLIN C [R.norvegicus], Homo sapiens, clone IMAGE:3537447, mRNA, partial cds, RIKEN cDNA 1810009010 gene, cyclin C, cyclin K, cyclin L, cyclin L
2023	3454	NM_053662	cc		ania-6a, cyclin T2 with Glu/Asp-rich carboxy-terminal
					domain, 2, Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 4, ESTs, Weakly similar to MRG1_HUMAN MSG-RELATED PROTEIN 1
2024	16121	NM_053698	h,j,z		[H.sapiens], expressed sequence AW742964
2024	16122	NM_053698	h,j,z		with Glu/Asp-rich carboxy-terminal domain, 2, Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 4, ESTs, Weakly similar to MRG1_HUMAN MSG-RELATED PROTEIN 1 [H.sapiens], expressed sequence AW742964
2025	25379	NM_053713	General		ESTs, Moderately similar to CPBP
				,	RAT CORE PROMOTER ELEMENT- BINDING PROTEIN [R.norvegicus], Kruppel-like factor 4 (gut), RIKEN cDNA 7420700M05 gene, core
2025 2026	13622 15376	NM_053713 NM_053747	General h	ubiguilin 1	promoter element binding protein
2027	1218	NM_053748	b		expressed sequence C86324, hypothetical protein FLJ23590
2028	1137	NM_053763	у		cytochrome P450, 40 (25- hydroxyvitamin D3 1 alpha- hydroxylase), cytochrome P450, subfamily XXVIIB (25-hydroxyvitamin D-1-alpha-hydroxylase), polypeptide 1
			4	dual specificity phosphatase 1, protein	MKP-1 like protein tyrosine phosphatase, dual specificity phosphatase 1, dual specificity phosphatase 13, dual specificity phosphatase 14, dual specificity phosphatase 2, expressed sequence
2029	15996	NM_053769	сс	tyrosine phosphatase, non- receptor type 16	BB104621, protein tyrosine phosphatase, non-receptor type 16

TABLE	e Chainvan	K <u>o</u> worogas vi	SKIOTEATOKK		Ally, Docket No. 44921-5939W
809.ID	CONTRACTOR	CanBank Acc./		Hamologove Gano	Doc. No. 1793397.
No.	Mendifier	Rei Seg. ID No.	Model Gode 🕏	Namo	Homologous Civeter Namo
					KIAA1453 protein, RIKEN cDNA 4930511O11 gene, expressed sequence AA409661, ubiquitin specif
2030	8652	NM 053774		ubiquitin specific protease	protease 2, ubiquitin specific protease
2031	14664	NM 053806	g General	1	10
2032	4361	NM 053812	k		B cell lymphoma 2 like, BCL2- antagonist/killer 1, BCL2-like 1, Bcl-w protein, Bcl2-like, Mus musculus N- BAK1 (Bak1) mRNA, complete cds, alternatively spliced, RIKEN cDNA 0610031G08 gene
				4 6	EST, Moderately similar to TIM1 RAT METALLOPROTEINASE INHIBITOR PRECURSOR [R.norvegicus], EST, Weakly similar to TIM1 RAT METALLOPROTEINASE INHIBITOR PRECURSOR [R.norvegicus], tissue inhibitor of metalloproteinase 1 (erythroid potentiating activity,
2034	15002	NM 053819	b,x,bb;General	,	collagenase inhibitor)
2034	15003	NM 053819	b,l,x,bb,General	4	EST, Moderately similar to TIM1 RAT METALLOPROTEINASE INHIBITOR PRECURSOR [R.norvegicus], EST, Weakly similar to TIM1 RAT METALLOPROTEINASE INHIBITOR PRECURSOR [R.norvegicus], tissue inhibitor of metalloproteinase, tissue inhibitor of metalloproteinase 1 (erythroid potentiating activity,
2035	16173	NM 053822	t		collagenase inhibitor)
2036	17154	NM 053835	i,z		
2037	20868	NM 053843), <u>c</u>		
2037	20869	NM_053843			
2040	714	NM_053863	у		ESTs, Highly similar to CNT1_HUMAN SODIUM/NUCLEOSIDE COTRANSPORTER 1 [H.sapiens], ESTs, Moderately similar to A54892 Na+-dependent nucleoside transport protein cNT1 - rat.[R.norvegicus]
2041 '	19781	NM_053883	b		ESTs, Moderately similar to DUS6 RAT DUAL SPECIFICITY PROTEIN PHOSPHATASE 6 [R.norvegicus], ESTs, Weakly similar to DUS6 RAT DUAL SPECIFICITY PROTEIN PHOSPHATASE 6 [R.norvegicus], dual specificity phosphatase 10, dual specificity phosphatase 13, dual specificity phosphatase 14, dual specificity phosphatase 9, expressed sequence BB104621, mitogen- activated protein kinase phosphatase x, protein tyrosine phosphatase, non- receptor type 16

TABLE	BE CHUMAN	HOMOLOGUEA	RIGITATORY		Aily, Docket No. 44921-5089110 Doc. No. 1793897.1
839, [D No. '	relitine of	GonBank Acc./ Ref. Seq. (D No.	. clood lebom	Homologous Cano Kamo	Homologous Cluster Name
2041 "	19780	NM_053883	b		ESTs, Moderately similar to DUS6 RAT DUAL SPECIFICITY PROTEIN PHOSPHATASE 6 [R.norvegicus], ESTs, Weakly similar to DUS6 RAT DUAL SPECIFICITY PROTEIN PHOSPHATASE 6 [R.norvegicus], dual specificity phosphatase 10, dual specificity phosphatase 13, dual specificity phosphatase 14, dual specificity phosphatase 6, dual specificity phosphatase 9, expressed sequence BB104621, mitogen- activated protein kinase phosphatase x, protein tyrosine phosphatase, non- receptor type 16
2042	1454	NM_053887	General		
2043	1660 -	NM_053891	g		ESTs, Moderately similar to CD5R MOUSE CYCLIN-DEPENDENT KINASE 5 ACTIVATOR 1 PRECURSOR [R.norvegicus], cyclindependent kinase 5, regulatory subunit (p35), cyclin-dependent kinase 5, regulatory subunit 1 (p35), cyclindependent kinase 5, regulatory subunit 2 (p39)
2044	712	NM_053896	k "		
2045	753	NM_053897	k		coagulation factor II (thrombin) receptor-like 1, coagulation factor II (thrombin) receptor-like 2
2046	794 ₃	NM_053902	General		RIKEN cDNA 4432411A05 gene, kynureninase (L-kynurenine hydrolase) ESTs, Weakly similar to
2047	17937	NM_053911	f		ARNO_HUMAN ARF NUCLEOTIDE- BINDING SITE OPENER [H.sapiens]
					DNA segment, Chr 10, ERATO Doi 398, expressed, ESTs, Weakly similar to PTNL RAT PROTEIN TYROSINE PHOSPHATASE, NON-RECEPTOR TYPE 21 [R.norvegicus], Homo sapiens, Similar to erythrocyte membrane protein band 4.1-like 3, clone MGC:12343 IMAGE:4044866, mRNA, complete cds, Mus musculus adult male pituitary gland cDNA, RIKEN full-length enriched library, clone:5330430110, full insert
				•	sequence, Rattus norvegicus protein tyrosine phosphatase 2E (PTP2E) mRNA, complete cds, erythrocyte membrane protein band 4.1 (elliptocytosis 1, RH-linked), erythrocyte membrane protein band 4.1-like 1, erythrocyte membrane protein band 4.1-like 3, erythrocyte protein band 4.1-like 1, erythrocyte
2048	8188	NM_053927	General		protein band 4.1-like 3, protein tyrosine phosphatase, non-receptor type 21

		HOMOLOGAEVA			Ally, Docke No. 44921-303900 Doc. No. 1793397
839. (D No. :	ldenMer	Consent (Acel) RCI, Seq. ID No:		Homologous Cene Name :	Hemologous Cluster Name
					endothelial differentiation, lysophosphatidic acid G-protein- coupled receptor 4, endothelial
					differentiation, lysophosphatidic acids protein-coupled receptor 7, endothelia differentiation, lysophosphatidic acids protein-coupled receptor, 2,
				:	endothelial differentiation, lysophosphatidic acid G-protein- coupled receptor, 4, endothelial
2050 ,	1628	NM_053936	h	ı	differentiation, lysophosphatidic acide protein-coupled receptor, 7, putative of protein-coupled receptor snGPCR32
2051	13954	NM_053955	General		ESTs, Highly similar to B46290 mu- crystallin [H.sapiens], crystallin, mu
2052	408	NM_053961	General		DNA segment, Chr 9, ERATO Doi 85,
					expressed, Homo sapiens aconitase precursor (ACON) mRNA, nuclear gene encoding mitochondrial protein, partial cds, RIKEN cDNA 5031409G2:
					gene, aconitase 1, aconitase 1, soluble, aconitase 2, mitochondrial, iron-responsive element-binding
052	19991	NM_053961-	a		protein Homo sapiens hepatocellular
				6	carcinoma-associated antigen 64 (HCA64) mRNA, complete cds, RIKE cDNA 1300014E15 gene, RIKEN cDNA 1300017C12 gene, RIKEN
		,		s	cDNA 1810022C23 gene, RIKEN cDNA 2610009M20 gene, RIKEN cDNA 4933417A18 gene, enoyl Coenzyme A hydratase, short chain,
2052	16190	NINA 052064		g ok	mitochondrial, peroxisomal D3,D2- enoyl-CoA isomerase, peroxisomal delta3, delta2-enoyl-Coenzyme A
052	21355	NM_053961 NM_053961 +	ig j,l,y,z		isomerase
					EST, Moderately similar to I51803 TAXREB107 [H.sapiens], ESTs, Hight similar to I51803 TAXREB107
055	15136	NM_053971 ,	aa		[H.sapiens], ribosomal protein L6 EST, Moderately similar to I51803
055 2	15135	NM_053971	d		TAXREB107 [H.sapiens], ESTs, Highl similar to I51803 TAXREB107 [H.sapiens], ribosomal protein L6
					ESTs, Highly similar to A26411 translation initiation factor eIF-4E [H.sapiens], RIKEN cDNA
056	1764	NM_053974 ,	h		2700069E09 gene, eukaryotic translation initiation factor 4E
057	1292	NM_053980	1	1	ADP-ribosylation factor related protein 1, RIKEN cDNA 1500006i01 gene EST, Highly similar to 40S
					ES1, Highly Similar to 445 RIBOSOMAL PROTEIN S15A [R.norvegicus], EST, Weakly similar to RS1A_HUMAN 40S RIBOSOMAL
				ç. 	PROTEIN S15A [R.norvegicus], ESTs, Weakly similar to RS1A_HUMAN 40S RIBOSOMAL PROTEIN S15A
058	15468	NM_053982	g		[H.sapiens] ESTs, Highly similar to HISTONE H3.3
059	15642	NM_053985	General	1	[R.norvegicus], H3 histone, family 3A, H3 histone, family 3B, H3 histone, family 3B (H3.3B)

TABLE	S: HUMAN	HOMOLOGUE A			Ally. Docket No. 44921-503000 Doc. No. 1793397
899. ID No.	ldeniifter	ConBenk Aced Ref. Seq. ID No.	Model Gode	Homologous Care Singly	
					CD36 antigen (collagen type I receptor, thrombospondin receptor)-like 2 (lysosomal integral membrane
2060	21066	NM_054001	Į t		protein II), EST, Moderately similar to LYII_HUMAN LYSOSOME MEMBRANE PROTEIN II [H.sapiens]
2061	17326	NM_054008	o		RGC32 protein, RIKEN cDNA 1190002H23 gene
2061	17327	NM_054008	СС		RGC32 protein, RIKEN cDNA 1190002H23 gene
2061	17329	NM_054008	g,o,cc		RGC32 protein, RIKEN cDNA 1190002H23 gene EST, Weakly similar to S17522
				proteasome (prosome, macropain) subunit, beta type 6, proteasome (prosome, macropain)	multicatalytic endopeptidase complex [H.sapiens], ESTs, Weakly similar to PROTEASOME DELTA CHAIN PRECURSOR [R.norvegicus], proteasome (prosome, macropain) subunit, beta type 6, proteasome (prosome, macropain) subunit, beta type 7, proteasome (prosome, macropain) subunit, beta type, 6, proteasome (prosome, macropain)
2062	25253	NM_057099	j,l,m,p,z	subunit, beta type, 6	subunit, beta type, 7 EST, Weakly similar to S17522
	<u></u>				multicatalytic endopeptidase complex [H.sapiens], ESTs, Weakly similar to PROTEASOME DELTA CHAIN PRECURSOR [R.norvegicus], proteasome (prosome, macropain) subunit, beta type 6, proteasome
2062	22849	NM_057099 ,	i,l ×	proteasome (prosome, macropain) subunit, beta type 6, proteasome (prosome, macropain) subunit, beta type, 6	(prosome, macropain) subunit, beta type 7, proteasome (prosome, macropain) subunit, beta type, 6, proteasome (prosome, macropain) subunit, beta type, 7
2063	19657	NM_057103	b,cc	A kinase (PRKA) anchor protein (gravin) 12	subuliit, uela type, r
				UDP glycosyltransferase 1 family, polypeptide A cluster, UDP glycosyltransferase 1 family, polypeptide A6, UDP-glucuronosyltransferase 1	
2064	5492	NM_057105	W	family, member 1 UDP glycosyltransferase 1 family, polypeptide A cluster, UDP glycosyltransferase 1 family, polypeptide A6, UDP- glucuronosyltransferase 1	
2064 '	15126	NM_057105	r	family, member 1 UDP glycosyltransferase 1	
2064 (15125	NM_057105	4	family, polypeptide A cluster, UDP-glucuronosyltransferase 1 family, member 1	
2066	15391	VM_057114			EST, Moderately similar to TDX2_HUMAN THIOREDOXIN PEROXIDASE 2 [H.sapiens], EST, Weakly similar to TDX2_HUMAN THIOREDOXIN PEROXIDASE 2 [H.sapiens], peroxiredoxin 1

		HOMOLOGAEVA	RIGITATORIS		Ally, Docket No. 449241-503911 Doc. No. 17793897
Seq. (D) No.	ldentitier	ConBenk Ace/ Ref. Seq. ID No.	Model Gode	Homologous Gana Namo	Honologous Cluster Name
2067	1727	NM_057123	m		BCS1 (yeast homolog)-like, ESTs, Highly similar to PRS4_HUMAN 26S PROTEASE REGULATORY SUBUNI 4 [H.sapiens], ESTs, Weakly similar to A44468 26S proteasome regulatory chain 4 [H.sapiens], expressed sequence Al325227, protease (prosome, macropain) 26S subunit, ATPase 1, proteasome (prosome, macropain) 26S subunit, ATPase 1, proteasome (prosome, macropain) 26S subunit, ATPase, 1 ESTs, Weakly similar to P2UR MOUSE P2U PURINOCEPTOR 1 [M.musculus], G protein-coupled receptor 35, purinergic receptor P2Y, G-protein coupled 2, pyrimidinergic
					receptor P2Y, G-protein coupled, 4, pyrimidinergic receptor P2Y, G-protein
2068	915	NM_057124	s		coupled, 6
2069	15151	NM_057131	k *		
2070	1892	NM_057144	b		cysteine and glycine-rich protein 3 (cardiac LIM protein), cysteine rich protein, cysteine-rich protein 2, cysteine-rich protein 3, thymus LIM protein
2071 2071	12333 12331	NM_057155	f Canasal		
2071	12331	NM_057155 NM_057155	v,General f,General		
2072	17477	NM_057194	a,General	3 3 3 3 4 8	EST, Weakly similar to B36298 proline rich protein PRB3S [H.sapiens], EST, Weakly similar to CGHU3B collagen alpha 3(IV) chain precursor, long splice form [H.sapiens], EST, Weakly similar to D40750 proline-rich protein PRB1/2S [H.sapiens], EST, Weakly similar to JE0284 Mm-1 cell derived transplantability-associated protein 1b [H.sapiens], galectin-related inter-fiber protein, murine leukemia viral (bmi-1) oncogene homolog, phospholipid scramblase 1, phospholipid scramblase 3 2,4-dienoyl CoA reductase 1,
2073	15408	NM_057197	p,t	6	mitochondrial, 2,4-dienoyl CoA reductase 2, peroxisomal, peroxisomal trans 2-enoyl CoA reductase; putative short chain alcohol dehydrogenase 2,4-dienoyl CoA reductase 1, mitochondrial, 2,4-dienoyl CoA reductase 2, peroxisomal, peroxisomal
2073	15409	NM_057197		4	trans 2-enoyl CoA reductase; putative short chain alcohol dehydrogenase
					ESTS, Highly similar to PUR1_HUMAN AMIDOPHOSPHORIBOSYLTRANSFE RASE PRECURSOR [H.sapiens], ESTS, Moderately similar to PUR1_HUMAN AMIDOPHOSPHORIBOSYLTRANSFE RASE PRECURSOR [H.sapiens], RIKEN cDNA 5730454C12 gene, expressed sequence AA675351, expressed sequence C79945, glutamine fructose-6-phosphate transaminase 2, glutamine-fructose-6- phosphoribosyl pyrophosphate amidotransferase

TABLE	S: HUMAX	HOWOTOGREY	* SKOTATOKK		Any. Doekei No. 44921-503900 Doe. No. 1793397
Seg. (D) No. ,	ldentifier	Combonk Ace/ Ref. Seq. (D) No.	Model Gode :	Homologous Come Name	
2075 2076	14125 1743	NM_057208 NM_057210	hj.y.z		ESTs, Highly similar to A25530 tropomyosin, fibroblast [H.sapiens]
2077	10498	NM_078617	ak,s		EST, Moderately similar to RS23_HUMAN 40S RIBOSOMAL PROTEIN S2 [R.norvegicus], EST, Weakly similar to RS23_HUMAN 40S RIBOSOMAL PROTEIN S2 [R.norvegicus], ESTs, Weakly similar to RS23_HUMAN 40S RIBOSOMAL PROTEIN S2 [R.norvegicus], Mus musculus, Similar to mitochondrial ribosomal protein S12, clone MGC:13892 IMAGE:4209358, mRNA, complete cds, RIKEN cDNA 2410044J15 gene, expressed sequence Al327385, mitochondrial ribosomal protein S12, ribosomal protein S23
2078	8820	NM_080399	n		protein 323
2079	15701		j.m,y,z		ATP-binding cassette, sub-family C (CFTR/MRP), member 1 (multiple drug resistance-associated protein), ATP-binding cassette, sub-family C (CFTR/MRP), member 1a, ATP-binding cassette, sub-family C (CFTR/MRP), member 1b, ATP-binding cassette, sub-family C (CFTR/MRP), member 2, ATP-binding cassette, sub-family C (CFTR/MRP), member 3, ATP-binding cassette, sub-family C (CFTR/MRP), member 6, ESTs, Moderately similar to JE0336 canalicular multispecific organic anion transporter [H.sapiens], RIKEN cDNA 1700019L09 gene
2079	20105	NM_080581	aa		
2080 2081	16109 1757	NM_080585 NM_080766	c a		
2082	7108	NM_080778	у	, , , , , , , , , , , , , , , , , , ,	ESTs, Highly similar to COT2 RAT COUP TRANSCRIPTION FACTOR 2 [R.norvegicus], Homo sapiens cDNA: FLJ22189 fis, clone HRC01043, RIKEN cDNA 2700033K02 gene, nuclear receptor subfamily 2, group E, member 3, nuclear receptor subfamily 2, group F, member 2 cyclin-dependent kinase inhibitor 1A (P21), cyclin-dependent kinase inhibitor 1A (p27, kip1), cyclin-dependent kinase inhibitor 1B (p27, kip1), cyclin-dependent kinase inhibitor 1B (p27, kip1), cyclin-dependent kinase inhibitor
2083	132	NM_080782	k		1B (p27, Kip1)
2083 į	133	NM_080782	I	8	cyclin-dependent kinase inhibitor 1A (P21), cyclin-dependent kinase inhibitor 1A (p21, Cip1), cyclin-dependent kinase inhibitor 1B (p27, kip1), cyclin-dependent kinase inhibitor 1B (p27, kip1), cyclin-dependent kinase inhibitor 1B (p27, kip1) HT014, Homo sapiens thioredoxin delta 3 (TXN delta 3) mRNA, partial
2084	20122	NM_080887 .	General		delta 3 (TXN delta 3) mkNA, partial cds, RIKEN cDNA 4930429J24 gene, expressed sequence AU021712, thioredoxin, thioredoxin domain-containing 2 (spermatozoa), thioredoxin-like (32kD), thioredoxin-like, 32kD

		HOMOTOGALE VI		용하는 그런 원활하게 본 함께	Aity. Docket No. 44921-503900 Doc. No. 1793397
309, [D (10-	ldenillier	Genbenk Acc. Ref. Seq. ID No.	Modal Goda 🕹	Homologovs Cene Neme	Homologous Cluster Name
2085	6143	NM_080892	₃e		Homo sapiens, Similar to selenium binding protein 1, clone MGC:17268 IMAGE:4155238, mRNA, complete cds, selenium binding protein 1, selenium binding protein 2
2086	9952	NM_080902	h		
2087	17546	NM_130401	b		epithelial protein up-regulated in carcinoma, membrane associated protein 17
2088	21695	NM_130411	c,x		ESTs, Weakly similar to CO1A_MOUSE CORONIN-LIKE PROTEIN P57 (CORONIN 1A) [M.musculs, coronin, actin binding protein 1A, coronin, actin binding protein 1B, coronin, actin binding protein 1C, coronin, actin-binding protein, 1A, hypothetical protein DKFZp762l166
2089	21391				annexin VII, long form [H.sapiens], ESTs, Moderately similar to ANX4 MOUSE ANNEXIN IV [M.musculus], ZAP 36/annexin IV, annexin A4,
2090	20694	NM_130416 NM_130430	x,General General		annexin A7
2090	19818	NM_130430	cc		
2090	18810	NM 130430	e,s		mitochondrial F1 complex, alpha subunit, isoform 1, ATP synthase, H+ transporting, mitochondrial F1 complex, alpha subunit, isoform 1, cardiac muscle, EST, Moderately similar to ATPA RAT ATP SYNTHASE ALPHA CHAIN, MITOCHONDRIAL PRECURSOR [R.norvegicus], expressed sequence AL022851, expressed sequence AL022851
2091	18293	NM 130433	q 3		expressed sequence AL023067
2092	25064	S45392	a,n		1
2093	3244	S63519	u		1
2094	25501	S63521	9		
2095	16248	S68135	h		EST, Weakly similar to ENPL_HUMAN ENDOPLASMIN PRECURSOR [H.sapiens], ESTs, Highly similar to HS9B RAT HEAT SHOCK PROTEIN HSP 90-BETA [R.norvegicus], ESTs, Weakly similar to ENPL_HUMAN ENDOPLASMIN PRECURSOR [H.sapiens], Homo sapiens mRNA; cDNA DKFZp564F053 (from clone DKFZp564F053), RIKEN cDNA 1810014B01 gene, RIKEN cDNA 2410002K23 gene, expressed sequence C81438, heat shock 90kD protein 1, beta, heat shock protein, 84 kDa 1, tumor rejection antigen (gp96)
2096		S69316	q ;		tumor rejection antigen gp96 ATP-binding cassette, sub-family D (ALD), member 4, ESTs, Highly similar to JC5604 ABC-transporting peroxisomal membrane protein 69 [H.sapiens], ESTs, Moderately similar to JC5604 ABC-transporting peroxisomal membrane protein 69
		S74257	<u>v</u> ,		[H.sapiens]
2098	25066	S75280	d		

TABLI	se manax	i konoroen≡y	BAQITATONA		, Aliy. Dockel No. 44921-593300 Doc. No. 1793397.
80g. (I	o i Ideniiiiar	GonBenk Aced Ref. Seq. (D No.	Model Gode	Ence everyolomoth	Homologous Gluster Namo
,2099 ,2100	1460 25539	\$76054 \$76742	j.i,m,x,y,General		DNA segment, Chr 15, Wayne State University 77, expressed, EST, Moderately similar to K2C8 RAT KERATIN, TYPE II CYTOSKELETAL (R.norvegicus), EST, Weakly similar to I37982 Keratin 8 [H.sapiens], ESTs, Moderately similar to I37982 Keratin 8 [H.sapiens], Homo sapiens mRNA; cDNA DKFZp434C107 (from clone DKFZp434C107, RIKEN cDNA 1200016G03 gene, expressed sequence AL022697, expressed sequence AU019895, keratin 8, keratir complex 2, basic, gene 8
2101	16400	S76779	ic	 	
2102	24469	S77858	n		EST, Weakly similar to MOHU6N myosin alkali light chain 6, nonmuscle form [H.sapiens], myosin light chain, alkali, nonmuscle, myosin, light polypeptide 6, alkali, smooth muscle and non-muscle
2103	25545	S77900	k,s		
2103	21583	S77900	k	`	EST, Weakly similar to MOHULP myosin regulatory light chain, placental [H.sapiens], ESTs, Moderately similar to MOHULP myosin regulatory light chain, placental [H.sapiens], myosin regulatory light chain, myosin, light polypeptide, regulatory, non-sarcomeric (20kD)
2104	10260	S81497	S	lipase A, lysosomal acid, cholesterol esterase (Wolman disease), lysosomal acid lipase 1	
2105 2106	3609 1111	S82579	k	green and acce appears	Homo sapiens, Similar to histamine N- methyltransferase, clone MGC:14500 IMAGE:4249496, mRNA, complete cds, expressed sequence Al788969, histamine N-methyltransferase
2.100			u		EST, Moderately similar to GBLP_HUMAN GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT-LIKE PROTEIN 12.3 [R.norvegicus], EST, Weakly similar to B33928 GTP-binding protein beta chain homolog [H.sapiens], ESTs, Weakly similar to A36986 activated protein kinase C receptor RACK1 - rat [R.norvegicus], Homo sapiens cDNA: FLJ21913 fis, clone HEP03888, Homo sapiens, Similar to guanine nucleotide binding protein (G protein), beta polypeptide 2-like 1, clone MGC:17239 IMAGE:4155303, mRNA, complete cds, expressed sequence AW544865, guanine nucleotide binding protein (G protein), beta polypeptide 2-like 1, clone mageratelia (G protein), beta polypeptide 2-lik
2107	14959	U03390	a,q,General		guanine nucleotide binding protein, beta 2, related sequence 1

TABLE	ER HUMAN	HOMOROGAE VI	RIOTATIONS		
Seq. (D) - 1/2	GenBank Ace./		Homologous Cano	
X)©	(dentifier	Ref. Seq. (D No.	Model Gode :	Wamo:	Homologous Gluster (Yemo
2109 2110	2010 15462	U05675 U06230	b,x,bb		EST, Weakly similar to beta-fibrinogen precursor [H.sapiens], ESTs, Moderately similar to AF125176 1 angiopoietin-related protein-2 [M.musculus], ESTs, Weakly similar to FIBB RAT FIBRINOGEN BETA CHAIN PRECURSOR [R.norvegicus], expressed sequence Al256424, fibrinogen, B beta polypeptide
2112	1583	U07201	s,General	asparagine synthetase	
			o, octional	esparagine symulotase	ESTs, Highly similar to CDP_HUMAN CCAAT DISPLACEMENT PROTEIN III. III. III. III. III. III. III. I
2113	627 809	U09229	h		domain, family member 1
12114	003	U17035	General	mini chromosome maintenance deficient 6 (S. cerevisiae), minichromosome maintenance deficient	mini chromosome maintenance deficient 6 (S. cerevisiae), minichromosome maintenance
2115	16675	U17565	k,x,bb	(mis5, S. pombe) 6	deficient (mis5, S. pombe) 6
2116	25587	U20110	r		
, 2117	90	U20796 -	r		Mus musculus, Similar to nuclear receptor subfamily 1, group D, member 1, clone MGC:6402 IMAGE:3585478, mRNA, complete cds, nuclear receptor subfamily 1, group D, member 2, thyroid hormone receptor alpha
2118			h,aa		
2120	17118	U25746	h s g,h,n		DEAD (aspartate-glutamate-alanine- aspartate) box polypeptide 5, ESTs, Moderately similar to A57514 RNA helicase HEL117 - rat [R.norvegicus], KIAA0801 gene product, RIKEN cDNA 2610007K22 gene, RIKEN cDNA 4921506D17 gene, RIKEN cDNA 9130430L19 gene, RNA helicase, expressed sequence Al325430
	1	1	3,,''	1	EST, Weakly similar to NPT1 RAT
					RENAL SODIUM-DEPENDENT PHOSPHATE TRANSPORT PROTEIN 1 [R.norvegicus], ESTs, Weakly similar to NPT1 MOUSE RENAL SODIUM- DEPENDENT PHOSPHATE TRANSPORT PROTEIN 1 M.musculus], expressed sequence AW261723, solute carrier family 17 (sodium phosphate), member 1, solute carrier family 17 (sodium phosphate), member 3, solute carrier family 17 sodium phosphate), member 4, solute carrier family 17 (sodium/hydrogen
2122	1558 JL	J28504 Jb	b d	3.	exchanger), member 1

		HOMOrogn≤V	SKONATOKK		Aiiy. Docket No. 44921-3039W Doc. No. 1793397
309, II No.) Limilier	Genbank Ace./ Ref. Seq. ID No.	esse lessem	Kemelegovs Cene	Homologous Guster Kamo
					B/K protein, EST, Moderately similar to \$68695 B/K protein - rat [R.norvegicus], Mus musculus B/K mRNA for B/K protein, complete cds, strain:BALB/c, RIKEN cDNA C030008B15 gene, synaptotagmin 1,
2123	16193	U30831	<u>]n</u>		synaptotagmin 5
2124	17480	U31598	z		
2125 2126	18302	U33500 U34897	General	1	
2127	25599	U37099	h		Homo sapiens, clone MGC:4711 IMAGE:3534915, mRNA, complete cds, RAB23, member RAS oncogene family, RAB3A, member RAS oncogene family, RAB3C, member RAS oncogene family, expressed
2128	\$ 244	U38376	п		sequence Al850886 ESTS, Highly similar to FGD1_HUMAN PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR [H.sapiens], ESTs, Weakly similar to B39898 phospholipase A2 [M.musculus], ESTs, Weakly similar to FGD1 MOUSE PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR [M.musculus], ESTs, Weakly similar to FGD1_HUMAN PUTATIVE RHO/RAC GUANINE NUCLEOTIDE EXCHANGE FACTOR [H.sapiens], FGD1 family, member 3, RIKEN cDNA 5830461L01 gene, faciogenital dysplasia (Aarskog-Scott syndrome), faciogenital dysplasia homolog, faciogenital dysplasia homolog 2 (human) ESTs, Weakly similar to AF167320 1 zinc finger protein ZFP113 [M.musculus], ESTs, Weakly similar to Z135_HUMAN ZINC FINGER PROTEIN 13 [H.sapiens], ESTs, Weakly similar to ZF29 MOUSE ZINC
2129	1623	U41164	h		FINGER PROTEIN 29 [M.musculus], RIKEN cDNA 2310040i01 gene, expressed sequence Al835008
			re.	complement component 4 (within H-2S), complement	EST, Weakly similar to complement
2130			f,t,x,General	component 4B	component C4A [H.sapiens]
2131			S,Z		
2132			i,t,General		
2133	1439	U57391	w		
2134	∦72 5	U62316	bb	A kinga (DDKA)	expressed sequence AW146050, monocarboxylate transporter, solute carrier family 16 (monocarboxylic acid transporters), member 3, solute carrier family 16 (monocarboxylic acid transporters), member 7
2137	2153	U75404	h on General	A kinase (PRKA) anchor	
2139				protein (gravin) 12	
2140			l,y l,m		
- · · · ·	1 1		·,···		expressed sequence C76683, putative
2141	21703	U82591 [:	Z (•	c-Myc-responsive

		6-6-0		100	Doc. No. 1793391
seq. ID Xo:=	Centifier	Con€ank Ace <i>i</i> Ref. Seq. (D No.		Handlagaus Care	Homologous Gluster Name
					KIAA1683 protein, KIAA1802 protein expressed sequence AA407558, lymphocyte antigen 64, polymerase (RNA) II (DNA directed) polypeptide
2142 ;	977	U89744	s		(220kD), suppressor of Ty (S.cerevisiae) 5 homolog
2143	23282	U90725	h		high density lipoprotein binding prote
2144	22005	U96490	m		
2146	819	X02284	jj,z		
· · · · ·				aldolase 2, B isoform, aldolase B, fructose-	
2147	818	X02291	e,j,z	bisphosphate	4
2148	20818	X02904	n,q		1
2149	16401	X04979	lc		
				pyruvate kinase liver and red blood cell, pyruvate	
2150		X05684	o,r	kinase, liver and RBC	
2151	25084	X06769	CC]	J
2152 · · · · · · · · · · · · · · · · · · ·	672 25675	X13722 X14181	h n		
2153 2154 2155	20810 18541 25679	X14181 X14671 X15013	n,q,w y q		EST, Moderately similar to RL1X_HUMAN 60S RIBOSOMAL PROTEIN L18A [H.sapiens], EST, Weakly similar to RL1X_HUMAN 60S RIBOSOMAL PROTEIN L18A [H.sapiens], EST, Weakly similar to S47353 ribosomal protein L18a, cytosolic [H.sapiens], ESTs, Highly similar to RL1X_HUMAN 60S RIBOSOMAL PROTEIN L18A [H.sapiens], RIKEN cDNA 2510019J gene, ribosomal protein L18a ESTs, Highly similar to RL26_HUMA 60S RIBOSOMAL PROTEIN L26 [H.sapiens], ESTs, Highly similar to S33713 ribosomal protein L26, cytosolic [H.sapiens], ESTs, Weakly similar to 60S RIBOSOMAL PROTEIL L26, ribosomal protein L26 pseudogene 1
:155	19244	X15013	c,q,w		RIBOSOMAL PROTEIN L7A [M.musculus], ESTs, Highly similar to R5HU7A ribosomal protein L7a, cytosolic [H.sapiens], Homo sapiens rpL7a pseudogene, clone 3a, Humar DNA sequence from clone RP1-189G13 on chromosome 20. Contain an RPL7A (6OS ribosomal protein L7 (SURF3) pseudogene, an RPS4 (403 ribosomal protein S4) pseudogene, ESTs, STSs and GSSs, RIKEN cDN. 4632404N19 gene, ribosomal protein L7a EST AI317031, EST, Weakly similar R3HU16 ribosomal protein S16, cytosolic [H.sapiens], expressed sequence AA420385, ribosomal
156	15626	X17665	а		protein S16
1	1			phospholipase A2, group	
157		V51500		IIA (platelets, synovial	
	1893 J	X51529 _	• 4	fluid)	1

TABLE	3: HUMAN	Hawarogasa	NOTATIONS		Ally, Docket No. 44924-503900 Doc. No. 1793397.
839.ID 19	ldenimer	GenBenk Aced Ref. Seq. ID No.	Modal Goda	Homologous Cene Name	Hemologous Cluster Name
					EST, Moderately similar to R3RT3 ribosomal protein S3 - rat [R.norvegicus], EST, Weakly similar to R3RT3 ribosomal protein S3 - rat
2158	10819	X51536	aa,bb		[R.norvegicus], hypothetical protein FLJ23059, ribosomal protein S3
					EST, Weakly similar to 60S RIBOSOMAL PROTEIN L9 [R.norvegicus], EST, Weakly similar to S42106 ribosomal protein L9 homolog [H.sapiens], ESTs, Highly similar to S42106 ribosomal protein L9 homolog
2159	18250 a	X51706	a,q,w	ribosomal protein L9	[H.sapiens], ESTs, Moderately similar to 60S RIBOSOMAL PROTEIN L9 [R.norvegicus], RIKEN cDNA 4930401B11 gene, ribosomal protein L9
					EST, Moderately similar to 40S RIBOSOMAL PROTEIN S19 [R.norvegicus], EST, Weakly similar to RS19_HUMAN 40S RIBOSOMAL PROTEIN S19 [H.sapiens], ribosomal
2160	20872	X51707	a	ribosomal protein S19	protein S19
0404	540	V50744			myxovirus (influenza virus) resistance 1, myxovirus (influenza) resistance 1, homolog of murine (interferon-
2161 2162	516 25689	X52711 X52815	g		inducible protein p78)
					ESTs, Highly similar to RS13_HUMAN 40S RIBOSOMAL PROTEIN S13 [H.sapiens], ESTs, Moderately similar to RS13_HUMAN 40S RIBOSOMAL
2163	20427	X53378	w .		PROTEIN S13 [H.sapiens] EST, Moderately similar to S35531 ribosomal protein L12, cytosolic [H.sapiens], EST, Weakly similar to 60S RIBOSOMAL PROTEIN L12 [R.norvegicus], hypothetical protein,
2164 2165	18606 1463	X53504 X54467	General d,u,General		ribosomal protein L12
2.100		70.100	<u>.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		EST, Weakly similar to 60S ACIDIC RIBOSOMAL PROTEIN P2 [R.norvegicus], EST, Weakly similar to R6HUP2 acidic ribosomal protein P2, cytosolic [H.sapiens], ESTs, Highly similar to 60S ACIDIC RIBOSOMAL PROTEIN P2 [R.norvegicus], ESTs, Highly similar to MTJ1 MOUSE DNAJ PROTEIN HOMOLOG MTJ1 [M.musculus], Human DNA sequence from clone RP3-408B20 on chromosome 6 Contains ESTs, STSs and GSSs. Contains a gene and two pseudogenes for novel 7 transmembrane receptors (olfactory family) and a gene for a novel protein
2166 «	24577	X55153	a,v		similar to 60S acidic ribosomal protein P2 (RPLP2), RIKEN cDNA 2700049122 gene, ribosomal protein, large P2, ribosomal protein, large, P1

Sign 15	TABLES	KAMMUH X	HOMOrogásy	SKOTATOKE		#Aily. Dockei No. 44921-503900 Doc. No. 1793397.
protein homolog TAN-1 precursor H-sapienis, ESTs, Weakly similar to Ad043 notch protein homolog TAN-1 precursor H-sapienis, ESTs, Weakly similar to NEUROGENIC LOCUS NOTCH-HOMOLOG PROFIEN PRECURSOR Minusculus Homo sapiens mRNA; cDNA DNF2/P61602121; partial cds, Notch (Drosophila) homolog 1 (translocation-associated), Notch grosophila) homolog 1 (translocation-associated), Notch grosophila) homolog 1 (translocation-associated), Notch grosophila) homolog 2 (translocation-associated), Notch grosophila) homolog 3 (translocation-associated) homolog 3 (translocation-associated), Notch grosophila) homolog 3 (translocation-associated) homolog 3 (translocation-associated) homolog 3 (translocation-associated) homolog 3 (translocation-associated) homolog 3 (translocation-associated) homolog 3 (translocation-associated) homolog 3 (translocation-					Homologous Cene Name	
						protein homolog TAN-1 precursor [H.sapiens], EST, Weakly similar to A40043 notch protein homolog TAN-1
DKF2/P61G02121); partial test, Notch (Drosophila)						similar to NEUROGENIC LOCUS NOTCH HOMOLOG PROTEIN 1 PRECURSOR [M.musculus], Homo sapiens mRNA; cDNA
			,			DKFZp761G02121); partial cds, Notch (Drosophila) homolog 1 (translocation- associated), Notch (Drosophila)
15106 X57529 g.n.q g.n	2167	10344	X57405 ,	j,m	homolog 1 (translocation- associated), Notch gene	homolog 3, Notch 3, Notch gene homolog 1, (Drosophila), Notch gene homolog 3, (Drosophila), jagged 1
2169		4				ribosomal protein S18, cytosolic [H.sapiens], ESTs, Highly similar to S30393 ribosomal protein S18,
EST, Moderately similar to 60S RIBOSOMAL PROTEIN L29 RIRONOPGIOUSI, EST, Weakly similar to 855784 ribosomal protein L29, cytosolic [H.sapiens], ESTS, Highly similar to 60S RIBOSOMAL PROTEIN L29 (Musculus), Human 129, cytosolic [H.sapiens], ESTS, Weakly similar to 60S RIBOSOMAL PROTEIN L29 [Musculus], Human 2014 September 129 [Musculus], Human 2014 September 129 [Musculus], Human 2014 September 129 [Musculus], Human 2014 September 129 [Musculus], Human 2014 September 129 [Musculus], Human 2014 September 129 [Musculus], Human 2014 September 129 [Musculus], ESTS, STS, GSS and a CPG Island, ribosomal protein L29 [Musculus], EST, Moderately similar to R11, Human 80S RIBOSOMAL PROTEIN L17 [H.sapiens], EST, Weakly similar to R11, Human 80S RIBOSOMAL PROTEIN L17 [R.norvegicus], EST, Weakly similar to R11, Fl.norvegicus], EST, Weakly similar to R11, Fl.norvegicus], ESTS, Weakly similar to R11, Fl.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 80S						
RL17_HUMAN 60S RIBOSOMAL PROTEIN L17 [H.sapiens], EST, Weakly similar to RL17 RAT 60S RIBOSOMAL PROTEIN L17 [R.norvegicus], EST, Weakly similar to RL17 RAT 60S RIBOSOMAL PROTEIN L17 [R.norvegicus], EST, Weakly similar to RL17_HUMAN 60S RIBOSOMAL PROTEIN L17 [H.sapiens], ESTS, Weakly similar to R5HU22 ribosomal protein L17, cytosolic [H.sapiens] EST, Moderately similar to 40S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 555916 ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5 EST, Moderately similar to 40S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTS, Weakly similar to 555916 ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5	2169	18611	X58200	a,v	ribosomal protein L29	RIBOSOMAL PROTEIN L29 [R.norvegicus], EST, Weakly similar to S65784 ribosomal protein L29, cytosolic [H.sapiens], ESTs, Highly similar to S65784 ribosomal protein L29, cytosolic [H.sapiens], ESTs, Weakly similar to 60S RIBOSOMAL PROTEIN L29 [M.musculus], Human DNA sequence from clone RP4-595K12 on chromosome 1p31.2-31.3 Contains a pseudogene similar to 60S RPL29 (ribosomal protein L29 (cell surface heparin binding protein HIP)), a chromosome 1 specific mRNA (KIAA0499), a novel mRNA (KIAA04493), ESTs, STSs, GSSs and a CpG Island, ribosomal protein L29
EST, Moderately similar to 40S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTs, Weakly similar to S55916 ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5 EST, Moderately similar to 40S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTs, Weakly similar to 40S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTs, Weakly similar to S55916 ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5 2171 10109 X58465 c.q ribosomal protein S5	~			7	30 50 71 11	RL17_HUMAN 60S RIBOSOMAL PROTEIN L17 [H.sapiens], EST, Weakly similar to RL17 RAT 60S RIBOSOMAL PROTEIN L17 [R.norvegicus], EST, Weakly similar to RL17_HUMAN 60S RIBOSOMAL PROTEIN L17 [H.sapiens], ESTs, Weakly similar to R5HU22 ribosomal
2171 25702 X58465 w ribosomal protein S5 protein S5 EST, Moderately similar to 40S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTs, Weakly similar to 555916 ribosomal protein S5, cytosolic [H.sapiens], ribosomal protein S5 2171 10109 X58465 c.q ribosomal protein S5 protein S5	2170	1/1/5	X58389	w	R	EST, Moderately similar to 40S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTs, Weakly similar to S55916 ribosomal protein S5,
2171 10109 X58465 c.q ribosomal protein S5 protein S5	2171 8	25702	X58465	w :	ribosomal protein S5	protein S5 EST, Moderately similar to 40S RIBOSOMAL PROTEIN S5 [R.norvegicus], ESTs, Weakly similar to S55916 ribosomal protein S5,
2172 25705 X59375]c,i,aa,General					ribosomal protein S5	

TABU	ES: CHUMAR	HOMOLOGUE A	RINOTRATIONS		Ally, Dockel No. 44921-5039) Doc. No. 179339
899. ([]0.				Homologous Come Namo	
2173	25709	, X59737	u	creatine kinase, mitochondrial 1 (ubiquitous), creatine kinase, mitochondrial 1, ubiquitous	
					ESTs, Moderately similar to dJ63G5 [H.sapiens], RIKEN cDNA 1700034K16 gene, RIKEN cDNA
2174	18354	X59859	General	decorin	5530600M07 gene, decorin
2174	18355	X59859	t	decorin	ESTs, Moderately similar to dJ63G5 [H.sapiens], RIKEN cDNA 1700034K16 gene, RIKEN cDNA 5530600M07 gene, decorin ESTs, Moderately similar to S17182
					interferon-induced protein 1-8U [H.sapiens], ESTs, Weakly similar to putative haemopoietic membrane protein [M.musculus], Human DNA sequence from clone RP4-781L3 on chromosome 1p34.3-36.11 Contains pseudogene similar to IFITM3 (interferon inducedntransmembrane protein 3 (1-8U)), STSs and GSSs, RIKEN cDNA 1110004C05 gene, interferon induced transmembrane protein 3 (1-8U), interferon induced transmembrane protein 3 (1-8U), interferon induced transmembrane protein 3-like,
2175 2176	21657 25718	X61381 X62145	General bb,General		interferon-inducible protein 16
:176	15875	X62145	a,q,v		EST, Highly similar to 60S RIBOSOMAL PROTEIN L8 [R.norvegicus], EST, Moderately similar to 60S RIBOSOMAL PROTEIN L8 [R.norvegicus], EST, Weakly similat to JN0923 ribosomal protein L8, cytosolic [H.sapiens], ESTs, Highly similar to 60S RIBOSOMAL PROTEIN L8 [R.norvegicus], ESTs, Highly similat to RL8_HUMAN 60S RIBOSOMAL PROTEIN L [M.musculus], ESTs, Moderately similar to RL8_HUMAN 60S RIBOSOMAL PROTEIN L [M.musculus], expressed sequence AL024098, ribosomal protein L8
				•	EST, Weakly similar to 60S RIBOSOMAL PROTEIN L3 [R.norvegicus], EST, Weakly similar to 184501 ribosomal protein L3 [H.sapiens], ESTs, Moderately similar to 60S RIBOSOMAL PROTEIN L3 [R.norvegicus], ESTs, Moderately similar to 184501 ribosomal protein L3 [H.sapiens], ESTs, Weakly similar to RL3 MOUSE 60S RIBOSOMAL PROTEIN L3 [M.musculus], RIKEN cDNA 1110057H16 gene, ribosomal
177 178 =			bb		protein L3, ribosomal protein L3-like
179			m,s,z		high mobility group AT-hook 1, high- mobility group (nonhistone
***					chromosomal) protein isoforms I and Y
180 181		X63594	cc		

TABUE	RAMUUH 3E	HOWO TO GATE W	- SKIOTKATOKK		Airy, Poekei No. 41921-5033W Doc. No. 1793397
899. ID No.	refillirebl	Consent Acel Ref. Seq. 10 No.		Homologous Como Namo	
					EST, Highly similar to 60S RIBOSOMAL PROTEIN L23A [R.norvegicus], ESTs, Highly similar to RL2B_HUMAN 60S RIBOSOMAL PROTEIN L23A [H.sapiens], ribosoma
2182	20844	X65228	,n,w		protein L23a EST, Weakly similar to JC5408 carboxylesterase [H.sapiens], ESTs, Moderately similar to ES22 MOUSE LIVER CARBOXYLESTERASE 22 PRECURSOR [M.musculus], T- complex expressed gene 5, carboxylesterase 1, carboxylesterase 1 (monocyte/macrophage serine esterase 1), carboxylesterase 3,
2183 2184	20879 25736	X65296 X68782	l'À		carboxylesterase 3 (brain)
2104	20730 A	A00102	10	collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant), procollagen,	EST, Highly similar to CA13_HUMAN COLLAGEN ALPHA 1(III) CHAIN PRECURSOR [H.sapiens], EST, Moderately similar to CA13_HUMAN COLLAGEN ALPHA 1(III) CHAIN PRECURSOR [H.sapiens], EST, Weakly similar to CGHU7L collagen alpha 1(III) chain precursor [H.sapiens], ESTs, Highly similar to CA21_HUMAN COLLAGEN ALPHA 2(I) CHAIN PRECURSOR [H.sapiens], collagen type V, alpha 2, collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant), macrophage receptor with collagenous structure, procollagen,
2185	16426	X70369	c i	type III, alpha 1	type III, alpha 1
2186 ૣ	16300	X70706	u ,		ESTs, Highly similar to A34789 T- plastin [H.sapiens], ESTs, Highly similar to PLSI_HUMAN I-PLASTIN [H.sapiens], expressed sequence A1115446, expressed sequence A1427122, expressed sequence AL024105, plastin 2, L
	04000	\/			B-cell CLL/lymphoma 1, EST, Moderately similar to CGD1 RAT G1/S SPECIFIC CYCLIN D1 [R.norvegicus], ESTs, Weakly similar to 1709356A cyclin PRAD1 [H.sapiens], cyclin D1, cyclin D1 (PRAD1: parathyroid adenomatosis 1), expressed sequence
2187	24232	X75207	c d		Al327039 ESTs, Highly similar to alpha-albumin
2188 2189 3			n,p u		ES1s, Highly similar to alpha-albumin protein [M.musculus], Mus musculus mRNA for alpha-albumin protein, afamin
			h		ESTs, Weakly similar to DAHUA1 procollagen-proline dioxygenase [H.sapiens], expressed sequence Al853847, expressed sequence C76437, procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha 1 polypeptide, procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide I, procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline, 2-oxoglutarate 4-dioxygenase (proline, 4-hydroxylase), alpha polypeptide II

TABLES	B: CHUMAN	HOMOLOGUEA	SKOTKATOKK		Ally, Docket No. 44921-503900
839. (D No. : **	ldeniller	GonBank Acel Ref. Seq. ID No.	Model Gode	ered erregolomekl	Doc. No. 1793397. Homologous Gluster Namo
2191	25747	X81448	General		
			Concra		EST, Weakly similar to KERATIN, TYPE I CYTOSKELETAL 19 [M.musculus], ESTs, Moderately similar to K1CJ_HUMAN KERATIN, TYPE I CYTOSKELETAL 10 [H.sapiens], ESTs, Weakly similar to S30433 keratin 17, type I, cytoskeletal [H.sapiens], Homo sapiens mRNA for keratin 19, partial cds, isolate:K19-141 keratin 19, keratin complex 1, acidic, gene 19, type I intermediate filament
2192	24115	X81449	Įυ		cytokeratin
2193	25754	X89696	19	1	
2194	25097	X90642	y,z	1	
2195	12978	X96437	cc,General	1	immediate early response 3
2197	4594	Y07704	С	1	
2198	25777	Y08355	g,p,General		
2199	15986	Y09945	bb,General		EST, Weakly similar to OCN2 MOUSE ORGANIC CATION/CARNITINE TRANSPORTER 2 [M.musculus], ESTs, Highly similar to OCN2 HUMAN ORGANIC CATION/CARNITINE TRANSPORTER 2 [H.sapiens], ESTs, Weakly similar to JE0346 high-affinity carntine transporter, CT1 - rat [R.norvegicus], ion transporter protein, solute carrier family 22 (organic cation transporter), member 1, solute carrier family 22 (organic cation transporter), member 4, solute carrier family 22 (organic cation transporter), member 5, solute carrier family 22 (organic cation transporter), member 5, solute carrier family 22 (organic cation transporter), member 9
					6330415F13 gene, RIKEN cDNA B230119D02 gene, expressed
2200	20200	V42075		1	sequence C76990, transmembrane 4
2.02	20890 21914 406	Y13275 Y13336 Z11995	d o.General		superfamily member 3 ESTs, Weakly similar to DAD1_HUMAN DEFENDER AGAINST CELL DEATH 1 [R.norvegicus], defender against cell death 1, expressed sequence Al323713
		<u></u>	U, Gerierai		CSTs Madamataly (Washed 1989 5
2203 2204	18352 17481		t į	decorin	ESTs, Moderately similar to dJ63G5.3 [H.sapiens], RIKEN cDNA 1700034K16 gene, RIKEN cDNA 5530600M07 gene, decorin
			r,v		ESTs, Highly similar to T17342 hypothetical protein DKFZp586K1924.1 [H.sapiens], ESTs, Moderately similar to T17342 hypothetical protein DKFZp586K1924.1 [H.sapiens]
			cc		
			aa		4
2208	6100	X73524	X		

TABLE E	e Humani	HOWOFOGET W	MOTATIONS		Ally, Docket No. 44921-5039W Doc. No. 1793397
809. ID No.	ldentifier	ConEmit Aced Rof. Seq. 10 No.	Model Gode	Homologous Como Namo	Homologova Gluster Kama
2209	439	722607	iw.	bone morphogenetic	bone morphogenetic protein 15, bone morphogenetic protein 4, endometrial bleeding associated factor, endometrial bleeding associated factor (left-right determination, factor A; transforming growth factor beta superfamily), growth differentiation factor 2, growth differentiation factor 5 hypothetical protein FLJ10314
2210	8665	Al071965	v		ESTs, Highly similar to T17342 hypothetical protein DKFZp586K1924.1 [H.sapiens], EST Moderately similar to T17342 hypothetical protein DKFZp586K1924.1 [H.sapiens]
2211	155	U32681	t .s	crp-ductin, deleted in malignant brain tumors 1	CD163 antigen, ESTs, Highly similar to 138005 M130 antigen precursor, splice form 4 [H.sapiens], KIAA1822 protein apoptosis inhibitory 6, crp-ductin, deleted in malignant brain turnors 1, lectin, galactoside-binding, soluble, 3 binding protein, macrophage scavenger receptor 2, peptidylprolyl isomerase C-associated protein
2212	19252	AA892041	S	selenium glutathione	ESTs, Moderately similar to AOP2_HUMAN ANTIOXIDANT PROTEIN 2 [H.sapiens], anti-oxidant protein 2 (non-selenium glutathione peroxidase, acidic calcium- independent phospholipase A2), peroxiredoxin 5
2213	15582	AI232320	q		
2214	.17541	M26125	n	epoxide hydrolase 1, microsomal, epoxide hydrolase 1, microsomal (xenobiotic)	EST, Moderately similar to HYEP_HUMAN EPOXIDE HYDROLASE 1 [H.sapiens], ÆSTs, Highly similar to HYEP_HUMAN EPOXIDE HYDROLASE 1 [H.sapiens epoxide hydrolase 1, microsomal, epoxide hydrolase 1, microsomal (xenobiotic)
2215	18609	M30689	l .		
2216	6262	AI177125	9		
2217 2218	23859	Al072161 H32189	f e	glutathione S-transferase M2 (muscle), glutathione S- transferase, mu 2	ESTs, Moderately similar to GLUTATHIONE S-TRANSFERASE YB1 [R.norvegicus], glutathione S- transferase M1, glutathione S- transferase, mu 1
2220	2572	AI177143	Ь		
2221	25419	M22922	a		

TABLE 4: CODE KEY	Aity. Docke	(No. 44921-5009000 Doc. No. 1793397.1
4. 英国人们的发展的主义	Time(hrs)	Code
GENERAL TOXICITY		General
ACYCLOVIR	J24, 168	la
ACYCLOVIR	6	b
ADR	120, 168	c
ΑŸ	360	id .
BEA	6, 24	e
CAPTOPRIL	336	4 f
CARBOPLATIN	6	İg
CEPHALORIDINE	6, 24	Ĭň
CIDOFOVIR	120	- ∮i
CISPANcombined	6, 24	li
CISPLATIN	168	k
CISPLATIN	6, 24	1
CISPLATIN	6, 24, 168	m
CITRININ	6, 24	n
COLCHICINE	6, 24, 48	0
CYCLOPHOSPHAMIDE	6	Jp
DIFLUNISAL	24	ļq
HYDRALAZINE	6	ir
IFOSFAMIDE	6, 24, 48, 144	s
INDOMETHACIN	48, 72	T I t
LITHIUMCHLORIDE	120	lu
MERCURICCHLORIDE	3, 6, 24	v
PAMIDRONATE	24	w
PAN	168	×
PAN	6, 24	у
PAN	6, 24, 168	Z
SEMUSTINE	168	aa
SULFADIAZINE	24	bb
SULFADIAZINE	3, 6	СС

TABLE SI	Ceneral		Ally. Do	akot No. 4	4921-5039WO
	NoulloxWesin				<mark>No. 179339</mark> 7.1
			ToxiMean	ToxsD	
12979 23314	326.05 -7.57	198.48	729.13	345.15	183.46
5461	161.65	63.50	480.54	528.59	83.43
9583	40.60	48.19	368.42]210.09	82.70
16982	59.51	17.67 36.53	158.01]127.01	82.56
1809	5.28	13.85	506.74 191.53	1577.57	81.34
19184	59.98	26.06	4	265.23	81.21
24200	382.07	78.91	191.02 618.97	128.18 199.18	81.04
15003	13.42	14.74	154.63	217.73	80.18
2629	18.92	8.93	58.17	43.50	79.83 79.72
22321	82.69	25.99	192.94		4
15301	20.84	20.65	124.72	130.47	79.58
15032	280.18	50.93	183.93	78.32	79.47 79.33
7489	89.81	28.30	47.02		
2242	2431.04	453.24	1658.86	125.94 1711.96	79.28 179.26
3050	77.80	26.29	166.37		
22681	170.38	56.88	497.37	91.49 377.15	79.22 79.20
24042	4.31	9.28	112.52	198.98	
14425	191.57	51.38	315.84	1117.32	79.06
15300	104.10	41.29	305.26		79.05
	487.82	171.51	1473.41	261.16 1227.36	79.01
15964	1274.63	262.79	824.24		78.44
	44.81	17.42		343.96	78.27
	305.21	53.33	107.40 588.32	60.46	78.21
4	28.68	24.27	102.33	425.68	78.12
	92.29	28.22	178.30	70.63 79.32	78.08
	332.77	53.62	518.29		77.90
	934.64	159.07	672.84	196.63 188.60	77.78
	176.71	56.69	334.05	163.05	77.60
		22.70	103.37	64.81	77.39
			514.49	166.24	77.39 77.35
			40.42	28.18	77.33
			228.03		
			233.57	268.46 86.27	77.30 77.27
			244.10	90.89	77.08
		3	325.62	88.12	76.99
			342.30	188.50	
			1358.82	807.54	76.94 76.87
			1987.11 "	703.59	76.84
		2 N N N	52.20		76.68
4			333.27		76.68
			190.62		76.57
			159.42		76.51
15051	1		953.70		
			468.05		76.38 76.33
			164.49		76.33 76.17
			53.19		
					76.12 75.96
			F		75.86 75.81
					75.65
		1			
			16		75.63 75.55
vv	- 91	.602			
					75.53 75.53
7161 T					
			92		75.50

101/12/EE 509	Ceneral .:		Ally. Dog	4) .ok/ fext	1921 -5039 1//0 No. 17933 97.1
ldentifier	NonToxWean		ToxMean	പ്രത്യേ	LDAScare
7540	135.61	39.51	269.18	167.73	75.42
3121	1387.78	270.45	970.56	410.36	75.23
17325	37.68	26.79	190.12	198.72	75.23
4049	8.16	14.26	100.05	143.11	75.21
24219	294.84	62.68	415.01	115.05	175.14
7101	266.61	65.47	1024.56	1594.33	75.14
21462	246.43	47.45	320.88	67.53	75.11
21458	203.89	61.93	345.78	139.58	75.01
1460	178.45	37.93	302.50	171.15	74.92
23957	57.89	29.03	120.87	65.67	74.89
	92.69	31.09	174.99	86.55	74.88
	46.61	22.12	105.68	71.47	74.84
	482.35	118.55	717.12	282.77	74.80
1	181.85	52.63	307.94	156.98	74.74
	821.34	154.51	616.81	215.94	74.73
	221.77	64.88	141.08	71.40	74.73
	509.63	159.26	301.00	207.18	74.63
1	270.92	73.69	171.86	79.69	74.60
	160.53	54.00	92.22	55.73	74.60
	297.07	48.04	543.78	340.56	74.58
22	305.18	51.69	224.24	69.41	74.56
	30.38	21.73	80.33	56.50	74.56
	-0.67	16.93	51.48	64.42	74.54
	-0.07 183.11	55.68	391.43	249.63	74.34
	319.93	46.22	248.41	81.57	74.34
	402.83	114.80	268.76	100.84	74.34 74.34
	126.24		419.86	462.11	74.34 74.32
	160.17	37.22	297.55	159.08	74.32 74.29
	754.99	133.63	1123.83	475.68	74.29
	734.93 111.21		239.07	166.99	74.28
	162.94		271.19	109.36	74.26 74.26
	8.82		37.93	39.15	74.20 74.22
 1	7.84	4	80.00	74.26	74.20
			927.05	284.85	74.20
			114.45	54.63	74.04
			189.90	* · · · · · · · · · · · · · · · · · · ·	73.97
			367.62		73.94
					73.94 73.94
					73.88 73.88
XXX	, <u>, , , , , , , , , , , , , , , , , , </u>				73.82
					73.82 73.81
3477				-45	73.80
					73.79
				25	73.79
			1		73.79
	- 3				73.78
kg.					73.77
					73.74
					73.74
				- 4	73.69
	:x				73.66
		- 7			73.59
					73.59
		7.75			
295 1	99.26	יות לור לור	יי ווא אוו	126.31	73.55

TABLE 5:	General		Ally. Doc		1921 -5039W
ldoodffee	NonToxMean	Manifered	ToxMean		No. 1793397.1 LDAScore
20458	377.19	183.99	1283.38		
23869	24.11	23.82	132.98	195.28	73.52
20848	474.69	80.77	708.43	190.30 261.80]73.49]73.46
9067	645.45	126.00	841.67	201.55	1
923	10.66	7.41	32.76	27.77	173.45
4291	317.92	87.25	202.30	99.83	73.40 73.38
18529	184.43	47.69	306.78	139.66	73.35
22626	66.24	25.65	191.03	161.08	73.32
3823	488.87	101.91	709.19	233.23	73.30
15663	179.56	40.22	269.94	97.24	73.29
22929	927.47	283.23	548.56	310.91	73.27
373	20.21	24.84	107.75	123.23	73.25
4952	97.10	31.18	160.25	66.14	73.23
2905	221.02	70.67	379.00	165.35	73.23
7127	301.01	84.77	195.82	87.14	73.22
20035	157.82	53.67	318.27	196.89	73.21
14424	40.56	38.11	216.48	294.45	73.19
1501	46.55	22.43	125.28	104.55	73.19
811	268.35	42.34	201.54	69.48	73.14
3610	1272.79	264.85	879.10	411.90	73.12
9053	249.79	41.36	192.96	58.86	73.09
1/80	85.95	40.73	190.24	133.78	73.07
18337	1699.33	315.35	1236.46	390.84	73.06
15002	119.96	26.12	252.22	220.20	73.06
21147	365.33	62.56	285.83	76.45	73.05
8721	208.57	63.43	132.86	65.90	73.01
	364.98	75.98	659.63	429.84	73.01
	54.82	19.42	118.04	81.85	72.90
	545.81	197.73	349.07	201.06	72.86
	6.71	7.78	209.28	375.95	72.86
	60.46	20.47	103.84	48.93	72.85
6638	104.00	28.03	76.61	32.45	72.83
19031	50.08	27.00	116.79	84.17	72.83
1246	98.28	29.26	60.78	37.90	72.82
23872	30.55	27.67	146.46		72.80
	121.25	48.99	54.47	69.08	72.78
23512	1086.33	216.78	839.09		72.77
6321	458.69	127.59			72.75
	57.04	17.25			72.75
	50.52	15.50	7F7 75	210.56	72.73
15110	663.97	145.61	479.15	149.17	72.73
15892	12.32	15.49	44.12	34.64	72.71
14458	29.92				72.67
6641	402.83				72.53
1422	315.77				72.53
21443	90.59				72.53
		62.24			72.51
	27.74			- 65	72.48
	173.36	44.15	275.21		72.47
			332.47		72.38
	55.43	27.40			72.32
7908	49.38				72.32
	70.00 j	m · · · · · · · · · · · · · · · · · · ·			
	90.24	22.13	124.19	32.66	72.27 72.27

TABLE 5:	GENIERAL		NXXV Door	eket No. 44921-5039VV		
				1, 2000	No. 1798897.1	
Man Miller	NonToxMean	Messigned	ToxMean	ToxSD	71	
1727	30.19	25.05	1113.76			
23202	169.96	36.51	126.76	121.46 36.17]72.19	
22248	216.64	78.55	393.59	188.26	72.16 72.15	
22612	487.17	110.76	359.48	126.14	72.14	
17734	106.27	34.17	214.91	182.70	72.12	
19235	11112.95	271.69	810.00	308.94	72.06	
13618	96.22	26.36	137.92	45.79	72.04	
19525	23.64	12.50	46.38	27.18	72.03	
4584	76.41	22.50	109.66	36.31	71.98	
22197	1112.68	34.33	178.88	75.61	71.98	
24762	1064.07	310.38	755.53	273.04	71.97	
10985	11189.01	218.09	885.13	290.39	71.96	
3145	466.94	133.08	330.71	144.92	71.93	
20828	278.75	83.71	482.02	272.83	71.89	
2395	172.58	47.67	175.81	100.28	71.86	
13609	252.08	52.43	186.04	64.47	71.86	
21339	29.51	15.60	53.28	32.70	71.78	
3079	27.52	22.01	67.24	49.93	71.78	
16321	219.91	42.72	273.17	55.96	71.77	
4944	100.32	33.19	177.16	86.89	71.77	
24568	162.64	51.57	105.85	46.68	71.75	
3875	539.59	120.20	389.50	146.06	71.75	
6382	117.04	33.24	171.65	55.00	71.73	
3959	329.28	86.36	451.00	151.79	71.73	
8795	14.06	10.71	26.30	13.30	71.72	
17477	102.32	22.97	156.34	68.17	71.71	
7700	74.32	20.26	138.95	92.87	71.68	
17550	1380.51	319.12	1028.40	363.64	71.63	
410	1155.16	215.31	918.14	252.51	71.63	
17682	706.42	143.23	505.72	215.80	71.63	
5897	20.54	16.83	45.41	23.66	71.63	
4661	288.80	58.15	408.62	120.87	71.59	
16521	266.79	60.39	378.60	127.02	71.59	
13610	371.99	53.12	283.18	88.22	71.55	
22554	565.54	122.08	428.04	154.62	71.49	
11910	25.51	35.83	-5.43	31.38	71.47	
15588	-4.65	25.14	33.98	37.77	71.42	
5601	1014.34	210.01	731.23	341.39	71.42	
5780	-23.15	27.07	32.19	62.08	71.38	
	-79.60		44.91	170.38	71.38	
	285.29		206.99		71.38	
	483.67		307.50		71.38	
	215.37				71.32	
	635.29				71.31	
	180.11		296.88	139.25	71.28	
	-24.44		- 9		71.27	
	74.42				71.24	
					71.23	
	441.80			- 38	71.20	
	526.91			- 14	71.18	
			4		71.18	
					71.17	
					71.12	
					71.11	
7771	710.83	199.94	1089.58	460.00	71.09	

TABLE 5:	GENERAL		Aity. Docket No. 44921-50391		
		7		Doc. [lo. 1793397.
ldendiffer	NonToxMean	NonToxSD	ToxMean	ToxSD	LDAScore
5494	62.28	23.39	104.89	53.79	71.08
18269	729.55	160.51	578.31	143.90	71.07
14996	459.09	95.27	332.24	132.64	71.03
24617	27.48	28.57	-0.27	26.14	71.02
23195	323.13	74.62	242.16	107.55	71.01
22656	113.29	44.19	184.20	80.34	70.99
8728	114.64	32.58	163.70	57.48	70.99
14664	56.90	24.89	82.06	31.36	70.98
22698	286.73	90.38	147.82	160.71	70.97
24053	35.17	15.83	56.32	29.72	70.97
6796	190.54	59.10	259.72	68.76	70.97
5474	783.73	210.50	556.59	211.13	70.96
22820	199.69	49.08	296.30	123.01	70.89
21796	666.75	117.72	898.08	374.38	70.88
25747	41.52	18.23	88.80	66.31	70.85
5443	12.36	13.98	34.29	27.55	70.84
12965	104.50	38.53	152.54	54.48	70.80
12332	602.96	147.89	428.95	204.34	70.77
3773	20.24	15.61	47.49	38.34	70.75
5990	310.53	65.78	375.84	76.70	70.73
18302	132.49	67.39	63.56	100.58	70.70
23964	9.67	12.94	24.20	18.71	70.68
9468	65.20	31.76	38.22	29.36	70.68
16631	14.50	12.00	57.40°	80.51	70.66
21653	224.19	41.69	303.28	104.55	70.63
9097	272.42	76.73	194.27	78.59	70.61
11259	79.73	54.95	259.20	287.87	70.60
1081	515.94	100.86	394.77	126.28	70.58
18360	214.50	54.30	161.55	58.13	70.58
4789	35.91	18.80	60.76	25.85	70.56
1798	346.08	90.64	258.66	95.94	70.56
25089	69.92	34.04	119.62	57.66	70.55
24234	170.64	48.79	257.81	150.22	70.55
23270	197.31	46.26	264.06	80.46	70.54
8339	457.12	115.09	336.46	156.58	70.52
4119	104.13	29.50	142.73	41.65	70.50
18581	239.39		323.89	102.81	70.48
8188	429.99		311.19	123.41	70.46
17950	60.85	21.71	84.23	24.05	70.45
11967	1829.61	479.72	1293.20	638.27	70.45
5252	13.79 ,	9.94	24.05	13.59	70.44
	235.05	79.02	162.79	64.64	70.38
	483.85	102.78	662.86	218.95	70.37
1463	562.00	123.95	959.70	610.46	70.36
3495	174.57				70.36
	94.72				70.35
	289.42	, and the same of		192.79	70.34
	96.55				70.32
	80.36	27.26			70.32
	67.79	22.25		.49	70.27
	871.73	175.65			70.26
					70.26
548					70.23
		The same of the sa	70.		70.19
481					70.19

TABUÈ 5:	GENERAL	7. 19 may 1. 17. 2 mg 2. 1	Ally. Doc	ket No. 44 Doc. (1921 -5039 000 No. 1 79339 7.1
ldentifier	NonToxMean	NonToxSD	ToxMean	ToxSD	LDAScore
3430	414.54	95.45	587.65	251.37	170.17
26335	940.03	330.95	625.84	337.88	70.16
352	77.57	33.06	132.92	75.36	70.14
23044	213.44	34.48	253.69	53.74	70.13
17161	1069.69	220.67	1639.92	740.76	70.11
14352	179.82	26.18	211.25	38.48	70.10
21993	71.93	19.33	98.79	30.29	70.09
16756	165.09	40.66	231.09	68.53	70.09
7537	240.15	64.50	185.74	68.65	70.09
15986	336.87	70.00	240.73	102.05	70.07
17256	428.03	84.39	329.02	149.16	70.04
18151	1182.11	241.37	915.26	244.04	70.03
18354	372.44	129.56	548.59	224.71	70.03
19152	155.28	37.87	219.58	85.40	70.01
8314	44.66	24.23	401.40	1027.58	70.01
13222	132.87	25.87	162.46	38.58	69.99
	157.93	29.12	224.59	103.04	69.99
	432.30	81.33	560.17	181.12	69.98
4360	341.32	51.71	279.62	90.37	69.97
	48.14	15.72	70.45	28.37	69.96
3733	307.48	109.96	502.42	242.20	69.95
12349	248.84	51.51	206.79	57.13	69.94
	293.57	52.57	404.95	147.79	69.94
	529.95	207.80	998.31	642.96	69.92
	194.50	26.68	172.82	51.16	69.92
	68.65	39.60	120.92	67.73	69.91
	115.29	35.39		63.73	69.91
	-15.71	27.91		45.38	69.91
	513.15	100.54		220.14	69.89
4		59.40	415.19	125.18	69.89
22599	40.60		65.55	34.14	69.84
7427	235.31	43.69		88.56	69.83
	82.42	40.09		91.91	69.83
15642	389.37		518.22	172.58	69.83
1430				99.73	69.82
7918	36.73			31.90	69.82
13633	276.86			259.47	69.80
7936					69.79
15004				385.03	69.78
15955	791.51			***	69.77
					69.75
7622		- 19			69.75
					69.73
		AI			69.73
				5.5	69.72
					69.70
					69.70
18](69.69
			4		69.69
					69.68
					69.64
					69.64
					69.63
					69.62
/TUT 16					

TABLE 5:	GENERAL		Atty. Doc		1921-5039WO 10. 1793397.1
ldendifer	MonToxMean	Q BROTRON	ToxiMean		LDAScore
3493	56.09	16.33	78.09	27.67	69.58
13727	133.95	49.99	86.22	54.51	69.58
17339	2512.73	596.97	1882.04	680.16	69.56
6518	108.28	26.66	143.55	38.12	69.55
14484	468.99	102.51	371.12	113.87	69.50
45	184.62	61.15	131.00	98.51	69.50
4235	383.35	65.78	479.39	109.87	69.47
2350	631.18	75.04	733.81	127.04	69.47
20816	359.20	71.33	589.66	361.06	69.47
20448	51.14	15.80	96.53	91.69	69.45
3608 20829	354.31 754.23	96.17 187.16	240.45 1139.64	122.08	69.45
14388	133.84	46.32	189.57	525.74	69.43
13974	133.64 269.51 «	60.19	455.96	73.63 331.84	69.41 69.41
13611	289.40	97.62	194.81	124.78	69.39
9452	109.85	33.54	243.69	304.19	69.39
19679	744.23	156.00	548.50	220.11	69.38
23471	80.62	27.27	134.19	61.98	69.38
15596	200.04	61.45	269.73	83.16	69.38
17159	662.06	139.21	916.50	373.05	69.37
9114	907.26	198.07	711.93	216.95	69.36
7690	188.30	76.58	286.44	101.61	69.30
4462	896.55	240.26	700.53	283.12	69.30
15146	117.66	45.74	219.43	151.19	69.28
4747	52.09	18.56	76.30	30.54	69.28
4463	171.78	48.48	116.71	64.25	69.26
21275	208.39	53.25	293.29	120.48	69.26
22537	314.16	116.85	217.64	134.70	69.24
21015	224.01	149.40	523.06	502.39	69.21
14184	104.95	35.03	152.30		69.21
16859	113.00	39.98	171.46		69.20
13359	18.79	19.20	41.55	29.30	69.17
24192	65.10	27.46	107.06	63.04	69.17
22357	537.91	143.42	683.30	219.11	69.15
22540	1928.78	500.80			69.15
15111	1008.00	256.31			69.15
23128	629.03				69.13
9905	702.23				69.13
23387	23.75				69.12
21797	316.03	77.43	447.83		69.12
20457		94			69.12
13954					69.12
					69.11
21125					69.08
4048					69.08
13349					69.08
20086					69.07
7414					69.07
					69.07
					69.04
	i e				69.03
8221					69.02
					69.00
275 19940					69.00
19940	19.25	13.33	32.95	17.53	68.99

	GENERAL		Ally. Doc		9 921 -5039 000 No. 1 79339 7.1
ldentifier	MonToxMean	NonToxSD	ToxMean	Toxso	LDAScore
21895	415.77	107.68	527.63	122.68	68.99
6674	2589.26	592.43	1970.28	559.33	68.97
4330	519.93	146.26	393.68	177.88	68.97
1698	59.46	33.76	154.33	156.35	68.96
6927	351.13	88.63	276.07	87.17	68.95
15879	389.05	88.44	309.88	89.07	68.94
17269	669.21	164.65	510.44	183.69	68.94
809	38.57	18.55	73.18	50.10	68.93
25567	429.75	132.83	636.76	280.62	68.91
6711	46.47	22.83	68.95	25.01	68.91
25777	370.17	112.15	585.45	351.28	68.90
22801	1309.01	233.61	1102.68	241.27	68.88
17447	912.03	226.33	708.62	297.79	68.88
1603	652.04	149.41	516.80	165.06	68.85
20460	363.41	114.33	257.61	112.54	68.84
21145	216.97	60.61	173.14	61.10	68.83
25453	225.18	45.75	181.00	63.32	68.81
14670	1156.99	219.65	1505.97	540.37	68.80
19623	56.27	29.98	87.15	39.31	68.80
12716	167.13	43.68	133.50	41.78	68.80
24236	75.95	22.54	104.28	32.01	68.79
15617	18.52	33.89	39.26	21.38	68.79
3925	498.78	107.84	390.92	113.69	68.77
20449	39.97	25.35	119.71	151.16	68.76
21390	89.77	28.23	115.10	33.69	68.76
23514	434.32	164.14	307.02	151.33	68.74
20849	259.38	58.40	370.11	145.72	68.74
794	224.09	52.71	162.86	64.32	68.71
4592	183.27	30.19	222.63	53.46	68.70
13614	325.22	70.14	423.70	138.23	68.70
12673	32.94	15.97	60.47	35.35	68.69
3125	347.43	89.73	270.34	103.82	68.67
4232	131.63	36.97	170.35 °	127.98	68.67
1399	187.08	41.04	289.41	156.72	68.66
13930	114.32	44.14	212.08	140.70	68.65
	9.09	13.75	27.68	24.99	
	1158.46	172.59	949.24		68.63
	93.92	113.34	358.13 **	224.94 386.59	68.63
					68.63
	374.38	68.18	306.59	91.47	68.62
	165.92	62.59	266.91	150.55	68.62
	2026.25			463.04	68.61
	243.13	77.12		85.38	68.60
				127.40	68.57
	36.42			26.97	68.57
				72.08	68.57
	407.17			133.21	68.56
				308.97	68.55
1		· · · · · · · · · · · · · · · · · · ·			68.55
					68.55
- 4					68.53
		118.47	505.06	115.82	68.53
		192.17	1274.36	327.89	68.53
	99.66	69.21	216.92		68.53
		49.06	378.26		68.53
21105	323.39			9	68.52

	GENERAL			ket No. 44	1921-5039WC
	NonToxMean				10. 179339 7.1
					LDAScore
18900 16709	449.75	184.06 1172.57	557.56	130.48	68.48
1993	858.46 26.13	15.23	709.82 53.08	176.49	68.46
13348	4	4	1	37.27	68.43
11454	116.50	39.71	170.35	84.06	68.43
18606	223.14 608.53	54.78 1116.39	315.07	133.93	68.43
2986	1	112.73	789.92	267.15	168.43
2900 15644	39.62 1338.83	1	54.78	18.98	68.41
22541	4	225.09	1588.45	345.24	68.39
17905	3613.59 902.96	853.73 243.00	2681.23 654.49	879.66	68.39
408		4	1	232.60	68.38
408 21409	201.66	67.43	144.70	78.36	68.37
21409	86.43 721.16	35.21 195.27	119.21 540.47	45.92 258.13	68.37
3863	214.88	78.45		£	68.36
3003 21596	100.77	27.25	158.64	93.71	68.36
21596 1583	1	1	132.16	47.14	68.33
8917	25.58	12.08	46.81	25.12	68.32
17324	41.59 371.15	14.82	56.19 297.98	17.88	68.31
17324 5199	<u> </u>	1	,	105.05	68.30
	641.61	169.29	484.54	199.84	68.29
11164	532.49	129.79	382.15	153.36	68.28
10887	76.37	24.73	54.29	25.72	68.28
15540	36.28	11.51	64.56	42.69	68.27
4949	1162.93	273.54	892.52	329.00	68.26
21024	596.29	101.41	489.27	121.68	68.26
19085	70.29	20.84	101.53	44.09	68.25
25718	380.48	63.33	465.71	138.80	68.25
3981	53.40	27.49	166.56	218.99	68.25
19939	176.96	53.69	235.92	70.52	68.24
21305	438.34	113.88	332.58	104.75	68.23
22833	431.45	106.61	540.94	147.67	68.23
13310	116.08	48.35	197.32	125.83	68.22
19187	102.48	30.70	135.61	50.44	68.21
18011	27.06	22.52 ··	56.30	38.43	68.21
24895	78.92	42.28	60.83	59.54	68.21
11563	52.55	31.11		49.63	68.20
2506	78.97	20.73	98.29		68.20
	30.66	16.63	56.30	35.67	68.19
23546	749.61	138.38	631.19	195.15	68.19
	430.01	79.30	558.85		68.18
	236.86	55.30			68.17
	70.29				68.17
	136.34	32.97			68.15
15185	154.81	9		1	68.15
	44.68				68.14
	74.85				68.14
	La Carte				68.11
di	780.11				68.11
					68.10
			7		68.10
					68.10
					68.09
					68.09
				221.95	68.09
					68.09
5819	230.72	47.15	189.99	56.21	68.08

TABLE 5:	Ceneral		Ally. Doc		1921-5039VVQ No. 1793397.1
ldentifier	NonToxMean	(Descollmoly)	ToxiMean	ToxSD	LDAScore
1942	12.95	13.20	45.54	48.73	68.08
514	4.47	50.55	52.66	58.22	68.08
19768	683.61	138.87	883.43	263.72	68.06
5183	204.36	51.85	284.20	109.64	68.06
24375	107.65	26.73	157.63	66.73	68.05
6059	199.74	47.55	169.09	54.88	68.04
12937	20.23	21.04	62.89	58.77	68.04
3245	97.45	32.09	132.43	48.29	68.02
19469	376.00	72.62	300.86	98.78	68.02
22696	72.56	48.08	25.09	39.70	68.02
4355	116.49	44.14	163.32	82.62	68.01
21579	110.85	35.32	153.51	68.22	68.00
1431	521.93	166.42	374.89	194.57	67.99
9673	66.91	27.02	44.90	26.55	67.99
20257	137.10	42.30	102.53	48.53	67.99
12961	185.53	42.22	151.73	41.05	67.97
22538	338.12	80.15	255.39	90.87	67.97
7243	56.76	22.51	79.45	28.02	67.96
5634	64.78	29.00	96.85	47.59	67.96
17438	62.59	33.01	31.95	40.59	67.96
1581	70.58	17.49	93.61	30.37	67.96
25379	75.47	18.52	100.15	31.59	67.95
2153	153.35	49.73	361.58	346.41	67.94
7499	17.61	8.98	28.61	16.07	67.94
6102	150.29	40.49	187.75	46.70	67.94
3878	479.08	106.98	389.02	107.79	67.93
20122	174.65	39.83	214.44	52.37	67.93
6828	122.12	53.45	207.48	104.75	67.92
11455	106.22	31.64	162.96	86.72	67.92
16058	146.84	40.61	225.40	102.56	67.92
23567	42.81	36.02	114.42	124.08	67.90
19998 "	290.74	86.07	214.07	102.16	67.90
24054	25.17	14.49	39.46	20.61	67.89
22352	139.84	54.27	253.98	211.46	67.89
21146	119.46	36.34	92.66	39.95	67.89
11791		46.57	173.47	50.00	67.88
19086		32.93	153.92	65.34	67.87
13111		68.33	187.10	77.46	67.86
14959	595.43	107.90	761.75	241.85	67.86
22103	222.38	795	294.15	83.02	67.84
		42.51			67.83
1844		779			67.83
13023					67.81
				35.71	67.80
				86.13	67.80
					67.80
					67.80
					67.80
					67.78
					67.78
					67.76
				86.10	67.73
			25.42	14.68	67.73
					67.72
7161	46.95	14.21	64.96	24.05	67.69

12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	T STATE OF THE STA		ir —	1 6000	<u>No. 1793397</u>
ldeniiier	MonToxMean	NonToxSD	ToxMean	ToxSD	LDAScore
9061	1135.34	236.25	942.16	326.87	67.69
12331	618.37	134.26	483.61	182.86	67.69
13962	523.52	110.90	438.13	148.62	67.68
24277	134.73	41.18	181.65	55.29	67.67
14790	176.36	78.47	102.86	72.99	67.67
18528	361.23	136.11	589.25	331.81	67.66
19665	81.08	33.19	142.12	76.68	67.66
14242	32.67	14.37	49.07	20.85	67.64
17407	1713.79	374.66	1443.40	337.67	67.64
6765	820.06	183.88	653.70	231.97	67.62
9514	675.01	129.64	570.37	132.48	67.62
22602	334.13	94.17	237.80	117.01	67.57
19822	1669.92	376.25	1281.37	430.75	67.56
9699	58.47	18.16	42.68	19.82	67.55
12812	99.34	33.83	74.64	38.83	67.55
24566	200.15	82.45	135.98	77.12	67.54
17499	24.56	23.09	55.11	35.51	67.53
18447	1233.88	274.38	958.23	329.75	67.53
21014	142.85	40.94	210.35	117.97	67.52
2536	406.73	114.26	323.04	150.73	67.51

TABLE 5A: Vinepoint(ACYCLOVIR s): 24, 163 hrs		Aliy. Do	odici No. 4 Doc.	14 921-5039 11/0 11 0. 179339 7.1
relitioned	NonToxMean	NonToxSD	ToxiMean	Toxse	LDAScore
25419	159.17	64.32	38.16	8.66	99.48
25415	169.94	67.00	36.68	10.41	99.48
1872	723.76	219.40	182.16	67.65	99.36
17198	814.88	264.22	145.60	82.51	99.14
17567	1172.88	345.04	2623.71	250.73	98.97
	616.48	139.00	1288.62	137.24	98.84
	896.18	242.10	1896.41	180.47	98.80
16245	387.31	1114.26	41.23	45.70	98.80
	73.83	25.90	17.83	4.94	98.67
	544.00	97.71	1042.92	176.22	98.67
19161	1064.06	296.13	2360.57	327.19	98.63
	1281.17	347.65	3250.17	648.92	98.58
	701.03	165.94	1608.51	320.36	98.50
	832.75	216.84	1896.38	376.01	98.50
	1175.87	375.74	2630.93	347.24	98.45
	1085.24	333.50	2568.66	334.73	98.45
	639.33	257.31	46.55	54.58	98.37
	702.17	319.88	2212.94	511.24	98.32
	1409.99	440.83	2945.57	350.22	98.28
	538.89 40.33	188.67	83.65	54.88	98.28
	40.33 1172.71	21.14 382.43		5.01	98.24
	1121.82	319.93	2977.59 2267.04	742.16 262.71	98.15
	309.42	59.71		41.29	98.15 98.11
	932.31	252.05	1896.76	307.48	98.02
	1107.00	305.73		293.56	97.98
	375.87	76.79		58.76	97.94
	809.56	214.82		368.34	97.94 97.94
	1175.90	282.46			97.85
	1037.63	274.92			97.85
	1088.85	307.06			97.77
	1492.71	284.92			97.68
	512.85	99.35			97.64
	864.69	256.24			97.64
	1195.18	331.95			97.59
	422.91	93.66			97.59
	673.25	126.38			97.59
	1061.61	314.08			97.51
15201	1478.32	513.09	- 4		97.47
15052	1433.93	492.46	3597.61		97.42
	76.73				97.42
2696	773.00	225.06	1860.28		97.42
22552	313.47	90.91			97.38
1694	1139.80	326.74	2255.77	- 4	97.38
19824	224.99	67.29			97.34
	133.41	38.84	45.56		97.16
	495.73	119.09	217.15		97.16
					97.16
			772.54		96.99
			1866.58	266.92	96.99
- 9			34.59		96.95
				iQ.	96.86
	384.13	78.71	185.57		96.78
		294.07			96.74
					96.65
4254					96.65

-382-

24577	1170.09	364.08	2400.41	380.56]96.65
	MonToxMean	MonToxSD	ToxiMean	ToxSD	LDAScore
nmebonung	: ACYCLOVIR (s)): 24, 168 hrs			Dog	. No. 1793397.1

Colore	ToxiMean		2 (Sept. 19 19 19 19 19 19 19 19 19 19 19 19 19	- Dog. K	1 921-5039 1116 10. 1793 3 97.1
2572		NonToxSD	ToxMean :	Torso '	LDAScore
657 325.8 15174 582.6 22060 120.3 21151 108.8 17546 542.4 8477 528.5 16993 147.0 10667 41.39 3822 915.9 17157 50.71 4532 266.4 15004 160.2 4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899		272.72	292.63	34.53	99.96
15174 582.6 22060 120.3 21151 108.8 17546 542.4 8477 528.5 16993 147.0 10667 41.39 3822 915.9 17157 50.71 4532 266.4 15004 160.2 4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.32 15077 87.92 12301 58.09 3304 881.7 12899 -9.55 23387 29.40 20699 86.60 606		85.70	825.82	55.34	99.96
22060		154.01	1160.30	40.29	99.96
17546 542.4 8477 528.5 16993 147.0 10667 41.39 3822 915.9 17157 50.71 4532 266.4 15004 160.2 4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874		46.22	489.85	39.32	99.87
8477 528.5 16993 147.0 10667 41.39 3822 915.9 17157 50.71 4532 266.4 15004 160.2 4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475	39	64.20	1068.35	133.62	99.87
16993 147.0 10667 41.39 3822 915.9 17157 50.71 4532 266.4 15004 160.2 4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.33 15077 87.92 12301 58.09 3304 881.73 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985		131.44	1300.18	82.92	99.83
10667 41.39 3822 915.9 17157 50.71 4532 266.4 15004 160.2 4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801.0 20698 -0.10 9757 408.33 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243	52	158.91	1301.77	46.70	99.83
3822 915.9 17157 50.71 4532 266.4 15004 160.2 4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.33 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057)3	72.47	5.04	12.16	99.79
17157 50.71 4532 266.4 15004 160.2 4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.76 985 21.00 24243 258.96 6057 104.47 1892)	38.71	-236.50	27.34	99.79
4532 266.4 15004 160.2 4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 <	99	266.90	2473.92	69.91	199.74
15004 160.2 4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 2069 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 <		97.99	182.37	23.19	99.70
4832 149.3 11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804	11	75.57	62.22	7.77	99.70
11836 219.0 24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	24	140.85	1576.85	132.63	99.70
24390 165.6 24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	9	47.92	32:65	11.70	99.70
24200 421.0 15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4)6	64.52	69.22	8.46	99.61
15002 137.7 3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4		111.19	-250.24	60.63	99.61
3713 1141. 6778 109.7 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4)4	138.48	1131.90	38.93	99.61
6778 109.74 7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	4	85.32	904.65	69.55	99.61
7936 149.0 13542 446.9 22385 107.8 20700 74.63 15190 1801. 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	.71	271.69	457.32	36.48	99.57
13542 446.9 22385 107.8 20700 74.63 15190 1801.4 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	0	31.47	262.53	25.12	99.57
22385 107.8 20700 74.63 15190 1801.4 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.7 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.76 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	6	36.24	49.64	5.41	99.57
20700 74.63 15190 1801.4 20698 -0.10 9757 408.3 15077 87.92 12301 58.09 3304 881.73 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	5	133.65	59.60	28.78	99.57
15190 1801.0 20698 -0.10 9757 408.33 15077 87.92 12301 58.09 3304 881.73 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	2		22.50	3.64	99.57
20698 -0.10 9757 408.33 15077 87.92 12301 58.09 3304 881.73 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4		363.62	3153.73	549.12	99.57
9757 408.33 15077 87.92 12301 58.09 3304 881.73 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	.09		7715.59	404.27	99.53
15077 87.92 12301 58.09 3304 881.73 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4			407.01	114.99	99.53
12301 58.09 3304 881.73 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	5		159.69	13.35	99.53
3304 881.7: 24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4		41.66	6.25	3.82	99.53
24041 11.98 19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	1:		219.75	30.79	99.53
19780 47.97 12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	3			48.65	99.53
12899 -9.55 23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4				61.01	99.53
23387 29.40 20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	7	40.89		31.79	99.53
20699 86.60 606 -48.26 8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4			1	30.06	99.49
606		30.63			99.49
8874 118.63 5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4		192.11		288.42	99.49
5475 445.78 985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	5 13	30.91	77.22	17.44	99.49
985 21.00 24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	3 [59.95	395.15		99.49
24243 258.96 6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4	8 j	146.14			99.49
6057 104.47 1892 -6.30 275 519.62 2695 210.32 7804 1764.4		13.98	281.44		99.49
1892 -6.30 275 519.62 2695 210.32 7804 1764.4	6 te	69.54			99.44
275 519.62 2695 210.32 7804 1764.4					99.44
275 519.62 2695 210.32 7804 1764.4					99.40
2695 210.32 7804 1764.4					99.40
					99.40
20704 22 22					99.40
20101 32.90					99.40
12420 23.45					99.36
15003 33.26					99.36
24564 568.95					99.36
24246 300.44					99.36
9423 939.03					99.36
23151 380.64					99.36
9071 48.03			- 9		99.36
2905 244.95					99.36
20856 55.56					99.36

-384-

TABLE SE	B: ACYCLOVIE		AMW. Da	ස්ක් No. 44	921-5039VV				
Timepoint	Timepoin((s): 6 hrs Doc. No. 1793397.								
ldentifier	NonToxMean	NonToxSD	ToxMean	ToxSD	LDAScore				
5931	182.37	66.37]9.61	8.36	199.36				
24042	18.74	67.93	772.42	198.67	99.36				
17765	1285.78	452.80	2557.67	63.52	99.31				
17470	102.21	54.04	410.26	61.20	99.31				
2010	32.91	314.74	355.60	90.97	99.31				
20848	510.27	150.82	1095.65	24.39	99.31				
17591	385.36	90.04	744.25	62.21	99.27				
1340	192.09	49.88	96.02	6.73	99.27				
7806	51.84	19.09	1122.32	8.65	99.27				
7493	78.12	36.73	174.58	4.92	99.27				
20035	180.04	101.54	817.96	80.03	99.23				
19657	3.30	17.67	125.30	19.29	99.23				
24563	309.99	99.44	4.82	17.01	99.23				
22453	171.10	46.39	60.55	10.10	99.23				
23995	161.66	57.89	380.58	31.88	99.23				
15191	1989.62	1126.31	8988.79	1157.81	99.23				
11326	332.40	95.69	94.87	14.33	99.23				
7586	793.77	201.98	306.02	29.21	99.23				
2392	154.00	87.41	1138.50	400.02	99.23				
4205	222.66	72.63	591.81	54.59	99.23				
8245	54.69	20.70	113.91	5.63	99.23				
16324	194.65	61.24	42.04	11.21	99.23				
12404	105.63	62.52		167.20	99.23				
7639	753.14	166.01		44.82	99.23				
20895	331.67	100.56		24.52	99.19				
22018	158.66	41.98	136		99.19				
3823	524.10	147.80	- 46		99.14				
6477	13.58	161.23			99.14				
223	11.18	17.65		119	99.14				
15146	130.31	69.77	3		99.14				
25069	134.29	60.66			99.14				
3431	1503.29	617.93			99.14				
3271	576.75	119.79			99.14				
6054	26.29	47.50			99.14				
20202	627.69			1	99.14				
	473.74	139.13		7.4	99.14				
	113.50			- Yes	99.14				
		53.30			99.10				
	168.73	157.24			99.10				
	125.58	75.70			99.10				
1	182.83				99.10				
					99.10				
7.60				1.	99.10				
					99.10				
				- 6					
3021	20.00	24.30	ZZZ. 1U].	33.80	99.10				

	: ADR (s): 120, 163 hr		Ally. De		4921-5039\\\ No. 1793397
ldentifier			ToxMean	ToxSD	
1688	5353.71	3830.70	26.75	39.23	99.44
25469	1577.10	747.53	25.91	13.98	99.44
1684	2831.22	1612.49	24.53	31.27	99.44
17829	2235.92	1102.19	68.14	58.70	99.44
25468	2186.32	1123.33	111.47	13.96	99.44
26150	783.82	532.35	J-38.06	15.15	99.40
1687	1894.26	855.11	45.95	32.94	99.31
1685	9226.22	7079.05	58.61	94.83	99.31
1689	4411.94	2221.14	143.26	28.59	99.31
17832	1976.64	870.20	17.22	14.67	99.18
19358	792.56	328.04	6.04	46.93	98.71
18907	102.84	49.44	17.51	7.82	97.33
25467	636.86	169.13	1263.84	257.87	97.25
4011	457.30	195.33	953.88	244.47	96.78
14199	71.52	35.30	26.74	5.48	96.09
2852	49.29	27.79	19.72	2.87	95.92
21140	109.12	47.83	38.53	9.71	95.83
4594	63.32	30.73	22.33	5.88	95.44
7089	102.25	41.59	48.02	7.26	95.40
2984	582.52	185.78	258.99	70.15	95.27
1831	49.81	23.36	10.63	6.34	94.67
25705	455.64	115.95	612.52	59.36	94.45
16109	414.49	75.48	556.38	45.14	94.28
11165	529.31	155.75	250.39	51.44	93.98
19237	77.59	39.42	10.97	14.64	93.68
16401	1239.09	805.30	2322.72	497.80	93.68
109	547.11	293.37	1681.21	571.81	93.63
4312	77.34	39.04	127.17	10.27	93.51
16400	580.43	474.95	1090.34	298.55	93.42
18794	138.50	77.18	48.95	11.54	93.38
7489	81.80	32.11	25.62	12.02	93.34
2586	52.04	30.18	14.65	5.97	93.04
17742	1059.53	304.09	1669.92	253.17	92.99
956	54.64	39.22	1.90	10.80	92.78
7563	1201.38	349.79	1590.38	101.68	92.69
2125	78.10	82.13	-4.59	19.58	92.69
	32.09	22.37	8.57	2.19	92.65
	38.73	27.29	17.84	2.42	92.61
	60.60	62.41	14.86	7.74	92.61
		89.91	428.27		92.56
	34.74	32.18	3.43		92.48
	325.54	286.68	14.24		92.43
		36.26	16.33		92.39
		34.49	24.74		92.26
		46.19	284.99		92.22
		105.59	825.37		92.12
	280.85	109.78	118.35		91.79
		60.26	72.06		91.66
82		50.50	116.52		91.40
		173.83	432.41		91.27
		84.38	224.82		91.23
		220.62	771.74		91.23
1		50.96	140.17		91.09
- 4		403.18	2024.17		
		137.94	463.05		91.05
	-4.86	101.34	→ ∪∪.∪∪	162.91	90.96

TABLE 5C	: ADR (S): 120, 163 hrs		Dog, No. 1793397		
ldendifier	NonToxMean .	NonToxSD :	ToxiMean	ToxSD	LDAScore
8597	240.84	58.03	315.06	30.21	90.89
16582	56.67	19.30	29.31	5.28	90.89
1321	510.50	316.91	1496.60	371.84	90.88
14337	211.54	44.52	148.64	18.05	90.84
19191	1011.62	281.12	631.62	94.67	90.76
20716	652.51	142.58	1029.68	128.61	90.75
8017	188.58	76.89	406.11	152.05	90.66
18502	670.14	243.60	313.44	111.24	90.63
2782	214.23	97.42	522.66	132.70	90.62
13354	88.85	57.76	34.85	9.49	90.50
22696	62.39	50.49	-5.66	12.94	90.50
4242	749.55	193.32	1337.17	268.80	90.49
12660	71.28	22.64	44.42	5.74	90.46
15892	18.01	22.79	36.39	7.65	90.46
25517	39.47	33.13	2.75	7.99	90.41
22697	59.68	40.43	15.77	10.73	90.33
16448	129.58	38.04	43.90	19.88	90.32
1058	75.84	35.86	30.65	8.83	90.24
7863	1200.90	307.30	1386.51	55.05	90.24
11967		550.50	1088.97	237.35	90.20
516		33.01	17.20	9.40	90.11
25736		16.54	7.84	4.16	89.98
6544		110.52	379.03	173.46	89.89
21651		26.38	7.38	3.39	89.85
16581		19.57	17.01	3.68	89.72
2607		50.79	175.06	11.54	89.55
15247		192.10	1113.60	210.08	89.41
6691			32.51	16.76	89.41
20702				33.60	89.38
10109			1362.38	117.72	89.34
24040		233.98	196.88	87.97	89.29
1169					89.21
			162.53		89.21
19244					89.17
				184.09	89.12
					89.03
			47.65	19.31	88.95
			204.08	26.91	88.95
				207.80	88.86
24528	61.08 j:	25.93	19.77	8.13	88.81

TABLE 50	Nally 200 has	(1) (1) (1)		oaket No. 4	X921-5039VV
	(s): 360 hrs NonToxMean		157cmWccc		<mark>No. 179339</mark> 7.º
					1000000
6360	7.76	5.80	30.12	3.08	99.36
18826	1069.51	321.45	473.21	31.01	99.32
24886	1264.06	371.77	2165.64	63.29	99.27
6517	233.00	158.96	437.46	12.19	99.19
16576	111.85	41.47	67.47	10.61	99.19
22846	1490.00	287.46	852.52	44.29	99.10
2708	383.37	87.00	425.82]1.07	98.97
14349	413.99	1144.50	244.25	2.46	98.97
13023 6585	187.03	420.15	-22.68	5.86	98.85
	653.17	368.20	239.73	12.54	98.76
15093	35.54	16.49	-7.39	13.34	98.76
25066	136.51	58.55	j34.09	14.82	198.72
21796	696.51	210.24	1145.40	47.75	98.67
3610	1195.23	334.91	780.10	28.06	98.67
24236	80.80	27.74	39.65	1.30	98.67
16156	858.19	319.87	3220.95	1137.23	98.59
17672	2630.76	734.18	3325.88	12.22	98.59
472	658.60	175.52	1275.16	135.82	98.59
15462	86.01	35.25	28.41	2.70	98.55
10159	7.63	18.34	30.64	0.79	98.55
457	284.29	87.14	421.47	22.09	98.42
22093	-21.77	38.66	56.32	5.98	98.37
5212	189.25	67.72	0.93	13.47	98.33
11368	20.04	24.02	29.17	0.30	98.29
22731	24.04	24.97	9.37	0.65	98.29
23313	404.59	87.09	292.34	2.67	98.29
25178	4.72	6.91	30.15	9.22	98.25
11561	389.44	87.17	225.68	12.21	98.25
14120	740.64	221.38	1485.37	218.95	98.20
622	608.46	110.69	956.12	79.60	98.20
2894	141.35	34.03	72.48	5.99	98.12
3447	33.98	17.04	11.74	0.97	98.03
410	99.49	46.40	23.57	5.02	97.99
	235.14	64.79	449.04	43.64	97.99
4185	204.58		321.83	10.61	97.99
	233.44		44.57		97.95
	24.56	22.71	-11.37		97.95
	203.93	53.62			97.95
	11.29				97.95
062	182.74			- C	97.90
	467.00				97.86
	225.58				97.82
	1075.32			- 13	97.82
	85.43				97.82
	620.25				97.78
					97.78
					97.78
					97.73
					97.73
					97.69
					97.69
					97.69
					97.65
					97.65
		192			97.60
467	656.82	156.93	1236.28	198.60	97.60

): AY		Ally. Do		14921-5039WC
	(s): 330 hrs		70-00-3	DOG.	No. 1798897.1
	MonToxMean		[Logynean]		_ LDAScore
24042	21.86	84.61	58.64	10.50	97.56
15135	706.76	182.37	11034.39	31.17	97.52
6790	63.12	24.62	19.35	3.71	97.52
6743	1405.82	280.92	2262.37	206.08	97.52
6351	45.29	26.36	188.65	2.94	97.48
18942	-11.45	10.37	24.19	16.98	97.43
6726	393.51	104.57	242.70	10.50	97.43
9808	30.77	114.74	150.69	1.63	97.39
21078	567.53	143.04	363.30	11.51	97.39
22619	371.47]90.93	316.17	2.78	97.39
1058	75.62	35.90	24.89	3.27	97.39
22692	209.08	63.65	106.95	5.50	97.39
21914	404.11	71.79	635.41	66.12	97.39
22063	68.58	25.03	47.50	0.52	97.35
1162	10.60	37.16	138.81	40.04	97.35
15224	689.92	152.18	1138.23	103.80	97.35
24178	2.75	9.42	20.42	4.02	97.31
20891	140.77	49.29	78.20	3.12	97.31
17393	145.61	59.87	87.56	1.63	197.31
17061	557.85	95.17	904.28	161.35	97.22
21656	54.49	25.08	22.60	1.43	97.18
23651	656.34	623.55	2317.09	936.44	97.18
2357		23.05	69.48	0.72	97.13
18130		74.65	591.90	50.88	97.13
23898		6.54	30.37	7.27	97.13
9363		29.45	164.93	13.77	97.09
2920		29.88	124.28	3.10	97.09
21930	597.55	127.69	1108.70	256.19	97.05
12770		229.99	230.85	29.99	97.05
23799		43.68	75.83	5.19	97.05
	23.41	13.46	-0.34	3.13	97.05
18419	1317.37	373.39	2669.33	536.46	97.05
		77.23		3.42	97.01
	35.76	18.86	52.44	0.86	97.01
				18.30	97.01
				2.45	97.01
	379.89	98.99		8.11	97.01
	2200.10			487.81	96.96
	76.83	46.83		16.98	96.96
15411	305.14			9.40	96.96

Mmepoin	를: B(ĒA) 여(S)): 6, 24 hrs				4921-5039XXX No. 1793397:1
ldendifier	NonToxMean	NonToxSD	ToxMean		LDAScore
21011	154.85	315.31	689.68	175.67	98.32
21015	271.80	338.52	933.97	202:57	97.98
21013	214.58	340.35	710.95	1153.21	97.68
22057	349.60	55.08	477.85	22.42	97.33
8477	529.15	164.21	876.56	49.54	97.03
23849	285.73	136.63	521.70	61.30	96.65
15969	339.58	71.02	574.34	94.47	96.47
5901	92.67	50.17	176.54	31.37	96.43
17034	885.84	144.51	1193.98	93.26	95.36
23140	172.19	53.17	288.43	107.64	94.67
6143	560.24]135.28	861.03	122.25	94.20
22931	79.76	48.36	119.97	4.03	94.15
13608	21.70	23.78	64.61	13.40	94.07
3167	308.80	70.69	438.24	41.83	94.07
17771	769.01	307.47]1086.30	71.95	93.98
10477	87.73	37.06	137.33	14.74	93.42
17563	1206.59	350.63	917.80	32.07	92.99
3551	440.44	98.71	307.06	31.45	92.69
22885	1347.43	493.33	2161.55	380.96	92.61
8515	262.49	109.22	415.39	29.53	92.52
20745	471.03	70.08	354.88	30.48	92.30
4748 8639	110.75	127.98	202.78	32.60	92.18
14874	368.78 50.39	99.86	530.10	59.33	91.92
21625		17.11	78.62	12.99	91.66
2729	2492.78	1106.79	11806.41	173.96	91.53
5844	{638.00 124.24	170.57	841.33 32.11	45.73	91.53
19993	2317.82	58.33 568.48		26.05	91.53
0742	62.40	27.77	3182.90 27.67	249.42	91.36
3205	398.00	113.24	583.05	6.47	91.32
7400	121.53	78.34	254.55	83.76 53.39	91.23 91.23
698	73.83	75.94	197.90	43.39	91.23
3557	107.65	39.24	177.58	40.40	91.22
8905	1365.13	302.42	1751.48	71.12	91.06
276	72.89	27.71	30.30		91.00
5111	954.53	281.39	581.40		90.97
4929	800.42	430.77	1096.37	146	90.80
8077	2620.17	1190.40	1912.67		90.28
4862	181.12	72.28			90.28
0636	369.25	95.44	A12 18		90.24
057	291.01	74.63			90.15
1014	155.16	80.93			90.15
232	137.37	62.35			90.07
687			72	162	90.03
3614	4	- 1			90.03
1605				100	89.97
7107	2202.25	-79			89.72
4069	29.03	//0			89.68
6407	463.39	9			89.68
014	3				89.64
731					89.63
	38.97				89.63
		2816.44			89.60
1				.03	39.59
				A	39.59
811	35.97	18.81	13.37		39.47

	er bea		Ally. Doo		4921-5039VV			
<u>lifimepoint(s): 6, 24 hrs</u>								
ldentifier	NonToxMean	MonToxSD	Toxillean'	ToxSD	LDAScore			
3081	387.79	84.55	253.14	37.34	89.46			
7895	997.72	308.71	1503.83	263.73	89.46			
3924	183.13	68.64	101.62	16.04	89.34			
24181	85.08	27.22	145.70	16.84	89.33			
2752	405.86	139.92	593.99	60.88	89.33			
1159	886.55	231.02	611.65	64.43	89.29			
24388	188.48	72.47	251.08	30.81	89.29			
3926	176.00	56.73	103.17	18.22	89.25			
18981	231.55	65.64	189.11	9.52	89.21			
7838	19.58	15.00	21.80	13.33	89.17			
24537	528.52	104.62	396.25	38.65	89.08			
2688	173.21	54.36	243.95	28.16	89.08			
19484	184.45	70.04	320.46	37.72	89.03			
22855	561.72	144.30	886.81	141.20	89.03			
12979	391.37	216.96	627.81	88.47	88.94			
7223	88.64	27.62	152.72	24.63	88.94			
23159	416.48	85.49	537.44	47.74	88.91			
13563	1028.27	255.15	1603.62	170.06	88.86			
3696	42.57	32.72	106.32	10.80	88.86			
2855	920.64	212.77	1412.67	261.05	88.77			
3580	9.48	10.46	22.09	6.90	88.74			
12629	65.11	30.82	27.44	7.55	88.61			
18810	1188.71	319.49	906.85	60.20	188.52			
18770	1131.01	331.57	887.70	58.94	88.48			
19577	494.98	92.34	376.82	38.52	88.48			
18891	1378.10	409.91	1823.58	193.46	88.48			
7914	1537.05	507.11	1256.25	91.53	88.44			

WO 02/095000

TABLE SF	: CAPTOPRIL ((s)): 336 hrs		Ally. Dog		4921-5039 000 No. 179339 7.1
	NonToxMean		TowMoon		No. 1/190001/311 LDAScore
23859	-10.09				
1522	1-10.09 1181.53	17.25 192.60	58.28	12.00	99.70
24668	76.16	192.60 146.93	-79.60 1110.08	14.77	99.40
19287	1161.27	140.70		605.52	99.10
735	125.45	1	265.00 123.72	9.72	98.84
1348	129.45	37.81 17.75	0.23	0.37	98.50
16260	66.53	18.90	82.33	11.09	98.12
24696	69.96	148.08	-11.83	0.49	98.07
826	182.43	53.09		7.33	98.07
15851	203.67	153.09	63.46 36.02	18.28 116.84	97.90
19120	32.71	25.65	36.02 -8.80	N	97.69
1480	253.73	66.75	-	2.19 18.69	97.43
18659	51.26	29.25	112.96		97.43
15420	151.26 159.26	52.41	80.08 -14.25	1.30	97.43
2830	654.10	146.54	1	3.04 42.78	97.39
2658	891.04	236.04	933.86	42.78	96.92
17937	86.63	142.53	1		96.88
10108	146.26	35.48	-12.26 61.17	22.60	96.83
1223	191.43	135.48 47.65	289.39	17.32	96.70
16048	28.62	52.28	-8.09	15.78	96.66
10774	26.49		4	3.07	96.66 06.62
16944	848.22	116.73	40.49	1.17	96.62
16944 546	173.90	191.45	550.56	29.83	96.58
12819	173.90 184.28	50.96	271.42 239.54	13.74	96.53
5735		47.07	1	3.32	96.53
7956	56.51 27.42	21.12	63.63	0.57	96.45
7956 12332	567.22	11.15	39.67	0.69	96.40
18346		177.99 #	328.76	21.43	96.32
16425	273.04 20.91	62.53 30.81	138.13	21.45	96.32
8426	54.76	23.35	-13.41	3.05 1.50	96.23 06.40
9964	14.13	28.09	27.91 41.16		96.19 06.15
9904 15395	797.12	28.09 155.79	41.16	1.54	96.15
21458	797.12 229.75	104.67	610.46 360.26	12.19	96.02
21456 15259	229.75 227.63	56.54		20.40	95.93 95.93
11057	33.19	29.92			95.93
397	116.22	33.32	61.96 88.25		95.89 05.80
20429	108.55	33.32 34.07			95.89 05.86
-39	218.47	76.94			95.85 05.85
12629	64.58	30.66	109.09 134.34		95.85 05.76
					95.76
					95.68 05.68
					95.63
					95.59 05.50
					95.59 05.55
					95.55 05.51
					95.51
					95.46
					95.46
					95.46
				1	95.42
A	(3				95.42
					95.38
					95.29
					95.25
					95.25
	9				95.25
22000	128.49	29.89	159.98	3.47	95.21

Timepoin	((s)): 336 hrs		Aiiy. Dockei No. 44921-503 Doc. No. 1793		
ldentifier	NonToxMean .	MonToxSD	ToxMean		LDAScore
6581	76.47	26.45	43.08	2.63	95.12
260	417.04	1114.29	636.83	72.47	95.12
24814	171.62	33.74	127.03	5.19	95.12
13682	178.68	62.82	61.54	20.17	95.08
15028	346.53	107.46	569.31	126.83	95.08
17439	218.65	47.89	292.03	10.02	94.99
15797	20.60	17.76	1-7.25	4.56	94.95
17549	1304.87	367.92	1416.98	24.18	94.95
17923	66.78	23.31	48.46	11.01	94.95
23360	178.74	46.59	218.52	2.99	94.91
20099	81.73	30.45	123.33	3.88	194.91
19327	89.68	29.52	50.76	3.50	94.86
786	125.64	46.92	48.44	13.78	94.86
9929	531.71	124.53	680.04	114.58	94.82
2831	619.77	172.12	917.69	61.75	94.82
10477	88.24	37.19	51.43	2.96	94.82
21013	217.62	342.33	442.35	95.19	94.82
21651	32.33	26.35	2.01	3.21	94.78
9527	47.24	56.67	112.09	111.81	94.78
1921	178.67	59.48	97.23	10.49	94.73
3988	56.52	38.39	8.71	5.65	94.73
5766	481.24	157.08	653.99	116.43	94.73
8862	47.30	24.54	31.00	11.20	94.69
5470	328.11	71.27	198.29	29.91	94.69
288	10.56	13.80	41.78	12.82	94.69
3109	2081.66	927:60	2211.62	60.64	94.61
197	197.55	84.70	290.53	117.88	94.56
279	201.88	88.54	108.84	9.39	94.52
9581	48.08	32.46	66.08	3.68	94.48

TABLE 50	: CARBOPLAT	nixi : Min	Ally. Do	ket No. 4	4 92 1-5069///
Threeofin	(8): 6 hrs				Na 4708907
identifier:	NonToxMean	(Descondend)			
6262	739.41	208.31	1532.53	76.80	
24048	689.96	212.19	1411.28	55.30	99.61 99.36
17089	1547.81	626.59	4737.22	696.74	
16081	115.61	379.88	645.20	213.95	98.93
25777	403.77	1181.40	901.96	1112.12	98.54
4933	134.08	204.01	525.52	82.57	98.37 98.20
7476	90.92	158.14	272.77	23.70	198.11
15171	241.90	197.44	1403.05	21.96	98.03
24049	1518.47	439.97	12590.21	123.80	98.03
16080	44.66	251.23	378.60	161.27	97.99
10093	342.04	117.93	656.06	50.76	97.86
1069	1820.60	698.77	11513.87	16.71	97.64
25480	92.27	34.63	148.37	3.30	97.43
6647	510.34	159.21	11020.51	105.54	97.39
7247	504.54	113.43	793.61	51.11	97.34
18532	285.39	90.75	560.36	75.34	97.04
4067	123.93	159.96	232.57	36.85	96.92
23449	124.24	104.63	362.40	83.14	96.83
B314	95.89	403.64	202.84	47.87	96.79
	87.59	36.45	200.11	36.34	96.74
	584.52	131.77	819.56	51.87	96.74
23314	71.21	275.95	495.11	153.82	96.70
3816	326.31	77.12	471.75	21.93	4
	215.35	107.06	443.46	37.86	96.66 96.62
5461	193.57	116.65	442.55	77.30	96.57
	257.26	67.93	377.18	25.53	
	900.30	154.78	1210.05	42.20	96.53 96.49
	101.09	71.79	256.02	74.72	96.44
	222.08	71.82	422.51	61.76	96.36
17779	1949.63	787.42	1501.46	41.41	96.36
	2277.50	970.11	1768.74	46.20	96.23
	1190.78	434.96	1227.98	24.14	96.14
	247.57	87.35	387.82	17.78	95.80
	80.41	35.57	126.92	4.34	95.76
	768.41	165.76	1038.58	34.89	95.72
		55.97	320.59	9.43	95.67
	521.69	163.32	851.48	104.45	95.63
	564.46	104.22	713.81		95.54
		110.18			95.46
		903.47	1796.87		95.42
	4	153.62	693.92		95.42
		114.23			95.37
:25		24.25			95.33
					95.29
		903.52			95.29
					95.29
					95.12
			1		95.07
					95.07 95.03
					95.03
		4			94.99
					94.99 94.99
					94.94
					94.90
			1		94.86
					94.80

TABLE	ie: Carbopla	ли :		ශ්න Nල්	sket No. 44921-5039000		
ിന്നുള്ള	in((s): 6 hrs	0 000		ംബാബോ	. No. 1798397.1		
dentifie	r NonToxMean	as a limeral	Tior/Mean	Times in	1000 1100000000 1110008		
3431	1514.30	636.90	1297.11	34.77	94.82		
21462	258.49	59.82	358.44	118.51	94.77		
3822	921.02	284.55	1300.83	99.42	94.73		
15190	1824.97	11183.78	2141.03	82.58	94.69		
19111	1604.90	429.51	2027.13	89.10	94.64		
14906	383.54	73.03	535.04	39.09	94.47		
13144	-27.27	17.64	1-54.47	5.38	94.43		
18142	1995.09	1839.14	1819.48	43.33	94.39		
13634	827.03	282.41	1137.48	107.16	94.34		
2350	646.60	103.17	832.07	60.88	94.30		
1537	31.35	46.10	59.58	13.80	94.26		
13239	110.05	49.12	151.36	7.79	94.17		
, 20864	1582.67	662.32	1722.73	33.76	94.13		
12402	540.97	155.59	755.78	32.87	94.13		
2424	585.64	132.80	807.06	45.48	94.13		
15106	1894.10	713.95	1463.01	37.13	94.09		
12569	402.63	145.28	719.92	106.90	94.04		
2022	270.40	55.81	378.75	24.92	93.83		
13633	310.40	151.71	490.70	80.01	93.79		
22197	123.97	_* 52.28	217.39	36.02	93.79		
13874	42.03	18.39	51.72	2.31	93.74		
3533	212.11	64.89	298.00	11.86	93.74		
5985	44.47	68.11	[62.07	10.39	93.74		
21643	1185.08	370.10	960.79	22.49	93.74		
5089	70.77	28.48	123.98	19.48	93.74		
17211	1445.11	555.30	1017.49	34.14	93.70		
15772	28.16	13.60	23.47	26.74	93.66		
25689	1435.28	508.41	1360.96	40.18	93.66		
22545	252.03	89.09	444.84	127.61	93.62		
11954	3134.66	1692.86	2572.78	105.71	93.57		
8634	343.04	96.04	542.29	61.79	93.53		
13771	91.36	32.90	152.72	14.45	93.53		
14871	688.13	217.01	1066.71	67.36	93.53		
25435	69.69	23.87	116.39	11.28	93.49		
18076	2539.23	1190.89	2104.90	81.41	193.49		
1660	6.16	20.59	24.43	41.71	93.44		
20817 22923	1076.80	681.07	1252.44	51.53	93.36		
	57.85	40.50	3.36	7.47	93.32		
20508	16.41	9.30	22.98	0.98]93.27		
14304	95.81	30.28	138.83	9.76	93.23		
23005	911.26	224.88	1191.71	45.14	93.23		
16375 25754	1004.76	291.14	1452.05	94.00	93.23		
820	73.97	20.01	103.72	4.72	93.19		
020	2460.91	1164.05	2043.71	81.32	93.19		

	CEPHALORID		Ally. Do	9921 <i>-</i> 5039\\\	
	(s)): 6, 24 hrs				<u> 179339</u> 7.
ldentifier			ToxMean	ToxSD	LDAScore
1698	72.61	72.54]355.15	57.50]98.88
25057	-16.00	13.42	28.61	15.15	98.84
23302	115.35	36.99	250.40	26.19	98.45
25098	44.75	40.56]161.77	39.01	98.45
7022	6.54	19.86	87.07	26.85	98.45
18005	16.30	11.61	71.95	28.31	97.64
16318 15849	1111.73	57.76	214.34	48.82	97.59
	181.68	73.50	381.77	34.83	197.29
23283 651	520.93 12.40	94.30	765.95	70.15	97.25
16112	56.89	111.40 23.53	69.75	44.55	97.16
25198	33.14	18.60	146.28	35.70	97.12
8879	109.65	35.18	1104.50	28.93	97.12
19253	280.76	74	1198.92	13.77	97.03
15376	140.99	74.42 45.51	450.66	32.07	197.03
21038	113.15	45.28	267.24 284.43	27.71	96.90
20917	114.76	34.55	219.65	88.10 37.89	96.82 96.69
650	17.69	13.01	74.86	36.83	96.47
11411	252.17	76.16	422.51	26.01	196.35
343	28.78	32.80	129.29	21.40	96.35
16248	128.59	52.73	293.26	99.85	96.30
20843	165.02	37.03	274.00	60.23	96.30
18995	61.26	23.28	126.99	20.34	96.17
7050	68.24	24.46	116.13	10.21	95.92
20753	128.41	31.77	231.50	37.70	95.83
18084	36.85	19.15	95.80	24.41	95.83
1764	97.37	32.56	181.11	28.78	95.83
22413	73.51	35.54	155.12	24.23	95.74
12162	313.72	69.35	466.55	53.66	95.57
9573	313.16	70.67	449.88	24.42	195.53
5458	521.55	111.52	766.69	82.52	95.49
23889	170.87	60.58	320.41	74.89	95.49
1623	84.54	20.77	130.31	10.23	95.44
19254	240.06	74.71	400.30	44.56	95.31
1628	13.93	10.20	37.44	6.38	95.27
	-2.45	13.09	33.39	16.62	95.27
1855	13.51	8.02	32.00	4.11	95.18
	83.63	36.44	170.88	42.74	95.14
15281	172.53	45.57	282.14	34.03	95.10
	16.73	13.23	46.93	7.97	95.10
		37.33	240.89	33.81	95.10
		19.85	119.93	25.90	95.06
		49.10	263.86		95.01
		25.88	144.62	27.06	94.97
		20.12	119.73		94.93
		29.12	157.80		94.93
		39.69	243.75		94.84
		38.88	212.16		94.71
1/4		20.09	77.51		94.50
		51.59			94.50
		35.93			94.45
		35.63			94.37
		24.71			94.37
		60.28			94.33
		59.42			94.33
946	46.78	14.37	67.25	3.13	94.28

TABLE 5H: Timepoint(CEPHALORID s): 6, 24 hrs		Airy. Doc		1921-5039W Jo. 1793397.
		NonToxSD	ToxMean	ToxSD	LDAScore
12259	-0.17	9.62	21.16	17.74	94.15
6790	62.58	24.20	118.33	27.25	194.07
21802	45.94	21.21	1103.13	35.44	94.07
14125	128.30	50.32	211.96	15.22	94.07
18183	31.28	14.65	67.29	14.30	94.02
17225	162.76	46.10	264.51	40.73	93.94
20514	83.93	25.89	146.04	21.67	93.94
1342	31.31	15.65	72.08	26.80	93.81
16616	88.26	37.98	165.12	31.68	93.77
4386	55.88	26.02	117.38	28.79	93.77
13464	30.34	17.92	75.47	19.34	93.68
11358	82.35	33.88	151.50	27.12	93.59
7866	43.15	116.17	81.51	16.07	93.51
22967	163.95	54.65	241.59	15.86	93.47
8385	57.15	28.33	1114.53	19.32	93.42
24748	-23.01	37.80	49.31	11.34	93.38
16059	50.12	114.86	84.72	17.27	93.38
16122	117.41	41.42	186.27	14.87	93.34
1350	143.74	30.94	209.15	28.63	93.34
8384	39.05	117.03	73.91	10.64	93.29
18259	216.96	155.49	545.75	138.45	93.28
20724	48.65	21.46	90.26	16.90	93.25
352	87.58	53.82	157.16	24.98	93.21
10740	26.94	24.94	69.61	15.31	93.12
1394	24.70	111.31	42.23	3.80	93.12
22466	462.31	92.72	638.40	68.34	92.99
13684	467.12	135.55	762.39	150.04	92.99
14768	85.99	47.21	225.50	66.59	92.98
13285	71.32	19.47	109.95	16.43	92.91
1537	29.82	40.75	245.05	1131.87	92.90
18442	38.53	17.21	75.30	16.45	92.86
1183	52.85	29.47	214.38	101.63	92.85
127	19.05	114.19	48.31	9.93	92.73
1399	200.20	80.01	449.25	95.96	92.68
11203	75.19	24.99	127.88	16.58	92.65
370	22.03	9.87	40.53	4.22	92.61
4415	38.66	18.55	77.02	14.75	92.61
373	32.60	56.68	306.93	119.81	92.60
22524	112.62	47.12	195.09	26.00	92.56
3951	88.94	34.80	155.83	27.94	92.56
13023	176.39	400.42	1491.81	754.76	92.55
17836	102.26	27.02	156.20	28.41	92.48
7051	62.10	22.11	105.49	19.48	92.48
18749	115.18	42.04	202.78	33.94	92.39

ന∆ലു ഭ മം	CIDOFOVIR		Name LD	sta No. 1	ana sagayya
Theoreachi	(s): 120 hrs		्रभगग्रे% जिल	જારા પ્રાથમ	4566665
	NonToxMean				No. 179889 7.1
			ToxMean	ToxSD	LDAScore
18609	203.96	70.15	541.22	19.78	199.70
20674	83.03	21.84	203.76	22.76	199.61
4312	76.73	35.26	365.78	59.40	99.57
24041	12.84	32.48	31.93	0.33	99.53
5733	10.73	30.54	617.55	122.19	99.44
2768	1962.14	1417.45	933.17	95.15	99.32
2410	11.13]10.13	64.03	13.02	99.32
14289	62.53	19.54	95.56	0.76	99.27
5689 14594	12.82	19.88	85.25	13.41	99.23
24000	-17.87	24.41	86.07	17.70	99.23
8027	64.13 0.11	33.98	157.59	7.48	99.19
18322	2666.91	26.38 812.51	29.41	3.47	99.19
7324	97.12	149.43	1165.22	99.03	99.06
20903	70.06		271.43	20.08	99.06
20757	410.75	46.59	288.96	29.37	99.06
1599	22.63	211.87	1571.32	228.32	98.97
5183		J26.70	62.22	8.06	98.97
4856	215.17	70.24	445.78	24.68	98.97
	122.81	48.54	241.75	6.99]98.97
2655	42.27	39.82	529.96	152.39	98.97
10167	189.75	100.26	305.25	11.81	98.97
21275	225.36	80.40	666.87	94.23	98.93
22722	73.37	39.40	290.14	53.00	98.93
20082	75.76	32.27	258.55	44.96	98.93
912	474.15	83.63	764.00	33.56	198.84
8002	13.99	15.79	47.18	4.09	98.84
	463.87	106.89	360.87	1.60	98.80
	41.90	30.39	92.98	6.46	98.76
5572	332.45	146.31	611.55	14.40	98.67
410	1097.88	255.30	605.30	42.31	98.63
20755	145.36	116.99	986.50	562.94	98.63
	14.61	16.79	37.95	1.52	98.63
	44.38	66.08	114.35	13.26	98.63
	454.53	109.40	1132.56	152.81	98.59
1	240.24	60.23	98.11	9.83	98.59
	315.68	82.27	692.16	77.33	98.59
	204.20	70.54	454.10	35.35	98.54
	117.80	381.49	136.30	8.26	98.54
	57.70	87.65	653.31	318.06	98:54
	222.75	194.18	580.89	50.39	98.54
		33.75	158.07	6.56	98.50
		68.59		8.27	98.50
		31.92	56.08	15.06	98.50
	640.63	170.18	328.03	37.57	98.50
15981				12.15	98.46
				20.14	98.37
		82.24	10.71	1.68	98.37
					98.37
					98.37
					98.37
		204.48	829.66	132.95	98.37
					98.33
10289	14.87	14.48	77		98.24
	1157.45 780.06	414.68	2144.64	136.59	98.24

TABLE	GIDOFOVIR		Ally. Dox		4921-5039WC
	((s)): 120 hrs				No. 1 79839 7.1
refillmebl	NonToxMean	MONTOXSD:	ToxiMean	ToxSD	LDAScore
3916	737.83	188.48	383.68	38.35	98.24
5839	5.98	20.99	59.41	8.18	98.16
26084	113.22	92.96	448.40	70.70	98.16
21654	362.77	114.65	543.47	30.13	98.12
26119	124.48	46.50	204.85	9.09	98.12
17314	6.10	12.64	43.93	7.10	98.07
353	173.67	81.62	475.77	74.64	98.07
16756	177.77	53.62	345.26	28.00	98.07
11437	555.26	125.28	290.62	37.25	98.07
24433	J 35.92	17.39	77.13	4.05	98.03
5464]225.07	j67. 7 9	427.11	46.05	97.99
15416	49.65	20.05	91.41	3.94	97.99
21948	203.26	65.91	33.57	32.91	97.99
18361	460.95	159.60	865.38	68.10	97.95
4049	22.90	64.75	174.30	49.09	97.90
6765	788.37	204.50	462.53	19.06	97.90
17401	910.82	424.91	1651.59	134.17	97.90
20830	519.62	176.96	850.57	34.74	97.86
12908	40.69	40.63	135.60	42.31	97.86
19762	4.99	10.67	25.14	2.42	97.82
20457	382.89	90.62	215.96	13.41	97.82
5430	136.50	60.64	401.60	97.31	97.82
15300	137.15	130.99	496.58	110.00	97.73
11259	107.70]137.96	508.22	165.85	97.73
3808	168.07	57.61	297.97	55.59	97.73
22050	3164.11	929.00	1779.72	124.06	97.73
4451	290.06	65.29	164.79	13.86	97.73
16170	38.98	26.45	97.44	18.88	97.69
13332	420.04	95.61	169.12	30.12	97.69
15861	460.82	148.89	174.40	29.65	97.69
6606	251.17	124.12	178.93	1.98	97.65
19370	308.88	74.48	551.57	63.31	97.65
3874	883.32	205.24	530.31	28.27	97.65
20991	224.15	69.07	195.44	2.64	97.60
18811	46.63	26.47	80.60	1.75	97.60
	103.14	35.12	184.15	16.55	97.60
354	214.95	93.98	490.19	69.08	97.56
	238.74	78.96	470.27	65.91	97.56
12873	122.01	67.80	366.63	64.37	97.56
4	813.56	302.89	1539.75	129.65	97.56
	753.81	228.33	1314.67	146.81	97.56
	289.56		190.91		97.56
	1680.14		881.26		97.56
14763	38.37	132.57	554.64	221.30	97.52

	CISPAN combined		Aliy. Docket No. 44921-5039W		
Minebolua(6	s): 6, 24 hrs	(1) (4) (4) (4) (4) (4) (4) (4)		Dog. [No. 1798397.
dendifier :	NonToxMean	NonToxSD	ToxMean	ToxSD	LD/AScore
8990	276.73	75.18	522.76	68.28	96.93
1460	198.36	85.83	320.23	42.90	95.60
16853	67.12	22.69	121.67	21.69	95.08
13239	108.86	47.65	222.86	33.91	94.73
21355	373.47	117.15	627.82	92.43	94.69
6454	238.70	77.20	419.87	47.88	94:69
1247	1313.77	499.48	₹559.96	117.97	94.56
6506	233.04	59.13	375.55	54.15	94.34
1585	67.19	32.77	140.57	23.52	94.26
1962	33.04	26.70	76.49	11.48	94.17
18433	18.64	45.96	123.81	42.15	94.13
15050	638.79	181.52	459.28	26.53	94.04
17693	1261.20	375.03	651.01	91.79	93.87
4956	78.53	37.78	155.47	25.21	93.65
16233	68.67	88.34	117.42	12.47	93.18
11445	435.55	103.48	642.14	86.21	92.62
8004	125.10	43.16	255.80	43.43	92.37
1811	10.62	25.84	83.04	26.96	92.28
1542	929.09	263.76	560.16	66.12	91.97
16591	151.89	47.44	236.90	29.21	91.84
18694	52.90	48.32	176.24	47.08	91.68
11524	-14.63	24.06	46.43	29.33	91.59
19080	75.03	55.99	212.58	72.04	91.20
20514	83.88	26.10	127.69	12.79	91.19
15701	37.45	16.42	79.72	13.34	91.16
16122	116.73	39.95]217.85	62.09	90.99
2079	303.23	81.83	406.18	33.43	90.98
19327	88.79	28.83	152.22	21.27	90.86
335	95.54	44.88]191.73 ·	23.12	90.86
14003	817.87	211.94]491.17	61.11	90.86
9104	138.43	38.55	221.59	41.76	90.69
25253	291.50	63.92	430.49	54.59	90.69
23322	1	284.23	807.96	73.20	90.67
24696		46.61	180.46	53.14	90.60
1552		83.66	121.56	15.30	90.54
19120		24.91	90.61	26.26	90.51
7411		53.72	189.16	45.14	90.51
6121		58.08	258.63	87.07	90.47
639		22.51	149.03	17.77	90.43
622	· · · · · · · · · · · · · · · · · · ·	896.54	796.36	153.89	90.41
9882		181.11	245.48	60.74	90.41
23852		101.88	487.29	97.17	90.38
3684		134.08	778.77	108.34	90.38
/857		45.32	150.23	38.24	90.38
5281		67.04		49.82	90.34
5790	***	25.45	87.17	18.57	90.24
23884 7682		32.64	101.67	19.55	90.21
6581		178.07			90.16
4390		19.04			90.12
		112.42			90.08
		28.30			90.08
3682		61.74			90.04
'262 1954		393.42			90.00
		1682.02			89.98
118	4151.32	2802.74	902.92	257.41	89.94

	J: CISPAN combi		Ally: Docket No. 44921-3039W0			
	((s): 6, 24 hrs			Doc. (<mark>90. 17983</mark> 97.1	
ldendifter	NonToxMean	NonToxSp	ToxiMean	ToxSD	LDAScore	
819	3116.95	1659.72	925.18	255.80	189.90	
16211	2269.84	1132.19	853.70	212.63	89.90	
1521	20.42	50.86	117.89	40.21	189.78	
23125	4625.10	2534.40	1935.15	332.35	89.77	
9109	1022.92	338.20	736.62	48.42	89.77	
10141	53.73	45.97	150.14	52.96	89.69	
152	72.28	26.46	108.76	14.84	89.68	
17154	198.73	57.61	281.13	33.91	89.59	
6362	62.35	38.95	146.74	29.87	89.56	
10540	19.51	18.83	64.08	25.25	89.52	
651	12.58	12.76	33.89	111.18	89.52	
17086	151.38	43.21	214.56	21.12	89.51	
12020	167.06	60.45	260.26	34.23	89.51	
4121	62.05	23.29	113.40	19.65	89.43	
8211	2875.40	1605.55	956.21	247.45	89.38	
20404	53.25	45.78	130.86	32.28	89.35	
7522	31.59	18.74	75.54	18.10	89.30	
20879	87.24	50.13	179.14	40.07	89.26	
17550	1318.67	366.65	860.58		89.25	
21950	727.03	149.84	534.23	70.97	89.21	
25405	77.77	28.49	139.55		89.17	
14125	127.72	49.56	229.81	d	89.17	
1611	8.22	23.65	52.29		89.13	
21685	122.94	42.72	207.33		89.13	
17524	1176.52	284.08	761.61		89.09	
10611	10.59	27.29	104.61		89.06	
22849	197.26	50.25	298.83		89.00	
1608	12.43		56.08	1 1	89.00	
4312	76.57		172.28		88.97	
1396	47.24		84.98		88.92	
20871	52.42		108.86		88.92	
10344	22.14		62.29		88.83	
15587	38.29		66.30		88.82	
9096	9634.12		2697.48		88.82	
4290	94.06		144.64		88.79	
24143	192.56	1	385.57		88.74	
12174	80.77	1	139.07		88.74	
17336	65.85		107.99		88.74	
25257	101.83			1	88.74	
20350	154.58	/4			88.70	
11335	661.49	-1			88.64	
24146	219.42	4			38.63	
16254	5.55	4			38.61	
20876	1683.23	3 1			38.60	
9312	31.90				38.58	

	CISPLATIN (s): 163 hrs	7 - 194 J. C.	Wily. Do	4) .00k jetk Lago	4 921-5009 W No. 17 9839 7.
Identifier	NonToxMean		ToxMean		Net 1/5005//. LDAScore
14458	36.84	28.40	100.33	0.26	99.96
22385	106.64	51.70	345.64	8.69	99.87
11731	43.29	24.10	393.30	43.69	199.87
23745	201.94	65.06	823.60	110.42	99.83
12903	53.64	118.74	124.32	6.90	99.83
15503	124.27	37.32	319.29	21.43	99.79
8235	43.83	34.77	145.95	18.00	99.79
16756	177.83	53.82	327.44	3.02	99.74
16119	15.30	15.19	84.22	6.17	99.74
11967	1725.18	546.07	289.45	25.19	99.74
3608	333.84	110.50	62.62	5.74	99.70
18729	19.92	29.07	174.49	19.16	99.61
5891	-53.03	47.69	106.02	18.28	99.61
2048	31.69	20.74	125.19	16.43	99.61
4490	176.73	72.26	462.55	50.86	99.61
1743	29.35	16.21	72.89	1.22	99.61
1584	162.19	43.70	307.85	8.25	99.57
16137	6.75	397.82	87.49	8.36	199.53
23778	68.99	34.04	179.58	9.21	99.53
23261	1568.96	389.70	925.80	13.87	99.53
808	468.33	143.61	160.94	9.90	99.53
1962	33.33	26.74	101.07	4.72	99.53
21789	34.67	30.58	177.40	21.84	99.53
23769	-6.24	8.69	33.99	6.30	99.53
23070	125.37	31.23	218.44	4.95	99.49
12400	13.19	10.48	74.60	11.18	99.49
16676	38.33	26.96	110.79	5.32	99.49
23780	25.07	35.93	95.20	12.81	99.44
25545	94.29	48.16	306.94	34.66	99.44
15254	209.66	67.16	447.21	21.22	99.44
23992	5.39	7.25	34.45	3.17	99.44
14430	34.19	31.78	125.29	8.54	99.40
11969	96.84	38.48	303.71	38.83	99.40
4312	77.16	37.99	241.97	24.41	99.40
4967	33.46	19.94	94.30	3.72	99.36
2079	303.69	81.26	527.92	20.78	99.32
22816	23.12	15.17	89.33	8.69	99.32
3609	407.50	148.70	67.97	9.33	99.32
4361	90.16	30.77	193.28	10.19	99.32
13682	177.74	62.54	333.83	4.20	99.32
15504	129.02	50.62	447.33	63.50	99.27
33	271.13	101.41	110.07	15.08	99.27
21183	22.62	26.03	134.40	19.53	99.27
24222	101.20	52.50	460.48	61.63	99.27
3548	63.06	30.22	6.09	1.52	99.27
24301	109.26	35.74	248.67	13.48	99.27
8442	38.61	17.15	99.87	5.14	99.27 99.27
4370	32.54	45.58	189.80	11.25	99.27
21500	80.36	76.69	471.24	73.44	99.23 99.23
4211		87.73	552.73	73.44 49.74	
70		219.52			99.23
70 21791				33.80	99.23
4651		36.00		24.88	99.23
		23.52			99.23
20890		25.98			99.23
		46.35	342.52		99.19
12	1.36	9.08	60.25	14.12	99.19

TABLESK	CISPLATINI		, Ally. Doc	ket No. 4	4921-5009WO
	(s): 163 hrs' NonToxWean	1117/0~550~ 6 90	1520-1710-S-	<u> </u>	No. 1798397.1
18553	54.23				LDAScore
15884	154.23 1183.00	33.42 57.89	166.80	12.30	99.19
19722	168.71		383.85	23.01	99.19
17481	26.11]55.03	336.25	15.95	99.19
5733	1	28.66	137.39	13.89	99.19
4895	12.25 232.18	46.24	172.15	34.99	99.19
15151		95.74	44.77	8.48	99.14
14759	153.83	39.15	302.83	29.57	99.14
	21.72	15.86	78.25	9.50	199.14
15039	272.18	79.33	101.53	6.80	99.14
12782	20.00	43.24	135.93	6.16	99.14
23121	19.80	13.92	60.40	2.66]99.14
26292	22.82	12.83	J85.01	111.49	99.14
2154	59.03	121.05	244.16	33.75	99.14
21583	125.87	40:62	270.04	27.65	99.14
3006	26.57	135.44	81.75	9.18	99.10
1203	5.08	18.58	86.62	14.26	99.10
24472	234.56	47.65	380.85	13.16	99.10
5729	87.49	38.35	274.95	40.90	99.10
132	-24.93	23.56	50.93	12.76	99.10
1801	97.64	29.41	197.50	14.44	99.10
1993	30.09	21.86	117.89	9.03	99.10
16675	33.74	34.04	112.81	11.29	99.10
1382	57.80	21.22	127.59	5.60	99.10
17586	115.18	35.27	246.61	21.48	99.06
21666	22.81	17.92	87.38	6.42	99.06
2125	76.55	80.69	345.60	72.31	99.06
21709	142.70	29.95	215.46	6.19	99.06
16538	132.96	36.43	245.73	9.25	99.06
2845	667.61	123.51	1098.14	42.15	99.02
753	42.04	16.33	120.03	23.17	99.02
21893	50.92	33.48	203.93	25.50	99.02
21836	29.24	16.81	91.95	8.44	99.02
21817	10.63	13.30	59.28	7.00	99.02
6517	231.85	156.64	721.49	128.57	99.02
1588	61.92	22.15	122.71	6.97	99.02
14564	48.33	23.27	104.89	3.20	99.02
3079	34.64	46.77	152.78	26.18	98.97
7602	193.69			31.12	98.97
20816			774.42	37.69	98.97
					98.97
17337				- 20	98.97
	- 4.				98.97
			139.42		98.97
-2002]	J 14.43	92.00	090.18 <u></u>	70.05	98.93

	: CISPLATIN (s): 6, 24 hrs		Atty. Do		4921-5039VV No. 1793397.
	NonToxWean		TordWeen.		ILDAScare
20082	75.47	31.84	-		
1598	47.75	<u></u>	228.60	43.28	98.84
15313	111.08	56.92 24.34	133.89 53.59	25.63	98.58
2655	43.13	48.31	177.30	5.89	98.54 08.30
		29		66.12	98.20
14424 17314	66.72 5.89	130.96	272.03	63.86	197.85
21275		11.89	63.70	27.83	97.85
	225.06	180.71	₹528.11	144.80	97.68
4047	85.85	50.33	190.04	23.02	97.60
20116 ,	9.55 122.93	31.45	124.39	50.70	97.38
15382 1521		203.50	341.43	85.17	97.34
	20.82	51.01	148.25	24.41	97.30
24146	220.17	51.83	396.31	40.61	97.30
8990	278.10	77.14	540.97	69.47	97.21
1884	178.33	37.79	272.14	18.27	97.17
4933	134.55	205.15	335.87	89.54	97.04
6506	233.65	59.50	415.92	45.52	97.04
4944	112.31	56.05	264.36	39.37	96.95
8004	125.79	44.06	271.11	40.68	96.95
1993	30.02	21.93	91.88	19.85	96.91
20506	21.57	7.97	46.99	7.30	96.82
21462	257.92	58.72	424.63	52.75	96.78
6974	129.50	46.90	236.12	28.32	96.78
11549	243.07	64.12	425.53	38.72	96.74
2905	245.79	107.78	488.69	56.33	96.74
1811	10.99	26.26	94.19	25.01	96.70
10839	313.60	67.83	533.54	83.77	96.70
	252.35	62.46	433.73	70.78	96.61
373	33.94	61.41	162.88	51.32	96.57
19040	186.25	107.25	258.19	19.20	96.57
	87.98	61.10	206.62	59.64	96.57
	467.21	135.45	831.58	69.76	96.52
	57.76	21.93	136.53	45.93	96.35
4477	11.91	8.60	37.00	7.79	96.27
	52.68	25.99	122.97	14.46	96.22
16853	67.36	22.84	136.28	21.27	96.18
23473	156.94	56.94	338.21	73.37	96.18
2536	393.91	124.60	585.25	20.89	96.14
	232.29	77.80	340.64	28.00	96.14
	53.51	48.91	198.02		96.09
	40.93	27.58			96.09
	121.97	28.16			96.05
	70.46	275.32			96.05
	12.67	12.78			95.97
	133.11	36.44			95.97
		85.95		725	95.97
		30.90			95.97
		68.10			95.92
		101.84			95.92
					95.88
					95.88
		37.28			95.79
			7		
					95.75 05.67
					95.67
					95.62
					95.54
5345	201.66	67.69	322.91	40.01	95.45

TAN E A	: CISPLATIN	ari daning	Acces Inc	albed Nic. A	4921-5039WO
	((s): 6, 24 hrs		. نظالانی کاف		49211-20021WQ No. 1798397.1
	NonToxMean		ToxMean	ToxSD .	
22849	197.75	50.59	318.11	30.11	95.41
23868	178.04	289.84	277.77	47.26	95.41
16233	68.93	88.14	123.52	111.88	195.36
6454	239.80	78.37	418.57	35.68	95.36
21061	58.86	27.77	128.21	17.87	195.36
24143	193.56	97.20	413.12	53.39	95.32
15296	137.87	56.84	269.21	33.23	95.32
22374	148.45	41.20	247.50	28.04	95.28
13239	109.46	48.17	236.67	36.75	95.28
8768	64.97	26.90	141.33	30.56	95.28
1542	927.15	264.15	512.83	50.15	95.28
22352	156.66	103.69	254.35	25.00	95.24
14051	133.17	35.29	219.32	28.80	95.24
9343	189.65	67.21	349.25	44.44	95.24
1247	1309.30	501.39	550.55	103.22	95.19
7857	52.35	45.86	156.83	28.07	95.19
11727	230.50	78.02	409.08	59.02	95.19
1639	96.67	22.79	153.44	17.91	95.11
15374	138.74	36.97	231.57	31.99	95.02
3899	141.45	61.33	242.19	14.71	94.98
25405	78.08	28.73	149.92	18.38	94.98
23872	49.59	92.93	101.10	24.53	94.98
24368	244.08	80.76	439.99	52.18	94.98
10818	465.48	185.96	140.29	49.38	94.98
17693	1257.86	376.37	596.02	96.76	94.98
25253	292.22	64.49	449.51	58.18	94.89
11708		92.39	486.60	46.21	94.89
17908		60.90	124.23	27.40	94.89
		96.21		67.17	94.85
		48.10	202.56		94.85
20870		29.21			94.81
		29.06			94.68
			132.63	10.11	94.68
			272.57		94.64
		67.60	383.79	63.10	94.64
			217.97	97.98	94.64
					94.59
					94.55
					94.51
					94.51
					94.51
					94.51
23563	24.57	33.24	96.80	28.33	94.46

TABLE SM	: CISPLATIN		Ally. Docke		
	(s)): 6, 24, 163 hrs		∥5200		No. 1798397.°
	NonToxMean	70			LDAScore
1521	20.35	50.42	152.11	27.16	97.37
1884	178.00	37.40	272.66	21.76	97.03
16284	40.57	26.94	134.66	25.22	96.99
18694	52.96	48.08	203.55	35.96]96.77
10839	312.93	66.86	524.22	78.99	96.77
11549	242.48	63.43	420.82	36.27	96.73
8990	277.44	76.38	515.35	72.77	96.60
6362	62.37	38.73]167.05	23.05	96.60
1811	10.74	25.96	89.58	21.97	96.60
4477	11.83	8.50	36.45	6.35	96.55
4047	85.57	50.18	181.03	26.48	96.55
16853	67.12	22.50	136.44	18.16	96.55
3266	132.70	35.81	249.33	37.38	96.47
13684	466.14	134.44	811.93	63.86	96.47
2905	244.60	105.83	525.71	99.02	96.43
1460	198.53	85.75	335.50	43.05	96.38
23314	69.18	274.82	477.84	185.93	96.25
17693	1260.38	374.54	570.60	88.76	96.21
15301	38.18	68.12	96.20	20.88	96.12
17894	46.77	18.63	103.03	28.25	96.08
10015	231.46	76.52	389.17	82.89	95.99
19040	185.68	106.97	292.78	52.89	95.95
18375	121.75	27.96	193.24	20.67	95.74
4426	222.53	38.25	311.48	25.65	95.74
7857	51.97	45.46	159.10	25.13	95.65
6454	239.16	77.72	421.14	34.72	95.65
15296	137.17	55.52	295.99	61.04	95.56
10818	467.00	184.46	97.87	70.28	95.52
23852	261.84	101.45	536.68	85.55	95.52
1542	928.65	263.36	505.79	51.94	95.48
20090	122.37	27.65	178.94	11.38	95.31
1247	1312.52	499.20	486.71	136.84	95.31
13682	176.87	61.56	326.18	46.83	95.26
14003	817.40	211.66		81.85	95.26
12478	82.11	29.97	149.88	36.04	95.22
1585	67.31	32.78		23.18	95.22
339	357.01	87.72 ·		68.74	95.13
23868	177.77	290.29		44.26	95.09
20591	25.06	22.48	- 3		95.05
352	439.29	115.94	757.04	JES SE	95.00
974	129.29				94.88
8888	58.70	29.09			94.88
21061	58.67				94.83
262	1114.68				94.83
24368	243.52				94.70
5253	291.81			á	94.53
0921	26.87	19.97			94.44
5438					94.36
2174	1				94.32
08	469.71			25.53 55.06	94.32 94.23
9667	34.63				
886	4			- 64	94.19
0082		4			94.19
4051					94.08
073					94.01
1013	188.58	69.99	346.14	69.21	93.93

TABLE SM	: Cisplatin		Aliy. Dock	£ No. 4492	1-5039WO
Milegemili	(s): 6, 24, 168 hr	3: 1 - 2 - 2			No. 1798397.1
ldendffer	NonToxMean .	NonToxSD	ToxMean	ToxSD	LDAScore
10344	22.23	21.56	63.33	9.18	93.84
15386	93.23	133.87	380.59	101.27	93.76
9882	486.99	181.36	244.23	35.18	93.76
4443	259.36	71.87	429.91	75.00	93.76
16080	44.85	252.23	176.73	162.58	93.76
22005	63.42	50.09	187.23	39.58	93.71
15313	10.94	24.26	52.72	7.91	93.65
6384	60.76	59.71	117.04	26.05	93.63
15701	37.60	16.66	75.18	12.81	93.58
22257	33.56	15.61	61.03	7.13	93.54
2655	42.88	48.17	155.13	62.85	93.52
4198	698.17	161.70	448.59	56.51	93.50
6522	569.21	150.95	877.20	111.47	93.28
19128	1112.63	38.66	180.82	19.01	93.15
17314	5.74	11.53	57.89	29.34	93.13
22871	101.59	29.83	165.82	22.84	93.11
21275	224.35	79.76	492.77	134.59	93.09
1727	43.38	60.84	96.90	23.97	93.07
19249	264.62	60.02	356.76	20:60	93.07
1993	29.72	21.35	101.33	20.81	93.04
4584	82.33	29.05	125.60	12.25	92.98
24162	523.84	133.30	788.13	85.20	92.94
7522	31.71	18.92	74.24	15.00	92.89
17713	134.82	29.04	191.13	21.86	92.85
1428	-7.27	15.96	40.03	16.58	92.83
14776	99.41	35.18	153.67	26.50	92.81
3418	333.44	86.68	495.74	46.58	92.81
4199	529.94	132.34	301.96	61.95	92.64
21685	123.15	42.92	207.52	32.56	92.64
7023	363.44	76.61	483.68	29.43	92.55
4420	40.76	32.16	92.81	27.98	92.48
4121	62.21	23.49	110.83	18.20	92.42
18995	61.31	23.53	109.28	20.56	92.42
14665	151.38	37.30	219.57	23.41	92.33
11404	134.16	54.82	304.44	53.63	92.14
910	57.47	21.40	138.17	36.81	92.10
24081	117.08	63.79	235.77	50.20	92.03
22351	45.44	32.53	86.73	20.28	91.99
16012	72.47	31.00	153.59	33.17	91.97
22211	766.80	164.47	1061.59	90.34	91.95
727	210.80	38.94	274.04	15.91	91.90
9104	138.35	38.03	253.38	40.14	91.88
10417	43.82	25.97	125.71	32.61	91.88
10611	10.74	27.42	115.20	49.23	91.84
1314	262.03	49.07	394.88	48.07	91.79

	: CITAININ (S): 6, 24 hrs		Ally, De		1921-5039VV No. 1793397.1
ldentifier:	NonToxMean	MonToxSD	ToxMean -		LDAScore
17541	622.47	209.71	2524.98	697.44	98.92
6108	533.46	112.70	1024.58	102.59	98.62
25064	962.08	317.37	2651.31	379.95	98.58
1698	70.27	55.64	598.98	232.89	98.49
8820	130.72	105.90	755.03	221.60	98.41
23917	725.54	174.69	1782.62	536.25	98.36
20817	1043.62	545.12	5020.35	2088.07	98.32
15391	756.64	170.28	1510.23	272.65	98.24
20864	1562.02	620.45	4051.37	596.98	98.19
24192	70.11	37.23	212.99	53.54	97.93
20818	665.29	354.08	2965.76	1254.63	97.93
1340	192.34	49.85	114.30	11.66	97.76
20035	180.50	107.18	446.34	61.98	97.72
25525	1057.73	339.31	2228.58	326.32	97.55
18989	782.09	261.73	1560.14	205.30	97.46
3431	1496.13	608.90	3517.88	499.00	97.42
13723 .	734.46	282.33	1643.16	339.11	97.29
353	173.42	82.57	323.18	43.00	97.25
15848	1318.65	418.94	2622.73	442.07	97.16
634	1135.42	374.65	2281.52	441.32	96.86
354	214.25	93.76	406.34	75.12	96.77
7681	101.15	43.91	212.89	41.46	96.64
13610	357.22	70.16	213.99	29.24	96.56
5601	970.57	259.22	473.69	102.75	96.47
3876	30.44	14.34	1.17	8.63	96.13
24375	115.03	40.98	208.88	57.88	96.04
8212	2232.57	1104.98	5289.94	717.26	95.96
15106	1878.08	698.66	3540.36	359.29	95.74
14670	1214.56	325.29		318.04	95.70
15189	1735.59	1153.61	4557.38	1226.17	95.70
24496	122.73	40.31	47.99	15.89	95.57
20895	332.13	100.81		37.56	95.52
20876	1661.97	599.79		382.39	95.52
18533	35.68	17.84		4.52	95.52
6630	1393.25	256.89		112.68	95.48
	837.88	286.57		216.13	95.44
15850	1209.74	343.26			95.44
7315	-13.72	19.65		20.35 ·	95.44
	247.89	49.11			95.44
	3				95.31
	245.00	113.72			95.22
	2822.70				95.22
	42.34	13.79			95.22
	2209.11	- 23			95.14
1	1803.71				95.09
	1480.71				95.09
	277.90				95.09
	1054.85				95.05
	219.63				95.01
	15				94.84
					94.84
\£	- 70				94.79
-3					94.79
					94.75
					94.75
10267	2101.59	872.11	4127.29	650.25	94.71

-408-

					4921-50 39 000
<u>Timepoint(s): 6, 24 hrs</u>					
	NonToxMean	NonToxSD			LDAScore
22773	230.97	52.31	131.59	26.18	94.54
1651	880.31	240.55	631.98	31.80	94.19
17494	219.24	41.89	138.20	23.13	94.15
244	51.19	35.18	14.03	8.20	94.15
17693	1247.25	372.94	2027.18	231.36	94.10
6946	389.05	103.41	200.78	37.64	94.02
23783	436.13	76.56	298.50	28.57	93.93
19408	1997.30	674.69	2937.88	154.93	93.89
20088	383.97	79.45	244.56	32.48	93.89
16272	192.25	63.76	102.37	122.94	93.89
2866	642.47	211.99	276.00	84.07	93.85
16954	48.70	79.17	202.92	44.32	93.80
21685	124.50	43.36	59.69	10.37	93.72
1719	145.21	38.11	80.93	12.30	93.67
20810	1256.69	398.25	2088.75	313.45	93.63
5049	298.40	65.65	175.28	28.59	93.63
1814	172.31	47.40	99.15	13.17	93.63
16193	101.42	30.67	44.23	15.12	93.59
15017]1007.41	395.69	2150.20	484.37	93.58
17686	1014.59	265.55	1558.32	151.72	93.50
20803	432.89	100.25	912.31	140.76	93.49
1537	29.21	35.65	294.59	185.42	93.45
1399	198.89	71.28	576.63	288.99	93.45
22583	26.67	14.48	3.43	7.60	93.37
3091]784.77	186.23	457.77	105.80	93.37
9029	430.46	93.52	614.72	63.36	93.37
16849	114.53	44.11	44.12	13.14	93.33
22414	58.52	33.14	101.78	22.01	93.33
8283	122.89	43.92	338.56	122.17	93.32
20918	440.21	126.29	269.42	29.15	93.29
25069	131.62	55.06	390.27	136.77	93.28
19067	175.20	51.04	88.87	21.48	93.24
7022	6.12	16.94	127.93	68.30	93.24
723	32.80	15.28	8.05	5.98	93.20
2242	2295.34	607.45	1325.08	393.96	93.16
24390	165.35	113.57	-9.44	39.74	93.07
17211	1434.51	548.50	2462.85	274.87	93.03
22406	79.97	4	31.26	10.08	92.90
24469	1169.56	333.98	1827.58	165.96	92.86

	: COLCHICINE (s): 6, 24, 43 hrs		Alty. Do		1921-5039W 16. 1793397.
ldentifier	NonToxMean	NonToxSD	ToxMean		LDAScore
23166	132.81	58:53	371.64	112.54	97.29
4412	377.59	61.12	558.75	77.91	96.99
18151	1133.81	261.37	563.27	117.10	96.47
15964	1187.13	325.69	508.38	1159.50	96.12
11618	419.37	129.59	119.80	80.64	96.12
16882	177.88	54.70	82.96	14.87	195.78
24321	722.16	202.93	318.04	123.60	195.76 195.43
9097	258.85	82.10	115.52	31.47	95.45
20001	1683.96	373.32	1059.37	114.06	94.92
16913	1386.59	297.09	894.57	81.02	94.75
17887	1461.63	317.71	838.24	208.19	194.70
16924	445.74	155.90	188.36	46.16	94.57
20988	1221.44	211.78	853.97	84.52	94.49
22271	275.62	66.08	156.87	37.40	94.32
2222	802.84	200.86	537.76	35.92	94.06
5806	1236.90	342.77	566.10	189.93	94.00
3855	22.06	28.83	139.05	42.55	93.95
20513	57.97	25.96	166.84	71.44	93.82
296	1306.96	257.77	840.48	105.26	93.80
343	62.16	32.97	14.32	5.63	93.71
6982	128.17	257.40	1462.72	552.54	93.60
20312	405.72	95.10	209.02	92.75	93.58
073	562.17	184.40	230.54	83.32	93.58
925	477.10	119.06	265.65	66.28	93.45
913	736.68	160.48	481.77	40.00	93.45
0984	2020.41	564.71	1032.75	348.86	92.98
2321	100.73	64.58	321.87	131.71	92.96
767	44.79	40.13	182.37	66.23	92.91
	563.27	167.25	920.16	111.75	92.89
	90.46	40.50	169.26	27.71	92.81
	1980.57	449:65	1255.63	187.29	92.64
	1594.49	296.14	1077.60	126.50	92.64
	228.20	73.35	132.80	17.16	92.59
	124.04	53.37	38.71		92.55
	974.76	203.55	664.60		92.55
		49.08	313.78		92.53
		57.15	38.70		92.51
		28.74			92.48
					92.48
			70.00	727	92.46
- 4				124	92.42
0697					92.25
	- 3				92.25
7361					92.20
				1/2	92.18
- 10	4.				92.08
					92.03
330	9		1		92.03
		- 65	3		91.79
					91.79
		I			91.58
					91.58
			3		
					91.56 91.52
1		J-7.UT	TO.UU 12	LU.40 \	21.5Z I

, , , , , , , , , , , , , , , , , , , ,	D: COLCHICINE Ms)): 6, 24, 48 hrs	CHANGE TO SEE THE SECOND OF TH			4921-5039WC
idendifier			TooMoora		No. 1793397.1 LDAScore
11057	32.46	28.53	120.72	43.20	91.41
7537	230.23	69.42	125.41	29.85	91.34
19822	1596.44	410.54	942.00	210.50	91.34
17386	303.88	93.74	128.16	41.06	91.02
17248	2568.34	534.75	1704.94	295.46	91.02
15191	2013.99	1219.17	2599.48	219.23	90.96
1141	240.56	63.32	390.27	85.33	90.93
3099	966.22	189.19	660.01	95.36	90.70
21024	577.99	113.27	331.56	66.79	90.59
8709	148.12	48.57	78.15	19.09	90.57
19731	226.36	215.21	98.99	29.40	90.57
6250	492.94	104.90	372.14	23.59	90.53
117	21.16	17.56	-5.10	49.54	90.44
17401	907.31	422.79	1550.66	328.51	90.42
15377	25.87	15.51	55.07	8.41	90.42
17326	22.55	24.06	93.51	28.61	90.42
22697	59.78	40.38	12.83	13.23	90.35
14595	87.77	36.04	175.49	38.60	190.29
9223	150.65	64.81	54.19	23.82	90.27
8785	209.90	55.55	288.76	24.92	90.22
9339	360.32	89.43	226.70	47.31	90.22
23253	624.10	163.49	380.42	78.17	90.09
25907	19.74	25.13	47.86	14.93	90.09
15893	1733.99	343.83	1225.85	165.26	90.05
23514	407.55	167.53	162.38	70.14	89.97
3875	510.89	136.65	232.91	81.51	89.90
406	362.17	77.76	250.18	48.87	89.88
18343	437.98	107.72	280.49	46.68	89.79
25461	49.71	22.92	20.96	5.68	89.75
10789	326.18	107.75	117.23	67.68	89.73
23145	44.09	20.22	87.09	15.12	89.73
4048	-7.14	26.09	121.21	153.77	89.66
11174	53.20	50.67	171.90	46.40	89.64
23709	2491.22	1205.88	2706.26	145.13	89.45
23224	194.78	48.70	129.40	19.04	89.41
11215	143.29	71.54	28.34	56.76	89.23
19479		106.02	134.33	36.73	89.23
15872	152.44	63.81	467.24	163.94	89.23
10985		265.29	633.75	164.98	89.17
18451	1444.75	418.00	943.24	132.82	89.10
812	157.19	35.17	88.26	32.94	89.04

TABLE 5P:	CYCLOPHOSPH	AMIDE .		Docket No. 4	4921-5009WC
all miles and the	8m18 :(Dog	No. 1798397.1
	Montoxwean	MOUNDSSE			
17089	1545.78	604.39	6128.97] 335.19	199.53
16081	113.02	372.25	11532.22	184.12	99.40
23619	327.35	96.06	660.24	21.96	99.32
5393	-31.45	22.77	27.35	5.29	99.32
24049	1517.02	432.93	3280.45	348.50	99.10
22698	261.92	112.70	1-415.61	188.19	99.06
26222	371.68	149.80	1265.79	372.61	98.76
18118	895.16	271.71	2268.31	465.94	98.67
16469	1143.78	291.23	1083.34	3.98	98.67
17066	37.10	19.62	-6.41	5.49	98.67
7084	123.08	117.51	622.25	118.49	98.59
24213	1604.12	394.78	13341.49	503.25	98.54
3470	143.86	59.86	1458.18	196.11	98.54
23711	4518.75	2192.54	16927.73	3240.54	98.50
18831	4165.13	1320.79	10676.69	1466.84	98.50
108	289.68	144.40	164.86	3.48	98.46
1409	425.27	87.17	260.86	[8.34	98.46
8815	664.61	1111.50	420.20	41.92	98.46
12130	90.83	34.97	39.25	3.30	98.42
8213	3583.64	1528.59	10080.02	1528.73	98.42
109	556.91	312.14	239.04	32.06	198.42
21637	28.01	19.25	-16.57	5.06	98.29
15819	42.77	22.12	-47.81	46.21	98.16
44	34.58	17.78	-3.41	3.04	98.16
6154	256.83	383.44	-1506.42	1100.74	98.12
13412	28.40	24.99	148.78	61.50	98.12
6720	68.84	60.28	240.34	21.68	98.12
5117	162.84	78.90	364.60	35.27	98.07
5329	47.29	21.30	10.39	2.22	98.07
21866	109.05	73.32	379.42	172.12	98.03
14953	482.64	76.56	1311.16	19.07	97.99
18350	90.05	49.29	301.03	46.70	97.99
2029	305.29	103.47	350.85	12.68	97.99
	358.84	91.24	173.81	19.49	97.95
	83.34	54.43	240.21	44.54	97.95
16272	191.69	64.06	131.07	3.08	97.95
5969	1516.76	347.22	2916.15	354.10	97.90
	4338.65	2126.09	15982.97	5400.06	97.90
4232	137.19	62.23	27.42	11.32	97.90
	202.76	101.21	529.19	69.46	97.86
18800	2711.70	1148.84	6417.82	556.95	97.86
	67.07	130.91	324.02	83.71	97.86
	222.06	71.45	477.43	62.77	97.77
	404.46	182.63	824.09	102.83	97.77
	66.96	91.89	-172.67	27.28	97.77
23078	147.27	46.50	55.48	8.60	97.77
5461	193.94	117.20	396.91	37.67	97.73
24814	171.74	33.51	92.18	13.93	197.73
	46.07	29.90	-6.09	2.93	97.69
	74.37	76.29	197.25	24.89	97.69
	74.37 193.87	58.16	69.92	111.05	97.69
	1948.88	851.66	5675.58	2032.21	97.65
17832	1240.00				
	290 56	IDS OA			
7127	280.56	95.94 69.39	21.98	52.78	97.65
7127 744	280.56 334.35 387.30	95.94 68.28 84.71	208.28 227.05	11.29 31.49	97.60 97.56

	CYCLOPHOSPI	rywings ;,	e calify.		44921-508900
	(S): 6 hrs	- 10 V/23 - 11 / 42 / 44 0		Doc	<u>. No. 179839</u> 7.
15154	267.93	62.29]131.15	21.56	97.52
17771	768.98	305.15	1490.79	130.43	97.52
20493	460.39	110.11	297.05	12.72	97.47
24437	68.49	25.43	175.35	41.14	97.47
8999	47.02	23.49	11.97	4.96	197.47
15382	122.71	202.12	570.78	188.00	97.47
8599	J378.10]107.09	181.07	19.58	97.47
17682	672.30	178.35	399.02	29.34	97.43
22862	103.01	36.20	42.20	6.28	97.39
20920	[626.34	183.56	421.78	11.19	97.39
17334	173.83	58.72	358.42	140.10	97.39
4067	1123.98	59.95	245.14	32.72	97.39
17357	269.19	82.48	105.14	28.10	97.39
23314	72.17	276.94	318.28	105.05	97.35
19190	534.12	144.15	283.73	32.84	97.35
16943	2759.04	872.63	5041.36	392.40	97.35
16947	319.84	80.34	186.33	113.16	97.35
6405	380.95	93.60	241.49	11.37	97.35
9053	239.61	50.65	135.66	111.51	97.35
25253	293.63	65.17	155.93	16.09	97.30
1688	5256.94	3710.90	21624.32	7449.14	97.30
19993	2319.53	566.29	3763.82	221.97	97.30
20846	2377.64	663.94	3619.10	135.20	97.30
22142	32.37	17.29	0.24	3.37	97.26
7602	131.67	36.83	52.59	13.48	97.26
18274	300.34	63.28	159.26	25.71	97.26
5410	504.68	101.83	257.23	33.63	97.22
7299	181.01	153.33	372.36	39.71	97.22
5585	649.58	366.37	1390.92	91.78	97.17
7426	537.84	84.20	386.94	14.48	97.13
5190	1818.28	11175.28	4173.32	371.68	97.13
3598	349.78	108.22	755.01	165.06	197.09

TABLE 50 Timepoint	: DIFLUNISAL		AWy. Do	cket No. 4	4921-5039WC
dendifier	S): 243 MS NonToxMean	Messifered I	Transan (No. 1798997.1
15582				-28	LDAScore
23699	98.54 325.81	389.02	523.22	20.51	99.87
1858		88.09	984.09	67.68	99.79
	165.70	50.67	468.35	55.34	99.66
18687 20810	415.65	1168.60	1876.04	173.83	99.66
23698	1260.74 272.98	402.11	2154.96	30.08	99.44
15906	73.43	101.50	824.56	62.23	99.44
21354	414.86	105.60	328.56	63.09	99.40
16918	1181.89	118.96	1273.64	189.63	199.36
15048	861.35	410.28 213.04	2103.00	56.71	99.36
17758	126.22	53.45	1349.81	15.30	99.32
23504	176.69	49.53	567.25	1114.93	99.14
18686	468.60	214.77	287.50 2050.51	5.80	99.14
5351	711.19	145.06	979.89	247.31	199.14
18083	48.75	24.85	148.28	15.97	99.06
1977	142.19	40.33	293.78	10.77 26.17	99.06
20833	1254.24	350.22	1826.03	1	98.97
4012	650.38	267.26	1484.68	17.16	98.84
18250	1093.45	315.54	1684.15	174.94	98.84
26109	69.08	76.43	458.33	30.30	98.80
4049	23.28	65.36	63.64	59.25	98.76
23837	101.76	41.27	57.70	6.15 0.48	98.76
	901.31	261.02	1610.91	63.61	98.76
5887	79.37	88.10	285.80	15.29	98.76 98.63
	535.77	161.09	346.74	3.30	98.54
	135.92	123.74	459.26	82.61	98.54
2457	289.86	77.14	519.55 ·	38.45	98.42
	744.60	177.74	1191.89	49.47	98.42
	770.57	235.09	1635.35	158.85	98.37
	32.24	115.84	189.18	29.09	98.33
		67.39	138.00	4.76	98.29
		44.40	66.30	1.36	98.20
	95.99	(9)	276.60	38.55	98.20
	594.93	193.66	371.24	5.25	98.20
			2327.85	45.31	98.16
			2305.53	135.95	98.16
				47.36	98.16
			2268.41	360.66	98.12
				80.83	98.07
					98.03
			17	A A	98.03
	- 9			3.44	97.99
					97.90
					97.90
					97.90
			- 2		97.86
					97.82
					97.77
				- 75	97.73
			1		97.73
				- 725	97.69
					97.65
	79	9			97.65
					97.60
				₩ 	U1.UU

TABLESO): DIFLUNISAL		Allow Dia	ල්දලා ගල රැ	4921-5089WO
	((s)): 24 hrs		imayo ee		<u> </u>
Identifier		NonToxSD	Tox/Mean		NO. 1750357.1
1814	171.85	47.69	123.88	1.67	97.56
20839	1043.73	290.47	1565.67	42.99	97.52
16190	288.78	81.68	502.75	35.87	97.52
15875	11183.10	392.02	1973.54	86.87	97.35
16701	830.81	197.66	1528.91	267.69	97.35
15106	1887.41	709.31	3311.08	123.87	97.26
3434	326.00	140.86	131.21	15.66	97.26
21729	582.55	246.48	1512.04	499.79	97.26
19952	67.28	24.42	23.96	3.74	97.26
20818	681.56	422.22	1663.94	317.99	97.17
20149	1324.01	582.48	2795.60	215.42	97.17
14959	619.74	147.94	1010.98	113.74	97.13
16148	762.99	195.12	1313.23	188.91	97.13
24886	1263.69	371.87	2046.76	132.13	97.13
10878	952.87	253.83	1373.59	38.24	97.09
8946	207.89	87.83	74.88	7.06	97.09
19477	112.98	54.74	250.89	20.66	97.00
15468	734.22	179.64	1032.19	49.88	97.00
10109	1045.52	288.55	1597.93	74.73	96.96
3924	182.19	68.67	273.97	5.41	96.92
18918	31.02	27.50	-11.16	3.27	96.88
17729	878.67	224.12	1508.83	163.08	96.83
14695	1736.29	632.39	2885.22	95.16	96.79
9799	145.87	50.77	85.38	3.80	96.79
20925	337.86	103.37	649.53	101.58	96.79
25501	102.21	56.92	20.07	8.06	96.79
7062	686.14	173.76	1144.72	115.88	96.79
5398	0.40	12.35	33.62	24.14	96.75
20711	43.78	42.18	150.73	22.20	96.75
373	34.25	61.71	167.08	44.08	96.70
16929	956.64	234.98	1405.43	58.88	96.70
20817	1073.65	677.30	2215.68	400.07	96.70
4291	295.13	101.25	151.24	8.90	96.70
23336	141.91	43.60	268.14	38.59	96.66
23270		61.36	302.15	- 54	96.66
4259	700.25	158.48	1007.49		96.66
18509	418.06	82.28	584.02		96.62
1694	1145.19		1796.01		96.58
4011			896.31		96.53
6949			36.30		96.49
4713	107.84				96.40
			1		

TABLEST	B HYDRALAZII	ae i i i	Ally. Do		
	((6)): 6 hrs : :				<u>No. 179339</u> 7.'
	NonToxMean:	**			LDAScore
23230	381.93	101.69	164.86	3.08	99.83
7299	180.37	151.55	684.70	26.37	99.66
11005	71.62	20.88	31.26	0.53	99.66
18715	190.60	53.82	312.84	2.17	99.66
18713	300.35	70.22	564.29	26.19	99.62
9306	45.76	18.52	121.89	7.27	99.62
19004	788.98	306.09	794.75	1.65	99.57
9525	5.08	44.31	64.20	2.12	99.57
19712	98.45	32.90	58.61	0.21	99.53
16203	66.52	16.97	45.27	0.17	99.53
20513	58.53	27.11	242.01	35.67	99.49
5918	26.70	40.82	72.84	4.20	99.44
14479	473.36	112.67	261.32	4.86	99.44
4194	34.33	17.04	74.46	0.76	99.40
8948	217.22	104.91	343.57	1.20	99.40
15015	503.71	91.72	339.92	3.82	99.36
22746	534.33	197.34	312.42	2.15	99.36
13235	16.43	13.42	75.50	8.64	99.32
90	93.87	50.03	147.79	0.44	99.32
16069		26.48	31.64	0.25	99.32
		152.39	1021.93	29.01	99.23
15872	155.66	71.91	53.38	1.82	99.23
3513		35.63	273.79	6.58	99.19
7452	8.04	13.04	37.85	2.68	99.19
		24.57	82.57	0.16	99.14
		57.82	387.68	12.70	99.14
	277.59	87.41	309.60	0.68	99.06
	101.48	29.62	51.68	1.68	99.06
	242.13	50.08	177.73	0.85	99.02
	133.86	64.50	98.99	0.88	99.02
23189	330.92	72.72	460.60	3.57	98.97
15411	303.87	90.07	657.96	59.65	98.97
	1045.40	309.78			98.97
22614	17.91	87.18			98.93
1969	-18.84	34.82	77.79		98.89
3081	387.16				98.89
15231	100.29				98.85
5942	230.65	65.79			98.85
		18.22			98.85
6024	239.14	63.32			98.85
			174		98.85
26119			- 74		98.80
723					98.76
				and the second s	98.76
					98.72
					98.72
				2.5	98.72
	- 4				98.72
		97			98.72
					98.67
- 3					98.63
	4				98.63
.00			47		98.59
		.24			98.55
615					30.33
	, , , , , , , , , , , , , , , , , , ,				98.50

	R: HYDRALAZI K(s): 6 brs		AMMY. DO		4921-5039W
					No. 1798397.
	NonToxMean	J			LDAScore
15636	39.88	26.09	4.00	1.07	98.50
15885	93.27	28.63	182.42	15.91	98.46
5355	1164.75	345.23	1050.46	4.54	98.46
13151	711.00	343.67	1290.08	71.04	98.46
19195	1555.05	374.36	1121.86	8.23	98.42
6606	249.66	121.42	743.36	159.90	98.42
2888	2015.72	588.67	11201.76	29.67	98.42
20405	34.08	29.57	195.15	62.34	98.42
7197	197.58	84.65	309.34	7.55	98.42
1215	67.05	49.57	246.66	40.98	98.42
17479	157.69	34.71	89.24	4.57	98.37
22733	21.90	14.11	64.22	8.36	98.37
1920	426.50	112.57	740.10	44.20	98.37
8745	57.56	19.95	100.05	2.83	98.33
22915	171.30	47.15	114.08	2.66	98.33
25587	24.39	16.37	17.05	0.15	98.33
13259	68.80	25.82	161.38	28.29	98.33
17468	396.41	77.87	278.70	4.37	98.29
14405	465.44	308.54	1276.71	188.93	98.25
14861	48.74	17.37	75.52	1.15	98.25
3027	1129.44	333.52	1205.87	5.52	198.25
1214	165.46	52.58	424.14	92.45	98.20
11158	1023.54	302.35	1115.38	6.37	98.20
20202	624.37	196.92	959.56	18.31	98.20
18290	275.55	78.31	420.92	7.75	98.16
21527	239.85	60.68	369.29	12.50	98.16
24885	1107.60	334.53	1092.86	5.80	98.16
23689	0.64	11.77	22.99	3.94	98.16
8869	8.35	21.59	31.83	0.60	98.16
17502	147.76	53.99	264.34	13.12	98.16
13203	-15.66	28.87	51.81	11.94	98.12
25971	106.47	34.61	50.27	2.15	98.12
13095	60.49	15.80	32.26	1.41	98.12
26036	34.25	17.22	19.79	0.49	98.12
17570	230.73	71.54	273.93	2.11	98.08
22543	689.99	222.20	447.42	9.98	98.08
17312	26.98	34.41	42.60	0.40	98.08
16026	221.52	75.94	411.54	26.17	98.08
5684	333.75	76.46	482.85	10.21	98.03
15879	374.14	93.39	276.43	3.61	98.03

	FOSFAMIDE		Ally. Do		921-5039
): 6, 24, 43, 144 hi][=3 . 0.0	Doc. (i	lo. 1798897.
ldentifier	NonToxMean -	Nouloxean		10X2D	LIDIA/S@OUG
19252	647.94	142.98	520.93	34.13	89.74
1622	2071.83	907.04	1625.21	143.87	88.88
16148	767.65	197.63	575.47]57.95	86.32
17779	1952.57	790.85	1617.53	137.53	85.80
12932	153.85	49.70]108.04]13.75	85.63
11158	1027.66	302.42	759.65	56.80	85.37
10947	1800.32	754.28	1416.69	180.51	85.28
19408	2011.57	680.23	11580.63	160.66	85.24
16013	58.91	18.74	71.23	5.22	85.11
19254	241.32	76.35	239.54]14.43	85.06
17886	1504.90	495.37	1122.51	∤90.54	84.72
16895	2027.29	906.56	1603.00	189.71	84.63
18300	450.17	150.80] 316.95	39.08	84.33
8211	2862.98	1618.85	2138.69	273.26	84.29
23710	1141.57	367.03	897.82	79.04	84.20
11954	3141.99	1699.73	2471.68	314.40	83.90
1853	2014.76	833.49	1614.19	220.80	83.90
14695	1746.72	637.07	1297.75	126.83	83.77
8212	2267.04	1143.40	1689.07	186.62	83.42
13976	453.36	377.22	783.29	266.52	83.38
14997	2596.32	1029.67	2216.17	249.47	83.20
23709	2500.59	1207.33	1994.07	261.44	83.16
22592	234.68	168.43	397.15	108.13	83.08
18142	2001.91	840.95	1479.52	180.12	82.99
9135	719.00	131.99	601.54	43.95	82.90
14694	2326.49	1072.07	1849.47	243.07	82.69
18810	1189.60	320.47	979.08	72.74	82.60
18077	2627.05	1191.54	1778.68	232.31	82.56
15125	1303.70	426.26	1007.41	95.34	82.55
20751		161.80	835.79	96.53	82.51
14	34.24	17.91	48.60	8.82	82.47
23544	1515.02	495.50	1325.70		82.17
19993		574.10	2616.44	234.66	82.03
9942		98.80	518.47		81.95
7682	673.25	179.30	543.60		81.95
23574	2282.20	973.76	1808.58		81.82
815		344.89			81.65
1050	671.41	139.50			81.60
247	1310.50	504.69			81.60
8078	1152.53	545.02			81.56
801	97.60	29.90			81.43
2901	1613.41	414.49			81.39
20035	182.08	110.21			81.39
7118		19.28		46.2	81.30
		660.21			81.26
		36.72			81.21
		31.73			B1.17
	4	46.62			31.17 31.13
		997.42			31.04
		197.13			31.00
- 4		148.77	4		30.95
		71.43	1		
		20.31			30.91
					30.83
			- i	244.55 8 115.43 8	30.83

-418-

	IFOSFAMIDE)): G, 24, 48, 144 h		Ally. De		4921-5039W
));		ToxMean :		No. 1793397. LDAScore
1523	89.47	23.47	100.14	7.66	
11991	57.24	22.13	76.61	11.20	80.70 80.65
23109	2089.70	930.42	1566.07	197.88	80.44
19727	1331.92	420.23	1162.29	117.79	80.44
18451	1434.72	418.40	1801.12	288.28	180.39
23884	41.09	33.35	54.46	12.98	80.39
472	662.53	178.22	500.21	63.31	80.35
11153	1474.65	500.35	1320.86	134.33	80.35
23125	4577.67	2547.90	5632.15	1198.40	80.31
12598	545.25	95.85	644.01	73.00	180.31
915	30.40	17.20	53.68	14.78	80.26
6808	698.18	193.62	1893.93	94.12	80.26
10260	85.57	33.38	94.71	10.64	80.18
25545	94.20	49.43	150.75	32.71	80.09
23660	1281.20	383.06	1072.18	89.30	180.09
15410	504.96	102.87	427.16	47.59	80.05
977	16.73	10.91	41.99	18.19	80.01
15137	1520.02	496.49	1254.30	1128.20	80.00
26109	69.41	79.57	138.16	53.60	79.96
11136	1003.50	311.85	725.42	1110.05	79.92
4217	519.77	126.27	592.35	45.95	79.92
13480	650.24	137.90	533.92	69.48	79.83
15535	448.65	83.59	358.13	46.40	79.79
15426	411.88	86.42	342.56	30.90	79.66
16012	73.15	32.18	78.40	10.56	79.65
4849	773.73	168.65	929.55	91.93	79.61
17765	1296.75	460.31	914.95	107.23	79.61
23967	383.11	92.35	484.27	65.27	79.53
9905	673.59	140.94	588.24	39.94	79.53
1583	30.08	18.99	43.08	7.71	79.53
1743	29.18	16.19	50.78	15.93	79.40
15446	370.71	93.07	266.06	61.63	79.40
18905	1363.50	302.26	1680.54	182.30	79.36
24049	1519.32	446.29	1776.05	182.78	79.31
24626	1504.58	431.27	1251.16	114.87	79.31
320	2467.06	1167.88	1920.44	339.35	79.22
1684	2833.17	1621.88	1212.60	870.83	79.22
21373	373.62	85.16	332.82	32.95	79.22
6211	2261.75	1141.46	1652.93	320.55	79.18
6521	285.41	90:61	359.56	55.31	79.14
2661	1309.12	421.45	1003.73	117.38	79:01

LWBITE 21		MN .		ocket No. 4	14 921-5039 000
	(<u>s): 43, 72 hrs :</u>			Doc.	No. 1798897.1
	NonToxMean		4		
155	21.42	16.98	101.88	13.61	99.53
154	112.29	36.99	249.23	25.25	99.27
16173	14.63]13.08	179.81	66.16	99.18
13614	340.21	88.42	786.72	118.82	99.01
1850	46.85	347.25	309.01	159.03	98.93
22499	8.20	11.83	58.62	19.91	98.88
1893	29.44	20.17	163.67	70.52	98.84
1221	0.23	15.64	1193.08	98.35	98.80
21445	0.99	14.21	203.14	86.78	98.75
1854	43.31	289.94	282.61	143.16	98.67
25517	38.27	31.10	173.50	50.20	98.58
19710	43.43	20.81	132.45	42.06	98.54
6431	51.07	32.99	209.15	53.95	98.50
2457	288.90	75.46	543.74	54.46	98.45
7299	177.44	1143.66	797.13	276.35	98.41
23964	12.50	18.01	63.92	17.10	98.37
1943	31.78	14.21	86.66	15.03	98.15
13615	253.23	68.59	560.03	77.71	198.15
20713	215.61	108.00	606.67	98.17	98.11
24237	56.39	37.15	281.98	103.56	98.07
8565	31.85	16.10	105.94	38.19	98.02
7540	154.84	89.44	535.02	179.10	98.02
1845	-7.69	24.61	109.59	48.06	98.02
18684	137.77	49.02	305.11	48.29	97.98
7858	-4.71	7.47	47.48	40.75	97.98
15408	192.19	56.59	376.55	44.39	97.98
10281	172.58	185.66	567.51	296.37	97.94
18867	103.82	49.82	263.24	51.22	97.94
18353	112.33	68.84	349.21	48.50	97.94
20715	134.85	59.63	354.19	34.91	97.90
6551	576.57	201.46	1150.85	135.93	97.90
7665	282.66	95.03	609.80	128.48	97.90
20868	22.06	17.54	98.66	30.62	97.85
343	28.72	32.40	151.55	21.38	
20869	21.84	21.14	111.52	32.81	97.85
20711	43.08	40.65	197.85		97.85
16521	283.95	85.02		41.42	97.77
21444	19.93	43.02	655.14	127.79	97.59
21683	33.96	22.93	180.28	49.29	97.51
3180		X X X X X X X X X X X X X X X X X X X	127.35	39.46	97.47
1942	309.65 17.90	80.63	524.23	45.30	97.47
14184		24.48	99.74		97.47
1894	113.17	49.05	251.46		97.42
	202.61	73.39	421.42		97.42
15851	200.88	151.27	525.10		97.38
20700	85.68	416.32	391.89		97.38
749	234.65	200.18	431.09		97.38
6094	138.21	54.26	356.45		97.38
	96.41	46.12	235.98		97.34
260	193.81	71.46	443.67		97.34
9012	483.92	149.86	930.52	98.29	97.21
887	77.25	81.17	491.60		97.16
0041	192.79	82.66	490.91		97.16
	26.63	17.31	92.50		97.04
		61.07	- 69	to the second se	97.04
3004		42.21	L		96.99

TABLES	T: INDOMETHAC	ที่ที่ 💮 🦠	According	Selven Nie A	1091 3000W
Threnohn	((s): 48, 72 hrs		دستان ورس		42214100000 No. 1793397.1
dentifier	NonToxWean		ITOMMOSO	Transan	
19387	667.36	146.95	11017.20	82.56	
2554	53.34	18.18	1111.59	20.52	96.99
4661	307.32	90.25	543.97	-3	96.99
21467	13.64	131.26	140.69	56.72 60.68	96.91
18352	162.12	85.33	437.38	90.35	496.86
15191	2030.38	1211.92	434.31	4	96.86
24183	68.30	35.60	4	67.70	196.86
4748	110.39	127.49	194.82 266.50	48.12	96.82
19711	83.58	22.63	149.45	52.38	96.82
848	18.09	111.05	45.15	21.04	96.82
10015	231.63	76.39		4.76	96.65
11708	319.08	90.36	422.68	89.46	96.65
22321	101.90		587.03	103.59	96.65
1597	50.19	68.06	234.02	51.42	J96.61
6120	511.17	41.89	187.05	63.28]96.61
20714	1	159.69	914.06	106.73	96.52
24200	178.33	78.97	430.20	87.05	∤96.52 •
3316	421.16	141.29	847.55	177.88	96.52
14595	8.48	111.20	32.02	7.24	96.48
21654	87.99	36.42	175.31	16.47	96.39
22479	362.19	114.34	536.63	59.58	96.22
g · · · •	433.07	146.06	846.76	137.55	J96.18
18687	418.98	188.38	661.54	59.97	96.13
5572	330.93	1144.21	692.30	98.63	96.09
3020	292.14	93.53	549.45	92.30	96.09
25366	52.69	46.59	140.27	34.35	96.01
11183	98.16	39.08	183.02	34.74	96.01
19145	363.77]71.33	513.30	38.33	95.96
15409	399.23	98.94	637.09	62.27	95.88
17950	64.06	23.04	112.35	10.61	95.79
16945	934.12	162.35	11222.61	66.01	95.79
16917	755.96	258.94	1351.72	135.35	95.75
9286	205.05	59.59	354.73	51.76	95.66
18217	15.31	19.01	63.19	16.35	95.62
14185	203.46	94.18	411.57	81.62	95.62
16646	28.33	20.91	71.67	15.31	95.58
23837	100.89	40.39	206.26	37.38	95.53
21066	43.85	16.28	90.93	15.15	95.53
18068	82.30	21.15	125.33	8.28	95.49
21410	183.82	61.54	326.34	61.71	95.45
18355	56.83	27.50	129.21		95.36
6044	327.15	91.24	520.74		95.36
23145	44.14	20.10	96.23		95.32
16859	122.48	51.26	241.14		95.27
15246	63.40	20.73	113.00		95.19
24019	27.09	25.66	86.45		95.19

	TILLHIOM CHROL	Ality. Docket No. 44921-5099W			
	s): 120 hrs			Doc	<u>. No. 179889</u> 7.1
ldendfier:	MonToxMean 4	NonToxSD =	ToxMean	ToxsD	LDAScore
24019	27.07	25.30	127.00	8.27	99.61
14421	418.40	87.55	639.64	12.93	99.57
13641	47.49	30.07	145.93	13.26	99.53
1463	619.17	296.16	1455.45	46.93	99.53
16300	61.51	20.88	147.76	15.29	99.49
13974	296.90	139.79	1260.41	77.75	99.49
3244	127.45	30.43	40.35	2.64	99.36
10464	131.43	35.68	41.70	2.59	99.36
1462	407.93	201.27	1216.38	60.80	99.36
18525	246.32	66.03	97.58	6.10	99.27
14227	72.35	65.02	265.04	34.60	99.23
25741	185.55	57.43	1490.81	62.92	99.23
1224	3.70	11.53	50.50	8.69	99.23
13880	679.69	204.44	295.39	124.01	99.14
14261	39.73	17.42	113.90	16.40	99.14
18472	1551.82	378.09	827.52	66.71	99.10
15363	446.56	133.55	187.16	15.68	99.06
8598	139.25	41.61	362.49	73.57	99.01
5176	217.77	121.65	603.36	60.94	98.93
14754	99.93	24.11	228.47	44.23	98.93
20849	276.44	85.41	565.38	36.71	98.93
15955	750.17	198.73	371.84	30.56	98.89
14633	97.72	88.30	-1.97	5.36	98.84
15371 17342	378.04	55.30	593.66	40.88	∤98.80
20809	202.36	532.80	480.79	60.48	98.80
16650	317.42	60.81	558.00	56.79	98.80
18109	256.32	82.88	614.21	64.30	98.80
18286	19.25 10.51	21.24	92.33	9.99	98.76
24049	1526.25	10.22	41.67	5.33	98.76
6245	386.32	442.84	1773.94	52.98	98.76
23651	656.57	115.78	64.71	31.63	98.76
74	335.41	627.85	1600.29	142.54	98.76
20099	81.48	164.90 29.97	679.82 171.81	42.41]98.71
976	24.82	21.34		18.17	98.71
3294	244.42	55.35	269.98	118.48	98.71
3733	340.43	153.36	115.25 790.69	8.35 47.48	98.71
3957	68.22	41.24	264.04		98.67
	496.09	130.59	245.12	43.03	98.67
		278.90	908.67	25.78 36.86]98.67
		110.33	903.01	137.68	98.67
		55.98	464.14		98.63
		54.94	523.47	23.58 111.57	98.63
		218.26	1124.72	53.18	98.63
		28.29	149.64		98.63
		220.06	1885.00	17.07	98.59
		20.33	6.76	141.61	98.59
		68.14	152.09	1.40 12.77	98.59
	4	21.09		0.84	98.54
	1	36.48	A	0.84 126.46	98.54
	<u> </u>	25.2 6			98.54
170	4	46.71		19.06 7.12	98.54
		58.87		7.12 166.32	98.50
- 4	7	279.64	1	382.05	98.50

-422-

TAN E AN	LITHIUM CHLOI	anne :	ACC TO	avalbad Nica W	ZIGAN FACONYA
	3): 120 hrs	wes	د المالية المالية	navaringe e	Mo. 1798397.1
	NonToxMean	Marra con	17~~~~		
12376					
17106	19.26	124.98	83.39	19.10	198.50
18473	81.66	24.82	36.82	2.74	98.50
9254	2589.69	916.99	1318.66	52.24	98.50
	246.49	48.78	393.24	20.14	98.46
1340	191.26	49.84	289.47	26.83	98.46
17162	6.69	16.97	58.11	15.91	98.46
6806	1233.36	345.85	586.60	42.84	98.41
25840	-2.65	12.34	54.97	27.90	98.41
20887	784.36	296.51	2396.08	485.51	98.37
1372	199.45	51.98	391.46	35.86	98.33
18349	140.08	38.43	262.92	23.80	98.33
14989	500.36	106.29	910.22	99.63	198.33
4049	23.03	65.14	113.93	24.17	98.29
11483	65.04	45.49	132.25	10.90	98.29
9867	29.07	22.58	-38.05	11.94	98.29
13411	789.51	324.70	239.08	27.46	98.29
25709	267.20	J83.61	591.14	81.21	98.29
17160	1038.70	287.67	1872.62	168.15	98.24
12673	37.66	22.70	116.03	13.02	98.24
25306	27.76	21.91	-55.70	19.66	98.24
16349	47.04	14.11	94.68	13.74	98.24
13392	190.93	48.80	355.59	34.39	98.24
4048	-6.11	32.04	34.41	10.44	98.20
2915	87.49	36.50	176.88	18.22	98.20
15761	90.06	42.30	20.08	3.24	98.20
111	590.89	237.37	11115.91	164.07	98.20
24695	63.72	21.72	13.53	4.47	98.16
19152	164.93	52.20	401.36	74.04	98.16
24597	585.04	105.40	935.83	83.53	98.16
21527	239.33	59.62	438.09	50.65	98.16
3776	377.17	93.88	689.18	68.23	98.16
5626	26.84	18.16	84.22	9.81	98.11
3075	524.14	179.66	209.94	19.92	198.11
15511	214.84	128.36	897.69	308.94	98.11
6386	20.45	18.01	-5.75	1.87	98.07
134	69.64	33.24	7.05	4.13	98.07
19665	91.84	47.87	296.74	33.57	98.07
10984	2015.62	568.01	964.72	141.17	98.03
15247	637.80	190.94	1369.01	148.83	98.03
2905	246.54	108.85	410.67	111.79	98.03
13343	210.51	55.05	72.01	21.01	198.03
	~	00.00	412.01	JE 1.01	30.03

	MERCANIC CHLO			1921-5089W	
	: 3, 6, 24 hrs 🔌		15 00 E		lo. 1793397.
ldentifier !	NonToxMean 🦠	INOUIOX80		loxan ·	LDAScore
8665	332.39	171.86	5197.14	2943.02	99.44
1475	136.94	103.32	3940.87	1974.36	99.18
20035	178.08	98.83	635.50	155.87	98.10
19723	74.87	55.61	273.03	109.44	98.02
15191	1988.23	1177.92	5041.11	935.19	96.55
14139	80.54	27:01	25.59	13.59	95.47
8664	86.42	70.91	2082.06	1352.81	95.23
12331	594.25	155.97	254.07	138.26	94.96
17734	119.63	75.92	566.88	280.56	94.84
23579	734.95	158.66	430.76	80.03	94.78
23983	544.27	150.95	220.82	131.74	94.48
14138	84.72	29.10	33.29	12.42	94.31
16518	826.45	273.09	2395.53	j 930.51	94.24
17635	651.30	148.78	358.62	92.32	93.79
7196	178.22	77.07	494.09	205.98	93.68
15850	1203.52	323.32	2507.97	545.30	93.68
24235	433.60	163.10	1038.60	349.80	93.55
21445	2.08	22.76	30.67	12.91	93.51
24649	122.93	28.55	76.77	112.19	93.49
5867	166.42	48.13	259.79	50.17	93.49
3348	497.46	1129.58	259.25	78.88	93.45
15848	1313.68	402.72	2886.50	676.70	93.42
19768	706.30	166.91	1328.43	290.35	93.42
17161	11144.51	381.55	2737.15	723.56	93.33
1004	108.90	32.28	56.68	10.23	92.84
15190	1789.26	1124.32	5409.42	1117.57	92.73
14595	89.23	36.64	26.57	116.82	92.67
15189	11722.10	1120.12	5391.29	1462.09	92.60
15300	135.69	130.01	397.39	1125.33	92.60
23314	67.33	271.41	622.50	1259.52	92.43
15301	37.59	67.32	147.90	49.32	92.39
18944	202.65	68.48	458.00	181.57	92.30
6054	27.38	53.50	71.68	29.34	92.26
13642	209.02	74.04	85.92	29.90	92.24
23230	378.13	96.00	695.07	177.40	92.17
23230 1 72 11	4	N	2360.95	· · · · · · · · · · · · · · · · · · ·	91.85
3493	1433.79 158.50	549.05 » 20.07	107.74	279.33	91.82
3493 23825	2	49		26.19	
	283.86	149.04 140.05	166.00	50.35	91.78
18564	219.22	49.05	95.46	32.77	91.74
11680	360.19	81.92	233.52	34.79	91.68
17765	1277.82	438.77	2585.84	1579.12	91.65
16982	138.22	290.89	380.00	223.17	91.57
13610	357.65	69.18	196.18	J80.11 ,	91.26
21993	76.47	25.96	129.83	18.36	91.26
3927	745.07	166.28	377.77	106.17	91.01
11871	55.24	129.01	197.33	57.60	90.91
11050	670.06	136.16	972.43	147.61	90.88
13507	422.59	99.12	659.30	138.95	90.83
9271	102.44	54.22	21.68	25.82	90.82
19031	59.98	47.58	145.41	39.97	90.79
24577	1168.59	364.98	2135.75	393.09	90.79
10182	2.45	99.29	78.59		90.75
18300	451.47	147.74	136.58	90.13	90.75
18259	207.76	78.23	1353.31		90.72
1928	485.55		208.21		90.66

-424-

ក្រុសនា ខេ <i>ង</i> ហៈ ប	MERCURIC CHLOF	วไทร	ANGSV ID	and spectron	10991-E000VV/C
	: 3, 6, 24 hrs	Aliy. Docket No. 44921-5039W Doc. No. 1793397.			
] NonToxMean		ToxMean		
6632	171.87	58.89	288.22	64.66	90.53
13611	273.95	107.44	57.12	66.20	90.45
25098	43.26	30.01	276.68	179.66	90.37
22539	71.67	46.78	-27.28	37.71	90.36
20945	1897.15	248.57	1469.22	277.42	90.32
19678	1110.11	57.05	1-19.38	53.40	90.32
23567	52.11	60.74	235.62	105.54	90.29
23868	159.82	189.43	1997.17	1212.75	90.24
812	157.29	34.98	83.70	36.70	90.19
23872	144.34	60.45	587.85	460.34	90.16
21372	276.72	65.43	134.32	44.54	90.10
18611	1409.94	1446.15	2438.75	459.58	90.10
21306	126.88	54.43	52.78	18.76	90.09
3808	166.04	48.80	407.80	212.39	90.07
12031	145.86	38.78	225.16	30.38	90.06
23869	36.50	52.75	579.45	394.24	90.03
3015	2289.41	964.34	4534.92	1150.81	89.97
17908	60.79	49.95	325.35	238.47	89.90
25539	125.13	35.09	45.76	23.16	89.89
3473	120.74	34.02	69.52	20.97	89.83
2536	397.05	123.98	201.50	73.82	89.83
23826	344.12	55.78	225.14	47.99	89.80
9114	870.77	222.15	1416.13	221.53	89.80
1639	97.37	22.99	62.34	12.37	89.70
20920	617.66	155.43	1397.16	623.36	89.60
20350	156.72	49.50	53.00	45.87	89.58
6615	279.24	84.15	96.62	96.14	89.50
19952	67.58	24.21	24.03	11.92	89.41
8237	102.59	36.73	179.81	51.98	89.37
11841	1886.79	192.09	1632.36	479.53	89.34
2310	-47.82	40.85	36.34	37.62	89.32
15796	337.30	87.85	156.28	76.95	89.24
22681	216.80	177.12	918.02	459.53	89.21
22543	694.25	216.61	217.39	263.73	89.20
19433	110.29	59.85	445.41	230.04	89.17
22540	1828.95	538.43	794.41	586.09	89.07
17473	421.95	90.69	764.49	230.12	89.04
15875	1177.56	384.90	1982.41	472.79	88.98
18396	74.08	26.23	124.23	18.90	88.94
19	336.88	73.75	628.54	175.62	88.82
25567	456.18	167.99	922.98	373.29	88.65
20728	538.10	99.95	327.92	109.45	88.59
24351	-2.24	8.36	22.30	16.23	88.56
9053	240.22	50.14	146.06	39.78	88.55
18305	1364.98	457.67	2297.19	462.10	88.51

	: PAMIDRONAT				1921-5039WO
	s): 24 hrs				90. 1798397.1
	MonToxMean *			*	
439	55.65	23.09	35.13	0.15	99.49
381	23.05	20.96	4.85	0.20	98.80
1439	233.12	46.90	167.13	1.64	98.63
24501	526.65	117.76	477.38	1.09	98.50
815	1161.46	344.32	1840.91	46.72	98.50
21723	24.61	15.80	18.81	0.26	98.37
25907	19.98	25.22	27.99	0.55	98.33
4440	320.37	110.50	249.77	1.69	98.33
8950	91.09	33.83	64.54	0.45	98.29
1145 20257	59.20 130.93	26.43	36.98	0.67	98.25
12781	1189.97	45.11 49.11	78.91	1.23	98.20
20427	796.69	192.75	273.46	3.66 117.38	98.12
16938	1322.80	411.98	1119.78 1887.43	31.46	97.90 197.90
1324	63.66	31.18	28.89	2.88	
16584	4	1	9		97.82
17102]115.91 [47.91	45.04 18.57	161.39 30.16	2.19 0.64	97.73
10227	447.34	108.01	1244.96	113.58	97.73
1310	152.06	33.32	86.35	7.14	97.69 97.69
8476	13812.40	1012.46	4862.16	57.22	97.65
22051	151.18	44.26	223.47	4.06	97.65
5049	297.65	66.21	180.38	7.11	97.60
16323	68.35	35.92	36.63	1.47	97.56
6654	166.71	45.74	158.83	0.92	97.43
1651	878.67	240.75	692.24	5.18	97.39
16192	41.41	14.72	34.35	0.38	97.31
12343	50.68	18.55	31.84	0.83	97.31
691	133.51	42.32	62.52	3.81	97.26
17635	648.73	151.15	484.36	6.12	97.22
9286	205.78	60.59	319.19	10.41	97.22
14800	36.39	23.63	34.69	0.41	97.22
23888	105.90	50.58	91.90	1.08	97.13
5969	1521.63	357.02	1485.82	9.84	97.13
3475	384.13	98.77	465.98	4.26	97.05
11174	54.15	51.85	121.54	7.12	97.01
26119	124.47	45.67	234.96	195.06	97.01
18250	1094.73	316.96	1382.93	14.86	96.96
25069	133.97	60.97	77.32	2.29	96.88
18135	133.61	28.59	96.51		96.88
21742	33.31	18.06	25.78	0.33	96.83
25702	579.55	128.85	805.98	44.29	96.79
10936	207.62	43.60	191.02	1.12	96.79
12342	96.27	49.48	87.13	1.04	96.75
19976	47.03	15.83		0.70	96.75
9620	530.95	116.93	770.14	47.74	96.71
20810	1262.30	404.25	1842.66	50.26	96.71
24721	203.81	53.70	187.98	1.38	96.71
14967	49.34	21.65	19.69	1.41	96.58
1309	43.01	16.54	30.28		96.54
730	112.34	33.32			96.49
15876	1174.15	310.95			96.49
16482	195.58	40.06			96.45
5654	41.42	24.77			96.45
15850	1216.75	351.89	4	- i	96.45
4259	700.70	159.00			96.36

-426-

TABLE 5W	/: PAMIDRONAT	re e	. Ally, Doc	ket No. 44	3 921-5039	
Timepoint(s): 24 hrs			Dog. No. 1793397.			
ldendifter	NonToxMean	NonToxSD	ToxMean	ToxSD	LDAScore	
7010	309.13	55.63	255.94	3.25	96.36	
18880	36.99	12.90	31.14	0.58	96.32	
3007	126.64	42.37	192.91	7.32	96.28	
1375	84.74	20.63	55.45	2.98	96.28	
19244	1227.03	383.14	1715.96	64.01	96.28	
6595	76.76	35.41	102.22	2.83	96.19	
18126	701.66	166.62	1548.76	14.64	96.19	
10869	11.30	60.29	123.29	15.83	96.15	
15239	567.46	132.45	783.53	43.73	96.11	
4241	114.51	43.66	203.36	162.90	96.11	
12360	55.02	27.32	35.03	1.44	96.11	
11687	25.88	23.50	35.95	1.69	96.11	
5492	97.03	47.49	24.35	5.81	96.11	
9671	124.41	52.83	135.25	11.91	96.11	
9410	62.57	24.27	60.98	0.84	95.98	
13105	64.62	26.94	43.02	1.19	95.98	
10659	132.22	90.74	258.54	43.13	95.94	
106	59.79	20.18	35.91	1.62	95.89	
2697	1226.39	358.41	1822.86	80.35	95.85	
10217	310.63	90.28	201.72	7.38	95.85	
22658	275.00	67.48	237.14	2.73	95.85	
3417	445.05	113.12	533.98	7.67	95.81	
15446	369.04	93.58	428.95	2.94	95.81	
2847	62.77	31.28	81.96	1.81	95.81	
2469	1383.42	482.22	963.09	26.57	95.81	
17175	619.05	156.40	867.90	59.01	95.77	
4386	56.38	26.60	45.57	0.72	95.77	
21491	110.61	27.92	90.43	1.09	95.77	
20844	843.25	294.01	1309.53	64.24	95.72	
9370	773.72	201.87	676.25	8.78	95.72	
15130	274.69	83.28	262.79	4.56	95.64	

	: PAN (s)): 168 hrs			Dog. (1 92 1-5039\\(\o. 1793397.
ldentifier	NonToxMean	NonToxSD	ToxMean:	ToxSD	LDAScore
6100	-24.28	62.27	70.39	19.04	99.79
2048	31.63	20.68	119.91	5.57	99.79
24024	32.82	21.87	144.74	15.76	99.79
14722	658.73	219.20	1717.84	115.16	99.74
21651	31.52	24.04	198.29	19.08	99.74
15401	75.65	26.38	220.16	14.55	99.70
15503	124.16	37.19	305.20	27.55	99.70
7090	16.70	14.04	114.99	16.69	99.70
10893	-30.66	62.67	46.11	19.29	99.70
23780	24.98	35.81	102.35	16.07	99.66
16726	944.95	205.53	460.40	16.03	99.61
14430	33.41	27.29	289.53	65.58	99.61
15434	132.29	53.11	374.76	31.01	99.53
17198	812.71	267.14	249.19	36.68	99.53
15437	38.33	22.07	168.45	19.74	99.53
225	123.21	34.21	276.57	21.70	99.49
3584	64.34	31.89	290.58	28.71	99.49
9084	46.92	17.70	134.77	13.50	99.49
20736	331.77	100.84	748.89	43.21	99.49
19374	-8.73	12.21	63.84	14.49	99.44
20699	94.34	231.80	255.20	18.42	99.44
22816	23.08	15.16	83.31	4.90	99.44
23297	384.07	96.58	840.46	53.16	99.44
15002	140.16	98.17	338.90	19.21	99.44
3269	75.61	36.41	365.17	72.48	99.44
23773	212.24	81.04	629.63	48.29	99.40
23992		6.59	56.95	14.22	99.36
17682	673.28	176.72	223.65	27.55	99.36
3079		46.53	164.24	20.61	99.36
23778	68.50	31.99	270.34	37.08	99.36
19006	642.56	208.65	1445.68	75.63	99.31
20887		313.68	218.40	48.36	99.31
		86.04	693.54	28.37	99.27
		95.84	254.52	23.59	99.27
		191.79	476.74	33.25	99.27
		29.11	207.98	12.46	99.27
		75.18	560.75	25.13	99.27
		40.62	505.60	124.63	99.23
					99.23
					99.23
		25.95	· · · · · · · · · · · · · · · · · · ·		99.23
				22.27	99.23
					99.23
				92.86	99.19
				69.36	99.19
			2309.86	189.18	99.19
				134.21	99.19
			169.37		99.19
		356.23	216.47	49.64	99.19
		149.15	842.98		99.19
	568.47	175.61			99.14
8603			5.7		99.14
	4	862			99.14
7501	31.72				99.14
					99.14

TABLE 6	X PAN		Ally, Do	eket No. 44	1921-5039VV
Timepoir	nd(s): 168 hrs				lo. 1793397.
	MonifoxMean	NonToxSD	ToxMean	ToxSD	LDAScore
6517	231.39	155.95	730.29	101.68	99.14
20599	22.90	12.70	74.26	5.67	99.14
23377	61.42	52.07	359.41	62.64	99.14
14405	459.81	287.63	2264.76	369.05	99.14
1564	38.78	169.92	459.31	64.11	99.10
16676	38.17	26.57	134.01	11.56	199.10
21695	59.83	35.43	188.55	18.05	99.10
20886	719.56	292.49	116.56	44.10	99.10
17151	16.05	62.27	445.34	138.38	99.06
770	798.22	219.65	310.69	35.90	99.06
7262	1116.47	390.83	2517.22	160.89	99.06
23981	809.28	155.43	1417.26	153.29	99.06
22552	314.65	94.11	570.75	29.08	99.06
20709	162.15	69.62	483.04	60.17	99.06
7585	-91.46	37.80	142.97	84.57	99.01
15853	5.82	59.90	258.64	131.89	99.01
22592	233.64	160.86	1028.66	111.76	98.97
4445	514.32	117.31	988.03	63.78	98.97
4086	14.01	16.98	152.91	75.32	98.97
21509	88.80	92.91	448.20	56.16	98.97
24651	100.64	23.29	204.63	19.93	98.97
7101	389.56	671.41	1218.47	165.33	98.93
15851	200.60	148.70	784.83	83.88	98.93
23769	-6.25	8.68	29.51	10.78	98.93
15504	128.87	50.45	417.46	77.64	98.93
1613	-7.12	28.04	117.88	29.33	98.93
15438	65.66	32.54	171.12	14.45	98.93
1460	198.26	83.19	563.02	70.47	98.93
13976	449.17	351.62	2551.95	498.75	98.93
20903			397.90	116.45	98.89
23123	310.66	118.21	861.54	70.50	98.89
15790			134.46	10.51	98.89
21391					98.89
455		153.63			98.89
20772	149.52	40.53	313.83	28.96	98.89
19275	726.18	191.87	1580.61	140.07	98.84
17149		40.60			98.84
19243	76.71	48.71	359.48	105.52	98.84
17197	1903.25	828.79			98.84
11891	-15.63	11.78			98.84
1640	80.30		184.62		98.80
4569		6.39			98.80
2629	25.55			4.98	98.80
18529				4	98.80

	: PAN (s): 6,24 hrs		Ally, Doc		9 21-5039 W0 0. 17933 97.1
	KonToxMean	เปละการ์เลยไป	Tor West	Torson!	II DAScore
410	1099.85	252.82	487.89	71.66	99.01
1137	58.38	18.64	128.72	140.53	97.55
18322	2669.23	812.57	1422.54	109.34	197.47
15433	67.21	32.38	147.81	13.69	97.04
8990	278.32	77.85	504.55	67.10	96.35
23115	565.35	169.43	1013.53	1113.02	96.22
1460	199.21	86.34	300.32	24.45	95.97
335	96.10	45.37	194.53	15.33	95.92
2866	637.05	212,44	1020.97	43.03	95.75
15701	37.69	16.68	82.72	11.76	95.75
16853	67.54	23.29	107.06	8.27	95.58
17693	1257.20	377.49	705.99	42.86	95.41
6250	490.36	103.66	731.52	54.23	95.36
19327	89.22	29.33	144.42	10.71	95.28
21977	88.79	52.26	163.28	17.00	95.11
1962	33.32	26.88	74.11	7.81	95.06
19080	75.82	57.08	219.58	56.51	95.06
13598	349.80	109.75	578.05	60.94	95.02
11524	-14.25	24.65	43.36	19.72	95.02
729	90.40	35.70	171.30	19.74	94.98
15552	175.81	40.06	237.25	9.67	94.98
4312	77.28	38.83	150.22	19.98	94.94
18996	137.86	44.69	250.58	35.37	94.85
17411	79.24	54.48	184.11	25.15	94.76
20752	13.07	11.34	26.51	2.40	94.76
11445	436.52	103.96	686.40	101.03	94.42
	393.23	102.51	214.27	40.93	94.42
19077	208.94	51.22	306.89	24.65	94.25
21355	375.05	118.77	619.86	88.05	94.21
	239.78	78.25	421.17	60.75	94.16
	392.44	225.02	575.95	55.98	94.12
	414.89	130.79	694.32	108.18	94.03
	72.29	20.32	112.46	9.87	94.03
	637.68	181.55	464.30		94.03
	12.70	29.99	54.74	9.39	93.99
	613.90	163.40	344.65		93.99
		65.87	137.54		93.99
		48.60	209.05		93.99
			44.33		93.82
		26.32	110.79		93.73
4			215.23		93.69
				.6	93.65
					93.56
- 4					93.56
			515.38		93.56
					93.52
					93.52
					93.52
					93.48
					93.43
	***				93.39
					93.39
					93.35
					93.30
					93.30
£U4U4	53.75	46.18	126.25	22.59	93.26

	?: PAN		Ality. Doc	ket No. 44	921-5039
	(s): 6,24 hrs NonToxMean:		TarMean .	ALSON TOSSOTI	<mark>o. 179339</mark> 7.1
6049	621.00	123.14	541.13	9.05	93.22
9109	1021.28	337.87	723.36	26.27	93.22
4393	1268.21	369.74	824.30	42.57	93.18
18541	1081.46	298.74	758.66	24.93	93.13
15556	208.38	83.99	1333.56	45.17	93.09
4589	1213.38	369.83	790.80	42.48	93.09
22271	273.68	65.98	411.42	75.15	93.05
21423	1355.28	427.17	786.98	56.19	93.05
6506	234.14	60.71	335.18	21.90	93.05
4290	94.34	28.53	147.53	19.36	93.05
20350	155.10	50.13	248.15	31.72	93.05
714	46.67	31.34	115.67	27.05	93.05
1485	93.58	57.35	198.96	32.55	93.00
18433	19.39	46.95	105.10	24.21	93.00
17567	1185.38	364.09	750.70	33.02	93.00
24615	817.72	230.83	583.06	24.71	92.96
15742	33.17	14.60	56.07	3.60	92.96
20766	56.29	20.07	93.49	10.52	92.92
15209	164.94	33.20	220.88	12.45	92.92
20879	87.79	50.58	180.08	38.06	92.88
19408	2011.27	675.11	1014.96	97.93	92.88
1247	1309.18	501.52	569.36	138.91	92.83
15299	88.50	61.88	119.48	12.69	92.83
11377	116.76	30.96	177.28	17.37	92.79
9037	22.39	16.20	56.28	11.77	92.79
24390	162.85	113.82	331.70	49.97	92.79
1550	30.09	69.61	60.64	8.26	92.79
1300	156.68	44.76	234.60	19.19	92.75
1585	67.71	33.38	128.60	16.01	92.70
25599	56.14	20.41	91.99	8.79	92.66
17524	1173.79	285.74	801.36	115.86	92.62
15122	420.86	89.65	588.05	45.81	92.58
25369	18.36	10.68	38.74	6.19	92.58
		28.84	117.74	22.59	92.53
643	61.37	32.91	119.52		92.53
		212.90	497.74	73.28	92.49
	1083.28	283.92	680.99		92.49
20864	1587.98	660.11	798.40	87.84	92.45
17742	1066.26	308.06	723.12	37.02	92.45
23248	37.67	17.23	53.27	3.03	92.45
17204	1732.06	656.42		86.53	92.45
					92.40
	128.41	50.32	217.38	25.88	92.36
5968	962.02	263.60	1474.27	231.26	92.36

	s): 6, 24, 163 h		le explair	Dog. R	1921-5039WC Io. 1793397.:
<u>"refillmebl</u>	NonToxMean	NonTox&D	ToxiMean	ToxSD 🦠	LDAScore
15433	66.69	31.46	164.15	24.65	97.20
1962	33.08	26.68	80.19	11.69	95.26
16122	116.83	40.09	224.79	57.88	94.96
1247	1312.82	499.50	526.34	127.30	94.87
16853	67.23	22.82	120.51	22.86	94.83
17693	1260.09	375.71	656.50	74.07	94.78
13239	108.92	47.30	236.00	58.32	94.57
15112	1553.39	530.07	717.14	110.65	94.35
18433	18.80	46.13	126.18	39.27	94.35
16121	109.21	58.36	264.16	84.47	94.18
15701	37.56	16.60	76.48	12.40	94.05
19077	208.57] 51.01	301.25	21.97	94.01
4723	1721.81]624.78	 922.60	68.61	93.58
25097	4.60	10.95	24.13	7.34	93.23
7278	1469.82	340.27	993.59	122.75	93.23
1159	888.08	229.69	532.18	82.33	93.19
15184	-80.88	50.16	76.70	82.34	93.07
456	871.69	317.12]499.51	56.17	92.97
1608	12.56	29.97	50.60	9.98	92.93
15437	38.06	21.84	118.82	46.29	92.69
225	122.71	33.55	235.76	49.22	92.51
14997	2605.00	1019.08	1218.22	195.95	92.46
15401	75.23	25.84	175.78	44.88	92.39
19408	2015.21	673.87	1049.53	100.77	92.20
18076	2552.08	1185.85	1116.73	165.36	91.90
	2630.74	1183.04	1067.76	130.98	91.72
15434	131.68	52.58	292.95	80.76	91.61
16211	2268.34	1131.65	761.93	145.25	91.51
	322.94	110.75	642.67	141.37	91.48
24651	100.37	23.09	169.86	33.73	91.48
16012	72.52	31.21	141.73	32.89	91.35
- 0	928.57	263.76	548.27	84.14	91.34
	656.51	217.90	1314.74	367.97	91.31
4589 17886	1215.64	368.99	748.52	72.66	91.21
	1506.14	491.91	843.64	96.88	91.16
	2232.91 804.12	1111.68 164.51	900.83	138.88	91.16
	76.92	38.49	1076.89 154.79	78.92 22.22	91.16 91.09
	303.47	81.98	400.13	28.12	90.99
	53.10	48.50	177.05		90.96
	2673.81	811.21	1499.15		90.79
	350.70	206.64	479.34		90.79
1	1958.43	783.05	911.49		90.78
	277.74	77.38	465.89		90.73
	322.35	138.05	614.67	136.42	90.57
	19.67	29.33	96.11		90.57
	817.64	211.58	458.34		90.53
	22.96	15.10	59.89		90.49
4	144.50	49.47	258.44		90.49
	20.40	50.29	136.10		90.49
	302.74		436.98		90.45
	1084.95		632.04		90.43
	92.98	56.73	213.05		90.36
	1735.18	656.07	938.01		90.30
	4.95	18.70			90.27

TABLE 572:	o o o o o o o o o o o o o o o o o o o		Ally, De	ocket No. 44	1921-5039\\\
Minepoint	(<u>s): 6, 24,</u> 163 li	yrs:		Dog. (lo. 1798397.
ldendifler	NonToxMean:	MontoxSD	ToxMoon	ToxSD	LDAScore
19080	75.38	56.65	202.18	64.18	90.27
1622	2078.05	898.00	838.34	144.28	90.26
17712	858.75	187.72	604.46	57.40	90.26
19407	1533.63	471.44	919.83	109.37	90.26
4280	1275.34	435.07	698.85	97.31	90.22
635	1254.34	431.22	723.36	97.99	90.17
22554	544.56	150.27	343.47	69.26	90.17
11524	-14.44	24.49	37.71	21.53	90.14
21703	16.32	12.14	42.83	13.13	90.10
14125	127.72	48.99	246.62	72.21	90.06
17480	119.30	33.27	190.90	31.79	90.01
23322	1169.31	283.61	760.72	114.86	89.96
8234	49.37	21.69	92.92	31.52	89.93
13682	176.92	61.79	309.18	50.37	89.89
11321	175.44	50.38	286.20	55.16	89.89
25253	291.91	64.62	414.09	38.27	89.71
23852	262.19	102.61	480.31	78.92	89.71
20781	57.13	21.07	88.06	13.32	89.70
1582	16.67	13.15	45.26	13.10	89.67
24696	68.64	47.19	170.78	42.12	89.67
818	4144.91	2804.50	980.91	271.23	89.66
9109	1022.78	337.79	702.34	58.34	89.66
21708	36.51	16.01	73.22	15.22	89.63
17549	1309.92	366.25	854.17	88.86	89.61
16591	151.86	47.16	253.45	36.23	89.54
17154	198.88	57.70	280.48	33.03	89.53
	2332.83	1063.34	1038.43	256.02	89.48
23109	2093.27	924.06	1002.79	195.59	89.48
2236	139.93		200.68	21.94	89.48
22661	1310.36		756.78	88.01	89.48
7857	51.98	45.43	149.29	46.95	89.45
20876			958.77	99.56	89.44
	2183.54		823.42	189.02	89.44
23215			169.54	21.53	89.41
			144.68	40.70	89.41
1			65.20	23.39	89.37
	2507.78		1088.40	231.11	89.35
			303.90		89.32
			276.37	48.32	89.32
			107.07		89.32
			144.83		89.28
	- 4		121.65	14.02	89.27
4			1015.34	283.90	89.27
			1058.04	289.77	89.22
21355	374.22	118.21	598.37	91.02	89.20

	A: SEMUSTINE	1.60 TO BUILDING AND A STATE OF THE STATE OF	AMy. De		4921-5039W
	(s): 163 hrs NonToxMean	(Descotion)	TorMean.		<u> </u>
23830	-3.74	14.74	24.13		
2655	43.68	49.43	103.83	2.44	98.46
22547	15.31	1164.20	55.98	7.70	98.07
21893	51.15	34.39	1119.77	15.62	97.99
7806	52.07	19.62	168.71	1.17	97.86 97.73
7785	1830.12	494.30	1054.17	67.70	
25705	455.94	115.83	667.36	30.91	97.69 97.64
22050	3163.82	930.45	2122.73	141.59	197.64
21443	103.90	53.37	35.53	5.08	97.26
23981	812.67	160.21	626.66	12.41	97.13
5733	12.64	47.16	51.31	11.73	197.13
8494	276.36	53.17	213.99	3.26	197.13
8901	25.65	33.31	2.82	0.93	97.13
7023	364.88	77.19	291.07	3.81	97.09
18353	113.25	70.77	275.16	28.92	97.04
3027	1129.65	333.83	1127.48	112.54	197.04
8177	3894.73	1495.61	2320.07	89.57	196.92
19398	4332.61	2167.49	2566.57	72.18	196.83
23626	71.43	37.20	159.26	19.40	96.83
18650	804.69	246.36	518.86	13.70	96.74
15627	5054.50	1946.06	3041.20	96.69	96.62
20757	413.88	222.48	607.95	51.66	96.53
2410	11.25	10.57	25.63	2.99	96.49
7274	576.90	150.70	364.54	16.30	196.44
26147	1030.83	225.21	645.26	49.87	96.32
3359	119.66	57.61	290.85	65.10	96.27
11994	104.13	23.52	63.18	4.39	96.06
7867	64.06	34.54	163.76	30.00	96.02
3701	90.19	44.20	111.89	2.06	95.93
23800	32.07	18.29	77.92	15.10	95.84
684	2810.78	1628.26	2548.66	84.69	95.84
19162	2230.57	613.60	1498.90	56.20	95.84
4958	138.49	48.09	181.53	4.13	95.80
1454	238.93	79.65	379.87	38.25	95.76
	6.68	15.73	27.19	3.33	95.76
	2327.93	570.40	1514.68	94.53	95.76
	350.93	216.90	167.34	16.19	95.76
	772.34	211.63	480.10	25.98	95.76
	137.98	35.08	116.24	1.67	95.72
	1994.46	839.22	1965.70	25.18	95.63
	1466.77	341.68	1037.78	55.91	95.59
	9177.09	7104.79	4192.02	442.45	95.59
	720.68	229.89	618.26	7.44	95.50
	2563.75	537.86	1741.86	94.90	95.46
	38.66	68.20	52.95	4.33	95.46
	5024.80	1714.05	3187.73	133.28	95.46
			295.43		95.37
		441.72	1574.36	40.27	95.37
			299.17		95.29
- ST		11.98	54.72		95.24
		13.39			95.20
	1868.08				95.16
		1		- 100	95.12
090 :					95.07
163					95.03

	A: SEMUSTINE		AWy. Do	ocket No. 4	3 9 21-5039\\\
Timepoint	(s): 163 hrs			. 'Dog [Mo. 1798397
ldentifier:	NonToxMean.	NonToxSD	ToxMean	- ToxSD	LDAScore
7337	130.17	35.83	72.98	111.19	95.03
5689	12.93	20.23	44.79	8.55	94.99
22737	204.61	104.35	375.42	54.48	94.94
4640	80.47	30.73	1144.33	117.03	94.82
10819	1187.21	363.05	1125.76	18.01	94.82
3269	76.54	40.97	147.76	18.49	94.77
18468	90.58	33.19	99.23	11.85	94.77
6204	39.16	12.29	53.01	1.67	94.77
19372	61.97	54.00	9.74	2.20	94.73
21628	116.51	45.00	204.96	26.35	94.69
3075	523.79	180.19	291.98	21.30	94.69
8015	52.45	36.45	80.79	2.30	94.64
20105	80.00	53.71	27.37	3.94	94.64
18830	5928.33	2277.75	3404.34	229.07	194.60
12639	1231.40	359.71	1328.85	25.82	94.60
2697	1227.29	359.86	1375.72	25.94	94.56
2326	1442.32	399.30	866.19	98.10	94.56
9180	82.53	35.16	153.13	21.13	94.47
22838	1383.85	399.86	912.16	54.21	94.47
23509	2234.19	462.51	1771.07	42.02	94.47
23709	2494.50	1202.87	2200.91	59.43	94.34
2912	2618.16	709.02	1838.26	100.99	94.34
20944	1191.93	395.05	1322.96	34.77	94.30
25589	154.92	38.08	184.54	2.96	94.30
18800	2730.47	1166.13	1296.14	149.09	94.26
2311	22.96	16.01	54.56	112.04	94.17
110	1097.48	256.27	795.24	44.26	94.17
7885	246.73	58.07	148.75	13.01	94.13
21458	229.64	104.63	360.82	32.46	194.13
22069	689.12	145.53	514.75	17.18	94.13
3584	65.13	35.08	106.58	9.75	94.13
968	966.61	265.81	609.81	49.16	94.04
9525	27.97	21.00	56.08	110.20	94.04
8757	250.38	72.47	327.68	19.19	94.00
9768	711.98	179.77	874.96	22.13	94.00
392	29.06		62.61	15.61	94.00
0267	2119.14	1	2056.03	48.77	94.00
3190	70.87		103.79	5.80	93.96
	218.79		97.09	19.62	93.96

	13: SUFLADIAZI ((s): 24 hrs		l «Yaiik» i		44921-5089W
		വിമത്തി (ക്രാഷവ		<u>000</u>	. No. 1798397.
13158	464.71	105.53	185.18	11.81	199.83
2010	31.95	313.46	578.42	46.88	99.79
15535	445.86	80.88	792.83	41.28	99.74
1564	34.77	147.30	1395.56	106.27	99.70
4452	989.99	248.64	328.14	43.97	99.70
4450	282.32	50.39	113.73	16.34	99.61
20700	81.27	404.57	1604.45	209.39	99.61
20481	208.68	44.26	81.56	7.25	99.57
25686	666.44	155.98	1348.56	47.39	99.53
5695	1559.28	402.43	636.16	43.80	99.53
6477	13.20	160.91	187.40	49.13	99.53
17101	352.23	77.89	621.28	16.27	99.49
15175	318.83	49.56	153.62	12.70	99.49
20699	90.33	220.48	1192.64	109.71	199.49
6478	22.55	383.52	251.88	88.78	99.44
725	1117.71	45.62	14.15	2.76	99.44
645	151.16	54.99	17.82	6.85	99.44
3987	192.50	47.15	465.13	55.22	99.44
21947	752.67	136.25	319.39	29.30	99.40
17291	1389.57	412.30	482.86	101.58	99.40
238	227.68	51.22	496.72	69.45	99.36
20887	794.18	312.69	103.79	42.68	99.36
1558	203.57	58.77	553.28	64.74	199.36
17661	255.29	58.73	540.05	70.79	199.36
6947	320.42	79.17	77.47	19.86	99.36
6204	752.56	177.92	1702.82	145.45	99.36
8906	255.45	83.89	55.16	8.36	99.36
7357	269.77	81.23	2.53	12.73	99.31
7514	859.90	174.50	359.55	37.03	99.31
6416	22.83	18.51	84.23	3.30	99.27
2085	688.34	191.75	339.59	20.82	199.27
101	380.51	644.25	3330.36	683.13	99.27
8278	1896.72	507.81	639.93	108.91	99.27
25718	392.38	80.21	851.19	103.08	99.23
478	352.13	79.44	88.92	22.22	99.23
621	292.01	59.49	563.88	51.66	199.23
3596	1491.59	375.55	487.23	90.69	199.23
0884	637.92	258.49	19.93	9.59	99.23
0016	207.78	73.01	1590.63	39.54	99.23
665	282.42	91.44		113.78	99.19
72	661.53	177.31	345.51	23.33	99.19
8597	521.43	162.83	914.02	31.92	99.19
222	545.41	102.20	1014.25	79.67	99.19
0886	719.84	291.88	50.84	41.81	99.19
884	178.24	37.12	331.54	22.95	99.19
422	297.77	88.40	75.68	10.49	99.19
7104	449.21	107.90	1060.31	149.95	99.19
7907	1319.66	300.38	623.40	49.85	99.14
7284	229.07	60.08	77.02	16.01	99.14
981	142.60	87.32	716.17	136.32	99.14
451	290.54	64.21	76.77	27.51	99.14
5955	751.14	196.31	146.28	35.67	99.14 99.10
6419	306.72	58.43		56.12	
6627	97.46	34.41 ·		79	99.10
2592	234.18	163.38	213.43		99.10
9824	224.78	67.21	903.10	59.07	99.10

-436-

	B: SUFLADIAZI		Ally, [ocket No.	44921-5039WO	
Timepoint	(s)): 24 hrs			തി	No. 17000007 1	
leenuner	Inonioxinean			മരുത്ത	TEDIA/SCOTO	
9905	674.04	138.26	279.49	36.23	99.10	
15002	139.13	94.64	580.42	72.97	99.10	
812	157.04	34.99	39.35	14.07	99.10	
15193	172.71	60.15	463.80	40.10	99.10	
11205	596.04	192.04	155.98	25.86	99.10	
17535	246.41	64.45	529.14	76.63	99.06	
4360	330.80	65.83	138.60	23.78	99.06	
5667	742.84	172.36	1513.63	136.63	99.06	
20056	309.09	√59.92	81.20	26.34	99.06	
11081	352.98	113.10	740.48	49.43	99.06	
3916	738.87	186.54	212.10	43.88	99.06	
1801	97.49	29.02	212.29	21.51	99.06	
25317	15.28	68.43	72.14	39.26	99.06	
24501	524.69	114.42	955.66	63.01	99.06	
19508	100.97	41.09	11.48	5.01	99.06	
19769	63.82	80.07	487.54	129.83	99.01	
25546	473.54	139.58	193.05	34.65	99.01	
10878	951.05	250.12	1714.95	105.09	99.01	
10819	1183.30	358.76	2036.62	53.76	99.01	
18507	701.19	159.97	1396.26	108.52	98.97	
2915	87.36	36.13	206.79	19.36	98.97	
15003	34.41	91.73	507.05	83.25	98.97	
2583	369.08	148.55	848.08	90.80	98.97	
9620	529.25]111.98	1071.29	125.35	98.97	
19298	364.57	96.71	819.01	116.31	98.97	
6614	478.70	150.19	97.33	35.20	98.97	
15986	320.13	83.84	46.97	24.78	98.97	
13646	727.39	191.95	1634.83	174.87	98.93	
240	184.44	53.70	394.90	58.94	98.93	
16675	33.18	31.66	226.87	74.32	98.93	
11968	297.46	82.47	94.28	17.16	98.93	
17540	561.49	199.04	1593.99	230.39	98.93	
19161	1068.85	309.26	2020.78	120.96	98.93	
23924	208.78	62.50	465.78 ∍	53.25	98.93	
4482	227.17	73.35	67.19	17.67	98.93	
5199	611.50	182.04	158.54	39.19	98.93	
117	21.06	17.59	-12.77	2.61	98.89	
22536	1715.17	473.49	3319.42	278.50	98.89	
17100	819.32	235.74	1519.10	85.28	98.89	
14332	537.23	133.39	1143.62	152.21	98.89	
5232	365.72	93.58	160.50	9.58	98.89	
10561	78.49	36.71	188.47	14.45	98.89	
15098	185.41	66.49		6.96	98.89	
3401	14.24	21.17	144.41	52.94	98.89	

1000 2121 000	C: SULFADIAZI	ne.	AMY: De	a ka ([Xe: 4	4921-5039W
	(S): 3, 0 MS			DOG.	NO. 117933397
ldendifter	NonToxMean	Non ToxSD	ToxiMean	ToxSD	LDAScore
2459	327.82	133.31	1186.99	180.16	99.44
985	18.91	23.49	435.93	226:01	99.36
6054	24.46	35.46	463.67	144.11	99.18
21546	-60.81	78.07	461.08	143.78	99.14
11259 223	101.27	105.67	1117.26	304.40	99.05
223 13745	10.81 27.17	16.39	121.57	31.76	99.05
8304	263.66	26.30 68.46	236.39	104.08	99.05
2154	54.19	102.13	104.04 766.15	18.52 1271.93	199.05
6585	635.65	314.22	2778.88	622.70	98.93 98.80
17506	33.02	28.55	170.00	154.28	98.80
2153	179.20	124.41	1217.91	474.19	98.75
23872	47.29	87.73	387.10	112.60	98.71
15301	35.41	55.60	466.69	146.16	98.67
15192	164.68	117.96	858.98	208.00	98.67
17327	209.40	86.17	531.34	65.50	98.62
15300	131.96	108.91	967.46	264.07	98.62
7700	80.97	38.43	377.20	103.65	98.58
13930	128.33	69.33	520.74	123.87	98.54
10659	128.90	79.62	602.71	192.55	98.54
7197	195.08	78.35	557.25	1113.13	98.37
19060	150.81]79.81	399.19	134.24	98.32
15299	86.11]52.88	422.06	161.10]98.28
355	110.95	13.39	102.92	40.18	98.28
7196	178.85	80.11	517.52	81.96	98.28
25730	196.00	64.30	513.70	106.95	98.24
5356 19657	-12.88	118.58	46.77	19.05	98.19
25084	3.19 -12.38	117.88	84.23	34.61	98.15
2506 4 1501	58.67	22.65	46.65	25.44	98.11
17908	62.13	53.51 58.89	250.18 240.27	120.56	98.02
16314	43.27	38.63		66.39	97.98
2555	95.85	144.10	240.75 292.92	61.16 71.25	97.94
21682	-35.82	31.41	50.22	26.54	97.94 97.89
384	40.19	41.73	218.67	41.90	97.89
2626	83.22	171.71	465.98	192.17	97.85
1483	64.30	44.10	197.71	47.03	97.85
6053	229.00	93.51	658.28	200.15	97.81
045	93.63	47.19		46.42	97.81
304	454.28	182.83		83.33	97.76
8874	118.37	60.25	3	73.98	97.76
23314	62.72	247.80	3	543.62	97.76
21	69.73	31.90		47.41	97.76
2681	218.11	182.12		310.38	97.72
471	219.05	63.97		40.74	97.72
3240	475.09	362.91	2390.71	790.75	97.68
340	192.32	49.81	108.32	15.13	97.64
6312	54.74	33.76	197.76	42.24	97.59
1876	107.52	40.42	242.85	40.07	97.46
0161	38.17	33.28		32.80	97.46
5996	49.41	38.61			97.42
2978	105.07	45.80			97.42
4179	49.88	26.28			97.38
2534	87.91	36.00			97.38
1779	147.51	35.16	262.54	35.74	97.29

Table 5cc: Sulfadiazine Timppoini(s): 3, 6 hrs			Ality. Docket No. 44921-5039000 Doc. No. 1793397.1			
ldendifier	NonToxMean	CEROTAIN	ToxMean	ToxSD .	LDAScore	
11979	210.67	69.55	85.98	17.52	97.25	
17161	1152.09	406.69	2288.34	334.10	97.25	
11434	326.14	103.27	663.21	132.01	97.12	
6844	124.34	58.18	17.91	11.06	97.12	
22	53.08	46.64	206.89	59.81	97.12	
3464	165.60	53.31	329.80	63.59	97.08	
3434	322.01	136.13	755.72	108.22	97.08	
22248	243.91	118.15	625.27	179.46	97.03	
9423	937.34	251.31	1765.27	274.26	97.03	
21683	34.05	23.48	105.62	26.60	96.95	
16527	51.16	16.84	24.15	3.25	96.90	
4512	1.04	32.53	73.93	19.11	96.86	
4725]81.40	55.94	245.03	66.25	96.78	
21239	114.57	59.35	256.57	37.93	96.78	
17329]213.88	104.30	531.44	105.41	96.65	
13467	37.67	24.44	111.98	36.67	96.56	
15089	179.58	77.35	389.68	58.33	96.56	
3454	86.52	35.67	198.35	31.79	196.47	
20523	547.69	149.96	965.84	112.80	96.43	
15058	197.84	70.39	377.22	46.94	96.35	
14492	613.89	164.78	1076.44	162.75	96.35	
12999	128.09	33.18	203.14	17.45	96.30	
22967	163.84	54.49	255.51	13.19	96.26	
18008	1.51	16.75	42.22	12.38	96.26	
24640	177.45	57.95	357.46	73.86	96.26	
7913	55.20	20.69	108.16	18.70	96.17	
2625	141.92	31.66	87.09	9.03	96.17	
3049	201.89	100.36	461.30	105.24	96.17	
18011	31.95	28.60	105.17	25.57	96.13	
23834	71.40	23.40	137.38	25.69	96.09	
19818	32.37	21.21	85.97	15.20	96.04	
12673	37.51	22.58	99.74	25.41	96.04	
15377	25.91	15.53	56.38	6.78	96.00	
12745	330.67	112.37	623.69	81.74	96.00	
14111	150.33	66.27	327.97	47.79	96.00	
11157	681.75	178.91	356.49	80.44	96.00	
23166	134.04	62.51	266.66	54.48	95.96	
3519	375.54	125.21	690.15	176.36	95.87	
16124	420.65	131.40	193.12	32.21	95.83	
17800	204.49	42.25	108.97	22.01	95.79	
8639	368.08	97.97	620.44	125.57	95.79	
25090	83.00	43.32	203.07	48.58	95.79	
15191	2005.55	1208.87	3819.43	343.39	95.74	
7469	286.95	67.51	149.39	36.61	95.70	
21238	-17.22	39.01	55.57	20.45	95.70	

-439-

WE CLAIM:

- 1. A method of predicting at least one toxic effect of a compound, comprising:
- (a) preparing a gene expression profile of a tissue or cell sample exposed to the compound; and
- 5 (b) comparing the gene expression profile to a database comprising at least part of the data or information of Tables 1-5.
 - 2. A method of claim 1, wherein the gene expression profile prepared from the tissue or cell sample comprises the level of expression for at least one gene.

10

- 3. A method of claim 2, wherein the level of expression is compared to a Tox Mean and/or NonTox Mean value in Tables 5-5CC.
- 4. A method of claim 3, wherein the level of expression is normalized prior to comparison.
 - 5. A method of claim 1, wherein the database comprises substantially all of the data or information in Tables 5-5CC.
- 20 6. A method of predicting at least one toxic effect of a compound, comprising:
 - (a) detecting the level of expression in a tissue or cell sample exposed to the compound of two or more genes from Tables 1-5; wherein differential expression of the genes in Tables 1-5 is indicative of at least one toxic effect.
- 25 7. A method of predicting the progression of a toxic effect of a compound, comprising:
 - (a) detecting the level of expression in a tissue or cell sample exposed to the compound of two or more genes from Tables 1-5; wherein differential expression of the genes in Tables 1-5 is indicative of toxicity progression.

- 8. A method of predicting the renal toxicity of a compound, comprising:
 - (a) detecting the level of expression in a tissue or cell sample exposed to the

-440-

compound of two or more genes from Tables 1-5; wherein differential expression of the genes in Tables 1-5 is indicative of renal toxicity.

- 9. A method of identifying an agent that modulates the onset or progression of a
 5 toxic response, comprising:
 - (a) exposing a cell to the agent and a known toxin; and
 - (b) detecting the expression level of two or more genes from Tables 1-5; wherein differential expression of the genes in Tables 1-5 is indicative of toxicity.
- 10 10. A method of predicting the cellular pathways that a compound modulates in a cell, comprising:
 - (a) detecting the level of expression in a tissue or cell sample exposed to the compound of two or more genes from Tables 1-5; wherein differential expression of the genes in Tables 1-5 is associated the modulation of at least one cellular pathway.

11. The method of any one of claims 6-10, wherein the expression levels of at least 3 genes are detected.

15

- 12. The method of any one of claims 6-10, wherein the expression levels of at least 4 genes are detected.
 - 13. The method of any one of claims 6-10, wherein the expression levels of at least 5 genes are detected.
- 25 14. The method of any one of claims 6-10, wherein the expression levels of at least 6 genes are detected.
 - 15. The method of any one of claims 6-10, wherein the expression levels of at least 7 genes are detected.
 - 16. The method of any one of claims 6-10, wherein the expression levels of at least 8 genes are detected.

WO 02/095000

10

15

20

25

-441-

PCT/US02/16173

- 17. The method of any one of claims 6-10, wherein the expression levels of at least 9 genes are detected.
- 5 18. The method of any one of claims 6-10, wherein the expression levels of at least 10 genes are detected.
 - 19. A method of claim 6 or 7, wherein the effect is selected from the group consisting of nephritis, kidney necrosis, glomerular and tubular injury, and focal segmental glomerulosclerosis.
 - 20. A method of claim 8, wherein the renal toxicity is associated with at least one kidney disease pathology selected from the group consisting of nephritis, kidney necrosis, glomerular and tubular injury, and focal segmental glomerulosclerosis.

21. A method of claim 10, wherein the cellular pathway is modulated by a toxin selected from the group consisting of cephaloridine, cisplatin, puromycin aminonucleoside (PAN), bromoethylamine hydrobromide (BEA), gentamicin, ifosfamide, cyclophosphamide, carboplatin, AY-25329, indomethacin, acyclovir, citrinin, mercuric chloride, diflunisal, cidofovir, pamidronate, lithium, hydralazine, colchicine, sulfadiazine, and adriamycin.

- 22. A set of at least two probes, wherein each of the probes comprises a sequence that specifically hybridizes to a gene in Tables 1-5.
- 23. A set of probes according to claim 22, wherein the set comprises probes that hybridize to at least 3 genes.
- 24. A set of probes according to claim 22, wherein the set comprises probes that30 hybridize to at least 5 genes.
 - 25. A set of probes according to claim 22, wherein the set comprises probes that

-442-

hybridize to at least 7 genes.

26. A set of probes according to claim 22, wherein the set comprises probes that hybridize to at least 10 genes.

5

- 27. A set of probes according to any one of claims 22-26, wherein the probes are attached to a solid support.
- 28. A set of probes according to claim 27, wherein the solid support is selected from the group consisting of a membrane, a glass support and a silicon support.
 - 29. A solid support comprising at least two probes, wherein each of the probes comprises a sequence that specifically hybridizes to a gene in Tables 1-5.
- 15 30. A solid support of claim 29, wherein the solid support is an array comprising at least 10 different oligonucleotides in discrete locations per square centimeter.
 - 31. A solid support of claim 29, wherein the array comprises at least about 100 different oligonucleotides in discrete locations per square centimeter.

20

- 32. A solid support of claim 29, wherein the array comprises at least about 1000 different oligonucleotides in discrete locations per square centimeter.
- A solid support of claim 29, wherein the array comprises at least about 10,000
 different oligonucleotides in discrete locations per square centimeter.
 - 34. A computer system comprising:
 - (a) a database containing information identifying the expression level in a tissue or cell sample exposed to a renal toxin of a set of genes comprising at least two genes in Tables 1-5; and
 - (b) a user interface to view the information.

WO 02/095000

5

10

15

20

- 35. A computer system of claim 34, wherein the database further comprises sequence information for the genes.
- 36. A computer system of claim 34, wherein the database further comprises information identifying the expression level for the set of genes in the tissue or cell sample before exposure to a renal toxin.
 - 37. A computer system of claim 34, wherein the database further comprises information identifying the expression level of the set of genes in a tissue or cell sample exposed to at least a second renal toxin.
 - 38. A computer system of any of claims 34-37, further comprising records including descriptive information from an external database, which information correlates said genes to records in the external database.
- 39. A computer system of claim 38, wherein the external database is GenBank.
- 40. A method of using a computer system of any one of claims 34-37 to present information identifying the expression level in a tissue or cell of at least one gene in Tables 1-5, comprising:

comparing the expression level of at least one gene in Tables 1-5 in a tissue or cell exposed to a test agent to the level of expression of the gene in the database.

- 41. A method of claim 40, wherein the expression levels of at least two genes are compared.
 - 42. A method of claim 40, wherein the expression levels of at least five genes are compared.
- 30 43. A method of claim 40, wherein the expression levels of at least ten genes are compared.

-444-

- 44. A method of claim 40, further comprising the step of displaying the level of expression of at least one gene in the tissue or cell sample compared to the expression level when exposed to a toxin.
- 5 45. A method of claim 9, wherein the known toxin is a renal toxin.

10

15

- 46. A method of claim 42, wherein the renal toxin is selected from the group consisting of cephaloridine, cisplatin, puromycin aminonucleoside (PAN), bromoethylamine hydrobromide (BEA), gentamicin, ifosfamide, cyclophosphamide, carboplatin, AY-25329, indomethacin, acyclovir, citrinin, mercuric chloride, diflunisal, cidofovir, pamidronate, lithium, hydralazine, colchicine, sulfadiazine, and adriamycin.
 - 47. A method of any one of claims 6-10, wherein nearly all of the genes in Tables 1-5 are detected.
- 48. A method of claim 47, wherein all of the genes in at least one of Tables 5-5CC are detected.
- 49. A kit comprising at least one solid support of any one of claims 29-33 packaged20 with gene expression information for said genes.
 - 50. A kit of claim 49, wherein the gene expression information comprises gene expression levels in a tissue or cell sample exposed to a renal toxin.
- 25 51. A kit of claim 50, wherein the gene expression information is in an electronic format.
 - 52. A method of any one of claims 6-10, wherein the compound exposure is in vivo or in vitro.
 - 53. A method of any one of claims 6-10, wherein the level of expression is detected by an amplification or hybridization assay.

-445-

- 54. A method of claim 53, wherein the amplification assay is quantitative or semiquantitative PCR.
- 5 55. A method of claim 53, wherein the hybridization assay is selected from the group consisting of Northern blot, dot or slot blot, nuclease protection and microarray assays.
 - 56. A method of identifying an agent that modulates at least one activity of a protein encoded by a gene in Tables 1-5 comprising:
- 10 (a) exposing the protein to the agent; and

- (b) assaying at least one activity of said protein.
- 57. A method of claim 56, wherein the agent is exposed to a cell expressing the protein.
- 58. A method of claim 57, wherein the cell is exposed to a known toxin.
- 59. A method of claim 58 wherein the toxin modulates the expression of the protein.